
## Tadakimi Tomita

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1825230/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Single Cell Transcriptomes of In Vitro Bradyzoite Infected Cells Reveals Toxoplasma gondii Stage Dependent Host Cell Alterations. Frontiers in Cellular and Infection Microbiology, 2022, 12, 848693.	1.8	4
2	Dense Granule Protein GRA64 Interacts with Host Cell ESCRT Proteins during <i>Toxoplasma gondii</i> Infection. MBio, 2022, 13, .	1.8	14
3	Toxoplasma gondii Matrix Antigen 1 Is a Secreted Immunomodulatory Effector. MBio, 2021, 12, .	1.8	18
4	Secreted Effectors Modulating Immune Responses to Toxoplasma gondii. Life, 2021, 11, 988.	1.1	17
5	MAG2, a Toxoplasma gondii Bradyzoite Stage-Specific Cyst Matrix Protein. MSphere, 2020, 5, .	1.3	8
6	The Toxoplasma gondii Cyst Wall Interactome. MBio, 2020, 11, .	1.8	30
7	Toxoplasma gondii PPM3C, a secreted protein phosphatase, affects parasitophorous vacuole effector export. PLoS Pathogens, 2020, 16, e1008771.	2.1	13
8	Title is missing!. , 2020, 16, e1008771.		0
9	Title is missing!. , 2020, 16, e1008771.		0
10	Title is missing!. , 2020, 16, e1008771.		0
11	Title is missing!. , 2020, 16, e1008771.		0
12	Title is missing!. , 2020, 16, e1008771.		0
13	Title is missing!. , 2020, 16, e1008771.		0
14	Microsporidia Interact with Host Cell Mitochondria via Voltage-Dependent Anion Channels Using Sporoplasm Surface Protein 1. MBio, 2019, 10, .	1.8	38
15	Stage-Specific and Selective Delivery of Caged Azidosugars into the Intracellular Parasite <i>Toxoplasma gondii</i> by Using an Esterase-Ester Pair Technique. MSphere, 2019, 4, .	1.3	1
16	Enrichment and Proteomic Characterization of the Cyst Wall from <i>In Vitro</i> Toxoplasma gondii Cysts. MBio, 2019, 10, .	1.8	68
17	Characterization of a SRS13: a new cyst wall mucin-like domain containing protein. Parasitology Research, 2018, 117, 2457-2466.	0.6	11
18	Making Home Sweet and Sturdy: <i>Toxoplasma gondii</i> ppGalNAc-Ts Glycosylate in Hierarchical Order and Confer Cyst Wall Rigidity. MBio, 2017, 8, .	1.8	52

ΤΑΔΑΚΙΜΙ ΤΟΜΙΤΑ

#	Article	IF	CITATIONS
19	<i>Toxoplasma gondii</i> Requires Glycogen Phosphorylase for Balancing Amylopectin Storage and for Efficient Production of Brain Cysts. MBio, 2017, 8, .	1.8	66
20	Toxoplasma gondii Cyclic AMP-Dependent Protein Kinase Subunit 3 Is Involved in the Switch from Tachyzoite to Bradyzoite Development. MBio, 2016, 7, .	1.8	56
21	The Toxoplasma gondii Cyst Wall Protein CST1 Is Critical for Cyst Wall Integrity and Promotes Bradyzoite Persistence. PLoS Pathogens, 2013, 9, e1003823.	2.1	134
22	Type II Toxoplasma gondii <i>KU80</i> Knockout Strains Enable Functional Analysis of Genes Required for Cyst Development and Latent Infection. Eukaryotic Cell, 2011, 10, 1193-1206.	3.4	188
23	Externally Triggered Egress Is the Major Fate of <i>Toxoplasma gondii</i> during Acute Infection. Journal of Immunology, 2009, 183, 6667-6680.	0.4	36