Pierre Dorny

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/182526/publications.pdf

Version: 2024-02-01

220 papers

6,863 citations

44 h-index

57758

66 g-index

102487

221 all docs

221 docs citations

times ranked

221

3617 citing authors

#	Article	IF	CITATIONS
1	Emerging food-borne parasites. Veterinary Parasitology, 2009, 163, 196-206.	1.8	297
2	A Bayesian approach for estimating values for prevalence and diagnostic test characteristics of porcine cysticercosis. International Journal for Parasitology, 2004, 34, 569-576.	3.1	239
3	The emergence of Taenia solium cysticercosis in Eastern and Southern Africa as a serious agricultural problem and public health risk. Acta Tropica, 2003, 87, 13-23.	2.0	186
4	Sero-epidemiological study of Taenia saginata cysticercosis in Belgian cattle. Veterinary Parasitology, 2000, 88, 43-49.	1.8	148
5	Immunological and molecular diagnosis of cysticercosis. Pathogens and Global Health, 2012, 106, 286-298.	2.3	131
6	Regional status, epidemiology and impact of Taenia solium cysticercosis in Western and Central Africa. Acta Tropica, 2003, 87, 35-42.	2.0	125
7	Immunodiagnosis of Taenia solium taeniosis/cysticercosis. Trends in Parasitology, 2010, 26, 137-144.	3.3	121
8	Immunodiagnostic tools for human and porcine cysticercosis. Acta Tropica, 2003, 87, 79-86.	2.0	117
9	Detection of <i>Taenia solium</i> Antigens and Anti– <i>T. solium</i> Antibodies in Paired Serum and Cerebrospinal Fluid Samples from Patients with Intraparenchymal or Extraparenchymal Neurocysticercosis. Journal of Infectious Diseases, 2009, 199, 1345-1352.	4.0	111
10	Taenia solium Human Cysticercosis: A Systematic Review of Sero-epidemiological Data from Endemic Zones around the World. PLoS Neglected Tropical Diseases, 2015, 9, e0003919.	3.0	107
11	Taenia saginata in Europe. Veterinary Parasitology, 2007, 149, 22-24.	1.8	94
12	Risk factors associated with porcine cysticercosis in selected districts of Eastern and Southern provinces of Zambia. Veterinary Parasitology, 2007, 143, 59-66.	1.8	91
13	Why Latrines Are Not Used: Communities' Perceptions and Practices Regarding Latrines in a Taenia solium Endemic Rural Area in Eastern Zambia. PLoS Neglected Tropical Diseases, 2015, 9, e0003570.	3.0	89
14	<scp>B</scp> ayesian modelling to estimate the test characteristics of coprology, coproantigen <scp>ELISA</scp> and a novel realâ€time <scp>PCR</scp> for the diagnosis of taeniasis. Tropical Medicine and International Health, 2013, 18, 608-614.	2.3	75
15	The Burden of Parasitic Zoonoses in Nepal: A Systematic Review. PLoS Neglected Tropical Diseases, 2014, 8, e2634.	3.0	7 3
16	Nanobodies, a promising tool for species-specific diagnosis of Taenia solium cysticercosis. International Journal for Parasitology, 2009, 39, 625-633.	3.1	72
17	Epidemiological survey of swine cysticercosis in two rural communities of West-Cameroon. Veterinary Parasitology, 2002, 106, 45-54.	1.8	71
18	Taenia solium Infections in a Rural Area of Eastern Zambia-A Community Based Study. PLoS Neglected Tropical Diseases, 2012, 6, e1594.	3.0	69

#	Article	IF	CITATIONS
19	The prevalence of porcine cysticercosis in Eastern and Southern provinces of Zambia. Veterinary Parasitology, 2002, 108, 31-39.	1.8	65
20	Added Value of Antigen ELISA in the Diagnosis of Neurocysticercosis in Resource Poor Settings. PLoS Neglected Tropical Diseases, 2012, 6, e1851.	3.0	65
21	The Incidence of Human Cysticercosis in a Rural Community of Eastern Zambia. PLoS Neglected Tropical Diseases, 2013, 7, e2142.	3.0	65
22	Taenia solium Cysticercosis in the Democratic Republic of Congo: How Does Pork Trade Affect the Transmission of the Parasite?. PLoS Neglected Tropical Diseases, 2010, 4, e817.	3.0	64
23	Prevalence of Taenia solium cysticercosis in swine from a community-based study in 21 villages of the Eastern Cape Province, South Africa. Veterinary Parasitology, 2008, 154, 38-47.	1.8	63
24	Epidemiology of taeniosis/cysticercosis in Europe, a systematic review: Western Europe. Parasites and Vectors, 2017, 10, 349.	2.5	61
25	Serological survey <i>Toxoplasma gondii</i> of a on feline immunodeficiency virus and feine leukaemia virus in urban stray cats in Belgium. Veterinary Record, 2002, 151, 626-629.	0.3	60
26	Taenia solium cysticercosis in a village in northern Viet Nam: seroprevalence study using an ELISA for detecting circulating antigen. Transactions of the Royal Society of Tropical Medicine and Hygiene, 2002, 96, 270-272.	1.8	60
27	The low global burden of trichinellosis: evidence and implications. International Journal for Parasitology, 2015, 45, 95-99.	3.1	60
28	Assessment of routine inspection methods for porcine cysticercosis in Zambian village pigs. Journal of Helminthology, 2006, 80, 69-72.	1.0	58
29	Infections with gastrointestinal nematodes, Fasciola and Paramphistomum in cattle in Cambodia and their association with morbidity parameters. Veterinary Parasitology, 2011, 175, 293-299.	1.8	57
30	Epidemiology and genetic diversity of Taenia asiatica: a systematic review. Parasites and Vectors, 2014, 7, 45.	2.5	56
31	Control of Taenia solium taeniasis/cysticercosis: The best way forward for sub-Saharan Africa?. Acta Tropica, 2017, 165, 252-260.	2.0	56
32	Prevalence of Taenia solium porcine cysticercosis in the Eastern, Southern and Western provinces of Zambia. Veterinary Journal, 2008, 176, 240-244.	1.7	55
33	A seroepidemiological study of human cysticercosis in West Cameroon. Tropical Medicine and International Health, 2003, 8, 144-149.	2.3	54
34	Validation of Meat Inspection Results for Taenia saginata Cysticercosis by PCR–Restriction Fragment Length Polymorphism. Journal of Food Protection, 2007, 70, 236-240.	1.7	53
35	Distribution and risk factors of bovine cysticercosis in Belgian dairy and mixed herds. Preventive Veterinary Medicine, 2007, 82, 1-11.	1.9	53
36	Kinetics of circulating antigens in pigs experimentally infected with Taenia solium eggs. Veterinary Parasitology, 2003, 111, 323-332.	1.8	52

#	Article	IF	CITATIONS
37	Taenia solium taeniasis and cysticercosis in three communities in north Vietnam. Tropical Medicine and International Health, 2006, $11,65-72$.	2.3	51
38	Epidemiology of taeniosis/cysticercosis in Europe, a systematic review: eastern Europe. Parasites and Vectors, 2018, 11, 569.	2.5	50
39	Prevalence of Neurocysticercosis in People with Epilepsy in the Eastern Province of Zambia. PLoS Neglected Tropical Diseases, 2015, 9, e0003972.	3.0	48
40	Pork as a source of transmission of Toxoplasma gondii to humans: a parasite burden study in pig tissues after infection with different strains of Toxoplasma gondii as a function of time and different parasite stages. International Journal for Parasitology, 2018, 48, 555-560.	3.1	48
41	Parasitic infections in dairy cattle around Hanoi, northern Vietnam. Veterinary Parasitology, 2008, 153, 384-388.	1.8	47
42	Age-related infection and transmission patterns of human cysticercosis. International Journal for Parasitology, 2010, 40, 85-90.	3.1	47
43	Re-visiting the detection of porcine cysticercosis based on full carcass dissections of naturally Taenia solium infected pigs. Parasites and Vectors, 2017, 10, 572.	2.5	47
44	Parasite detection in food: Current status and future needs for validation. Trends in Food Science and Technology, 2020, 99, 337-350.	15.1	47
45	Evaluation of a micro method for the routine determination of serum pepsinogen in cattle. Research in Veterinary Science, 1998, 65, 259-262.	1.9	46
46	Evaluation of tongue inspection and serology for diagnosis of Taenia solium cysticercosis in swine: usefulness of ELISA using purified glycoproteins and recombinant antigen. Veterinary Parasitology, 2003, 111, 309-322.	1.8	45
47	A Cross-Sectional Study of Taenia solium in a Multiple Taeniid-Endemic Region Reveals Competition May be Protective. American Journal of Tropical Medicine and Hygiene, 2012, 87, 281-291.	1.4	45
48	Immunodiagnostic approaches for detecting Taenia solium. Trends in Parasitology, 2004, 20, 259-260.	3.3	44
49	Human tapeworms in north Vietnam. Transactions of the Royal Society of Tropical Medicine and Hygiene, 2007, 101, 275-277.	1.8	44
50	Epidemiology, impact and control of bovine cysticercosis in Europe: a systematic review. Parasites and Vectors, 2016, 9, 81.	2.5	44
51	CystiSim – An Agent-Based Model for Taenia solium Transmission and Control. PLoS Neglected Tropical Diseases, 2016, 10, e0005184.	3.0	43
52	Infection with versus Exposure to Taenia solium: What Do Serological Test Results Tell Us?. American Journal of Tropical Medicine and Hygiene, 2010, 83, 413-415.	1.4	42
53	A systematic review on the global occurrence of Taenia hydatigena in pigs and cattle. Veterinary Parasitology, 2016, 226, 97-103.	1.8	42
54	Why pigs are free-roaming: Communities' perceptions, knowledge and practices regarding pig management and taeniosis/cysticercosis in a Taenia solium endemic rural area in Eastern Zambia. Veterinary Parasitology, 2016, 225, 33-42.	1.8	42

#	Article	IF	Citations
55	Comparison of a new multiplex real-time PCR with the Kato Katz thick smear and copro-antigen ELISA for the detection and differentiation of Taenia spp. in human stools. PLoS Neglected Tropical Diseases, 2017, 11, e0005743.	3.0	42
56	Factors Associated with the Prevalence of Circulating Antigens to Porcine Cysticercosis in Three Villages of Burkina Faso. PLoS Neglected Tropical Diseases, 2011, 5, e927.	3.0	41
57	Follow-up of neurocysticercosis patients after treatment using an antigen detection ELISA. Parasite, 2003, 10, 65-68.	2.0	40
58	Taenia solium in Europe: Still endemic?. Acta Tropica, 2017, 165, 96-99.	2.0	40
59	High prevalence of Taenia solium cysticerosis in a village community of Bas-Congo, Democratic Republic of Congo. International Journal for Parasitology, 2011, 41, 1015-1018.	3.1	39
60	The Influence of Socio-economic, Behavioural and Environmental Factors on Taenia spp. Transmission in Western Kenya: Evidence from a Cross-Sectional Survey in Humans and Pigs. PLoS Neglected Tropical Diseases, 2015, 9, e0004223.	3.0	39
61	Molecular characterization of Echinococcus granulosus s.l. cysts from cattle, camels, goats and pigs in Ethiopia. Veterinary Parasitology, 2016, 215, 17-21.	1.8	39
62	Epidemiology, Impact and Control of Rabies in Nepal: A Systematic Review. PLoS Neglected Tropical Diseases, 2016, 10, e0004461.	3.0	39
63	Prevalence of neurocysticercosis among people with epilepsy in rural areas of Burkina Faso. Epilepsia, 2012, 53, 2194-2202.	5.1	38
64	Pig-farming systems and porcine cysticercosis in the north of Cameroon. Journal of Helminthology, 2010, 84, 441-446.	1.0	37
65	Prevalence case-control study of epilepsy in three Burkina Faso villages. Acta Neurologica Scandinavica, 2012, 126, 270-278.	2.1	37
66	Molecular Confirmation that Fasciola gigantica Can Undertake Aberrant Migrations in Human Hosts. Journal of Clinical Microbiology, 2007, 45, 648-650.	3.9	36
67	Serological responses in porcine cysticercosis: A link with the parasitological outcome of infection. International Journal for Parasitology, 2008, 38, 1191-1198.	3.1	36
68	Multi-test analysis and model-based estimation of the prevalence of Taenia saginata cysticercus infection in naturally infected dairy cows in the absence of a †gold standard' reference test. International Journal for Parasitology, 2013, 43, 853-859.	3.1	36
69	Seroepidemiological study of ovine toxoplasmosis in East and West Shewa Zones of Oromia Regional State, Central Ethiopia. BMC Veterinary Research, 2013, 9, 117.	1.9	35
70	Prevalence of and Factors Associated with Human Cysticercosis in 60 Villages in Three Provinces of Burkina Faso. PLoS Neglected Tropical Diseases, 2015, 9, e0004248.	3.0	35
71	Effectiveness of a community-based educational programme in reducing the cumulative incidence and prevalence of human Taenia solium cysticercosis in Burkina Faso in 2011–14 (EFECAB): a cluster-randomised controlled trial. The Lancet Global Health, 2018, 6, e411-e425.	6.3	35
72	Epidemiology of Taenia saginata taeniosis/cysticercosis: a systematic review of the distribution in southern and eastern Africa. Parasites and Vectors, 2018, 11, 578.	2.5	35

#	Article	IF	Citations
73	High prevalence of anti-Trichinella IgG in domestic pigs of the Son La province, Vietnam. Veterinary Parasitology, 2010, 168, 136-140.	1.8	34
74	Epidemiology of Taenia saginata taeniosis/cysticercosis: a systematic review of the distribution in the Americas. Parasites and Vectors, 2018, 11, 518.	2.5	34
75	Preliminary evaluation of Community-Led Total Sanitation for the control of Taenia solium cysticercosis in Katete District of Zambia. Veterinary Parasitology, 2015, 207, 241-248.	1.8	33
76	Human migration and pig/pork import in the European Union: What are the implications for Taenia solium infections?. Veterinary Parasitology, 2015, 213, 38-45.	1.8	33
77	Seroprevalence of anti-Toxoplasma gondii antibodies in Egyptian sheep and goats. BMC Veterinary Research, 2018, 14, 120.	1.9	33
78	A sero-epidemiological study of bovine cysticercosis in Zambia. Veterinary Parasitology, 2002, 104, 211-215.	1.8	31
79	Taeniosis–cysticercosis in man and animals in the Sierra of Northern Ecuador. Veterinary Parasitology, 2003, 118, 51-60.	1.8	31
80	Assessing the impact of a joint human-porcine intervention package for Taenia solium control: Results of a pilot study from northern Lao PDR. Acta Tropica, 2016, 159, 185-191.	2.0	31
81	Taeniasis-cysticercosis in Southern Ecuador: assessment of infection status using multiple laboratory diagnostic tools. Memorias Do Instituto Oswaldo Cruz, 2006, 101, 779-782.	1.6	30
82	Prevalence of bovine cysticercosis and hydatidosis in Jimma municipal abattoir, South West Ethiopia. Onderstepoort Journal of Veterinary Research, 2009, 76, 323-6.	1.2	30
83	Seroprevalence to the Antigens of Taenia solium Cysticercosis among Residents of Three Villages in Burkina Faso: A Cross-Sectional Study. PLoS Neglected Tropical Diseases, 2009, 3, e555.	3.0	30
84	Parasite Antigen in Serum Predicts the Presence of Viable Brain Parasites in Patients With Apparently Calcified Cysticercosis Only. Clinical Infectious Diseases, 2013, 57, e154-e159.	5.8	30
85	The survival and dispersal of Taenia eggs in the environment: what are the implications for transmission? A systematic review. Parasites and Vectors, 2021, 14, 88.	2.5	30
86	Detecting spatial clusters of Taenia solium infections in a rural block in South India. Transactions of the Royal Society of Tropical Medicine and Hygiene, 2010, 104, 601-612.	1.8	29
87	A more sensitive, efficient and ISO 17025 validated Magnetic Capture real time PCR method for the detection of archetypal Toxoplasma gondii strains in meat. International Journal for Parasitology, 2017, 47, 875-884.	3.1	29
88	Economic impact of bovine cysticercosis and taeniosis caused by Taenia saginata in Belgium. Parasites and Vectors, 2018, 11, 241.	2.5	29
89	Epidemiology of <i>Taenia solium</i> in Nepal: is it influenced by the social characteristics of the population and the presence of <i>Taenia asiatica</i> ?. Tropical Medicine and International Health, 2012, 17, 1019-1022.	2.3	28
90	Complexities in using sentinel pigs to study Taenia solium transmission dynamics under field conditions. Veterinary Parasitology, 2013, 193, 172-178.	1.8	28

#	Article	IF	Citations
91	Trichinellosis in Vietnam. American Journal of Tropical Medicine and Hygiene, 2015, 92, 1265-1270.	1.4	28
92	Opisthorchis viverrini infections and associated risk factors in a lowland area of Binh Dinh Province, Central Vietnam. Acta Tropica, 2016, 157, 151-157.	2.0	28
93	The determination at housing of exposure to gastrointestinal nematode infections in first-grazing season calves. Veterinary Parasitology, 1999, 80, 325-340.	1.8	27
94	Interferon-gamma expression and infectivity of Toxoplasma infected tissues in experimentally infected sheep in comparison with pigs. Veterinary Parasitology, 2015, 207, 7-16.	1.8	27
95	Strongyle infections in sheep and goats under the traditional husbandry system in peninsular Malaysia. Veterinary Parasitology, 1995, 56, 121-136.	1.8	26
96	Relative seroprevalence of cysticercus antigens and antibodies and antibodies to Taenia ova in a population sample in south India suggests immunity against neurocysticercosis. Transactions of the Royal Society of Tropical Medicine and Hygiene, 2011, 105, 153-159.	1.8	26
97	Comparison of bovine cysticercosis prevalence detected by antigen ELISA and visual inspection in the North East of Spain. Research in Veterinary Science, 2012, 92, 393-395.	1.9	26
98	Parasite distribution and associated immune response during the acute phase of Toxoplasma gondiiinfection in sheep. BMC Veterinary Research, 2014, 10, 293.	1.9	26
99	Risk ranking of foodborne parasites: State of the art. Food and Waterborne Parasitology, 2017, 8-9, 1-13.	2.7	26
100	Epidemiology of Taenia saginata taeniosis/cysticercosis: a systematic review of the distribution in East, Southeast and South Asia. Parasites and Vectors, 2020, 13, 234.	2.5	25
101	Investigation of an outbreak of Taenia saginata cysts (cysticercus bovis) in dairy cattle from two farms. Veterinary Parasitology, 2011, 176, 177-184.	1.8	24
102	IFN- \hat{l}^3 expression and infectivity of Toxoplasma infected tissues are associated with an antibody response against GRA7 in experimentally infected pigs. Veterinary Parasitology, 2011, 179, 14-21.	1.8	24
103	Seroprevalence of Major Bovine-Associated Zoonotic Infectious Diseases in the Lao People's Democratic Republic. Vector-Borne and Zoonotic Diseases, 2012, 12, 861-866.	1.5	24
104	Development of a health education intervention strategy using an implementation research method to control taeniasis and cysticercosis in Burkina Faso. Infectious Diseases of Poverty, 2017, 6, 95.	3.7	24
105	Community perception and knowledge of cystic echinococcosis in the High Atlas Mountains, Morocco. BMC Public Health, 2019, 19, 118.	2.9	24
106	Combined use of an antigen and antibody detection enzymeâ€linked immunosorbent assay for cysticercosis as tools in an epidemiological study of epilepsy in Burundi. Tropical Medicine and International Health, 2007, 12, 895-901.	2.3	23
107	Toxoplasma gondii in stranded marine mammals from the North Sea and Eastern Atlantic Ocean: Findings and diagnostic difficulties. Veterinary Parasitology, 2016, 230, 25-32.	1.8	23
108	Geospatial and age-related patterns of Taenia solium taeniasis in the rural health zone of Kimpese, Democratic Republic of Congo. Acta Tropica, 2017, 165, 100-109.	2.0	23

#	Article	IF	Citations
109	Updated molecular phylogenetic data for Opisthorchis spp. (Trematoda: Opisthorchioidea) from ducks in Vietnam. Parasites and Vectors, 2017, 10, 575.	2.5	23
110	Seroprevalence of Zoonotic Parasites in Pigs Slaughtered in the Kathmandu Valley of Nepal. Vector-Borne and Zoonotic Diseases, 2013, 13, 872-876.	1.5	22
111	Taenia hydatigena in pigs in Burkina Faso: A cross-sectional abattoir study. Veterinary Parasitology, 2016, 230, 9-13.	1.8	22
112	Potential Elimination of Active <i>Taenia solium</i> Transmission in Africa. New England Journal of Medicine, 2020, 383, 396-397.	27.0	22
113	Echinococcus multilocularis (Cestoda, Taeniidae) in Red foxes (Vulpes vulpes) in northern Belgium. Veterinary Parasitology, 2003, 115, 257-263.	1.8	21
114	Incidence of Human Taenia solium Larval Infections in an Ecuadorian Endemic Area: Implications for Disease Burden Assessment and Control. PLoS Neglected Tropical Diseases, 2014, 8, e2887.	3.0	21
115	High prevalence of bovine cysticercosis found during evaluation of different post-mortem detection techniques in Belgian slaughterhouses. Veterinary Parasitology, 2017, 244, 1-6.	1.8	21
116	Present status of laboratory diagnosis of human taeniosis/cysticercosis in Europe. European Journal of Clinical Microbiology and Infectious Diseases, 2017, 36, 2029-2040.	2.9	21
117	In Vitro Analysis of Albendazole Sulfoxide Enantiomers Shows that (+)-(R)-Albendazole Sulfoxide Is the Active Enantiomer against Taenia solium. Antimicrobial Agents and Chemotherapy, 2013, 57, 944-949.	3.2	20
118	<i>Opisthorchis viverrini</i> -like liver fluke in birds from Vietnam: morphological variability and rDNA/mtDNA sequence confirmation. Journal of Helminthology, 2014, 88, 441-446.	1.0	20
119	Cognitive impairment and quality of life of people with epilepsy and neurocysticercosis in Zambia. Epilepsy and Behavior, 2018, 80, 354-359.	1.7	20
120	Epidemiology of Taenia saginata taeniosis/cysticercosis: a systematic review of the distribution in the Middle East and North Africa. Parasites and Vectors, 2019, 12, 113.	2.5	20
121	Opisthorchis viverrini infection in the snail and fish intermediate hosts in Central Vietnam. Acta Tropica, 2017, 170, 120-125.	2.0	19
122	Taenia solium control in Zambia: The potholed road to success. Parasite Epidemiology and Control, 2019, 4, e00082.	1.8	19
123	Control of gastrointestinal nematodes in first season grazing calves by two strategic treatments with eprinomectin. Veterinary Parasitology, 2000, 89, 277-286.	1.8	18
124	Seroprevalence of trichinellosis in domestic animals in northwestern Vietnam. Veterinary Parasitology, 2013, 193, 200-205.	1.8	18
125	Seroprevalence of Toxoplasma gondii in domestic sheep in Belgium. Veterinary Parasitology, 2014, 205, 57-61.	1.8	18
126	Prevalence and Associated Risk Factors of & Drevalence and Associated Risk Factors of & Prevalence and Camp; It; Islamp; Islamp; It; Islamp; Islamp; It; Islamp; Islamp; It; Islamp; Islamp; It; Islamp; Islamp; It; Islamp; Islamp; It; Islamp; Islamp; It; Islamp; Islam	1.3	18

#	Article	IF	Citations
127	Prevalence and risk factors associated with Clonorchis sinensis infections in rural communities in northern Vietnam. PLoS Neglected Tropical Diseases, 2020, 14, e0008483.	3.0	18
128	Public Health Impact of Congenital Toxoplasmosis and Cytomegalovirus Infection in Belgium, 2013: A Systematic Review and Data Synthesis. Clinical Infectious Diseases, 2017, 65, 661-668.	5.8	17
129	Evaluation of cross-reactivity to Taenia hydatigena and Echinococcus granulosus in the enzyme-linked immunoelectrotransfer blot assay for the diagnosis of porcine cysticercosis. Parasites and Vectors, 2019, 12, 57.	2.5	17
130	Progress on the development of rapid diagnostic tests for foodborne neglected zoonotic helminthiases: A systematic review. Acta Tropica, 2019, 194, 135-147.	2.0	17
131	A quantitative risk assessment for human Taenia solium exposure from home slaughtered pigs in European countries. Parasites and Vectors, 2019, 12, 82.	2.5	17
132	Porcine Cysticercosis: Possible Cross-Reactivity of Taenia hydatigena to GP50 Antigen in the Enzyme-Linked Immunoelectrotransfer Blot Assay. American Journal of Tropical Medicine and Hygiene, 2017, 97, 1830-1832.	1.4	17
133	Use of ProteinChip technology for identifying biomarkers of parasitic diseases: The example of porcine cysticercosis (Taenia solium). Experimental Parasitology, 2008, 120, 320-329.	1.2	16
134	Development of harmonised schemes for the monitoring and reporting of Cysticercus in animals and foodstuffs in the European Union. EFSA Supporting Publications, 2010, 7, 34E.	0.7	16
135	Epidemiology of polyparasitism with Taenia solium, schistosomes and soil-transmitted helminths in the co-endemic village of Malanga, Democratic Republic of Congo. Acta Tropica, 2017, 171, 186-193.	2.0	16
136	Taenia solium from a community perspective: Preliminary costing data in the Katete and Sinda districts in Eastern Zambia. Veterinary Parasitology, 2018, 251, 63-67.	1.8	15
137	Preliminary assessment of the computerâ€based <i>Taenia solium</i> educational program †The Vicious Worm' on knowledge uptake in primary school students in rural areas in eastern Zambia. Tropical Medicine and International Health, 2018, 23, 306-314.	2.3	15
138	Isolation of a 14 kDa antigen from Taenia solium cyst fluid by HPLC and its evaluation in enzyme linked immunosorbent assay for diagnosis of porcine cysticercosis. Research in Veterinary Science, 2007, 82, 370-376.	1.9	14
139	Assessing the burden of human cysticercosis in <scp>V</scp> ietnam. Tropical Medicine and International Health, 2013, 18, 352-356.	2.3	14
140	Prevalence of porcine cysticercosis in Vellore, South India. Transactions of the Royal Society of Tropical Medicine and Hygiene, 2013, 107, 62-64.	1.8	14
141	The Hidden Burden of Trichinellosis in Vietnam: A Postoutbreak Epidemiological Study. BioMed Research International, 2013, 2013, 1-4.	1.9	14
142	Trichinella infection in wild boars and synanthropic rats in northwest Vietnam. Veterinary Parasitology, 2014, 200, 207-211.	1.8	14
143	Host Th1/Th2 immune response to <i>Taenia solium</i> cyst antigens in relation to cyst burden of neurocysticercosis. Parasite Immunology, 2016, 38, 628-634.	1.5	14
144	Field evaluation of urine antigen detection for diagnosis of Taenia solium cysticercosis. Transactions of the Royal Society of Tropical Medicine and Hygiene, 2011, 105, 574-578.	1.8	13

#	Article	IF	Citations
145	Study and Ranking of Determinants of Taenia solium Infections by Classification Tree Models. American Journal of Tropical Medicine and Hygiene, 2015, 92, 56-63.	1.4	13
146	Neurocysticercosis in Bhutan: a cross-sectional study in people with epilepsy. Transactions of the Royal Society of Tropical Medicine and Hygiene, 2016, 110, 517-526.	1.8	13
147	Epidemiology and economic impact of bovine cysticercosis and taeniosis caused by Taenia saginata in northeastern Spain (Catalonia). Parasites and Vectors, 2018, 11, 376.	2.5	13
148	Insights on foodborne zoonotic trematodes in freshwater snails in North and Central Vietnam. Parasitology Research, 2021, 120, 949-962.	1.6	13
149	Performance of a Sandwich Antigen-Detection ELISA for the Diagnosis of Porcine Taenia solium Cysticercosis. American Journal of Tropical Medicine and Hygiene, 2019, 100, 604-608.	1.4	13
150	Identifying wildlife reservoirs of neglected taeniid tapeworms: Non-invasive diagnosis of endemic Taenia serialis infection in a wild primate population. PLoS Neglected Tropical Diseases, 2017, 11, e0005709.	3.0	12
151	Bovine cysticercosis and taeniosis: The effect of an alternative post-mortem detection method on prevalence and economic impact. Preventive Veterinary Medicine, 2018, 161, 1-8.	1.9	12
152	Survival of Taenia saginata eggs under different environmental conditions. Veterinary Parasitology, 2019, 266, 88-95.	1.8	12
153	Taenia solium cysticercosis and taeniosis: Achievements from the past 10 years and the way forward. PLoS Neglected Tropical Diseases, 2017, 11, e0005478.	3.0	12
154	Successful Antiparasitic Treatment for Cysticercosis is Associated with a Fast and Marked Reduction of Circulating Antigen Levels in a Naturally Infected Pig Model. American Journal of Tropical Medicine and Hygiene, 2015, 93, 1305-1310.	1.4	11
155	Estimating the association between being seropositive for cysticercosis and the prevalence of epilepsy and severe chronic headaches in 60 villages of rural Burkina Faso. PLoS Neglected Tropical Diseases, 2019, 13, e0007101.	3.0	11
156	Prevalence of <i>Opisthorchis viverrini</i> -Like Fluke Infection in Ducks in Binh Dinh Province, Central Vietnam. Korean Journal of Parasitology, 2016, 54, 357-361.	1.3	11
157	Factors Associated with the 18-Month Cumulative Incidence of Seroconversion of Active Infection with Taenia solium Cysticercosis: A Cohort Study among Residents of 60 Villages in Burkina Faso. American Journal of Tropical Medicine and Hygiene, 2018, 99, 1018-1027.	1.4	11
158	Human fascioliasis in Africa: A systematic review. PLoS ONE, 2021, 16, e0261166.	2.5	11
159	Comparative study of strongyle infections of cattle and buffaloes in Mindanao, the Philippines. Veterinary Parasitology, 2000, 89, 133-137.	1.8	10
160	Economic implications of three strategies for the control of taeniasis. Tropical Medicine and International Health, 2011, 16, 1410-1416.	2.3	10
161	Anti-Trichinella IgG in ethnic minorities living in Trichinella-endemic areas in northwest Vietnam: Study of the predictive value of selected clinical signs and symptoms for the diagnosis of trichinellosis. Acta Tropica, 2014, 139, 93-98.	2.0	10
162	Epidemiology of Taenia saginata taeniosis/cysticercosis: a systematic review of the distribution in West and Central Africa. Parasites and Vectors, 2019, 12, 324.	2.5	10

#	Article	IF	Citations
163	Epidemiology of Taenia saginata taeniosis/cysticercosis: a systematic review of the distribution in central and western Asia and the Caucasus. Parasites and Vectors, 2019, 12, 175.	2.5	10
164	The impact of imperfect screening tools on measuring the prevalence of epilepsy and headaches in Burkina Faso. PLoS Neglected Tropical Diseases, 2019, 13, e0007109.	3.0	10
165	Mapping the pork value chain in Vietnam: a systematic review. Tropical Animal Health and Production, 2020, 52, 2799-2808.	1.4	9
166	Persistent efficacy of topical doramectin and eprinomectin against <i>Ostertagia ostertagi</i> and <i>Cooperia oncophora</i> infections in cattle. Veterinary Record, 2000, 147, 139-140.	0.3	8
167	Validation of an immunohistochemical assay for bovine cysticercosis, with comparison to a standard histological method. Veterinary Parasitology, 2012, 186, 301-311.	1.8	8
168	Estimating prevalence and diagnostic test characteristics of bovine cysticercosis in Belgium in the absence of a †gold standard' reference test using a Bayesian approach. Veterinary Parasitology, 2018, 254, 142-146.	1.8	8
169	Spontaneously Arrested Transmission of Cysticercosis in a Highly Endemic Village with a Very Low Migration Rate. American Journal of Tropical Medicine and Hygiene, 2018, 98, 776-778.	1.4	8
170	QuilA-Adjuvanted T. gondii Lysate Antigens Trigger Robust Antibody and IFNÎ ³ + T Cell Responses in Pigs Leading to Reduction in Parasite DNA in Tissues Upon Challenge Infection. Frontiers in Immunology, 2019, 10, 2223.	4.8	8
171	Perceptions and acceptability of piloted <i>Taenia solium</i> control and elimination interventions in two endemic communities in eastern Zambia. Transboundary and Emerging Diseases, 2020, 67, 69-81.	3.0	8
172	Trial Design for a Diagnostic Accuracy Study of a Point-of-Care Test for the Detection of Taenia solium Taeniosis and (Neuro)Cysticercosis in Community Settings of Highly Endemic, Resource-Poor Areas in Zambia: Challenges and Rationale. Diagnostics, 2021, 11, 1138.	2.6	8
173	Benzimidazole resistance of Haemonchus contortus in goats in Malaysia. Veterinary Record, 1993, 133, 423-424.	0.3	8
174	Evaluating the Recombinant T24H Enzyme-Linked Immunoelectrotransfer Blot Assay for the Diagnosis of Neurocysticercosis in a Panel of Samples from a Large Community-Based Randomized Control Trial in 60 Villages in Burkina Faso. American Journal of Tropical Medicine and Hygiene, 2018, 98, 565-569.	1.4	8
175	Toxoplasmosis in goats: a sero-epidemiological study in Peninsular Malaysia. Annals of Tropical Medicine and Parasitology, 1993, 87, 407-410.	1.6	7
176	Response to manuscript ‹Is <i>Opisthorchis viverrini</i> an avian liver fluke?'. Journal of Helminthology, 2015, 89, 257-258.	1.0	7
177	Reprint of "Assessing the impact of a joint human-porcine intervention package for Taenia solium control: Results of a pilot study from northern Lao PDR― Acta Tropica, 2017, 165, 261-267.	2.0	7
178	Occurrence of <i>Taenia</i> species in pigs in slaughterhouses in Phu Tho province, northern Vietnam. Journal of Helminthology, 2020, 94, e201.	1.0	7
179	Early Kinetics of Intestinal Infection and Immune Responses to Two Toxoplasma gondii Strains in Pigs. Frontiers in Cellular and Infection Microbiology, 2020, 10, 161.	3.9	7
180	Knowledge, practices and seroprevalence of Taenia species in smallholder farms in Gauteng, South Africa. PLoS ONE, 2020, 15, e0244055.	2.5	7

#	Article	IF	Citations
181	Cysticercosis in Madagascar. Journal of Infection in Developing Countries, 2020, 14, 931-942.	1.2	7
182	Serological diagnosis of Taenia solium in pigs: No measurable circulating antigens and antibody response following exposure to Taenia saginata oncospheres. Veterinary Parasitology, 2017, 245, 39-41.	1.8	6
183	Assessment of the repeatability and border-plate effects of the B158/B60 enzyme-linked-immunosorbent assay for the detection of circulating antigens (Ag-ELISA) of Taenia saginata. Veterinary Parasitology, 2016, 227, 69-72.	1.8	5
184	Value of Electronic Educational Media in Combatting Parasitic Diseases. Trends in Parasitology, 2019, 35, 173-176.	3.3	5
185	Helminth infections in fish in Vietnam: A systematic review. International Journal for Parasitology: Parasites and Wildlife, 2021, 14, 13-32.	1.5	5
186	Use of expressed sequence tags as an alternative approach for the identification of Taenia solium metacestode excretion/secretion proteins. BMC Research Notes, 2013, 6, 224.	1.4	4
187	Neurocysticercosis in Europe: Need for a One Health Approach. Neuropediatrics, 2015, 46, 354-355.	0.6	4
188	Sero-epidemiological status and risk factors of toxoplasmosis in pregnant women in Northern Vietnam. BMC Infectious Diseases, 2019, 19, 329.	2.9	4
189	Prevalence and risk assessment of porcine cysticercosis in Ngozi province, Burundi. Veterinary Parasitology: Regional Studies and Reports, 2021, 23, 100514.	0.5	4
190	Data-driven analyses of behavioral strategies to eliminate cysticercosis in sub-Saharan Africa. PLoS Neglected Tropical Diseases, 2021, 15, e0009234.	3.0	4
191	High frequency of Taenia solium antigen positivity in patients admitted for neurological disorders in the Rural Hospital of Mosango, Democratic Republic of Congo. BMC Infectious Diseases, 2021, 21, 359.	2.9	4
192	Operational characteristics of an antibody detecting point of care test for Taenia solium infections in a community and hospital setting. BMC Infectious Diseases, 2021, 21, 607.	2.9	4
193	Trial Design of a Prospective Multicenter Diagnostic Accuracy Study of a Point-of-Care Test for the Detection of Taenia solium Taeniosis and Neurocysticercosis in Hospital-Based Settings in Tanzania. Diagnostics, 2021, 11, 1528.	2.6	4
194	Cysticercosis and taeniasis cases diagnosed at two referral medical institutions, Belgium, 1990 to 2015. Eurosurveillance, 2019, 24, .	7.0	4
195	Very low helminth infection in sheep grazed on pastures fertilised by sewage sludge or cattle slurry. Veterinary Parasitology, 2005, 131, 65-70.	1.8	3
196	Prenatal diagnosis and prevention of toxoplasmosis in pregnant women in Northern Vietnam: study protocol. BMC Infectious Diseases, 2017, 17, 364.	2.9	3
197	Collaborative Studies for the Detection of Taenia spp. Infections in Humans within CYSTINET, the European Network on Taeniosis/Cysticercosis. Microorganisms, 2021, 9, 1173.	3.6	3
198	Evaluation of an Antibody Detecting Point of Care Test for Diagnosis of Taenia solium Cysticercosis in a Zambian Rural Community: A Prospective Diagnostic Accuracy Study. Diagnostics, 2021, 11, 2121.	2.6	3

#	Article	IF	Citations
199	Perceptions and Practices of Dog Ownership and Rabies Control at a Human–Wildlife–Domestic Animal Interface in South Africa. Anthrozoos, 2021, 34, 281-302.	1.4	2
200	Ability of Trypanosome-Infected Tsetse Flies (Diptera: Glossinidae) to Acquire an Infection with a Second Trypanosome Species. Journal of Medical Entomology, 2005, 42, 1035-1038.	1.8	2
201	Diagnosing Human Fascioliasis Using ELISA Immunoassays at a Tertiary Referral Hospital in Hanoi: A Cross-Sectional Study. Tropical Medicine and Infectious Disease, 2022, 7, 76.	2.3	2
202	DALY calculation in practice: a stepwise approach. European Journal of Public Health, 2013, 23, .	0.3	1
203	Taenia spp. infections in wildlife in the Bangweulu and Kafue flood plains ecosystems of Zambia. Veterinary Parasitology, 2014, 205, 375-378.	1.8	1
204	The seroprevalence of cytomegalovirus infection in Belgium anno 2002 and 2006: a comparative analysis with hepatitis A virus seroprevalence. Epidemiology and Infection, 2019, 147, e154.	2.1	1
205	Echinococcus multilocularis in red foxes in North Belgium: Prevalence and trends in distribution. Veterinary Parasitology: Regional Studies and Reports, 2020, 22, 100470.	0.5	1
206	Hyperendemicity of cysticercosis in Madagascar: Novel insights from school children population-based antigen prevalence study. PLoS ONE, 2021, 16, e0258035.	2.5	1
207	The prevalence and risk factors of porcine cysticercosis in Zambia., 0, , .		1
208	Effect of nutritional stress on the tsetse fly's vector competence and its implications on trypanosome transmission in the field. Afrika Focus, 2010, 23, 119-121.	0.2	1
209	Helminth infections in dogs in Phu Tho Province, northern Vietnam. Current Research in Parasitology and Vector-borne Diseases, 2022, , 100091.	1.9	1
210	Case 15-2012: Diplopia, Headaches, and Papilledema. New England Journal of Medicine, 2012, 367, 679-680.	27.0	0
211	Effects of anthelmintic treatment and feed supplementation on parasite infections and morbidity parameters in Cambodian cattle. Veterinary Parasitology, 2017, 235, 113-122.	1.8	0
212	Immunodiagnostic usefulness of monoclonal antibodies specific to conformational epitopes of Taenia solium oncosphere protein TSOL18. Journal of Immunological Methods, 2021, 497, 113121.	1.4	0
213	TSOL 18 vaccine antigen of Taenia solium: development of monoclonal antibodies and field testing of the vaccine in Cameroon. Afrika Focus, 2010, 23, 65-66.	0.2	0
214	Challenges Encountered When Evaluating an Antibody-Detecting Point-of-Care Test for Taeniosis in an Endemic Community in Zambia: A Prospective Diagnostic Accuracy Study. Diagnostics, 2021, 11, 2039.	2.6	0
215	Title is missing!. , 2020, 15, e0244055.		0
216	Title is missing!. , 2020, 15, e0244055.		0

#	Article	IF	CITATIONS
217	Title is missing!. , 2020, 15, e0244055.		0
218	Title is missing!. , 2020, 15, e0244055.		0
219	Title is missing!. , 2020, 15, e0244055.		O
220	Title is missing!. , 2020, 15, e0244055.		0