
Sarah Malek

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1825483/publications.pdf Version: 2024-02-01



Sadah Maiek

#	Article	IF	CITATIONS
1	Effect of analgesic therapy on clinical outcome measures in a randomized controlled trial using client-owned dogs with hip osteoarthritis. BMC Veterinary Research, 2012, 8, 185.	0.7	87
2	Clinical Findings and Prognostic Factors for Dogs Undergoing Cholecystectomy for Gall Bladder Mucocele. Veterinary Surgery, 2013, 42, 418-426.	0.5	71
3	Contralateral Cruciate Survival in Dogs with Unilateral Non-Contact Cranial Cruciate Ligament Rupture. PLoS ONE, 2011, 6, e25331.	1.1	43
4	Comparison of complications and outcome following unilateral, staged bilateral, and single-stage bilateral ventral bulla osteotomy in cats. Journal of the American Veterinary Medical Association, 2019, 255, 828-836.	0.2	14
5	Risk factors and prognostic indicators for surgical outcome of dogs with esophageal foreign body obstructions. Journal of the American Veterinary Medical Association, 2018, 252, 301-308.	0.2	13
6	Feasibility of percutaneous catheterization and embolization of the thoracic duct in dogs. American Journal of Veterinary Research, 2011, 72, 1527-1534.	0.3	10
7	Infrared spectroscopy of serum as a potential diagnostic screening approach for naturally occurring canine osteoarthritis associated with cranial cruciate ligament rupture. Osteoarthritis and Cartilage, 2020, 28, 231-238.	0.6	9
8	Tibial Apophyseal Percutaneous Pinning in Skeletally Immature Dogs: 25 Cases (2016–2019). Veterinary and Comparative Orthopaedics and Traumatology, 2021, 34, 144-152.	0.2	5
9	Infrared spectroscopy of synovial fluid as a potential screening approach for the diagnosis of naturally occurring canine osteoarthritis associated with cranial cruciate ligament rupture. Osteoarthritis and Cartilage Open, 2020, 2, 100120.	0.9	4
10	Evidence of acrolein in synovial fluid of dogs with osteoarthritis as a potential inflammatory biomarker. BMC Musculoskeletal Disorders, 2021, 22, 894.	0.8	4
11	Evaluation of serum MMP-2 and MMP-3, synovial fluid IL-8, MCP-1, and KC concentrations as biomarkers of stifle osteoarthritis associated with naturally occurring cranial cruciate ligament rupture in dogs. PLoS ONE, 2020, 15, e0242614.	1.1	4
12	Utility of Plasma Protein Biomarkers and Mid-infrared Spectroscopy for Diagnosing Fracture-related Infections: A Pilot Study. Journal of Orthopaedic Trauma, 2022, 36, e380-e387.	0.7	4
13	The precision and repeatability of a custom-made pointer device for determination of virtual landmarks in canine three-dimensional kinematics. Veterinary and Comparative Orthopaedics and Traumatology, 2012, 25, 102-108.	0.2	2
14	Infrared spectroscopic serum biomarker profiling of naturally occurring canine knee osteoarthritis. Osteoarthritis and Cartilage, 2016, 24, S74.	0.6	1
15	Qualitative Assessment of Four Types of Three-Dimensional Printed Anatomical Tibial Bone Models Compared to Commercially Available Models. Veterinary and Comparative Orthopaedics and Traumatology, 2020, 33, 267-273.	0.2	1
16	Evaluation of validity of serum matrix metalloproteinases 2 and 3, synovial fluid intereukin 8, keratynocyte-derived chmoattractant and monocyte chemoattractant protein 1 as biomarkers of stifle osteoarthritis associated with naturally occurring cranial cruciate ligament rupture in dogs. Osteoarthritis and Cartilage, 2020, 28, S323-S324.	0.6	0
17	Title is missing!. , 2020, 15, e0242614.		0

#	Article	IF	CITATIONS
19	Title is missing!. , 2020, 15, e0242614.		0
20	Title is missing!. , 2020, 15, e0242614.		0
21	Title is missing!. , 2020, 15, e0242614.		0
22	Title is missing!. , 2020, 15, e0242614.		0