

Zhen-Hua Ge

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1825812/publications.pdf>

Version: 2024-02-01

136
papers

4,254
citations

117453

34
h-index

138251

58
g-index

138
all docs

138
docs citations

138
times ranked

3336
citing authors

#	ARTICLE	IF	CITATIONS
1	CuPbBi ₅ S ₉ thermoelectric material with an intrinsic low thermal conductivity: Synthesis and properties. <i>Journal of Materiomics</i> , 2022, 8, 174-183.	2.8	6
2	Precious metal nanoparticles dispersing toward highly enhanced mechanical and thermoelectric properties of copper sulfides. <i>Journal of Alloys and Compounds</i> , 2022, 892, 162035.	2.8	9
3	High thermoelectric properties realized in earth abundant Bi ₂ S ₃ bulk materials via Se and Cl co-doping in solution synthesis process. <i>Journal of Materials Science and Technology</i> , 2022, 100, 51-58.	5.6	21
4	Enhanced thermoelectric performance of Cu _{1.8} S via lattice softening. <i>Chemical Engineering Journal</i> , 2022, 428, 131153.	6.6	15
5	Enhanced thermoelectric performance in inorganic CsSnI ₃ perovskite by doping with PbI ₂ . <i>Materials Letters</i> , 2022, 308, 131127.	1.3	8
6	Synergistically enhanced thermoelectric properties of Bi ₂ S ₃ bulk materials via Cu interstitial doping and BiCl ₃ alloying. <i>Rare Metals</i> , 2022, 41, 931-941.	3.6	20
7	Structure and enhanced thermoelectric properties of InGaO ₃ (ZnO) _m (m=1, 2, 3, 4, and 5) ceramics. <i>Journal of the European Ceramic Society</i> , 2022, 42, 485-489.	2.8	4
8	Atomic-Scale Observation of Off-Centering Rattlers in Filled Skutterudites. <i>Advanced Energy Materials</i> , 2022, 12, .	10.2	8
9	High-ZT Value Promotes Thermoelectric Cooling and Power Generation in n-Type PbTe. <i>Advanced Energy Materials</i> , 2022, 12, .	10.2	36
10	Enhanced Thermoelectric Performance of Bi-Se Co-Doped Cu _{1.8} S via Carrier Concentration Regulation and Multiscale Phonon Scattering. <i>ACS Applied Energy Materials</i> , 2022, 5, 5076-5086.	2.5	5
11	Effects of different LaCl ₃ doping processes on the thermoelectric properties of SnSe bulk materials. <i>Journal of Solid State Chemistry</i> , 2022, 310, 123037.	1.4	6
12	Excellent thermoelectric properties and stability realized in copper sulfides based composites via complex nanostructuring. <i>Acta Materialia</i> , 2022, 233, 117972.	3.8	12
13	Highly enhanced thermoelectric properties of Bi ₂ S ₃ via (Se, Cl)-co doping in hydrothermal synthesis process. <i>Journal of Alloys and Compounds</i> , 2022, 922, 166252.	2.8	5
14	Synergistic modulation of electrical and thermal properties of Cu _{1.8} S bulk materials via nanostructuring and band engineering. <i>Journal of Alloys and Compounds</i> , 2021, 852, 156972.	2.8	6
15	Simultaneous enhancement of thermoelectric performance and mechanical properties in Bi ₂ Te ₃ via Ru compositing. <i>Chemical Engineering Journal</i> , 2021, 407, 126407.	6.6	59
16	Excellent thermoelectric performance achieved in Bi ₂ Te ₃ /Bi ₂ S ₃ @Bi nanocomposites. <i>Chemical Communications</i> , 2021, 57, 2555-2558.	2.2	14
17	Solid solution mechanism and thermophysical properties of HfO ₂ -SmTaO ₄ ceramics. <i>Materials Today Communications</i> , 2021, 26, 101927.	0.9	0
18	Electrochemiluminescence sensor based on cyclic peptides-recognition and Au nanoparticles assisted graphitic carbon nitride for glucose determination. <i>Mikrochimica Acta</i> , 2021, 188, 151.	2.5	8

#	ARTICLE	IF	CITATIONS
19	Investigation of thermophysical properties of ZrO ₂ -Sm ₃ TaO ₇ ceramics. <i>Journal of Asian Ceramic Societies</i> , 2021, 9, 629-638.	1.0	4
20	Effects of NbCl ₅ -doping on the thermoelectric properties of polycrystalline Bi ₂ S ₃ . <i>Journal of Solid State Chemistry</i> , 2021, 297, 122043.	1.4	22
21	Ultralow thermal conductivity and improved ZT of CuInTe ₂ by high-entropy structure design. <i>Materials Today Physics</i> , 2021, 18, 100394.	2.9	21
22	Realizing high thermoelectric performance in n-type SnSe polycrystals via (Pb, Br) co-doping and multi-nanoprecipitates synergy. <i>Journal of Alloys and Compounds</i> , 2021, 864, 158401.	2.8	19
23	Realizing High Thermoelectric Performance in Earth-Abundant Bi ₂ S ₃ Bulk Materials via Halogen Acid Modulation. <i>Advanced Functional Materials</i> , 2021, 31, 2102838.	7.8	27
24	Weak-ferromagnetism for room temperature thermoelectric performance enhancement in p-type (Bi,Sb) ₂ Te ₃ . <i>Materials Today Physics</i> , 2021, 19, 100423.	2.9	15
25	Achievement of Excellent Thermoelectric Properties in CuSeS Compounds via In Situ Phase Separation. <i>Inorganic Chemistry</i> , 2021, 60, 13269-13277.	1.9	7
26	Ternary Ag ₂ SeTe: A Near-Room-Temperature Thermoelectric Material with a Potentially High Figure of Merit. <i>Inorganic Chemistry</i> , 2021, 60, 14165-14173.	1.9	15
27	Highly Enhanced Thermoelectric and Mechanical Properties of Bi-Sb-Te Compounds by Carrier Modulation and Microstructure Adjustment. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 45589-45599.	4.0	10
28	Thermoelectric Cu ₁₂ Sb ₄ S ₁₃ -Based Synthetic Minerals with a Sublimation-Derived Porous Network. <i>Advanced Materials</i> , 2021, 33, e2103633.	11.1	46
29	Realizing High Thermoelectric Performance in Earth-Abundant Bi ₂ S ₃ Bulk Materials via Halogen Acid Modulation (<i>Adv. Funct. Mater.</i> 37/2021). <i>Advanced Functional Materials</i> , 2021, 31, 2170277.	7.8	2
30	Ultralow lattice thermal conductivity and enhanced power generation efficiency realized in Bi ₂ Te _{2.7} Se _{0.3} /Bi ₂ S ₃ nanocomposites. <i>Acta Materialia</i> , 2021, 218, 117230.	3.8	45
31	Entropy Engineering Realized Ultralow Thermal Conductivity and High Seebeck Coefficient in Lead-Free SnTe. <i>ACS Applied Energy Materials</i> , 2021, 4, 12738-12744.	2.5	10
32	Enhanced Thermoelectric and Mechanical Properties of BaO-Doped BiCuSeO Ceramics. <i>ACS Applied Energy Materials</i> , 2021, 4, 13077-13084.	2.5	7
33	Facile Synthesis Bi ₂ Te ₃ Based Nanocomposites: Strategies for Enhancing Charge Carrier Separation to Improve Photocatalytic Activity. <i>Nanomaterials</i> , 2021, 11, 3390.	1.9	6
34	Achieving high thermoelectric properties of Bi ₂ S ₃ via InCl ₃ doping. <i>Journal of Materials Science</i> , 2020, 55, 263-273.	1.7	25
35	Significantly reduced lattice thermal conductivity and enhanced thermoelectric performance of In ₂ O ₃ (ZnO) ₃ ceramics by Ga ₂ O ₃ doping. <i>Journal of Solid State Chemistry</i> , 2020, 281, 121022.	1.4	7
36	Realizing high-efficiency power generation in low-cost PbS-based thermoelectric materials. <i>Energy and Environmental Science</i> , 2020, 13, 579-591.	15.6	101

#	ARTICLE	IF	CITATIONS
37	High thermoelectric performance realized in porous Cu _{1.8} S based composites by Na ₂ S addition. <i>Materials Science in Semiconductor Processing</i> , 2020, 107, 104848.	1.9	17
38	The thermophysical properties and defect chemistry of HfO ₂ -Sm ₃ TaO ₇ ceramics. <i>Journal of Materials Research</i> , 2020, 35, 2230-2238.	1.2	2
39	Facile synthesis and thermoelectric properties of Cu ₇ Te ₄ compounds. <i>Physica B: Condensed Matter</i> , 2020, 595, 412384.	1.3	1
40	High thermoelectric properties realized in earth-abundant Bi ₂ S ₃ bulk via carrier modulation and multi-nano-precipitates synergy. <i>Nano Energy</i> , 2020, 78, 105227.	8.2	40
41	<i>Chemical Communications</i> , 2020, 56, 11839-11842.	2.2	4
42	Investigating the thermoelectric performance of n-type SnSe: the synergistic effect of NbCl ₅ doping and dislocation engineering. <i>Journal of Materials Chemistry C</i> , 2020, 8, 13244-13252.	2.7	31
43	Thermoelectric properties of polycrystalline Bi ₂ Se ₃ ^x by powder compaction sintering. <i>Modern Physics Letters B</i> , 2020, 34, 2050206.	1.0	2
44	Thermophysical and mechanical properties of YTaO ₄ ceramic by niobium substitution tantalum. <i>Materials Letters</i> , 2020, 268, 127586.	1.3	12
45	Achieving a fine balance in mechanical properties and thermoelectric performance in commercial Bi ₂ Te ₃ materials. <i>Ceramics International</i> , 2020, 46, 14994-15002.	2.3	34
46	Synthesis process and thermoelectric properties of the layered crystal structure SnS ₂ . <i>Journal of Materials Science: Materials in Electronics</i> , 2020, 31, 5425-5433.	1.1	5
47	Effects of sintering temperature on thermoelectric properties of Cu _{1.8} S bulk materials. <i>Materials Research Express</i> , 2020, 7, 015923.	0.8	13
48	Microstructure and thermophysical properties of CeO ₂ -doped SmTaO ₄ ceramics for thermal barrier coatings. <i>Journal of Materials Research</i> , 2020, 35, 242-251.	1.2	4
49	Thermophysical properties of SmTaO ₄ , Sm ₃ TaO ₇ and SmTa ₃ O ₉ ceramics. <i>Materials Research Express</i> , 2020, 7, 015204.	0.8	14
50	Realizing Improved Thermoelectric Performance in Bi _{1-x} Sb _{2x} Te ₃ (GeTe) ₁₇ via Introducing Dual Vacancy Defects. <i>Chemistry of Materials</i> , 2020, 32, 1693-1701.	3.2	36
51	Enhanced thermoelectric properties of Ca ₃ Co ₄ O ₉ + δ ceramics by Sr substitution. <i>Solid State Sciences</i> , 2020, 104, 106190.	1.5	3
52	Enhanced Thermoelectric Performance in Lead-Free Inorganic CsSn _{1-x} Ge _x I ₃ Perovskite Semiconductors. <i>Journal of Physical Chemistry C</i> , 2020, 124, 11749-11753.	1.5	45
53	Synergistically optimized electrical and thermal properties by introducing electron localization and phonon scattering centers in CuGaTe ₂ with enhanced mechanical properties. <i>Journal of Materials Chemistry C</i> , 2020, 8, 7534-7542.	2.7	13
54	Remarkably enhanced thermoelectric properties of Bi ₂ S ₃ nanocomposites via modulation doping and grain boundary engineering. <i>Applied Surface Science</i> , 2020, 520, 146341.	3.1	29

#	ARTICLE	IF	CITATIONS
55	Thermoelectric Properties of In ₂ O ₃ (ZnO) _k (k = 3, 4, 5, 7) Superlattice Ceramics. <i>Journal of Electronic Materials</i> , 2019, 48, 7068-7075.	1.0	3
56	Enhanced thermoelectric properties of Pb-doped Cu _{1.8} S polycrystalline materials. <i>Solid State Sciences</i> , 2019, 95, 105953.	1.5	10
57	Enhanced thermoelectric properties of natural chalcopyrite by vacuum annealing. <i>Materials Letters</i> , 2019, 253, 430-433.	1.3	8
58	Enhanced thermoelectric properties of Bi ₂ S ₃ polycrystals through an electroless nickel plating process. <i>RSC Advances</i> , 2019, 9, 23029-23035.	1.7	5
59	Facile synthesis of Ag ₂ Te nanowires and thermoelectric properties of Ag ₂ Te polycrystals sintered by spark plasma sintering. <i>CrystEngComm</i> , 2019, 21, 1718-1727.	1.3	30
60	Morphology and phase evolution from CuS to Cu _{1.8} S in a hydrothermal process and thermoelectric properties of Cu _{1.8} S bulk. <i>CrystEngComm</i> , 2019, 21, 5797-5803.	1.3	7
61	Large enhancement of thermoelectric performance of InTe compound by sintering and CuInTe ₂ doping. <i>Journal of Applied Physics</i> , 2019, 126, .	1.1	11
62	Ni metal coating boosting the thermoelectric performance of In ₂ O ₃ (ZnO) ₅ ceramics. <i>Scripta Materialia</i> , 2019, 164, 71-75.	2.6	13
63	Shashlik-like Te@Bi ₂ Te ₃ hetero-nanostructures: one-pot synthesis, growth mechanism and their thermoelectric properties. <i>CrystEngComm</i> , 2019, 21, 3694-3701.	1.3	7
64	Multipoint Defect Synergy Realizing the Excellent Thermoelectric Performance of n-Type Polycrystalline SnSe via Re Doping. <i>Advanced Functional Materials</i> , 2019, 29, 1902893.	7.8	73
65	Highly enhanced thermoelectric properties of nanostructured Bi ₂ S ₃ bulk materials via carrier modification and multi-scale phonon scattering. <i>Inorganic Chemistry Frontiers</i> , 2019, 6, 1374-1381.	3.0	33
66	Realizing High Photocatalytic Performance of NaBiS ₂ Nanopowders via the Introduction of Rare Earth Elements. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2019, 216, 1900061.	0.8	3
67	Phase structures and thermophysical properties of ZrO ₂ -doped SmTaO ₄ ceramics. <i>Modern Physics Letters B</i> , 2019, 33, 1950132.	1.0	3
68	Effect of water vapor on the failure behavior of thermal barrier coating with Hf-doped NiCoCrAlY bond coating. <i>Journal of Materials Research</i> , 2019, 34, 2653-2663.	1.2	10
69	Highly enhanced thermoelectric performance in BiCuSeO ceramics realized by Pb doping and introducing Cu deficiencies. <i>Journal of the American Ceramic Society</i> , 2019, 102, 5989-5996.	1.9	19
70	Achieving an excellent thermoelectric performance in nanostructured copper sulfide bulk via a fast doping strategy. <i>Materials Today Physics</i> , 2019, 8, 71-77.	2.9	44
71	Synergetic Tuning of the Electrical and Thermal Transport Properties via Pb/Ag Dual Doping in BiCuSeO. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 45737-45745.	4.0	19
72	First-principles study of pressure-induced phase transformations in thermoelectric Mg ₂ Si. <i>Journal of Alloys and Compounds</i> , 2019, 773, 988-996.	2.8	9

#	ARTICLE	IF	CITATIONS
73	Improved thermoelectric properties of PEDOT:PSS polymer bulk prepared using spark plasma sintering. Chemical Communications, 2018, 54, 2429-2431.	2.2	24
74	Microstructure and thermoelectric properties of $\text{CuInSe}_2/\text{In}_2\text{Se}_3$ compound. Modern Physics Letters B, 2018, 32, 1850018.	1.0	1
75	Synthesis and thermoelectric properties of InSb alloys by solid reaction. Data in Brief, 2018, 21, 2515-2517.	0.5	2
76	Highly enhanced thermoelectric properties of p-type CuInSe_2 alloys by the Vacancy Doping. Scripta Materialia, 2018, 149, 88-92.	2.6	12
77	Enhanced thermoelectric properties of bismuth telluride bulk achieved by telluride-spilling during the spark plasma sintering process. Scripta Materialia, 2018, 143, 90-93.	2.6	77
78	Enhanced thermoelectric performance through synergy of resonance levels and valence band convergence via $Q/\ln(Q)$ ($Q = \text{Mg, Ag, Bi}$) co-doping. Journal of Materials Chemistry A, 2018, 6, 2507-2516.	5.2	34
79	Facile synthesis and thermoelectric properties of $\text{Cu}_{1.96}\text{S}$ compounds. Journal of Solid State Chemistry, 2018, 265, 140-147.	1.4	17
80	Synthesis and enhanced photocatalytic performance of $\text{Ag}/\text{AgCl}/\text{TiO}_2$ nanocomposites prepared by ion exchange method. Journal of Materiomics, 2018, 4, 402-411.	2.8	19
81	Excellent ZT achieved in $\text{Cu}_{1.8}\text{S}$ thermoelectric alloys through introducing rare-earth trichlorides. Journal of Materials Chemistry A, 2018, 6, 14440-14448.	5.2	39
82	Highly enhanced thermoelectric properties of $\text{Cu}_{1.8}\text{S}$ by introducing PbS . Journal of Alloys and Compounds, 2018, 764, 738-744.	2.8	25
83	Enhanced Thermoelectric Properties of Polycrystalline SnSe via LaCl_3 Doping. Materials, 2018, 11, 203.	1.3	30
84	Achieving high thermoelectric performance of $\text{Cu}_{1.8}\text{S}$ composites with WSe_2 nanoparticles. Nanotechnology, 2018, 29, 345402.	1.3	19
85	Facile Synthesis of NaBiS_2 Nanoribbons as a Promising Visible Light-Driven Photocatalyst. Physica Status Solidi - Rapid Research Letters, 2018, 12, 1800135.	1.2	18
86	Highly Enhanced Thermoelectric Properties of $\text{Bi}/\text{Bi}_2\text{S}_3$ Nanocomposites. ACS Applied Materials & Interfaces, 2017, 9, 4828-4834.	4.0	107
87	Purification and crystal growth of single-crystalline tellurium tubes and rods. Materials Letters, 2017, 194, 20-22.	1.3	3
88	Enhanced thermoelectric property in superionic conductor Bi-doped $\text{Cu}_{1.8}\text{S}$. Journal of Alloys and Compounds, 2017, 708, 169-174.	2.8	27
89	Improvements of thermoelectric properties for p-type $\text{Cu}_{1.8}\text{S}$ bulk materials via optimizing the mechanical alloying process. Inorganic Chemistry Frontiers, 2017, 4, 1192-1199.	3.0	26
90	Boosting the Thermoelectric Performance of (Na,K)-Codoped Polycrystalline SnSe by Synergistic Tailoring of the Band Structure and Atomic-Scale Defect Phonon Scattering. Journal of the American Chemical Society, 2017, 139, 9714-9720.	6.6	168

#	ARTICLE	IF	CITATIONS
91	Three-Stage Inter-Orthorhombic Evolution and High Thermoelectric Performance in Ag-Doped Nanolaminar SnSe Polycrystals. <i>Advanced Energy Materials</i> , 2017, 7, 1700573.	10.2	48
92	Enhanced thermoelectric properties of SiC nanoparticle dispersed Cu _{1.8} S bulk materials. <i>Journal of Alloys and Compounds</i> , 2017, 696, 782-787.	2.8	43
93	Enhanced thermoelectric properties of Cu _{1.8} S via introducing Bi ₂ S ₃ and Bi ₂ S ₃ @Bi core-shell nanorods. <i>Journal of Alloys and Compounds</i> , 2017, 727, 1076-1082.	2.8	36
94	Hydrothermal synthesis of SnQ (Q = Te, Se, S) and their thermoelectric properties. <i>Nanotechnology</i> , 2017, 28, 455707.	1.3	24
95	Thermoelectric properties of Cu ₂ Se prepared by solution phase methods and spark plasma sintering. <i>Journal of the European Ceramic Society</i> , 2017, 37, 4687-4692.	2.8	14
96	Effects of second phases on thermoelectric properties in copper sulfides with Sn addition. <i>Journal of Materials Research</i> , 2017, 32, 3029-3037.	1.2	19
97	Synthesis and thermoelectric properties of InSb alloys by solid reaction. <i>Materials Letters</i> , 2017, 209, 373-375.	1.3	15
98	Enhanced thermoelectric properties of In ₂ O ₃ (ZnO) ₅ intrinsic superlattice ceramics by optimizing the sintering process. <i>RSC Advances</i> , 2017, 7, 49883-49889.	1.7	11
99	Synthesis and Thermoelectric Properties of Copper Sulfides via Solution Phase Methods and Spark Plasma Sintering. <i>Crystals</i> , 2017, 7, 141.	1.0	24
100	High-Performance Thermoelectricity in Nanostructured Earth-Abundant Copper Sulfides Bulk Materials. <i>Advanced Energy Materials</i> , 2016, 6, 1600607.	10.2	111
101	Mechanical Alloying and Spark Plasma Sintering of BiCuSeO Oxyselenide: Synthesis Process and Thermoelectric Properties. <i>Journal of the American Ceramic Society</i> , 2016, 99, 507-514.	1.9	18
102	Enhanced thermoelectric properties of Cu _{1.8} Se _{1-x} S alloys prepared by mechanical alloying and spark plasma sintering. <i>Journal of Alloys and Compounds</i> , 2016, 680, 273-277.	2.8	18
103	Mechanochemically synthesized sub-5 nm sized CuS quantum dots with high visible-light-driven photocatalytic activity. <i>Applied Surface Science</i> , 2016, 384, 272-278.	3.1	66
104	Thermoelectric properties of polycrystalline SnSe _{1-x} prepared by mechanical alloying and spark plasma sintering. <i>RSC Advances</i> , 2016, 6, 92335-92340.	1.7	17
105	Understanding of the Extremely Low Thermal Conductivity in High-Performance Polycrystalline SnSe through Potassium Doping. <i>Advanced Functional Materials</i> , 2016, 26, 6836-6845.	7.8	201
106	Enhanced thermoelectric properties of SnSe polycrystals via texture control. <i>Physical Chemistry Chemical Physics</i> , 2016, 18, 31821-31827.	1.3	53
107	Enhanced mid-temperature thermoelectric performance of textured SnSe polycrystals made of solvothermally synthesized powders. <i>Journal of Materials Chemistry C</i> , 2016, 4, 2047-2055.	2.7	122
108	A T-type method for characterization of the thermoelectric performance of an individual free-standing single crystal Bi ₂ S ₃ nanowire. <i>Nanoscale</i> , 2016, 8, 2704-2710.	2.8	46

#	ARTICLE	IF	CITATIONS
109	Low-cost, abundant binary sulfides as promising thermoelectric materials. <i>Materials Today</i> , 2016, 19, 227-239.	8.3	257
110	A synthetic approach for enhanced thermoelectric properties of PEDOT:PSS bulk composites. <i>Applied Physics Letters</i> , 2015, 107, .	1.5	25
111	Bottom-up processing and low temperature transport properties of polycrystalline SnSe. <i>Journal of Solid State Chemistry</i> , 2015, 225, 354-358.	1.4	48
112	Advanced electron microscopy for thermoelectric materials. <i>Nano Energy</i> , 2015, 13, 626-650.	8.2	80
113	Preparation by Solvothermal Synthesis, Growth Mechanism, and Photocatalytic Performance of CuS Nanopowders. <i>European Journal of Inorganic Chemistry</i> , 2014, 2014, 2368-2375.	1.0	56
114	Synthesis, transport properties, and electronic structure of Cu ₂ CdSnTe ₄ . <i>Applied Physics Letters</i> , 2014, 104, .	1.5	25
115	Controllable Synthesis of Bismuth Chalcogenide Core-shell Nanorods. <i>Crystal Growth and Design</i> , 2014, 14, 533-536.	1.4	15
116	Selective Synthesis of Cu ₂ SnSe ₃ and Cu ₂ SnSe ₄ Nanocrystals. <i>Inorganic Chemistry</i> , 2014, 53, 4445-4449.	1.9	20
117	Enhancing thermoelectric properties of Cu _{1.8+x} Se compounds. <i>Journal of Materials Research</i> , 2014, 29, 1047-1053.	1.2	7
118	Thermoelectric properties of p-type semiconductors copper chromium disulfide CuCrS _{2+x} . <i>Journal of Materials Science</i> , 2013, 48, 4081-4087.	1.7	19
119	Synthesis and transport properties of AgBi ₃ S ₅ ternary sulfide compound. <i>Intermetallics</i> , 2013, 36, 96-101.	1.8	14
120	Fabrication and properties of Bi ₂ S ₃ ^x Sex thermoelectric polycrystals. <i>Solid State Communications</i> , 2013, 162, 48-52.	0.9	34
121	Size effect of SiO ₂ on enhancing thermoelectric properties of Cu _{1.8} S. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2013, 210, 2550-2555.	0.8	20
122	Electro-responsive 1-D nanomaterial driven broad-band reflection in chiral nematic liquid crystals. <i>Journal of Materials Chemistry C</i> , 2013, 1, 216-219.	2.7	18
123	ZnO/carbon quantum dots heterostructure with enhanced photocatalytic properties. <i>Applied Surface Science</i> , 2013, 279, 367-373.	3.1	179
124	Synthesis and low-temperature transport properties of polycrystalline NiSe ₂ . <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2013, 210, 2725-2728.	0.8	7
125	Nanostructured Bi ₂ ^x Cu _x S ₃ bulk materials with enhanced thermoelectric performance. <i>Physical Chemistry Chemical Physics</i> , 2012, 14, 4475.	1.3	60
126	Controllable synthesis: Bi ₂ S ₃ nanostructure powders and highly textured polycrystals. <i>CrystEngComm</i> , 2012, 14, 2283.	1.3	41

#	ARTICLE	IF	CITATIONS
127	Microstructure composite-like Bi ₂ S ₃ polycrystals with enhanced thermoelectric properties. Journal of Materials Chemistry, 2012, 22, 17589.	6.7	36
128	Thermoelectric properties of Cu _y Bi _x Sb _{2-\hat{x}} Te ₃ alloys fabricated by mechanical alloying and spark plasma sintering. Intermetallics, 2012, 25, 131-135.	1.8	12
129	Fabrication and properties of Bi _{2-\hat{x}} Ag _{3\hat{x}} S ₃ thermoelectric polycrystals. Journal of Alloys and Compounds, 2012, 514, 205-209.	2.8	25
130	Synthesis and Thermoelectric Properties of LAST System Bulk Materials: Substitution of Sulfur for Tellurium. Journal of Electronic Materials, 2012, 41, 1337-1342.	1.0	6
131	Preparation and thermoelectric properties of ternary superionic conductor CuCrS ₂ . Journal of Solid State Chemistry, 2012, 186, 109-115.	1.4	42
132	Synthesis and transport property of Cu _{1.8} S as a promising thermoelectric compound. Chemical Communications, 2011, 47, 12697.	2.2	203
133	Control of anisotropic electrical transport property of Bi ₂ S ₃ thermoelectric polycrystals. Journal of Materials Chemistry, 2011, 21, 9194.	6.7	69
134	Effect of spark plasma sintering temperature on thermoelectric properties of Bi ₂ S ₃ polycrystal. Journal of Materials Research, 2011, 26, 2711-2718.	1.2	48
135	Thermoelectric properties of Ag-doped bismuth sulfide polycrystals prepared by mechanical alloying and spark plasma sintering. Materials Chemistry and Physics, 2011, 131, 216-222.	2.0	70
136	Enhancing Thermoelectric Properties of Polycrystalline Bi ₂ S ₃ by Optimizing a Ball-Milling Process. Journal of Electronic Materials, 2011, 40, 1087-1094.	1.0	41