S Mohammad Reza Khalili

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1825830/publications.pdf Version: 2024-02-01

147801 233421 2,489 81 31 45 citations g-index h-index papers 82 82 82 1734 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	A mixed Ritz-DQ method for forced vibration of functionally graded beams carrying moving loads. Composite Structures, 2010, 92, 2497-2511.	5.8	143
2	A study of the mechanical properties of steel/aluminium/GRP laminates. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2005, 412, 137-140.	5.6	88
3	Non-linear dynamic analysis of a sandwich beam with pseudoelastic SMA hybrid composite faces based on higher order finite element theory. Composite Structures, 2013, 96, 243-255.	5.8	88
4	Free vibration analysis of sandwich beam with FG core using the element free Galerkin method. Composite Structures, 2009, 90, 373-379.	5.8	78
5	Finite element modeling of low-velocity impact on laminated composite plates and cylindrical shells. Composite Structures, 2011, 93, 1363-1375.	5.8	77
6	Free vibration analysis of homogeneous isotropic circular cylindrical shells based on a new three-dimensional refined higher-order theory. International Journal of Mechanical Sciences, 2012, 56, 1-25.	6.7	75
7	Free vibration response of composite sandwich cylindrical shell with flexible core. Composite Structures, 2010, 92, 1269-1281.	5.8	74
8	Influence of thermal conditions on the tensile properties of basalt fiber reinforced polypropylene–clay nanocomposites. Materials & Design, 2014, 53, 540-549.	5.1	69
9	Nonlinear vibration of functionally graded cylindrical shells embedded with a piezoelectric layer. Thin-Walled Structures, 2014, 79, 8-15.	5.3	64
10	Free vibration analysis of sandwich structures with a flexible functionally graded syntactic core. Composite Structures, 2009, 91, 229-235.	5.8	63
11	Experimental study of the influence of adhesive reinforcement in lap joints for composite structures subjected to mechanical loads. International Journal of Adhesion and Adhesives, 2008, 28, 436-444.	2.9	61
12	Low-velocity impact response of active thin-walled hybrid composite structures embedded with SMA wires. Thin-Walled Structures, 2007, 45, 799-808.	5.3	60
13	Transient dynamic response of composite circular cylindrical shells under radial impulse load and axial compressive loads. Thin-Walled Structures, 2005, 43, 1763-1786.	5.3	58
14	Analysis and optimization of smart hybrid composite plates subjected to low-velocity impact using the response surface methodology (RSM). Thin-Walled Structures, 2008, 46, 1204-1212.	5.3	55
15	Charpy impact response of basalt fiber reinforced epoxy and basalt fiber metal laminate composites: Experimental study. International Journal of Damage Mechanics, 2014, 23, 729-744.	4.2	53
16	Effect of Thermal Cycling on the Tensile Behavior of Polymer Composites Reinforced by Basalt and Carbon Fibers. Mechanics of Composite Materials, 2017, 52, 807-816.	1.4	47
17	Mechanical Properties of Nanoclay Reinforced Epoxy Adhesive Bonded Joints Made with Composite Materials. Journal of Adhesion Science and Technology, 2010, 24, 1917-1928.	2.6	45
18	High-order free vibration analysis of sandwich beams with a flexible core using dynamic stiffness method. Composite Structures, 2012, 94, 1503-1514.	5.8	45

#	Article	IF	CITATIONS
19	Low velocity transverse impact response of functionally graded plates with temperature dependent properties. Composite Structures, 2013, 96, 64-74.	5.8	45
20	A high-order theory for the analysis of circular cylindrical composite sandwich shells with transversely compliant core subjected to external loads. Composite Structures, 2012, 94, 2129-2142.	5.8	43
21	Free vibration analysis of sandwich beams using improved dynamic stiffness method. Composite Structures, 2010, 92, 387-394.	5.8	40
22	Hybridization effect of basalt and carbon fibers on impact and flexural properties of phenolic composites. Iranian Polymer Journal (English Edition), 2014, 23, 767-773.	2.4	40
23	Experimental investigation on distance effects in repeated low velocity impact on fiber–metal laminates. Composite Structures, 2013, 99, 31-40.	5.8	39
24	Creep analysis of fibre reinforced adhesives in single lap joints—Experimental study. International Journal of Adhesion and Adhesives, 2009, 29, 656-661.	2.9	38
25	Modeling and transient dynamic analysis of pseudoelastic SMA hybrid composite beam. Applied Mathematics and Computation, 2013, 219, 9762-9782.	2.2	38
26	Analysis of fiber reinforced composite plates subjected to transverse impact in the presence of initial stresses. Composite Structures, 2007, 77, 263-268.	5.8	37
27	Dynamic response of pre-stressed fibre metal laminate (FML) circular cylindrical shells subjected to lateral pressure pulse loads. Composite Structures, 2010, 92, 1308-1317.	5.8	36
28	Mixed LW/ESL models for the analysis of sandwich plates with composite faces. Composite Structures, 2013, 98, 330-339.	5.8	34
29	A nonlinear finite element model using a unified formulation for dynamic analysis of multilayer composite plate embedded with SMA wires. Composite Structures, 2013, 106, 635-645.	5.8	34
30	Low-velocity impact response of doubly curved symmetric cross-ply laminated panel with embedded SMA wires. Composite Structures, 2013, 105, 216-226.	5.8	34
31	Numerical study of lap joints with composite adhesives and composite adherends subjected to in-plane and transverse loads. International Journal of Adhesion and Adhesives, 2008, 28, 411-418.	2.9	33
32	Transient dynamic response of initially stressed composite circular cylindrical shells under radial impulse load. Composite Structures, 2009, 89, 275-284.	5.8	33
33	Effect of smart stiffening procedure on low-velocity impact response of smart structures. Journal of Materials Processing Technology, 2007, 190, 142-152.	6.3	28
34	Numerical analysis of adhesively bonded T-joints with structural sandwiches and study of design parameters. International Journal of Adhesion and Adhesives, 2011, 31, 347-356.	2.9	27
35	An experimental study on the behavior of PP/EPDM/JUTE composites in impact, tensile and bending loadings. Journal of Reinforced Plastics and Composites, 2011, 30, 1341-1347.	3.1	27
36	Frequency analysis of sandwich plate with active SMA hybrid composite face-sheets and temperature dependent flexible core. Composite Structures, 2015, 123, 408-419.	5.8	27

#	Article	IF	CITATIONS
37	An experimental study on the Charpy impact response of cracked aluminum plates repaired with GFRP or CFRP composite patches. Composite Structures, 2009, 89, 270-274.	5.8	24
38	Optimal design of a bio-inspired self-healing metal matrix composite reinforced with NiTi shape memory alloy strips. Journal of Intelligent Material Systems and Structures, 2018, 29, 3972-3982.	2.5	24
39	Experimental investigation on the smart selfâ€healing composites based on the short hollow glass fibers and shape memory alloy strips. Polymer Composites, 2019, 40, 1883-1889.	4.6	23
40	A finite element based global–local theory for static analysis of rectangular sandwich and laminated composite plates. Composite Structures, 2014, 107, 177-189.	5.8	22
41	Free vibrations of laminated composite shells with uniformly distributed attached mass using higher order shell theory including stiffness effect. Journal of Sound and Vibration, 2011, 330, 6355-6371.	3.9	21
42	Static analysis of tapered FRP transmission poles using finite element method. Finite Elements in Analysis and Design, 2011, 47, 247-255.	3.2	20
43	Temperature-dependent buckling analysis of sandwich truncated conical shells with FG facesheets. Composite Structures, 2015, 131, 682-691.	5.8	20
44	Investigation of the response of an aluminium plate subjected to repeated low velocity impact using a continuum damage mechanics approach. Fatigue and Fracture of Engineering Materials and Structures, 2015, 38, 475-488.	3.4	20
45	Charpy impact behavior of clay/basalt fiber-reinforced polypropylene nanocomposites at various temperatures. Journal of Thermoplastic Composite Materials, 2016, 29, 1416-1428.	4.2	20
46	Transient dynamic analysis of tapered FRP composite transmission poles using finite element method. Composite Structures, 2010, 92, 275-283.	5.8	19
47	Investigation on design parameters of single-walled carbon nanotube reinforced nanocomposites under impact loads. Composite Structures, 2013, 98, 253-260.	5.8	19
48	Vibration of non-ideal simply supported laminated plate on an elastic foundation subjected to in-plane stresses. Composite Structures, 2010, 92, 1478-1484.	5.8	18
49	Experimental, theoretical, and numerical studies on the response of square plates subjected to blast loading. Journal of Strain Analysis for Engineering Design, 2011, 46, 805-816.	1.8	18
50	Dynamic Response of Smart Hybrid Composite Plate Subjected to Low-Velocity Impact. Journal of Composite Materials, 2007, 41, 2347-2370.	2.4	16
51	Effect of thermal cycling on tensile properties of degraded FML to metal hybrid joints exposed to sea water. International Journal of Adhesion and Adhesives, 2017, 79, 95-101.	2.9	16
52	Analytical solution for bending analysis of soft-core composite sandwich plates using improved high-order theory. Structural Engineering and Mechanics, 2012, 44, 15-34.	1.0	16
53	Mechanical Behavior of Notched Plate Repaired with Polymer Composite and Smart Patches - Experimental Study. Journal of Reinforced Plastics and Composites, 2010, 29, 3021-3037.	3.1	15
54	Determination of the elastic properties of randomly oriented shape memory alloy (SMA) discontinuous wires reinforced epoxy resin. Composite Structures, 2017, 180, 148-160.	5.8	15

#	Article	IF	CITATIONS
55	Dynamic response of laminated composite beam reinforced with shape memory alloy wires subjected to low velocity impact of multiple masses. Journal of Composite Materials, 2018, 52, 1089-1101.	2.4	15
56	Numerical simulation of buckling behavior of thin walled composite shells with embedded shape memory alloy wires. Thin-Walled Structures, 2019, 143, 106193.	5.3	15
57	A boundary element formulation for the heterogeneous functionally graded viscoelastic structures. Applied Mathematics and Computation, 2013, 225, 246-262.	2.2	14
58	Analysis and optimization of laminated composite circular cylindrical shell subjected to compressive axial and transverse transient dynamic loads. Thin-Walled Structures, 2009, 47, 970-983.	5.3	13
59	Free vibration analysis of sandwich beam carrying sprung masses. International Journal of Mechanical Sciences, 2010, 52, 1620-1633.	6.7	13
60	Transient Dynamic Response of Clamped-Free Hybrid Composite Circular Cylindrical Shells. Applied Composite Materials, 2010, 17, 243-257.	2.5	12
61	A global–local theory with stress recovery and a new post-processing technique for stress analysis of asymmetric orthotropic sandwich plates with single/dual cores. Computer Methods in Applied Mechanics and Engineering, 2015, 286, 192-215.	6.6	12
62	Vibration and buckling analysis of laminated sandwich conical shells using higher order shear deformation theory and differential quadrature method. Journal of Sandwich Structures and Materials, 2019, 21, 1445-1480.	3.5	12
63	Buckling of non-ideal simply supported laminated plate on Pasternak foundation. Applied Mathematics and Computation, 2013, 219, 6420-6430.	2.2	11
64	Mechanical characterization of clay reinforced polypropylene nanocomposites at high temperature. Fibers and Polymers, 2013, 14, 1650-1656.	2.1	11
65	Low-velocity impact response of sandwich conical shell with agglomerated single-walled carbon nanotubes-reinforced face sheets considering structural damping. Journal of Sandwich Structures and Materials, 2019, 21, 1481-1519.	3.5	8
66	Evaluation of Fatigue Life for Dental Implants Using FEM Analysis. Prosthesis, 2021, 3, 300-313.	2.9	8
67	Free Vibrations of Thick Rectangular Composite Plate with Uniformly Distributed Attached Mass Including Stiffness Effect. Journal of Composite Materials, 2010, 44, 2897-2918.	2.4	7
68	Creep analysis in smart single-strap adhesive joints reinforced by shape memory alloys—Experimental study. International Journal of Adhesion and Adhesives, 2014, 54, 21-29.	2.9	7
69	Static Tensile and Transient Dynamic Response of Cracked Aluminum Plate Repaired with Composite Patch – Numerical Study. Applied Composite Materials, 2014, 21, 441-455.	2.5	7
70	Experimental analysis of corrugated core sandwich panel with smart composite face-sheets under high-velocity impact. Journal of Composite Materials, 2022, 56, 1495-1511.	2.4	7
71	Evaluation of the effective mechanical properties of shape memory wires/epoxy composites using representative volume element. Journal of Composite Materials, 2016, 50, 1761-1770.	2.4	6
72	Effect of preâ€ŧension on tensile strength of glass fibersâ€epoxy composite reinforced with shape memory alloy wire. Polymer Composites, 2018, 39, E2454.	4.6	6

#	Article	IF	CITATIONS
73	Dynamic response of functionally graded circular cylindrical shells subjected to radial impulse load. International Journal of Mechanics and Materials in Design, 2013, 9, 65-81.	3.0	5
74	An indentation law for doubly curved composite sandwich panels with rigid-plastic core subjected to flat-ended cylindrical indenters. Composite Structures, 2013, 105, 82-89.	5.8	4
75	Mechanical Characterization of Nanoclay Reinforced Polypropylene Composites at High Temperature Subjected to Tensile Loads. Advanced Materials Research, 2012, 488-489, 567-571.	0.3	3
76	Static and vibration properties of randomly oriented shape memory alloy short wires reinforced epoxy resin. Journal of Reinforced Plastics and Composites, 2016, 35, 1104-1114.	3.1	3
77	Free vibration analysis of tapered FRP transmission poles with flexible joint by finite element method. Structural Engineering and Mechanics, 2012, 42, 409-424.	1.0	3
78	Study on the effective parameter of buckling behavior of cylindrical composite shells with embedded SMA wires. Journal of Reinforced Plastics and Composites, 2019, 38, 737-748.	3.1	2
79	Analysis of the Effect of Piezoelectric Patches on the Behavior of Adhesively Bonded Scarf Joints — An Analytical Study. Journal of Adhesion Science and Technology, 2011, 25, 2539-2553.	2.6	1
80	Fatigue Behavior of Notched Aluminum Plates Repaired by Smart and Composite Patches. , 2010, , .		0
81	Tensile Properties of Clay/Polypropylene Nanocomposites at Cryogenic Temperature. Advanced Materials Research, 0, 488-489, 562-566.	0.3	0