

Jie Li

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/182911/publications.pdf>

Version: 2024-02-01

88
papers

1,589
citations

257101

24
h-index

395343

33
g-index

88
all docs

88
docs citations

88
times ranked

783
citing authors

#	ARTICLE	IF	CITATIONS
1	Effects of Bi ₂ O ₃ -Nb ₂ O ₅ additives on microstructure and magnetic properties of low-temperature-fired NiCuZn ferrite ceramics. <i>Ceramics International</i> , 2018, 44, 10545-10550.	2.3	61
2	Controllably degradable transient electronic antennas based on water-soluble PVA/TiO ₂ films. <i>Journal of Materials Science</i> , 2018, 53, 2638-2647.	1.7	61
3	Enhanced ferromagnetic properties of low temperature sintering LiZnTi ferrites with Li ₂ O-B ₂ O ₃ -SiO ₂ -CaO-Al ₂ O ₃ glass addition. <i>Journal of Alloys and Compounds</i> , 2015, 620, 421-426.	2.8	59
4	Crystal structure and enhanced microwave dielectric properties of Ta ⁵⁺ substituted Li ₃ Mg ₂ NbO ₆ ceramics. <i>Journal of the American Ceramic Society</i> , 2020, 103, 214-223.	1.9	58
5	Crystal structure, bond energy, Raman spectra, and microwave dielectric properties of Ti-doped Li ₃ Mg ₂ NbO ₆ ceramics. <i>Journal of the American Ceramic Society</i> , 2020, 103, 4321-4332.	1.9	51
6	Synthesis of Highly Uniform and Compact Lithium Zinc Ferrite Ceramics via an Efficient Low Temperature Approach. <i>Inorganic Chemistry</i> , 2017, 56, 4512-4520.	1.9	47
7	Low Temperature Firing of Li _{0.43} Zn _{0.27} Ti _{0.13} Fe _{2.17} O ₄ Ferrites with Enhanced Magnetic Properties. <i>Journal of the American Ceramic Society</i> , 2015, 98, 2556-2560.	1.9	45
8	Influence of La-Co substitution on the structure and magnetic properties of low-temperature sintered M-type barium ferrites. <i>Journal of Rare Earths</i> , 2013, 31, 983-987.	2.5	43
9	Correlations between the structural characteristics and enhanced microwave dielectric properties of V ⁵⁺ modified Li ₃ Mg ₂ NbO ₆ ceramics. <i>Ceramics International</i> , 2018, 44, 19295-19300.	2.3	39
10	Development and application of ferrite materials for low temperature co-fired ceramic technology. <i>Chinese Physics B</i> , 2013, 22, 117504.	0.7	35
11	Temperature stability and high-Q _f of low temperature firing Mg ₂ SiO ₄ -Li ₂ TiO ₃ microwave dielectric ceramics. <i>Ceramics International</i> , 2017, 43, 16167-16173.	2.3	34
12	Investigation of grain boundary diffusion and grain growth of lithium zinc ferrites with low activation energy. <i>Journal of the American Ceramic Society</i> , 2018, 101, 5037-5045.	1.9	34
13	Improved sintering characteristics and gyromagnetic properties of low-temperature sintered Li ₄₂ Zn ₂₇ Ti ₁₁ Mn ₁ Fe ₂ O ₄ ferrite ceramics modified with Bi ₂ O ₃ -ZnO-B ₂ O ₃ glass additive. <i>Ceramics International</i> , 2018, 44, 13122-13128.	2.3	32
14	Polycrystalline Bi substituted YIG ferrite processed via low temperature sintering. <i>Journal of Alloys and Compounds</i> , 2017, 695, 931-936.	2.8	31
15	Relationship between the structure and microwave dielectric properties of non-stoichiometric Li _{2+x} SiO ₃ ceramics. <i>Ceramics International</i> , 2017, 43, 2664-2669.	2.3	30
16	Densification and magnetic properties of NiCuZn low-sintering temperature ferrites with Bi ₂ O ₃ -Nb ₂ O ₅ composite additives. <i>Journal of Alloys and Compounds</i> , 2019, 776, 954-959.	2.8	30
17	Ni-Ti equiatomic co-substitution of hexagonal M-type Ba(NiTi) _x Fe _{12-2x} O ₁₉ ferrites. <i>Journal of Alloys and Compounds</i> , 2015, 649, 782-787.	2.8	29
18	Low temperature sintering BBSZ glass modified Li ₂ MgTi ₃ O ₈ microwave dielectric ceramics. <i>Journal of Alloys and Compounds</i> , 2015, 646, 1139-1142.	2.8	29

#	ARTICLE	IF	CITATIONS
19	Low loss, enhanced magneto-dielectric properties of Bi ₂ O ₃ doped Mg-Cd ferrites for high frequency antennas. <i>Journal of Alloys and Compounds</i> , 2018, 735, 2634-2639.	2.8	29
20	Synthesis of V ₂ O ₅ -Doped and low-sintered NiCuZn ferrite with uniform grains and enhanced magnetic properties. <i>Ceramics International</i> , 2020, 46, 10652-10657.	2.3	29
21	Enhanced gyromagnetic properties of NiCuZn ferrite ceramics for LTCC applications by adjusting MnO ₂ -Bi ₂ O ₃ substitution. <i>Ceramics International</i> , 2018, 44, 19370-19376.	2.3	27
22	Correlation between crystal structure and modified microwave dielectric characteristics of Cu ²⁺ substituted Li ₃ Mg ₂ NbO ₆ ceramics. <i>Ceramics International</i> , 2019, 45, 10170-10175.	2.3	27
23	Low temperature sintering and microwave dielectric properties of novel temperature stable Li ₃ Mg ₂ NbO ₆ -0.1TiO ₂ ceramics. <i>Materials Letters</i> , 2018, 217, 48-51.	1.3	26
24	Investigation and characterization on crystal structure and enhanced microwave dielectric properties of non-stoichiometric Li _{3+x} Mg ₂ NbO ₆ ceramics. <i>Ceramics International</i> , 2018, 44, 20539-20544.	2.3	26
25	Phase formation, magnetic properties and Raman spectra of Co ²⁺ /Ti co-substitution M-type barium ferrites. <i>Applied Physics A: Materials Science and Processing</i> , 2015, 119, 525-532.	1.1	24
26	Low-temperature sintering and ferrimagnetic properties of LiZnTiMn ferrites with Bi ₂ O ₃ -CuO eutectic mixture. <i>Journal of Alloys and Compounds</i> , 2017, 695, 3233-3238.	2.8	24
27	Investigation on Zn-Sn co-substituted M-type hexaferrite for microwave applications. <i>Journal of Magnetism and Magnetic Materials</i> , 2017, 444, 421-425.	1.0	23
28	Effect of La ³⁺ /Zn Substitution on the Structure and Magnetic Properties of Low Temperature Co-Fired M-Type Barium Ferrite. <i>Journal of Superconductivity and Novel Magnetism</i> , 2014, 27, 793-797.	0.8	21
29	Magnetic properties and microstructure of low temperature sintered LiZnMnTi ferrites doped with Li ₂ CO ₃ B ₂ O ₃ Bi ₂ O ₃ SiO ₂ glasses. <i>Journal of Alloys and Compounds</i> , 2016, 680, 729-734.	2.8	21
30	Equal permeability and permittivity in a low temperature co-fired In-doped Mg-Cd ferrite. <i>Ceramics International</i> , 2018, 44, 678-682.	2.3	21
31	Correlation between structure characteristics and dielectric properties of Li ₂ Mg _{3-x} Cu _x TiO ₆ ceramics based on complex chemical bond theory. <i>Ceramics International</i> , 2019, 45, 23509-23514.	2.3	20
32	Ultralow loss and temperature stability of Li ₃ Mg ₂ NbO ₆ -xLiF ceramics with low sintering temperature. <i>Journal of Alloys and Compounds</i> , 2019, 782, 370-374.	2.8	20
33	Miniaturized terrestrial digital media broadcasting antenna based on low loss magneto-dielectric materials for mobile handset applications. <i>Journal of Applied Physics</i> , 2012, 112, 043915.	1.1	19
34	TiO ₂ tailored low loss NiCuZn ferrite ceramics having equivalent permeability and permittivity for miniaturized antenna. <i>Journal of Magnetism and Magnetic Materials</i> , 2019, 487, 165318.	1.0	19
35	Microstructure and enhanced magnetic properties of low-temperature sintered LiZnTiMn ferrite ceramics with Bi ₂ O ₃ -Al ₂ O ₃ additive. <i>Ceramics International</i> , 2020, 46, 487-492.	2.3	19
36	Textured M-type barium hexaferrite Ba(ZnSn) _x Fe _{12-2x} O ₁₉ with c-axis anisotropy and high squareness ratio. <i>Ceramics International</i> , 2019, 45, 4535-4539.	2.3	18

#	ARTICLE	IF	CITATIONS
37	Equivalent permeability and permittivity of Sm substituted Mg ²⁺ Cd ferrites for high-frequency applications. Journal of Alloys and Compounds, 2020, 819, 153059.	2.8	18
38	Low temperature sintering and ferromagnetic properties of Li _{0.43} Zn _{0.27} Ti _{0.13} Fe _{2.17} O ₄ ferrites doped with BaO ²⁺ ZnO ²⁺ B ₂ O ₃ ²⁺ SiO ₂ glass. Journal of Alloys and Compounds, 2016, 654, 140-145.	2.8	17
39	Influence of microstructure on magnetic and dielectric performance of Bi ₂ O ₃ -doped Mg Cd ferrites for high frequency antennas. Ceramics International, 2019, 45, 12035-12040.	2.3	17
40	Synthesis of nickel zinc ferrite ceramics on enhancing gyromagnetic properties by a novel low-temperature sintering approach for LTCC applications. Journal of Alloys and Compounds, 2019, 778, 8-14.	2.8	17
41	Synthesis, crystal structure and low loss of Li ₃ Mg ₂ NbO ₆ ceramics by reaction sintering process. Ceramics International, 2019, 45, 19766-19770.	2.3	16
42	Low-Temperature Sintering Li ₃ Mg _{1.8} Ca _{0.2} NbO ₆ Microwave Dielectric Ceramics with LMZBS Glass. Journal of Electronic Materials, 2018, 47, 4672-4677.	1.0	15
43	Low-temperature sintering synthesis and electromagnetic properties of NiCuZn/BaTiO ₃ composite materials. Journal of Alloys and Compounds, 2019, 788, 44-49.	2.8	15
44	Microstructure and magnetic properties of low-temperature sintered M-type hexaferrite BaZn _{0.6} Sn _{0.6} Fe _{10.8} O ₁₉ for LTCC process. Journal of Magnetism and Magnetic Materials, 2019, 475, 223-228.	1.0	14
45	Double peaks of the permeability spectra of obliquely sputtered CoFeB amorphous films. Materials Research Bulletin, 2019, 110, 107-111.	2.7	14
46	Co ²⁺ Ti co-substitution of M-type hexagonal barium ferrite. Materials Research Express, 2015, 2, 046104.	0.8	13
47	Nb ⁵⁺ ion substitution assisted the magnetic and gyromagnetic properties of NiCuZn ferrite for high frequency LTCC devices. Ceramics International, 2022, 48, 12490-12496.	2.3	13
48	The structural and magnetic properties of barium ferrite powders prepared by the sol-gel method. Chinese Physics B, 2012, 21, 017501.	0.7	12
49	Matching impedance of Cd-substituted magnesium ferrites for wideband and miniaturized antennas. Ceramics International, 2020, 46, 27996-28005.	2.3	12
50	Synthesis and magnetic properties of low-temperature sintered, LMZBS glass-doped dense NiCuZn ferrites. Ceramics International, 2022, 48, 19011-19016.	2.3	12
51	Structural and magnetic properties of Mn ²⁺ Ti (M ²⁺ =Ni or Zn) co-substituted M-type barium ferrite by a novel sintering process. Journal of Materials Science: Materials in Electronics, 2015, 26, 1060-1065.	1.1	11
52	Effect of ZnO ²⁺ B ₂ O ₃ ²⁺ SiO ₂ glass additive on magnetic properties of low-sintering Li _{0.43} Zn _{0.27} Ti _{0.13} Fe _{2.17} O ₄ ferrites. Journal of Materials Science: Materials in Electronics, 2016, 27, 811-817.	1.1	11
53	Influence of LZN nanoparticles on microstructure and magnetic properties of bi-substituted LiZnTi low-sintering temperature ferrites. Ceramics International, 2019, 45, 1946-1949.	2.3	11
54	Enhanced structure and microwave magnetic properties of MgZn ferrite by Cd ²⁺ ion substitution for LTCC applications. Ceramics International, 2020, 46, 6600-6604.	2.3	11

#	ARTICLE	IF	CITATIONS
55	Structure and infrared reflectivity spectra of novel Mg ₃ Ga ₂ GeO ₈ microwave dielectric ceramic with high Q. <i>Ceramics International</i> , 2021, 47, 2450-2455.	2.3	11
56	Enhancement of structural and microwave properties of Zn ²⁺ ion-substituted Li ₂ MgSiO ₄ ceramics for LTCC applications. <i>Ceramics International</i> , 2021, 47, 15039-15043.	2.3	11
57	Low dielectric loss and narrow FMR linewidth of Ca-Ge co-substituted YInG ferrites for microwave device application. <i>Journal of Alloys and Compounds</i> , 2021, 885, 160965.	2.8	11
58	Effects of Bi ₂ O ₃ and Li ₂ O B ₂ O ₃ Bi ₂ O ₃ SiO ₂ glass on electromagnetic properties of NiCuZn/BaTiO ₃ composite material at low sintering temperature. <i>Ceramics International</i> , 2019, 45, 11342-11346.	2.3	10
59	Effects of Bi ₂ O ₃ and MnO ₂ additives on tunable microstructure and magnetic properties of low temperature co-fired NiCuZn ferrite ceramics. <i>Journal of Materials Science: Materials in Electronics</i> , 2020, 31, 12325-12332.	1.1	10
60	Bi ₂ O ₃ -doping controlled magnetic and dielectric properties of low-temperature co-fired NiCuZn ferrite for high-frequency applications. <i>Journal of Materials Science: Materials in Electronics</i> , 2019, 30, 15437-15443.	1.1	9
61	Tunable double resonance with negative permittivity and permeability in GdFeO ₃ material by sintering temperature. <i>Journal of Alloys and Compounds</i> , 2020, 817, 152778.	2.8	9
62	Effect of zirconium deficiency on structure characteristics, morphology and microwave dielectric properties of Li ₂ Mg ₃ Zr _{1-x} O ₆ ceramics. <i>Ceramics International</i> , 2021, 47, 12567-12573.	2.3	9
63	Glass-free CaMg _{0.9} Li _{0.2} Mn _x Si ₂ O ₆ ceramics with enhanced dielectric properties for microwave and THz frequency applications. <i>Ceramics International</i> , 2022, 48, 24091-24099.	2.3	9
64	LTCC processed CoTi substituted M-type barium ferrite composite with BBSZ glass powder additives for microwave device applications. <i>AIP Advances</i> , 2016, 6, 056410.	0.6	8
65	Low-temperature co-fired Ni-Ti co-substituted barium ferrites. <i>Journal of Composite Materials</i> , 2016, 50, 173-178.	1.2	8
66	Temperature stability and chemical compatibility of novel Li _{1.6} Zn _{1.6} Sn _{2.8} O ₈ ceramics. <i>Materials Chemistry and Physics</i> , 2019, 238, 121960.	2.0	8
67	Enhancement of microstructure and magnetic properties of MgCd ferrite via Sm-Ga ions substitution for microwave devices. <i>Materials Research Bulletin</i> , 2021, 142, 111414.	2.7	8
68	Structure and magnetic properties of CuO-substituted Co ₂ Y hexaferrites for high frequency applications. <i>Journal of Materials Science: Materials in Electronics</i> , 2017, 28, 2069-2074.	1.1	7
69	Enhanced microstructure and dielectric properties of low-temperature sintered MgO-xwt%LiF ceramics for high-frequency applications. <i>Ceramics International</i> , 2022, 48, 2704-2709.	2.3	6
70	Synthesis of low-temperature sintered M-type barium ferrites with enhanced microstructure, magnetic and dielectric properties. <i>Journal of Alloys and Compounds</i> , 2022, 899, 163146.	2.8	6
71	Bi ₂ O ₃ adjusting equivalent permeability and permittivity of M-type barium ferrite for antenna substrate application. <i>Materials Research Express</i> , 2019, 6, 056113.	0.8	5
72	Synthesis, phase composition and modified microwave dielectric properties of Mg ²⁺ substituted Zn ₂ SiO ₄ ceramics with uniform microstructure. <i>Materials Research Express</i> , 2019, 6, 106313.	0.8	4

#	ARTICLE	IF	CITATIONS
73	Grain growth and tunable ferromagnetic resonance linewidth of low-temperature sintering NiCuZn ferromagnetic ferrites. <i>Journal of Materials Science: Materials in Electronics</i> , 2020, 31, 2845-2853.	1.1	4
74	Microwave dielectric properties and sintering behaviors of Zn _{1.8} SiO _{3.8} ceramics. <i>Journal of Materials Science: Materials in Electronics</i> , 2021, 32, 517-523.	1.1	4
75	Ultrafast spin wave propagation in thick magnetic insulator films with perpendicular magnetic anisotropy. <i>Physical Review B</i> , 2021, 104, .	1.1	4
76	Magnetic and dielectric properties of low-temperature sintered NiCuZn/CaTiO ₃ composite dual-performance materials. <i>Journal of Alloys and Compounds</i> , 2022, 910, 164906.	2.8	4
77	Enhanced magnetic properties of low-temperature sintered LiZnTiMn ferrites with Bi ₂ O ₃ -NiO additive. <i>Journal of Materials Science: Materials in Electronics</i> , 0, , 1.	1.1	3
78	Effect of sintering temperature on microstructure and magnetic and dielectric properties of M-type barium ferrites. <i>Ceramics International</i> , 2022, 48, 27712-27717.	2.3	3
79	Low temperature co-fired LiZrZn ferrites with LBBS glass. <i>Journal of Materials Science: Materials in Electronics</i> , 2017, 28, 1142-1146.	1.1	2
80	Low-Temperature Cofired Co/Zr-Cosubstituted M-Type Barium Ferrite. <i>Journal of Electronic Materials</i> , 2017, 46, 1358-1362.	1.0	2
81	Low temperature co-fired Co ₂ Z barium-strontium ferrite materials with BBSC glass. <i>Journal of Materials Science: Materials in Electronics</i> , 2016, 27, 2841-2845.	1.1	1
82	Antenna design for ferromagnetic resonance and spin wave spectroscopy. <i>Journal of Magnetism and Magnetic Materials</i> , 2019, 490, 165442.	1.0	1
83	Ge-doped Li _{3+x} Mg ₂ Nb _{1-x} GexO ₆ ceramics with enhanced low loss and high temperature stability properties. <i>Ceramics International</i> , 2021, 47, 23038-23044.	2.3	1
84	Influence of CuO additive on phase formation, microstructure and microwave dielectric properties of Cu-doped Cu _x Zn _{1.8-x} SiO _{3.8} ceramics. <i>Applied Physics A: Materials Science and Processing</i> , 2022, 128, 1.	1.1	1
85	Low dielectric permittivity and low loss of low temperature co-fired Li ₂ Zn _x Mg _{0.98-x} Co _{0.02} SiO ₄ ceramics with Li ₂ Bi ₂ O ₃ additives. <i>Journal of Materials Science: Materials in Electronics</i> , 2017, 28, 13638-13642.	1.1	0
86	Magnetic and dielectric properties of Sm-doped M-type barium ferrites for LTCC application. , 2018, , .		0
87	Effect of Li ₂ O-Al ₂ O ₃ -Bi ₂ O ₃ -SiO ₂ Glass on Electromagnetic Properties of Ni _{0.16} Cu _{0.22} Zn _{0.62} Fe ₂ O ₄ -BaTiO ₃ Composites at Low Sintering Temperature. <i>Materials Science Forum</i> , 2019, 960, 250-255.	0.3	0
88	Structure and magnetic properties of In-substituted MgCd ferrite material. <i>Materials Research Express</i> , 2019, 6, 116123.	0.8	0