

Ole M Sejersted

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1829128/publications.pdf>

Version: 2024-02-01

132
papers

5,382
citations

66234

42
h-index

95083

68
g-index

133
all docs

133
docs citations

133
times ranked

4608
citing authors

#	ARTICLE	IF	CITATIONS
1	AKAP181 Anchors and Regulates CaMKII Activity at Phospholamban-SERCA2 and RYR. <i>Circulation Research</i> , 2022, 130, 27-44.	2.0	27
2	Design of a Proteolytically Stable Sodium-Calcium Exchanger 1 Activator Peptide for In Vivo Studies. <i>Frontiers in Pharmacology</i> , 2021, 12, 638646.	1.6	0
3	Sarcoplasmic Reticulum Calcium Release Is Required for Arrhythmogenesis in the Mouse. <i>Frontiers in Physiology</i> , 2021, 12, 744730.	1.3	3
4	Hypokalemia Promotes Arrhythmia by Distinct Mechanisms in Atrial and Ventricular Myocytes. <i>Circulation Research</i> , 2020, 126, 889-906.	2.0	31
5	Regional diastolic dysfunction in post-infarction heart failure: role of local mechanical load and SERCA expression. <i>Cardiovascular Research</i> , 2019, 115, 752-764.	1.8	22
6	Arrhythmia initiation in catecholaminergic polymorphic ventricular tachycardia type 1 depends on both heart rate and sympathetic stimulation. <i>PLoS ONE</i> , 2018, 13, e0207100.	1.1	15
7	Ryanodine receptor dispersion disrupts Ca ²⁺ release in failing cardiac myocytes. <i>ELife</i> , 2018, 7, .	2.8	84
8	Increased passive stiffness promotes diastolic dysfunction despite improved Ca ²⁺ handling during left ventricular concentric hypertrophy. <i>Cardiovascular Research</i> , 2017, 113, 1161-1172.	1.8	54
9	Regional Dysfunction After Myocardial Infarction in Rats. <i>Circulation: Cardiovascular Imaging</i> , 2017, 10, .	1.3	16
10	Ca ²⁺ -Clock-Dependent Pacemaking in the Sinus Node Is Impaired in Mice with a Cardiac Specific Reduction in SERCA2 Abundance. <i>Frontiers in Physiology</i> , 2016, 7, 197.	1.3	15
11	Exercise training increases protein O-GlcNAcylation in rat skeletal muscle. <i>Physiological Reports</i> , 2016, 4, e12896.	0.7	12
12	Elevated ventricular wall stress disrupts cardiomyocyte t-tubule structure and calcium homeostasis. <i>Cardiovascular Research</i> , 2016, 112, 443-451.	1.8	94
13	Deranged sodium to sudden death. <i>Journal of Physiology</i> , 2015, 593, 1331-1345.	1.3	46
14	Exhausting treadmill running causes dephosphorylation of sMLC2 and reduced level of myofilament MLCK2 in slow twitch rat soleus muscle. <i>Physiological Reports</i> , 2015, 3, e12285.	0.7	7
15	Variable t-tubule organization and Ca ²⁺ homeostasis across the atria. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2014, 307, H609-H620.	1.5	80
16	Normal training response in skeletal muscle of post-infarction heart failure patients. <i>European Journal of Sport Science</i> , 2013, 13, 231-239.	1.4	0
17	Beta-Adrenergic Stimulation Maintains Cardiac Function in Serca2 Knockout Mice. <i>Biophysical Journal</i> , 2013, 104, 1349-1356.	0.2	17
18	Synchrony of Cardiomyocyte Ca ²⁺ Release is Controlled by t-tubule Organization, SR Ca ²⁺ Content, and Ryanodine Receptor Ca ²⁺ Sensitivity. <i>Biophysical Journal</i> , 2013, 104, 1685-1697.	0.2	39

#	ARTICLE	IF	CITATIONS
19	Slow Ca ²⁺ sparks de-synchronize Ca ²⁺ release in failing cardiomyocytes: Evidence for altered configuration of Ca ²⁺ release units?. <i>Journal of Molecular and Cellular Cardiology</i> , 2013, 58, 41-52.	0.9	59
20	I CaL inhibition prevents arrhythmogenic Ca ²⁺ waves caused by abnormal Ca ²⁺ sensitivity of RyR or SR Ca ²⁺ accumulation. <i>Cardiovascular Research</i> , 2013, 98, 315-325.	1.8	9
21	Integrating multi-scale data to create a virtual physiological mouse heart. <i>Interface Focus</i> , 2013, 3, 20120076.	1.5	10
22	Multiple Causes of Fatigue during Shortening Contractions in Rat Slow Twitch Skeletal Muscle. <i>PLoS ONE</i> , 2013, 8, e71700.	1.1	8
23	Extreme sarcoplasmic reticulum volume loss and compensatory T-tubule remodeling after <i>Serca2</i> knockout. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 3997-4001.	3.3	56
24	No Rest for the Weary: Diastolic Calcium Homeostasis in the Normal and Failing Myocardium. <i>Physiology</i> , 2012, 27, 308-323.	1.6	64
25	Sodium Accumulation in SERCA Knockout-Induced Heart Failure. <i>Biophysical Journal</i> , 2012, 102, 2039-2048.	0.2	39
26	ROS-Mediated Decline in Maximum Ca ²⁺ -Activated Force in Rat Skeletal Muscle Fibers following In Vitro and In Vivo Stimulation. <i>PLoS ONE</i> , 2012, 7, e35226.	1.1	27
27	An analysis of deformation-dependent electromechanical coupling in the mouse heart. <i>Journal of Physiology</i> , 2012, 590, 4553-4569.	1.3	73
28	Fra global til lokal - ny forståelse av den elektromekaniske koblingen i hjertet. <i>Tidsskrift for Den Norske Laegeforening</i> , 2012, 132, 1457-1460.	0.2	2
29	Calcium controls cardiac function "by all means!". <i>Journal of Physiology</i> , 2011, 589, 2919-2920.	1.3	13
30	Slowed relaxation and preserved maximal force in soleus muscles of mice with targeted disruption of the <i>Serca2</i> gene in skeletal muscle. <i>Journal of Physiology</i> , 2011, 589, 6139-6155.	1.3	9
31	Ca ²⁺ wave probability is determined by the balance between SERCA2-dependent Ca ²⁺ reuptake and threshold SR Ca ²⁺ content. <i>Cardiovascular Research</i> , 2011, 90, 503-512.	1.8	25
32	Full-length cardiac Na ⁺ /Ca ²⁺ exchanger 1 protein is not phosphorylated by protein kinase A. <i>American Journal of Physiology - Cell Physiology</i> , 2011, 300, C989-C997.	2.1	26
33	Attenuated Fatigue in Slow Twitch Skeletal Muscle during Isotonic Exercise in Rats with Chronic Heart Failure. <i>PLoS ONE</i> , 2011, 6, e22695.	1.1	8
34	Functional coupling of β_2 -isoform Na ⁺ /K ⁺ -ATPase and Ca ²⁺ extrusion through the Na ⁺ /Ca ²⁺ -exchanger in cardiomyocytes. <i>Cell Calcium</i> , 2010, 48, 54-60.	1.1	35
35	Reference gene alternatives to <i>Gapdh</i> in rodent and human heart failure gene expression studies. <i>BMC Molecular Biology</i> , 2010, 11, 22.	3.0	80
36	Sodium accumulation promotes diastolic dysfunction in end-stage heart failure following <i>Serca2</i> knockout. <i>Journal of Physiology</i> , 2010, 588, 465-478.	1.3	85

#	ARTICLE	IF	CITATIONS
37	High-intensity exercise training in mice with cardiomyocyte-specific disruption of <i>Serca2</i> . <i>Journal of Applied Physiology</i> , 2010, 108, 1311-1320.	1.2	10
38	Reduced SERCA2 abundance decreases the propensity for Ca ²⁺ wave development in ventricular myocytes. <i>Cardiovascular Research</i> , 2010, 86, 63-71.	1.8	46
39	Cre-loxP DNA recombination is possible with only minimal unspecific transcriptional changes and without cardiomyopathy in Tg(I±MHC-MerCreMer) mice. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2010, 299, H1671-H1678.	1.5	34
40	Separate mechanisms cause anemia in ischemic vs. nonischemic murine heart failure. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2010, 298, R808-R814.	0.9	13
41	There Goes the Neighborhood: Pathological Alterations in T-Tubule Morphology and Consequences for Cardiomyocyte Handling. <i>Journal of Biomedicine and Biotechnology</i> , 2010, 2010, 1-17.	3.0	85
42	Training Effects on Skeletal Muscle Calcium Handling in Human Chronic Heart Failure. <i>Medicine and Science in Sports and Exercise</i> , 2010, 42, 847-855.	0.2	19
43	Exercise training before cardiac-specific <i>Serca2</i> disruption attenuates the decline in cardiac function in mice. <i>Journal of Applied Physiology</i> , 2010, 109, 1749-1755.	1.2	6
44	Control of Ca ²⁺ Release by Action Potential Configuration in Normal and Failing Murine Cardiomyocytes. <i>Biophysical Journal</i> , 2010, 99, 1377-1386.	0.2	41
45	Slowing of cardiomyocyte Ca ²⁺ release and contraction during heart failure progression in postinfarction mice. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2009, 296, H1069-H1079.	1.5	46
46	Causes of fatigue in slow-twitch rat skeletal muscle during dynamic activity. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2009, 297, R900-R910.	0.9	18
47	Cardiomyocytes from postinfarction failing rat hearts have improved ischemia tolerance. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2009, 296, H787-H795.	1.5	7
48	Mice carrying a conditional <i>Serca2</i> ^{flox} allele for the generation of Ca ²⁺ handling-deficient mouse models. <i>Cell Calcium</i> , 2009, 46, 219-225.	1.1	27
49	Moderate heart dysfunction in mice with inducible cardiomyocyte-specific excision of the <i>Serca2</i> gene. <i>Journal of Molecular and Cellular Cardiology</i> , 2009, 47, 180-187.	0.9	128
50	Temporary fatigue and altered extracellular matrix in skeletal muscle during progression of heart failure in rats. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2009, 297, R26-R33.	0.9	11
51	Slow contractions characterize failing rat hearts. <i>Basic Research in Cardiology</i> , 2008, 103, 328-344.	2.5	35
52	Altered Na ⁺ /Ca ²⁺ -exchanger activity due to downregulation of Na ⁺ /K ⁺ -ATPase α 2-isoform in heart failure. <i>Cardiovascular Research</i> , 2008, 78, 71-78.	1.8	82
53	Serotonin increases L-type Ca ²⁺ current and SR Ca ²⁺ content through 5-HT ₄ receptors in failing rat ventricular cardiomyocytes. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2007, 293, H2367-H2376.	1.5	20
54	The Na ⁺ /K ⁺ -ATPase α 2-isoform regulates cardiac contractility in rat cardiomyocytes. <i>Cardiovascular Research</i> , 2007, 75, 109-117.	1.8	73

#	ARTICLE	IF	CITATIONS
55	Increased cardiomyocyte function and Ca ²⁺ transients in mice during early congestive heart failure. <i>Journal of Molecular and Cellular Cardiology</i> , 2007, 43, 177-186.	0.9	43
56	Serotonin responsiveness through 5-HT _{2A} and 5-HT ₄ receptors is differentially regulated in hypertrophic and failing rat cardiac ventricle. <i>Journal of Molecular and Cellular Cardiology</i> , 2007, 43, 767-779.	0.9	44
57	Effects of treatment with a 5-HT ₄ receptor antagonist in heart failure. <i>British Journal of Pharmacology</i> , 2007, 150, 143-152.	2.7	32
58	Contribution of the Na ⁺ /Ca ²⁺ Exchanger to Rapid Ca ²⁺ Release in Cardiomyocytes. <i>Biophysical Journal</i> , 2006, 91, 779-792.	0.2	57
59	Cross-reinnervation changes the expression patterns of the monocarboxylate transporters 1 and 4: An experimental study in slow and fast rat skeletal muscle. <i>Neuroscience</i> , 2006, 138, 1105-1113.	1.1	13
60	Slow diffusion of K ⁺ in the T tubules of rat cardiomyocytes. <i>Journal of Applied Physiology</i> , 2006, 101, 1170-1176.	1.2	40
61	T-tubule disorganization and reduced synchrony of Ca ²⁺ release in murine cardiomyocytes following myocardial infarction. <i>Journal of Physiology</i> , 2006, 574, 519-533.	1.3	227
62	Effects of Congestive Heart Failure on Ca ²⁺ Handling in Skeletal Muscle During Fatigue. <i>Circulation Research</i> , 2006, 98, 1514-1519.	2.0	33
63	Carvedilol blockade of α_1 - and β_2 -adrenoceptor induced inotropic responses in rats with congestive heart failure. <i>European Journal of Pharmacology</i> , 2005, 516, 51-59.	1.7	9
64	Temperature-dependent skeletal muscle dysfunction in rats with congestive heart failure. <i>Journal of Applied Physiology</i> , 2005, 99, 1500-1507.	1.2	5
65	Artifactual contractions triggered by field stimulation of cardiomyocytes. <i>Journal of Applied Physiology</i> , 2005, 98, 1712-1719.	1.2	10
66	Enhanced matrix metalloproteinase activity in skeletal muscles of rats with congestive heart failure. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2005, 289, R389-R394.	0.9	14
67	Frequency-dependent and proarrhythmogenic effects of FK-506 in rat ventricular cells. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2005, 288, H778-H786.	1.5	32
68	Appearance of a ventricular 5-HT receptor-mediated inotropic response to serotonin in heart failure. <i>Cardiovascular Research</i> , 2005, 65, 869-878.	1.8	73
69	Dual Serotonergic Regulation of Ventricular Contractile Force Through 5-HT _{2A} and 5-HT ₄ Receptors Induced in the Acute Failing Heart. <i>Circulation Research</i> , 2005, 97, 268-276.	2.0	50
70	EC-coupling in normal and failing hearts. <i>Scandinavian Cardiovascular Journal</i> , 2005, 39, 13-23.	0.4	21
71	A MATHEMATICAL MODEL OF THE PROPOSED FUZZY SPACE FOR Na^+ AND Ca^{2+} IN LEFT VENTRICLE CARDIOMYOCYTES. , 2005, , .		0
72	Heart failure â€œ a challenge to our current concepts of excitationâ€œ contraction coupling. <i>Journal of Physiology</i> , 2003, 546, 33-47.	1.3	50

#	ARTICLE	IF	CITATIONS
73	Localization and function of the Na ⁺ /Ca ²⁺ -exchanger in normal and detubulated rat cardiomyocytes. <i>Journal of Molecular and Cellular Cardiology</i> , 2003, 35, 1325-1337.	0.9	86
74	Molecular Medicine for the Cardiac Surgeon. <i>Scandinavian Cardiovascular Journal</i> , 2002, 36, 201-208.	0.4	0
75	Normal contractions triggered by I Ca _L in ventricular myocytes from rats with postinfarction CHF. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2002, 283, H1225-H1236.	1.5	14
76	Surgical manipulation, but not moderate exercise, is associated with increased cytokine mRNA expression in the rat soleus muscle. <i>Acta Physiologica Scandinavica</i> , 2002, 175, 219-226.	2.3	4
77	Contractile properties of in situ perfused skeletal muscles from rats with congestive heart failure. <i>Journal of Physiology</i> , 2002, 540, 571-580.	1.3	29
78	Muscle contractile properties during intermittent nontetanic stimulation in rat skeletal muscle. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2001, 281, R1952-R1965.	0.9	25
79	Upregulation of the Cardiac Monocarboxylate Transporter MCT1 in a Rat Model of Congestive Heart Failure. <i>Circulation</i> , 2001, 104, 729-734.	1.6	76
80	Monocyte chemoattractant protein-1 enhances and interleukin-10 suppresses the production of inflammatory cytokines in adult rat cardiomyocytes. <i>Basic Research in Cardiology</i> , 2001, 96, 345-352.	2.5	42
81	Contraction and Intracellular Ca ²⁺ Handling in Isolated Skeletal Muscle of Rats With Congestive Heart Failure. <i>Circulation Research</i> , 2001, 88, 1299-1305.	2.0	62
82	Dynamics and Consequences of Potassium Shifts in Skeletal Muscle and Heart During Exercise. <i>Physiological Reviews</i> , 2000, 80, 1411-1481.	13.1	403
83	Echocardiographic criteria for detection of postinfarction congestive heart failure in rats. <i>Journal of Applied Physiology</i> , 2000, 89, 1445-1454.	1.2	135
84	Altered E-C coupling in rat ventricular myocytes from failing hearts 6 wk after MI. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2000, 279, H798-H807.	1.5	26
85	Thyroid Hormone Control of Contraction and the Ca ²⁺ -ATPase/phospholamban Complex in Adult Rat Ventricular Myocytes. <i>Journal of Molecular and Cellular Cardiology</i> , 1999, 31, 645-656.	0.9	41
86	Myasthenia gravis sera containing antiryanodine receptor antibodies inhibit binding of [3H]-ryanodine to sarcoplasmic reticulum. , 1998, 21, 329-335.		21
87	Reduced Myocardial Na ⁺ , K ⁺ -pump Capacity in Congestive Heart Failure Following Myocardial Infarction in Rats. <i>Journal of Molecular and Cellular Cardiology</i> , 1998, 30, 1311-1328.	0.9	79
88	Mechanisms of Cardiomyocyte Dysfunction in Heart Failure Following Myocardial Infarction in Rats. <i>Journal of Molecular and Cellular Cardiology</i> , 1998, 30, 1581-1593.	0.9	53
89	Increased Synthesis and Release of Endothelin-1 during the Initial Phase of Airway Inflammation. <i>American Journal of Respiratory and Critical Care Medicine</i> , 1998, 158, 1600-1606.	2.5	34
90	Pulmonary and cardiac expression of preproendothelin-1 mRNA are increased in heart failure after myocardial infarction in rats. Localization of preproendothelin-1 mRNA and endothelin peptide. <i>Cardiovascular Research</i> , 1998, 39, 633-643.	1.8	31

#	ARTICLE	IF	CITATIONS
91	Increased cardiac expression of endothelin-1 mRNA in ischemic heart failure in rats. Cardiovascular Research, 1997, 33, 601-610.	1.8	67
92	Calcium Induced Contracture Stimulates Na,K-pump Rate in Isolated Sheep Cardiac Purkinje Fibers. Journal of Molecular and Cellular Cardiology, 1997, 29, 2197-2212.	0.9	6
93	Cellular and Subcellular Expression of the Monocarboxylate Transporter MCT1 in Rat Heart. Circulation Research, 1997, 80, 400-407.	2.0	42
94	The effect of acute vs chronic treatment with β -adrenoceptor blockade on exercise performance, haemodynamic and metabolic parameters in healthy men and women. British Journal of Clinical Pharmacology, 1996, 41, 57-67.	1.1	36
95	Effect of β^2 -adrenoceptor blockade on post-exercise oxygen consumption. Metabolism: Clinical and Experimental, 1994, 43, 565-571.	1.5	26
96	Electromyographic activation and proportion of fast versus slow twitch muscle fibers: A genetic disposition for psychogenic muscle tension?. International Journal of Psychophysiology, 1993, 15, 43-49.	0.5	7
97	Effect of supramaximal exercise on excess postexercise O ₂ consumption. Medicine and Science in Sports and Exercise, 1992, 24, 66-71.	0.2	60
98	Effect of intensity of exercise on excess postexercise O ₂ consumption. Metabolism: Clinical and Experimental, 1991, 40, 836-841.	1.5	99
99	Increased Erythrocyte Magnesium in Never Treated Essential Hypertension. American Journal of Hypertension, 1990, 3, 573-575.	1.0	10
100	Triglyceride/fatty acid cycling is increased after exercise. Metabolism: Clinical and Experimental, 1990, 39, 993-999.	1.5	95
101	Increased erythrocyte magnesium in untreated essential hypertension. Journal of Hypertension, 1989, 7, S156-157.	0.3	4
102	Occupational muscle pain and injury; scientific challenge. European Journal of Applied Physiology and Occupational Physiology, 1988, 57, 271-274.	1.2	17
103	Biochemical correlates of fatigue. European Journal of Applied Physiology and Occupational Physiology, 1988, 57, 336-347.	1.2	133
104	Na,K Homeostasis of Skeletal Muscle during Activation. Medicine and Sport Science, 1987, 26, 1-11.	1.4	7
105	Determination of ionic metabolites from ethylene glycol in human blood by isotachopheresis. Biomedical Applications, 1987, 416, 111-117.	1.7	13
106	Magnitude and duration of excess postexercise oxygen consumption in healthy young subjects. Metabolism: Clinical and Experimental, 1986, 35, 425-429.	1.5	157
107	Dependency of renal potassium excretion on Na, K-ATPase transport rate. Acta Physiologica Scandinavica, 1985, 123, 9-19.	2.3	7
108	Effects of digitoxin and hypokalaemia on pancreatic NaHCO ₃ secretion and pancreatic Na, K-ATPase activity. Acta Physiologica Scandinavica, 1985, 124, 71-80.	2.3	7

#	ARTICLE	IF	CITATIONS
109	Haemodynamic conditions for renal PGE ₂ and renin release during α - and β -adrenergic stimulation in dogs. <i>Acta Physiologica Scandinavica</i> , 1985, 124, 163-172.	2.3	7
110	Acid-base and electrolyte balance after exhausting exercise in endurance-trained and sprint-trained subjects. <i>Acta Physiologica Scandinavica</i> , 1985, 125, 97-109.	2.3	96
111	Distribution of ouabain-binding sites along the dog nephron. <i>Acta Physiologica Scandinavica</i> , 1985, 125, 699-710.	2.3	2
112	Relationship between Acid-Base Status and Electrolyte Balance after Maximal Work of Short Duration. <i>Medicine and Sport Science</i> , 1984, 17, 40-55.	1.4	6
113	Inhibition of transcellular NaCl reabsorption in dog kidneys during hypercalcemia. <i>Acta Physiologica Scandinavica</i> , 1984, 120, 543-549.	2.3	7
114	Renal venous and urinary PGE ₂ output during intrarenal arachidonic acid infusion in dogs. <i>Acta Physiologica Scandinavica</i> , 1984, 121, 249-259.	2.3	17
115	Relationship between PGE ₂ and renin release in dog kidneys Effects of afferent arteriolar dilation and adrenergic stimulation. <i>Acta Physiologica Scandinavica</i> , 1984, 121, 261-268.	2.3	16
116	Ouabain inhibits renin release by a direct renal haemodynamic effect. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 1984, 44, 557-563.	0.6	3
117	Glycolate Causes the Acidosis in Ethylene Glycol Poisoning and is Effectively Removed by Hemodialysis. <i>Acta Medica Scandinavica</i> , 1984, 216, 409-416.	0.0	114
118	Glycolate Causes the Acidosis in Ethylene Glycol Poisoning and is Effectively Removed by Hemodialysis. <i>Acta Medica Scandinavica</i> , 1984, 216, 409-416.	0.0	7
119	A model for quantitative sampling of myocardial venous blood in the pig. <i>Acta Physiologica Scandinavica</i> , 1983, 119, 187-195.	2.3	24
120	Formate Concentrations in Plasma from Patients Poisoned with Methanol. <i>Acta Medica Scandinavica</i> , 1983, 213, 105-110.	0.0	123
121	Toxicokinetics of Formate during Hemodialysis. <i>Acta Medica Scandinavica</i> , 1983, 214, 409-412.	0.0	37
122	Lack of stimulation of renal (Na ⁺ + K ⁺)-ATPase by thyroid hormones in the rabbit. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 1982, 717, 163-174.	1.1	7
123	Metabolic Acidosis and Changes in Water and Electrolyte Balance After Maximal Exercise. <i>Novartis Foundation Symposium</i> , 1982, 87, 153-167.	1.2	5
124	Transcellular and intercellular transport of anions in the kidney tubules of dogs. <i>Acta Physiologica Scandinavica</i> , 1981, 113, 239-244.	2.3	0
125	Energetics and specificity of transcellular NaCl transport in the dog kidney. <i>International Journal of Biochemistry & Cell Biology</i> , 1980, 12, 245-250.	0.8	17
126	Influence of plasma potassium concentration on the capacity for sodium reabsorption in the diluting segment of the kidney. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 1980, 40, 27-36.	0.6	113

#	ARTICLE	IF	CITATIONS
127	ENERGETICS AND SPECIFICITY OF TRANSCELLULAR NaCl TRANSPORT IN THE DOG KIDNEY. , 1980, , 245-250.		0
128	Estimation of ouabain specifically bound to dog renal (Na+ + K+)-ATPase in vivo. Biochimica Et Biophysica Acta - General Subjects, 1979, 586, 330-340.	1.1	8
129	Functional differences of ouabain and ethacrynic acid on renal potassium metabolism in dogs. Scandinavian Journal of Clinical and Laboratory Investigation, 1978, 38, 603-614.	0.6	14
130	Oxygen requirement of renal Na-K-ATPase-dependent sodium reabsorption. American Journal of Physiology - Renal Physiology, 1977, 232, F152-F158.	1.3	7
131	Renal Na ⁺ -ATPase Activity during Saline Infusion in the Rabbit. Acta Physiologica Scandinavica, 1977, 99, 323-335.	2.3	8
132	Local Regulation of Vascular Cross Section during Changes in Femoral Arterial Blood Flow in Dogs. Circulation Research, 1970, 27, 727-737.	2.0	144