

Ole M Sejersted

List of Publications by Year
in descending order

Source: <https://exaly.com/author-pdf/1829128/publications.pdf>

Version: 2024-02-01

132
papers

5,382
citations

66343
42
h-index

95266
68
g-index

133
all docs

133
docs citations

133
times ranked

4608
citing authors

#	ARTICLE	IF	CITATIONS
1	AKAP181 Anchors and Regulates CaMKII Activity at Phospholamban-SERCA2 and RYR. <i>Circulation Research</i> , 2022, 130, 27-44.	4.5	27
2	Design of a Proteolytically Stable Sodium-Calcium Exchanger 1 Activator Peptide for In Vivo Studies. <i>Frontiers in Pharmacology</i> , 2021, 12, 638646.	3.5	0
3	Sarcoplasmic Reticulum Calcium Release Is Required for Arrhythmogenesis in the Mouse. <i>Frontiers in Physiology</i> , 2021, 12, 744730.	2.8	3
4	Hypokalemia Promotes Arrhythmia by Distinct Mechanisms in Atrial and Ventricular Myocytes. <i>Circulation Research</i> , 2020, 126, 889-906.	4.5	31
5	Regional diastolic dysfunction in post-infarction heart failure: role of local mechanical load and SERCA expression. <i>Cardiovascular Research</i> , 2019, 115, 752-764.	3.8	22
6	Arrhythmia initiation in catecholaminergic polymorphic ventricular tachycardia type 1 depends on both heart rate and sympathetic stimulation. <i>PLoS ONE</i> , 2018, 13, e0207100.	2.5	15
7	Ryanodine receptor dispersion disrupts Ca ²⁺ release in failing cardiac myocytes. <i>ELife</i> , 2018, 7, .	6.0	84
8	Increased passive stiffness promotes diastolic dysfunction despite improved Ca ²⁺ handling during left ventricular concentric hypertrophy. <i>Cardiovascular Research</i> , 2017, 113, 1161-1172.	3.8	54
9	Regional Dysfunction After Myocardial Infarction in Rats. <i>Circulation: Cardiovascular Imaging</i> , 2017, 10, .	2.6	16
10	Ca ²⁺ -Clock-Dependent Pacemaking in the Sinus Node Is Impaired in Mice with a Cardiac Specific Reduction in SERCA2 Abundance. <i>Frontiers in Physiology</i> , 2016, 7, 197.	2.8	15
11	Exercise training increases protein O-GlcNAcylation in rat skeletal muscle. <i>Physiological Reports</i> , 2016, 4, e12896.	1.7	12
12	Elevated ventricular wall stress disrupts cardiomyocyte t-tubule structure and calcium homeostasis. <i>Cardiovascular Research</i> , 2016, 112, 443-451.	3.8	94
13	Deranged sodium to sudden death. <i>Journal of Physiology</i> , 2015, 593, 1331-1345.	2.9	46
14	Exhausting treadmill running causes dephosphorylation of sMLC2 and reduced level of myofilament MLCK2 in slow twitch rat soleus muscle. <i>Physiological Reports</i> , 2015, 3, e12285.	1.7	7
15	Variable t-tubule organization and Ca ²⁺ homeostasis across the atria. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2014, 307, H609-H620.	3.2	80
16	Normal training response in skeletal muscle of post-infarction heart failure patients. <i>European Journal of Sport Science</i> , 2013, 13, 231-239.	2.7	0
17	Beta-Adrenergic Stimulation Maintains Cardiac Function in Serca2 Knockout Mice. <i>Biophysical Journal</i> , 2013, 104, 1349-1356.	0.5	17
18	Synchrony of Cardiomyocyte Ca ²⁺ Release is Controlled by t-tubule Organization, SR Ca ²⁺ Content, and Ryanodine Receptor Ca ²⁺ Sensitivity. <i>Biophysical Journal</i> , 2013, 104, 1685-1697.	0.5	39

#	ARTICLE	IF	CITATIONS
19	Slow Ca ²⁺ sparks de-synchronize Ca ²⁺ release in failing cardiomyocytes: Evidence for altered configuration of Ca ²⁺ release units?. Journal of Molecular and Cellular Cardiology, 2013, 58, 41-52.	1.9	59
20	I CaL inhibition prevents arrhythmogenic Ca ²⁺ waves caused by abnormal Ca ²⁺ sensitivity of RyR or SR Ca ²⁺ accumulation. Cardiovascular Research, 2013, 98, 315-325.	3.8	9
21	Integrating multi-scale data to create a virtual physiological mouse heart. Interface Focus, 2013, 3, 20120076.	3.0	10
22	Multiple Causes of Fatigue during Shortening Contractions in Rat Slow Twitch Skeletal Muscle. PLoS ONE, 2013, 8, e71700.	2.5	8
23	Extreme sarcoplasmic reticulum volume loss and compensatory T-tubule remodeling after <i>Serca2</i> knockout. Proceedings of the National Academy of Sciences of the United States of America, 2012, 109, 3997-4001.	7.1	56
24	No Rest for the Weary: Diastolic Calcium Homeostasis in the Normal and Failing Myocardium. Physiology, 2012, 27, 308-323.	3.1	64
25	Sodium Accumulation in SERCA Knockout-Induced Heart Failure. Biophysical Journal, 2012, 102, 2039-2048.	0.5	39
26	ROS-Mediated Decline in Maximum Ca ²⁺ -Activated Force in Rat Skeletal Muscle Fibers following In Vitro and In Vivo Stimulation. PLoS ONE, 2012, 7, e35226.	2.5	27
27	An analysis of deformation-dependent electromechanical coupling in the mouse heart. Journal of Physiology, 2012, 590, 4553-4569.	2.9	73
28	Fra global til lokal - ny forståelse av den elektromekaniske koblingen i hjertet. Tidsskrift for Den Norske Lægeforening, 2012, 132, 1457-1460.	0.2	2
29	Calcium controls cardiac function "by all means!". Journal of Physiology, 2011, 589, 2919-2920.	2.9	13
30	Slowed relaxation and preserved maximal force in soleus muscles of mice with targeted disruption of the <i>Serca2</i> gene in skeletal muscle. Journal of Physiology, 2011, 589, 6139-6155.	2.9	9
31	Ca ²⁺ wave probability is determined by the balance between SERCA2-dependent Ca ²⁺ reuptake and threshold SR Ca ²⁺ content. Cardiovascular Research, 2011, 90, 503-512.	3.8	25
32	Full-length cardiac Na ⁺ /Ca ²⁺ exchanger 1 protein is not phosphorylated by protein kinase A. American Journal of Physiology - Cell Physiology, 2011, 300, C989-C997.	4.6	26
33	Attenuated Fatigue in Slow Twitch Skeletal Muscle during Isotonic Exercise in Rats with Chronic Heart Failure. PLoS ONE, 2011, 6, e22695.	2.5	8
34	Functional coupling of β_2 -isoform Na ⁺ /K ⁺ -ATPase and Ca ²⁺ extrusion through the Na ⁺ /Ca ²⁺ -exchanger in cardiomyocytes. Cell Calcium, 2010, 48, 54-60.	2.4	35
35	Reference gene alternatives to Gapdh in rodent and human heart failure gene expression studies. BMC Molecular Biology, 2010, 11, 22.	3.0	80
36	Sodium accumulation promotes diastolic dysfunction in end-stage heart failure following <i>Serca2</i> knockout. Journal of Physiology, 2010, 588, 465-478.	2.9	85

#	ARTICLE	IF	CITATIONS
37	High-intensity exercise training in mice with cardiomyocyte-specific disruption of <i>Serca2</i> . Journal of Applied Physiology, 2010, 108, 1311-1320.	2.5	10
38	Reduced SERCA2 abundance decreases the propensity for Ca ²⁺ wave development in ventricular myocytes. Cardiovascular Research, 2010, 86, 63-71.	3.8	46
39	Cre-loxP DNA recombination is possible with only minimal unspecific transcriptional changes and without cardiomyopathy in Tg(I±MHC-MerCreMer) mice. American Journal of Physiology - Heart and Circulatory Physiology, 2010, 299, H1671-H1678.	3.2	34
40	Separate mechanisms cause anemia in ischemic vs. nonischemic murine heart failure. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2010, 298, R808-R814.	1.8	13
41	There Goes the Neighborhood: Pathological Alterations in T-Tubule Morphology and Consequences for Cardiomyocyte Handling. Journal of Biomedicine and Biotechnology, 2010, 2010, 1-17.	3.0	85
42	Training Effects on Skeletal Muscle Calcium Handling in Human Chronic Heart Failure. Medicine and Science in Sports and Exercise, 2010, 42, 847-855.	0.4	19
43	Exercise training before cardiac-specific <i>Serca2</i> disruption attenuates the decline in cardiac function in mice. Journal of Applied Physiology, 2010, 109, 1749-1755.	2.5	6
44	Control of Ca ²⁺ Release by Action Potential Configuration in Normal and Failing Murine Cardiomyocytes. Biophysical Journal, 2010, 99, 1377-1386.	0.5	41
45	Slowing of cardiomyocyte Ca ²⁺ release and contraction during heart failure progression in postinfarction mice. American Journal of Physiology - Heart and Circulatory Physiology, 2009, 296, H1069-H1079.	3.2	46
46	Causes of fatigue in slow-twitch rat skeletal muscle during dynamic activity. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2009, 297, R900-R910.	1.8	18
47	Cardiomyocytes from postinfarction failing rat hearts have improved ischemia tolerance. American Journal of Physiology - Heart and Circulatory Physiology, 2009, 296, H787-H795.	3.2	7
48	Mice carrying a conditional <i>Serca2</i> ^{flox} allele for the generation of Ca ²⁺ handling-deficient mouse models. Cell Calcium, 2009, 46, 219-225.	2.4	27
49	Moderate heart dysfunction in mice with inducible cardiomyocyte-specific excision of the <i>Serca2</i> gene. Journal of Molecular and Cellular Cardiology, 2009, 47, 180-187.	1.9	128
50	Temporary fatigue and altered extracellular matrix in skeletal muscle during progression of heart failure in rats. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2009, 297, R26-R33.	1.8	11
51	Slow contractions characterize failing rat hearts. Basic Research in Cardiology, 2008, 103, 328-344.	5.9	35
52	Altered Na ⁺ /Ca ²⁺ -exchanger activity due to downregulation of Na ⁺ /K ⁺ -ATPase α_2 -isoform in heart failure. Cardiovascular Research, 2008, 78, 71-78.	3.8	82
53	Serotonin increases L-type Ca ²⁺ current and SR Ca ²⁺ content through 5-HT ₄ receptors in failing rat ventricular cardiomyocytes. American Journal of Physiology - Heart and Circulatory Physiology, 2007, 293, H2367-H2376.	3.2	20
54	The Na ⁺ /K ⁺ -ATPase α_2 -isoform regulates cardiac contractility in rat cardiomyocytes. Cardiovascular Research, 2007, 75, 109-117.	3.8	73

#	ARTICLE	IF	CITATIONS
55	Increased cardiomyocyte function and Ca ²⁺ transients in mice during early congestive heart failure. Journal of Molecular and Cellular Cardiology, 2007, 43, 177-186.	1.9	43
56	Serotonin responsiveness through 5-HT _{2A} and 5-HT ₄ receptors is differentially regulated in hypertrophic and failing rat cardiac ventricle. Journal of Molecular and Cellular Cardiology, 2007, 43, 767-779.	1.9	44
57	Effects of treatment with a 5-HT ₄ receptor antagonist in heart failure. British Journal of Pharmacology, 2007, 150, 143-152.	5.4	32
58	Contribution of the Na ⁺ /Ca ²⁺ Exchanger to Rapid Ca ²⁺ Release in Cardiomyocytes. Biophysical Journal, 2006, 91, 779-792.	0.5	57
59	Cross-reinnervation changes the expression patterns of the monocarboxylate transporters 1 and 4: An experimental study in slow and fast rat skeletal muscle. Neuroscience, 2006, 138, 1105-1113.	2.3	13
60	Slow diffusion of K ⁺ in the T tubules of rat cardiomyocytes. Journal of Applied Physiology, 2006, 101, 1170-1176.	2.5	40
61	T-tubule disorganization and reduced synchrony of Ca ²⁺ release in murine cardiomyocytes following myocardial infarction. Journal of Physiology, 2006, 574, 519-533.	2.9	227
62	Effects of Congestive Heart Failure on Ca ²⁺ Handling in Skeletal Muscle During Fatigue. Circulation Research, 2006, 98, 1514-1519.	4.5	33
63	Carvedilol blockade of α_1 - and α_2 -adrenoceptor induced inotropic responses in rats with congestive heart failure. European Journal of Pharmacology, 2005, 516, 51-59.	3.5	9
64	Temperature-dependent skeletal muscle dysfunction in rats with congestive heart failure. Journal of Applied Physiology, 2005, 99, 1500-1507.	2.5	5
65	Artifactual contractions triggered by field stimulation of cardiomyocytes. Journal of Applied Physiology, 2005, 98, 1712-1719.	2.5	10
66	Enhanced matrix metalloproteinase activity in skeletal muscles of rats with congestive heart failure. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2005, 289, R389-R394.	1.8	14
67	Frequency-dependent and proarrhythmogenic effects of FK-506 in rat ventricular cells. American Journal of Physiology - Heart and Circulatory Physiology, 2005, 288, H778-H786.	3.2	32
68	Appearance of a ventricular 5-HT receptor-mediated inotropic response to serotonin in heart failure. Cardiovascular Research, 2005, 65, 869-878.	3.8	73
69	Dual Serotonergic Regulation of Ventricular Contractile Force Through 5-HT _{2A} and 5-HT ₄ Receptors Induced in the Acute Failing Heart. Circulation Research, 2005, 97, 268-276.	4.5	50
70	EC-coupling in normal and failing hearts. Scandinavian Cardiovascular Journal, 2005, 39, 13-23.	1.2	21
71	A MATHEMATICAL MODEL OF THE PROPOSED FUZZY SPACE FOR Na^+ AND Ca^{2+} IN LEFT VENTRICLE CARDIOMYOCYTES. , 2005, , .		0
72	Heart failure â€“ a challenge to our current concepts of excitationâ€“contraction coupling. Journal of Physiology, 2003, 546, 33-47.	2.9	50

#	ARTICLE	IF	CITATIONS
73	Localization and function of the Na ⁺ /Ca ²⁺ -exchanger in normal and detubulated rat cardiomyocytes. Journal of Molecular and Cellular Cardiology, 2003, 35, 1325-1337.	1.9	86
74	Molecular Medicine for the Cardiac Surgeon. Scandinavian Cardiovascular Journal, 2002, 36, 201-208.	1.2	0
75	Normal contractions triggered by I Ca _v L in ventricular myocytes from rats with postinfarction CHF. American Journal of Physiology - Heart and Circulatory Physiology, 2002, 283, H1225-H1236.	3.2	14
76	Surgical manipulation, but not moderate exercise, is associated with increased cytokine mRNA expression in the rat soleus muscle. Acta Physiologica Scandinavica, 2002, 175, 219-226.	2.2	4
77	Contractile properties of in situ perfused skeletal muscles from rats with congestive heart failure. Journal of Physiology, 2002, 540, 571-580.	2.9	29
78	Muscle contractile properties during intermittent nontetanic stimulation in rat skeletal muscle. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2001, 281, R1952-R1965.	1.8	25
79	Upregulation of the Cardiac Monocarboxylate Transporter MCT1 in a Rat Model of Congestive Heart Failure. Circulation, 2001, 104, 729-734.	1.6	76
80	Monocyte chemoattractant protein-1 enhances and interleukin-10 suppresses the production of inflammatory cytokines in adult rat cardiomyocytes. Basic Research in Cardiology, 2001, 96, 345-352.	5.9	42
81	Contraction and Intracellular Ca ²⁺ Handling in Isolated Skeletal Muscle of Rats With Congestive Heart Failure. Circulation Research, 2001, 88, 1299-1305.	4.5	62
82	Dynamics and Consequences of Potassium Shifts in Skeletal Muscle and Heart During Exercise. Physiological Reviews, 2000, 80, 1411-1481.	28.8	403
83	Echocardiographic criteria for detection of postinfarction congestive heart failure in rats. Journal of Applied Physiology, 2000, 89, 1445-1454.	2.5	135
84	Altered E-C coupling in rat ventricular myocytes from failing hearts 6 wk after MI. American Journal of Physiology - Heart and Circulatory Physiology, 2000, 279, H798-H807.	3.2	26
85	Thyroid Hormone Control of Contraction and the Ca ²⁺ -ATPase/phospholamban Complex in Adult Rat Ventricular Myocytes. Journal of Molecular and Cellular Cardiology, 1999, 31, 645-656.	1.9	41
86	Myasthenia gravis sera containing anti-ryanodine receptor antibodies inhibit binding of [3H]-ryanodine to sarcoplasmic reticulum. , 1998, 21, 329-335.		21
87	Reduced Myocardial Na ⁺ , K ⁺ -pump Capacity in Congestive Heart Failure Following Myocardial Infarction in Rats. Journal of Molecular and Cellular Cardiology, 1998, 30, 1311-1328.	1.9	79
88	Mechanisms of Cardiomyocyte Dysfunction in Heart Failure Following Myocardial Infarction in Rats. Journal of Molecular and Cellular Cardiology, 1998, 30, 1581-1593.	1.9	53
89	Increased Synthesis and Release of Endothelin-1 during the Initial Phase of Airway Inflammation. American Journal of Respiratory and Critical Care Medicine, 1998, 158, 1600-1606.	5.6	34
90	Pulmonary and cardiac expression of preproendothelin-1 mRNA are increased in heart failure after myocardial infarction in rats. Localization of preproendothelin-1 mRNA and endothelin peptide. Cardiovascular Research, 1998, 39, 633-643.	3.8	31

#	ARTICLE	IF	CITATIONS
91	Increased cardiac expression of endothelin-1 mRNA in ischemic heart failure in rats. Cardiovascular Research, 1997, 33, 601-610.	3.8	67
92	Calcium Induced Contracture Stimulates Na,K-pump Rate in Isolated Sheep Cardiac Purkinje Fibers. Journal of Molecular and Cellular Cardiology, 1997, 29, 2197-2212.	1.9	6
93	Cellular and Subcellular Expression of the Monocarboxylate Transporter MCT1 in Rat Heart. Circulation Research, 1997, 80, 400-407.	4.5	42
94	The effect of acute vs chronic treatment with β -adrenoceptor blockade on exercise performance, haemodynamic and metabolic parameters in healthy men and women. British Journal of Clinical Pharmacology, 1996, 41, 57-67.	2.4	36
95	Effect of β^2 -adrenoceptor blockade on post-exercise oxygen consumption. Metabolism: Clinical and Experimental, 1994, 43, 565-571.	3.4	26
96	Electromyographic activation and proportion of fast versus slow twitch muscle fibers: A genetic disposition for psychogenic muscle tension?. International Journal of Psychophysiology, 1993, 15, 43-49.	1.0	7
97	Effect of supramaximal exercise on excess postexercise O ₂ consumption. Medicine and Science in Sports and Exercise, 1992, 24, 667-671.	0.4	60
98	Effect of intensity of exercise on excess postexercise O ₂ consumption. Metabolism: Clinical and Experimental, 1991, 40, 836-841.	3.4	99
99	Increased Erythrocyte Magnesium in Never Treated Essential Hypertension. American Journal of Hypertension, 1990, 3, 573-575.	2.0	10
100	Triglyceride/fatty acid cycling is increased after exercise. Metabolism: Clinical and Experimental, 1990, 39, 993-999.	3.4	95
101	Increased erythrocyte magnesium in untreated essential hypertension. Journal of Hypertension, 1989, 7, S156-157.	0.5	4
102	Occupational muscle pain and injury; scientific challenge. European Journal of Applied Physiology and Occupational Physiology, 1988, 57, 271-274.	1.2	17
103	Biochemical correlates of fatigue. European Journal of Applied Physiology and Occupational Physiology, 1988, 57, 336-347.	1.2	133
104	Na,K Homeostasis of Skeletal Muscle during Activation. Medicine and Sport Science, 1987, 26, 1-11.	1.4	7
105	Determination of ionic metabolites from ethylene glycol in human blood by isotachopheresis. Biomedical Applications, 1987, 416, 111-117.	1.7	13
106	Magnitude and duration of excess postexercise oxygen consumption in healthy young subjects. Metabolism: Clinical and Experimental, 1986, 35, 425-429.	3.4	157
107	Dependency of renal potassium excretion on Na, K-ATPase transport rate. Acta Physiologica Scandinavica, 1985, 123, 9-19.	2.2	7
108	Effects of digitoxin and hypokalaemia on pancreatic NaHCO ₃ secretion and pancreatic Na, K-ATPase activity. Acta Physiologica Scandinavica, 1985, 124, 71-80.	2.2	7

#	ARTICLE	IF	CITATIONS
109	Haemodynamic conditions for renal PGE ₂ and renin release during α - and β -adrenergic stimulation in dogs. Acta Physiologica Scandinavica, 1985, 124, 163-172.	2.2	7
110	Acid-base and electrolyte balance after exhausting exercise in endurance-trained and sprint-trained subjects. Acta Physiologica Scandinavica, 1985, 125, 97-109.	2.2	96
111	Distribution of ouabain-binding sites along the dog nephron. Acta Physiologica Scandinavica, 1985, 125, 699-710.	2.2	2
112	Relationship between Acid-Base Status and Electrolyte Balance after Maximal Work of Short Duration. Medicine and Sport Science, 1984, 17, 40-55.	1.4	6
113	Inhibition of transcellular NaCl reabsorption in dog kidneys during hypercalcemia. Acta Physiologica Scandinavica, 1984, 120, 543-549.	2.2	7
114	Renal venous and urinary PGE ₂ output during intrarenal arachidonic acid infusion in dogs. Acta Physiologica Scandinavica, 1984, 121, 249-259.	2.2	17
115	Relationship between PGE ₂ and renin release in dog kidneys Effects of afferent arteriolar dilation and adrenergic stimulation. Acta Physiologica Scandinavica, 1984, 121, 261-268.	2.2	16
116	Ouabain inhibits renin release by a direct renal haemodynamic effect. Scandinavian Journal of Clinical and Laboratory Investigation, 1984, 44, 557-563.	1.2	3
117	Glycolate Causes the Acidosis in Ethylene Glycol Poisoning and is Effectively Removed by Hemodialysis. Acta Medica Scandinavica, 1984, 216, 409-416.	0.0	114
118	Glycolate Causes the Acidosis in Ethylene Glycol Poisoning and is Effectively Removed by Hemodialysis. Acta Medica Scandinavica, 1984, 216, 409-416.	0.0	7
119	A model for quantitative sampling of myocardial venous blood in the pig. Acta Physiologica Scandinavica, 1983, 119, 187-195.	2.2	24
120	Formate Concentrations in Plasma from Patients Poisoned with Methanol. Acta Medica Scandinavica, 1983, 213, 105-110.	0.0	123
121	Toxicokinetics of Formate during Hemodialysis. Acta Medica Scandinavica, 1983, 214, 409-412.	0.0	37
122	Lack of stimulation of renal (Na ⁺ + K ⁺)-ATPase by thyroid hormones in the rabbit. Biochimica Et Biophysica Acta - General Subjects, 1982, 717, 163-174.	2.4	7
123	Metabolic Acidosis and Changes in Water and Electrolyte Balance After Maximal Exercise. Novartis Foundation Symposium, 1982, 87, 153-167.	1.1	5
124	Transcellular and intercellular transport of anions in the kidney tubules of dogs. Acta Physiologica Scandinavica, 1981, 113, 239-244.	2.2	0
125	Energetics and specificity of transcellular NaCl transport in the dog kidney. International Journal of Biochemistry & Cell Biology, 1980, 12, 245-250.	0.5	17
126	Influence of plasma potassium concentration on the capacity for sodium reabsorption in the diluting segment of the kidney. Scandinavian Journal of Clinical and Laboratory Investigation, 1980, 40, 27-36.	1.2	113

#	ARTICLE	IF	CITATIONS
127	ENERGETICS AND SPECIFICITY OF TRANSCELLULAR NaCl TRANSPORT IN THE DOG KIDNEY. , 1980, , 245-250.		0
128	Estimation of ouabain specifically bound to dog renal (Na ⁺ + K ⁺)-ATPase in vivo. Biochimica Et Biophysica Acta - General Subjects, 1979, 586, 330-340.	2.4	8
129	Functional differences of ouabain and ethacrynic acid on renal potassium metabolism in dogs. Scandinavian Journal of Clinical and Laboratory Investigation, 1978, 38, 603-614.	1.2	14
130	Oxygen requirement of renal Na-K-ATPase-dependent sodium reabsorption. American Journal of Physiology - Renal Physiology, 1977, 232, F152-F158.	2.7	7
131	Renal Na ⁺ -ATPase Activity during Saline Infusion in the Rabbit. Acta Physiologica Scandinavica, 1977, 99, 323-335.	2.2	8
132	Local Regulation of Vascular Cross Section during Changes in Femoral Arterial Blood Flow in Dogs. Circulation Research, 1970, 27, 727-737.	4.5	144