List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/18293/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	A neural circuit for comorbid depressive symptoms in chronic pain. Nature Neuroscience, 2019, 22, 1649-1658.	14.8	175
2	The activation of interactive attentional networks. NeuroImage, 2016, 129, 308-319.	4.2	117
3	Association of obstructive sleep apnoea with the risk of vascular outcomes and all-cause mortality: a meta-analysis. BMJ Open, 2017, 7, e013983.	1.9	107
4	Regional and network properties of white matter function in Parkinson's disease. Human Brain Mapping, 2019, 40, 1253-1263.	3.6	97
5	Functional reorganization of intra―and internetwork connectivity in major depressive disorder after electroconvulsive therapy. Human Brain Mapping, 2018, 39, 1403-1411.	3.6	91
6	Electroconvulsive therapy selectively enhanced feedforward connectivity from fusiform face area to amygdala in major depressive disorder. Social Cognitive and Affective Neuroscience, 2017, 12, 1983-1992.	3.0	87
7	Genome-wide association analyses in Han Chinese identify two new susceptibility loci for amyotrophic lateral sclerosis. Nature Genetics, 2013, 45, 697-700.	21.4	67
8	Novel Susceptibility Loci for Moyamoya Disease Revealed by a Genome-Wide Association Study. Stroke, 2018, 49, 11-18.	2.0	66
9	Local functional connectivity density is closely associated with the response of electroconvulsive therapy in major depressive disorder. Journal of Affective Disorders, 2018, 225, 658-664.	4.1	62
10	Altered functional connectivity patterns of insular subregions in major depressive disorder after electroconvulsive therapy. Brain Imaging and Behavior, 2020, 14, 753-761.	2.1	55
11	Functional Connectivity of the Corticobasal Ganglia–Thalamocortical Network in Parkinson Disease: A Systematic Review and Meta-Analysis with Cross-Validation. Radiology, 2018, 287, 973-982.	7.3	50
12	Neural Correlates of Auditory Verbal Hallucinations in Schizophrenia and the Therapeutic Response to Theta-Burst Transcranial Magnetic Stimulation. Schizophrenia Bulletin, 2019, 45, 474-483.	4.3	50
13	Modulation of interhemispheric functional coordination in electroconvulsive therapy for depression. Translational Psychiatry, 2014, 4, e453-e453.	4.8	46
14	Basolateral amygdala input to the medial prefrontal cortex controls obsessive-compulsive disorder-like checking behavior. Proceedings of the National Academy of Sciences of the United States of America, 2019, 116, 3799-3804.	7.1	44
15	Functional plasticity of the dorsomedial prefrontal cortex in depression reorganized by electroconvulsive therapy: Validation in two independent samples. Human Brain Mapping, 2019, 40, 465-473.	3.6	41
16	Association of DRD2 gene polymorphisms with mood disorders: A meta-analysis. Journal of Affective Disorders, 2012, 136, 229-237.	4.1	39
17	Reduced Serum Levels of Triglyceride, Very Low Density Lipoprotein Cholesterol and Apolipoprotein B in Parkinson's Disease Patients. PLoS ONE, 2013, 8, e75743.	2.5	36
18	Impaired White Matter Connections of the Limbic System Networks Associated with Impaired Emotional Memory in Alzheimer's Disease. Frontiers in Aging Neuroscience, 2016, 8, 250.	3.4	34

#	Article	IF	CITATIONS
19	A lateralized top-down network for visuospatial attention and neglect. Brain Imaging and Behavior, 2016, 10, 1029-1037.	2.1	33
20	Contributions of subregions of the prefrontal cortex to the theory of mind and decision making. Behavioural Brain Research, 2011, 221, 587-593.	2.2	32
21	Hippocampal-subregion functional alterations associated with antidepressant effects and cognitive impairments of electroconvulsive therapy. Psychological Medicine, 2019, 49, 1357-1364.	4.5	32
22	Enhanced default mode network functional connectivity links with electroconvulsive therapy response in major depressive disorder. Journal of Affective Disorders, 2022, 306, 47-54.	4.1	32
23	Decision-making impairments in breast cancer patients treated with tamoxifen. Hormones and Behavior, 2014, 66, 449-456.	2.1	31
24	The Changes of Functional Connectivity Strength in Electroconvulsive Therapy for Depression: A Longitudinal Study. Frontiers in Neuroscience, 2018, 12, 661.	2.8	31
25	Clozapine improves the orienting of attention in schizophrenia. Schizophrenia Research, 2015, 168, 285-291.	2.0	30
26	Improved and residual functional abnormalities in major depressive disorder after electroconvulsive therapy. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2020, 100, 109888.	4.8	30
27	Venlafaxine treatment reduces the deficit of executive control of attention in patients with major depressive disorder. Scientific Reports, 2016, 6, 28028.	3.3	28
28	Selective impairment of attention networks in breast cancer patients receiving chemotherapy treatment. Psycho-Oncology, 2014, 23, 1165-1171.	2.3	27
29	Electroconvulsive Therapy Induces Cortical Morphological Alterations in Major Depressive Disorder Revealed with Surface-Based Morphometry Analysis. International Journal of Neural Systems, 2019, 29, 1950005.	5.2	27
30	Direct auditory cortical input to the lateral periaqueductal gray controls sound-driven defensive behavior. PLoS Biology, 2019, 17, e3000417.	5.6	26
31	The vessel density of the superficial retinal capillary plexus as a new biomarker in cerebral small vessel disease: an optical coherence tomography angiography study. Neurological Sciences, 2021, 42, 3615-3624.	1.9	26
32	Attention networks in children with idiopathic generalized epilepsy. Epilepsy and Behavior, 2010, 19, 513-517.	1.7	24
33	Altered functional connectivity of right inferior frontal gyrus subregions in bipolar disorder: a resting state fMRI study. Journal of Affective Disorders, 2020, 272, 58-65.	4.1	24
34	Time-based prospective memory impairment in patients with thalamic stroke Behavioral Neuroscience, 2010, 124, 152-158.	1.2	23
35	Attention network impairments in patients with focal frontal or parietal lesions. Neuroscience Letters, 2013, 534, 177-181.	2.1	23
36	Structural correlates underlying accelerated magnetic stimulation in Parkinson's disease. Human Brain Mapping, 2021, 42, 1670-1681.	3.6	23

#	Article	IF	CITATIONS
37	Functional connectivity underpinnings of electroconvulsive therapy-induced memory impairments in patients with depression. Neuropsychopharmacology, 2020, 45, 1579-1587.	5.4	22
38	Altered neural activity in the reward-related circuit and executive control network associated with amelioration of anhedonia in major depressive disorder by electroconvulsive therapy. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2021, 109, 110193.	4.8	21
39	Dissociation between visual line bisection and mental number line bisection in schizophrenia. Neuroscience Letters, 2011, 491, 192-195.	2.1	20
40	Difference in the binocular rivalry rate between depressive episodes and remission. Physiology and Behavior, 2015, 151, 272-278.	2.1	20
41	Brain Structural Correlates of Odor Identification in Mild Cognitive Impairment and Alzheimer's Disease Revealed by Magnetic Resonance Imaging and a Chinese Olfactory Identification Test. Frontiers in Neuroscience, 2019, 13, 842.	2.8	20
42	Strengthened theta-burst transcranial magnetic stimulation as an adjunctive treatment for Alzheimer's disease: An open-label pilot study. Brain Stimulation, 2020, 13, 484-486.	1.6	20
43	Electroconvulsive therapy modulates functional interactions between submodules of the emotion regulation network in major depressive disorder. Translational Psychiatry, 2020, 10, 271.	4.8	19
44	Decision-Making Under Ambiguity or Risk in Individuals With Alzheimer's Disease and Mild Cognitive Impairment. Frontiers in Psychiatry, 2020, 11, 218.	2.6	19
45	The Retinal Vessel Density Can Reflect Cognitive Function in Patients with Alzheimer's Disease: Evidence from Optical Coherence Tomography Angiography. Journal of Alzheimer's Disease, 2021, 79, 1307-1316.	2.6	19
46	Selective Impairment of Attentional Networks of Alerting in Wilson's Disease. PLoS ONE, 2014, 9, e100454.	2.5	18
47	Deficit of supramodal executive control of attention in schizophrenia. Journal of Psychiatric Research, 2018, 97, 22-29.	3.1	18
48	Resting-State Functional Connectivity Between Centromedial Amygdala and Insula as Related to Somatic Symptoms in Depressed Patients: A Preliminary Study. Psychosomatic Medicine, 2019, 81, 434-440.	2.0	18
49	Classification of schizophrenia by intersubject correlation in functional connectome. Human Brain Mapping, 2019, 40, 2347-2357.	3.6	17
50	Consensus statement on the neurocognitive outcomes for early detection of mild cognitive impairment and Alzheimer dementia from the Chinese Neuropsychological Normative (CN-NORM) Project. Journal of Global Health, 2019, 9, 020320.	2.7	17
51	Decreased Connection Between Reward Systems and Paralimbic Cortex in Depressive Patients. Frontiers in Neuroscience, 2018, 12, 462.	2.8	16
52	Identification of <i>TYW3/CRYZ</i> and <i>FGD4</i> as susceptibility genes for amyotrophic lateral sclerosis. Neurology: Genetics, 2019, 5, e375.	1.9	16
53	Conceptual implicit memory impaired in amnestic mild cognitive impairment patient. Neuroscience Letters, 2010, 484, 153-156.	2.1	15
54	Impairment of conflict processing in alexithymic individuals. Neuroscience Letters, 2011, 504, 261-264.	2.1	15

#	Article	IF	CITATIONS
55	Thalamocortical connectivity in electroconvulsive therapy for major depressive disorder. Journal of Affective Disorders, 2020, 264, 163-171.	4.1	15
56	Abnormal connectivity of anterior-insular subdivisions and relationship with somatic symptom in depressive patients. Brain Imaging and Behavior, 2021, 15, 1760-1768.	2.1	15
57	Bifrontal electroconvulsive therapy changed regional homogeneity and functional connectivity of left angular gyrus in major depressive disorder. Psychiatry Research, 2020, 294, 113461.	3.3	14
58	The Study of Time Perception in Migraineurs. Headache, 2012, 52, 1483-1498.	3.9	13
59	Therapeutic efficacy of connectivityâ€directed transcranial magnetic stimulation on anticipatory anhedonia. Depression and Anxiety, 2021, 38, 972-984.	4.1	13
60	Contribution of Apelin-17 to Collateral Circulation Following Cerebral Ischemic Stroke. Translational Stroke Research, 2019, 10, 298-307.	4.2	13
61	Impairment of attention networks in patients with untreated hyperthyroidism. Neuroscience Letters, 2014, 574, 26-30.	2.1	12
62	Electroconvulsive therapy regulates emotional memory bias of depressed patients. Psychiatry Research, 2017, 257, 296-302.	3.3	12
63	Aftereffect and Reproducibility of Three Excitatory Repetitive TMS Protocols for a Response Inhibition Task. Frontiers in Neuroscience, 2019, 13, 1155.	2.8	12
64	Enhanced cerebro-cerebellar functional connectivity reverses cognitive impairment following electroconvulsive therapy in major depressive disorder. Brain Imaging and Behavior, 2021, 15, 798-806.	2.1	12
65	Sex Difference in Network Topology and Education Correlated With Sex Difference in Cognition During the Disease Process of Alzheimer. Frontiers in Aging Neuroscience, 2021, 13, 639529.	3.4	12
66	Ginkgolide B Modulates BDNF Expression in Acute Ischemic Stroke. Journal of Korean Neurosurgical Society, 2017, 60, 391-396.	1.2	12
67	Decision-Making in Patients with Hyperthyroidism: A Neuropsychological Study. PLoS ONE, 2015, 10, e0129773.	2.5	11
68	The protective impact of education on brain structure and function in Alzheimer's disease. BMC Neurology, 2021, 21, 423.	1.8	11
69	Exploring Biological Motion Processing in Parkinson's Disease Using Temporal Dilation. PLoS ONE, 2015, 10, e0138502.	2.5	10
70	Habenula and left angular gyrus circuit contributes to response of electroconvulsive therapy in major depressive disorder. Brain Imaging and Behavior, 2020, 15, 2246-2253.	2.1	10
71	Reduced delayed reward selection by Alzheimer's disease and mild cognitive impairment patients during intertemporal decision-making. Journal of Clinical and Experimental Neuropsychology, 2020, 42, 298-306.	1.3	9
72	Aberrant brain network topology in the frontoparietal-limbic circuit in bipolar disorder: a graph-theory study. European Archives of Psychiatry and Clinical Neuroscience, 2021, 271, 1379-1391.	3.2	9

#	Article	IF	CITATIONS
73	Differences in Cerebral Structure Associated With Depressive Symptoms in the Elderly With Alzheimer's Disease. Frontiers in Aging Neuroscience, 2020, 12, 107.	3.4	9
74	Impaired neurovascular coupling and cognitive deficits in anti-N-methyl-D-aspartate receptor encephalitis. Brain Imaging and Behavior, 2022, 16, 1065-1076.	2.1	9
75	Difference in binocular rivalry rate between major depressive disorder and generalized anxiety disorder. Behavioural Brain Research, 2020, 391, 112704.	2.2	8
76	Alterations of the Motor and Olfactory Functions Related to Parkinson's Disease in Transgenic Mice With a VMAT2-Deficiency in Dopaminergic Neurons. Frontiers in Neuroscience, 2020, 14, 356.	2.8	8
77	Progressive cortical and sub-cortical alterations in patients with anti-N-methyl-d-aspartate receptor encephalitis. Journal of Neurology, 2022, 269, 389-398.	3.6	8
78	Effect of emotional enhancement of memory on recollection process in young adults: the influence factors and neural mechanisms. Brain Imaging and Behavior, 2020, 14, 119-129.	2.1	7
79	Asymmetric Differences in the Gray Matter Volume and Functional Connections of the Amygdala Are Associated With Clinical Manifestations of Alzheimer's Disease. Frontiers in Neuroscience, 2020, 14, 602.	2.8	7
80	Abnormal fear circuits activities correlated to physical symptoms in somatic anxiety patients. Journal of Affective Disorders, 2020, 274, 54-58.	4.1	6
81	Laterality of Attentional Networks in Patients With Cerebral Small Vessel Disease. Frontiers in Aging Neuroscience, 2020, 12, 21.	3.4	6
82	Predicting Long-Term After-Effects of Theta-Burst Stimulation on Supplementary Motor Network Through One-Session Response. Frontiers in Neuroscience, 2020, 14, 237.	2.8	6
83	Thalamocortical Functional Connectivity in Patients With White Matter Hyperintensities. Frontiers in Aging Neuroscience, 2021, 13, 632237.	3.4	6
84	The Cerebellum Is Related to Cognitive Dysfunction in White Matter Hyperintensities. Frontiers in Aging Neuroscience, 2021, 13, 670463.	3.4	6
85	Electroconvulsive therapy modulates critical brain dynamics in major depressive disorder patients. Brain Stimulation, 2022, 15, 214-225.	1.6	6
86	Mapping intrinsic functional network topological architecture in major depression disorder after electroconvulsive therapy. Journal of Affective Disorders, 2022, 311, 103-109.	4.1	6
87	Dopaminergic Modulation of Biological Motion Perception in patients with Parkinson's disease. Scientific Reports, 2017, 7, 10159.	3.3	5
88	Prospective evaluation of the diagnostic value of plasma apelin 12 levels for differentiating patients with moyamoya and intracranial atherosclerotic diseases. Scientific Reports, 2017, 7, 5452.	3.3	5
89	Common variant of CNTNAP2 gene modulate the social performances and functional connectivity of posterior right temporoparietal junction. Social Cognitive and Affective Neuroscience, 2019, 14, 1297-1305.	3.0	5
90	The change of attentional blink and repetition blindness after cerebellar lesions. Journal of Clinical Neuroscience, 2013, 20, 1742-1746.	1.5	4

#	Article	IF	CITATIONS
91	Functional and structural alterations in the painâ€related circuit in major depressive disorder induced by electroconvulsive therapy. Journal of Neuroscience Research, 2022, 100, 477-489.	2.9	4
92	Volume of hippocampus-amygdala transition area predicts outcomes of electroconvulsive therapy in major depressive disorder: high accuracy validated in two independent cohorts. Psychological Medicine, 0, , 1-10.	4.5	4
93	Impaired decision-making under risk in patients with functional dyspepsia. Journal of Clinical and Experimental Neuropsychology, 2020, 42, 771-780.	1.3	3
94	Increased Accuracy of Emotion Recognition in Individuals with Autism-Like Traits after Five Days of Magnetic Stimulations. Neural Plasticity, 2020, 2020, 1-10.	2.2	3
95	Differential Influence of Location-Specific White-Matter Hyperintensities on Attention Subdomains Measured Using the Attention Network Test. Medical Science Monitor, 2020, 26, e921874.	1.1	3
96	Cognitive Considerations in Major Depression: Evaluating the Effects of Pharmacotherapy and ECT on Mood and Executive Control Deficits. Brain Sciences, 2022, 12, 350.	2.3	3
97	Resting-State Neural-Activity Alterations in Subacute Aphasia after Stroke. Brain Sciences, 2022, 12, 678.	2.3	3
98	More vulnerable processing of shengmu than yunmu in a Chinese Broca's aphasic. Journal of Neurolinguistics, 2011, 24, 374-382.	1.1	2
99	A common variant of the NOTCH4 gene modulates functional connectivity of the occipital cortex and its relationship with schizotypal traits. BMC Psychiatry, 2020, 20, 363.	2.6	2
100	Decline in executive function in patients with white matter hyperintensities from the static and dynamic perspectives of amplitude of lowâ€frequency fluctuations. Journal of Neuroscience Research, 2021, 99, 2793-2803.	2.9	2
101	When Connectedness Increases Hemispatial Neglect. PLoS ONE, 2011, 6, e24760.	2.5	2
102	Nodal degree changes induced by electroconvulsive therapy in major depressive disorder: Evidence in two independent cohorts. Journal of Affective Disorders, 2022, 307, 46-52.	4.1	2
103	Electroconvulsive Therapy and Klinefelter Syndrome. Journal of ECT, 2013, 29, e36-e37.	0.6	1
104	Deficient local biological motion perception in migraineurs: Results from a duration discrimination paradigm. Brain Research, 2014, 1579, 56-64.	2.2	1
105	Rapid relief of severe freezing of gait after accelerated high-dose magnetic stimulations. Brain Stimulation, 2021, 14, 1573-1575.	1.6	1