Yanghua Tian

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/18293/yanghua-tian-publications-by-year.pdf

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

103
papers1,384
citations22
h-index32
g-index108
ext. papers1,977
ext. citations5.3
avg, IF4.65
L-index

#	Paper	IF	Citations
103	Cognitive Considerations in Major Depression: Evaluating the Effects of Pharmacotherapy and ECT on Mood and Executive Control Deficits <i>Brain Sciences</i> , 2022 , 12,	3.4	1
102	Enhanced default mode network functional connectivity links with electroconvulsive therapy response in major depressive disorder <i>Journal of Affective Disorders</i> , 2022 , 306, 47-54	6.6	2
101	Resting-State Neural-Activity Alterations in Subacute Aphasia after Stroke. <i>Brain Sciences</i> , 2022 , 12, 675	8 3.4	0
100	Mapping intrinsic functional network topological architecture in major depression disorder after electroconvulsive therapy. <i>Journal of Affective Disorders</i> , 2022 , 311, 103-109	6.6	O
99	Impaired neurovascular coupling and cognitive deficits in anti-N-methyl-D-aspartate receptor encephalitis. <i>Brain Imaging and Behavior</i> , 2021 , 1	4.1	1
98	Functional and structural alterations in the pain-related circuit in major depressive disorder induced by electroconvulsive therapy. <i>Journal of Neuroscience Research</i> , 2021 , 100, 477	4.4	1
97	The protective impact of education on brain structure and function in Alzheimer's disease. <i>BMC Neurology</i> , 2021 , 21, 423	3.1	O
96	Rapid relief of severe freezing of gait after accelerated high-dose magnetic stimulations. <i>Brain Stimulation</i> , 2021 , 14, 1573-1575	5.1	
95	Habenula and left angular gyrus circuit contributes to response of electroconvulsive therapy in major depressive disorder. <i>Brain Imaging and Behavior</i> , 2021 , 15, 2246-2253	4.1	3
94	Abnormal connectivity of anterior-insular subdivisions and relationship with somatic symptom in depressive patients. <i>Brain Imaging and Behavior</i> , 2021 , 15, 1760-1768	4.1	2
93	Thalamocortical Functional Connectivity in Patients With White Matter Hyperintensities. <i>Frontiers in Aging Neuroscience</i> , 2021 , 13, 632237	5.3	2
92	The Cerebellum Is Related to Cognitive Dysfunction in White Matter Hyperintensities. <i>Frontiers in Aging Neuroscience</i> , 2021 , 13, 670463	5.3	4
91	Therapeutic efficacy of connectivity-directed transcranial magnetic stimulation on anticipatory anhedonia. <i>Depression and Anxiety</i> , 2021 , 38, 972-984	8.4	O
90	Sex Difference in Network Topology and Education Correlated With Sex Difference in Cognition During the Disease Process of Alzheimer. <i>Frontiers in Aging Neuroscience</i> , 2021 , 13, 639529	5.3	1
89	Enhanced cerebro-cerebellar functional connectivity reverses cognitive impairment following electroconvulsive therapy in major depressive disorder. <i>Brain Imaging and Behavior</i> , 2021 , 15, 798-806	4.1	5
88	Altered neural activity in the reward-related circuit and executive control network associated with amelioration of anhedonia in major depressive disorder by electroconvulsive therapy. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021 , 109, 110193	5.5	6
87	Structural correlates underlying accelerated magnetic stimulation in Parkinson's disease. <i>Human Brain Mapping</i> , 2021 , 42, 1670-1681	5.9	4

(2020-2021)

86	Aberrant brain network topology in the frontoparietal-limbic circuit in bipolar disorder: a graph-theory study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021 , 271, 1379-1391	5.1	1	
85	The Retinal Vessel Density Can Reflect Cognitive Function in Patients with Alzheimer's Disease: Evidence from Optical Coherence Tomography Angiography. <i>Journal of Alzheimer Disease</i> , 2021 , 79, 1307-1316	4.3	9	
84	Progressive cortical and sub-cortical alterations in patients with anti-N-methyl-D-aspartate receptor encephalitis. <i>Journal of Neurology</i> , 2021 , 1	5.5	1	
83	Decline in executive function in patients with white matter hyperintensities from the static and dynamic perspectives of amplitude of low-frequency fluctuations. <i>Journal of Neuroscience Research</i> , 2021 , 99, 2793-2803	4.4		
82	The vessel density of the superficial retinal capillary plexus as a new biomarker in cerebral small vessel disease: an optical coherence tomography angiography study. <i>Neurological Sciences</i> , 2021 , 42, 3615-3624	3.5	8	
81	Difference in binocular rivalry rate between major depressive disorder and generalized anxiety disorder. <i>Behavioural Brain Research</i> , 2020 , 391, 112704	3.4	2	
80	Alterations of the Motor and Olfactory Functions Related to Parkinson's Disease in Transgenic Mice With a VMAT2-Deficiency in Dopaminergic Neurons. <i>Frontiers in Neuroscience</i> , 2020 , 14, 356	5.1	2	
79	Functional connectivity underpinnings of electroconvulsive therapy-induced memory impairments in patients with depression. <i>Neuropsychopharmacology</i> , 2020 , 45, 1579-1587	8.7	4	
78	Abnormal fear circuits activities correlated to physical symptoms in somatic anxiety patients. Journal of Affective Disorders, 2020 , 274, 54-58	6.6	O	
77	Decision-Making Under Ambiguity or Risk in Individuals With Alzheimer's Disease and Mild Cognitive Impairment. <i>Frontiers in Psychiatry</i> , 2020 , 11, 218	5	5	
76	Laterality of Attentional Networks in Patients With Cerebral Small Vessel Disease. <i>Frontiers in Aging Neuroscience</i> , 2020 , 12, 21	5.3	3	
75	Asymmetric Differences in the Gray Matter Volume and Functional Connections of the Amygdala Are Associated With Clinical Manifestations of Alzheimer's Disease. <i>Frontiers in Neuroscience</i> , 2020 , 14, 602	5.1	1	
74	Improved and residual functional abnormalities in major depressive disorder after electroconvulsive therapy. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2020 , 100, 109888	5.5	19	
73	Altered functional connectivity of right inferior frontal gyrus subregions in bipolar disorder: a resting state fMRI study. <i>Journal of Affective Disorders</i> , 2020 , 272, 58-65	6.6	9	
72	Predicting Long-Term After-Effects of Theta-Burst Stimulation on Supplementary Motor Network Through One-Session Response. <i>Frontiers in Neuroscience</i> , 2020 , 14, 237	5.1	4	
71	Differential Influence of Location-Specific White-Matter Hyperintensities on Attention Subdomains Measured Using the Attention Network Test. <i>Medical Science Monitor</i> , 2020 , 26, e921874	3.2	2	
70	Differences in Cerebral Structure Associated With Depressive Symptoms in the Elderly With Alzheimer's Disease. <i>Frontiers in Aging Neuroscience</i> , 2020 , 12, 107	5.3	5	
69	Reduced delayed reward selection by Alzheimer's disease and mild cognitive impairment patients during intertemporal decision-making. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2020 , 42, 298-306	2.1	5	

68	Strengthened theta-burst transcranial magnetic stimulation as an adjunctive treatment for Alzheimer's disease: An open-label pilot study. <i>Brain Stimulation</i> , 2020 , 13, 484-486	5.1	10
67	Thalamocortical connectivity in electroconvulsive therapy for major depressive disorder. <i>Journal of Affective Disorders</i> , 2020 , 264, 163-171	6.6	8
66	A common variant of the NOTCH4 gene modulates functional connectivity of the occipital cortex and its relationship with schizotypal traits. <i>BMC Psychiatry</i> , 2020 , 20, 363	4.2	1
65	Bifrontal electroconvulsive therapy changed regional homogeneity and functional connectivity of left angular gyrus in major depressive disorder. <i>Psychiatry Research</i> , 2020 , 294, 113461	9.9	4
64	Electroconvulsive therapy modulates functional interactions between submodules of the emotion regulation network in major depressive disorder. <i>Translational Psychiatry</i> , 2020 , 10, 271	8.6	8
63	Impaired decision-making under risk in patients with functional dyspepsia. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2020 , 42, 771-780	2.1	O
62	Increased Accuracy of Emotion Recognition in Individuals with Autism-Like Traits after Five Days of Magnetic Stimulations. <i>Neural Plasticity</i> , 2020 , 2020, 9857987	3.3	2
61	Altered functional connectivity patterns of insular subregions in major depressive disorder after electroconvulsive therapy. <i>Brain Imaging and Behavior</i> , 2020 , 14, 753-761	4.1	30
60	Effect of emotional enhancement of memory on recollection process in young adults: the influence factors and neural mechanisms. <i>Brain Imaging and Behavior</i> , 2020 , 14, 119-129	4.1	3
59	A neural circuit for comorbid depressive symptoms in chronic pain. <i>Nature Neuroscience</i> , 2019 , 22, 1649	9-1658	72
59 58	A neural circuit for comorbid depressive symptoms in chronic pain. <i>Nature Neuroscience</i> , 2019 , 22, 1649. Brain Structural Correlates of Odor Identification in Mild Cognitive Impairment and Alzheimer's Disease Revealed by Magnetic Resonance Imaging and a Chinese Olfactory Identification Test. <i>Frontiers in Neuroscience</i> , 2019 , 13, 842	9- 1 658 5.1	7 ²
	Brain Structural Correlates of Odor Identification in Mild Cognitive Impairment and Alzheimer's Disease Revealed by Magnetic Resonance Imaging and a Chinese Olfactory Identification Test.		,
58	Brain Structural Correlates of Odor Identification in Mild Cognitive Impairment and Alzheimer's Disease Revealed by Magnetic Resonance Imaging and a Chinese Olfactory Identification Test. <i>Frontiers in Neuroscience</i> , 2019 , 13, 842 Direct auditory cortical input to the lateral periaqueductal gray controls sound-driven defensive	5.1	10
58 57	Brain Structural Correlates of Odor Identification in Mild Cognitive Impairment and Alzheimer's Disease Revealed by Magnetic Resonance Imaging and a Chinese Olfactory Identification Test. Frontiers in Neuroscience, 2019, 13, 842 Direct auditory cortical input to the lateral periaqueductal gray controls sound-driven defensive behavior. PLoS Biology, 2019, 17, e3000417 Classification of schizophrenia by intersubject correlation in functional connectome. Human Brain	5.1 9.7	10
58 57 56	Brain Structural Correlates of Odor Identification in Mild Cognitive Impairment and Alzheimer's Disease Revealed by Magnetic Resonance Imaging and a Chinese Olfactory Identification Test. Frontiers in Neuroscience, 2019, 13, 842 Direct auditory cortical input to the lateral periaqueductal gray controls sound-driven defensive behavior. PLoS Biology, 2019, 17, e3000417 Classification of schizophrenia by intersubject correlation in functional connectome. Human Brain Mapping, 2019, 40, 2347-2357 Electroconvulsive Therapy Induces Cortical Morphological Alterations in Major Depressive Disorder Revealed with Surface-Based Morphometry Analysis. International Journal of Neural Systems, 2019,	5.1 9.7 5.9	10 9 10
58 57 56 55	Brain Structural Correlates of Odor Identification in Mild Cognitive Impairment and Alzheimer's Disease Revealed by Magnetic Resonance Imaging and a Chinese Olfactory Identification Test. Frontiers in Neuroscience, 2019, 13, 842 Direct auditory cortical input to the lateral periaqueductal gray controls sound-driven defensive behavior. PLoS Biology, 2019, 17, e3000417 Classification of schizophrenia by intersubject correlation in functional connectome. Human Brain Mapping, 2019, 40, 2347-2357 Electroconvulsive Therapy Induces Cortical Morphological Alterations in Major Depressive Disorder Revealed with Surface-Based Morphometry Analysis. International Journal of Neural Systems, 2019, 29, 1950005 Basolateral amygdala input to the medial prefrontal cortex controls obsessive-compulsive disorder-like checking behavior. Proceedings of the National Academy of Sciences of the United	5.1 9.7 5.9	10 9 10 17
5857565554	Brain Structural Correlates of Odor Identification in Mild Cognitive Impairment and Alzheimer's Disease Revealed by Magnetic Resonance Imaging and a Chinese Olfactory Identification Test. Frontiers in Neuroscience, 2019, 13, 842 Direct auditory cortical input to the lateral periaqueductal gray controls sound-driven defensive behavior. PLoS Biology, 2019, 17, e3000417 Classification of schizophrenia by intersubject correlation in functional connectome. Human Brain Mapping, 2019, 40, 2347-2357 Electroconvulsive Therapy Induces Cortical Morphological Alterations in Major Depressive Disorder Revealed with Surface-Based Morphometry Analysis. International Journal of Neural Systems, 2019, 29, 1950005 Basolateral amygdala input to the medial prefrontal cortex controls obsessive-compulsive disorder-like checking behavior. Proceedings of the National Academy of Sciences of the United States of America, 2019, 116, 3799-3804 Neural Correlates of Auditory Verbal Hallucinations in Schizophrenia and the Therapeutic Response	5.1 9.7 5.9 6.2	10 9 10 17 23

50	Common variant of CNTNAP2 gene modulate the social performances and functional connectivity of posterior right temporoparietal junction. <i>Social Cognitive and Affective Neuroscience</i> , 2019 , 14, 1297-	1305	2
49	Aftereffect and Reproducibility of Three Excitatory Repetitive TMS Protocols for a Response Inhibition Task. <i>Frontiers in Neuroscience</i> , 2019 , 13, 1155	5.1	4
48	Resting-State Functional Connectivity Between Centromedial Amygdala and Insula as Related to Somatic Symptoms in Depressed Patients: A Preliminary Study. <i>Psychosomatic Medicine</i> , 2019 , 81, 434-4	407	12
47	Consensus statement on the neurocognitive outcomes for early detection of mild cognitive impairment and Alzheimer dementia from the Chinese Neuropsychological Normative (CN-NORM) Project. <i>Journal of Global Health</i> , 2019 , 9, 020320	4.3	6
46	Hippocampal-subregion functional alterations associated with antidepressant effects and cognitive impairments of electroconvulsive therapy. <i>Psychological Medicine</i> , 2019 , 49, 1357-1364	6.9	22
45	Regional and network properties of white matter function in Parkinson's disease. <i>Human Brain Mapping</i> , 2019 , 40, 1253-1263	5.9	50
44	Functional plasticity of the dorsomedial prefrontal cortex in depression reorganized by electroconvulsive therapy: Validation in two independent samples. <i>Human Brain Mapping</i> , 2019 , 40, 465	- 47 3	26
43	Functional Connectivity of the Corticobasal Ganglia-Thalamocortical Network in Parkinson Disease: A Systematic Review and Meta-Analysis with Cross-Validation. <i>Radiology</i> , 2018 , 287, 973-982	20.5	31
42	Novel Susceptibility Loci for Moyamoya Disease Revealed by a Genome-Wide Association Study. <i>Stroke</i> , 2018 , 49, 11-18	6.7	31
41	Functional reorganization of intra- and internetwork connectivity in major depressive disorder after electroconvulsive therapy. <i>Human Brain Mapping</i> , 2018 , 39, 1403-1411	5.9	65
40	Local functional connectivity density is closely associated with the response of electroconvulsive therapy in major depressive disorder. <i>Journal of Affective Disorders</i> , 2018 , 225, 658-664	6.6	46
39	Decreased Connection Between Reward Systems and Paralimbic Cortex in Depressive Patients. <i>Frontiers in Neuroscience</i> , 2018 , 12, 462	5.1	10
38	Deficit of supramodal executive control of attention in schizophrenia. <i>Journal of Psychiatric Research</i> , 2018 , 97, 22-29	5.2	12
37	The Changes of Functional Connectivity Strength in Electroconvulsive Therapy for Depression: A Longitudinal Study. <i>Frontiers in Neuroscience</i> , 2018 , 12, 661	5.1	19
36	Dopaminergic Modulation of Biological Motion Perception in patients with Parkinson's disease. <i>Scientific Reports</i> , 2017 , 7, 10159	4.9	3
35	Prospective evaluation of the diagnostic value of plasma apelin 12 levels for differentiating patients with moyamoya and intracranial atherosclerotic diseases. <i>Scientific Reports</i> , 2017 , 7, 5452	4.9	3
34	Electroconvulsive therapy regulates emotional memory bias of depressed patients. <i>Psychiatry Research</i> , 2017 , 257, 296-302	9.9	9
33	Electroconvulsive therapy selectively enhanced feedforward connectivity from fusiform face area to amygdala in major depressive disorder. <i>Social Cognitive and Affective Neuroscience</i> , 2017 , 12, 1983-19	92	63

32	Association of obstructive sleep apnoea with the risk of vascular outcomes and all-cause mortality: a meta-analysis. <i>BMJ Open</i> , 2017 , 7, e013983	3	55
31	Ginkgolide B Modulates BDNF Expression in Acute Ischemic Stroke. <i>Journal of Korean Neurosurgical Society</i> , 2017 , 60, 391-396	2.3	10
30	The activation of interactive attentional networks. <i>NeuroImage</i> , 2016 , 129, 308-319	7.9	74
29	A lateralized top-down network for visuospatial attention and neglect. <i>Brain Imaging and Behavior</i> , 2016 , 10, 1029-1037	4.1	26
28	Impaired White Matter Connections of the Limbic System Networks Associated with Impaired Emotional Memory in Alzheimer's Disease. <i>Frontiers in Aging Neuroscience</i> , 2016 , 8, 250	5.3	22
27	Venlafaxine treatment reduces the deficit of executive control of attention in patients with major depressive disorder. <i>Scientific Reports</i> , 2016 , 6, 28028	4.9	23
26	Difference in the binocular rivalry rate between depressive episodes and remission. <i>Physiology and Behavior</i> , 2015 , 151, 272-8	3.5	13
25	Clozapine improves the orienting of attention in schizophrenia. Schizophrenia Research, 2015, 168, 285-	-93 .6	22
24	Decision-Making in Patients with Hyperthyroidism: A Neuropsychological Study. <i>PLoS ONE</i> , 2015 , 10, e0129773	3.7	9
23	Exploring Biological Motion Processing in Parkinson's Disease Using Temporal Dilation. <i>PLoS ONE</i> , 2015 , 10, e0138502	3.7	7
22	Deficient local biological motion perception in migraineurs: results from a duration discrimination paradigm. <i>Brain Research</i> , 2014 , 1579, 56-64	3.7	
21	Impairment of attention networks in patients with untreated hyperthyroidism. <i>Neuroscience Letters</i> , 2014 , 574, 26-30	3.3	11
20	Selective impairment of attentional networks of alerting in Wilson's disease. <i>PLoS ONE</i> , 2014 , 9, e1004.	54 ,.7	12
19	Modulation of interhemispheric functional coordination in electroconvulsive therapy for depression. <i>Translational Psychiatry</i> , 2014 , 4, e453	8.6	35
18	Selective impairment of attention networks in breast cancer patients receiving chemotherapy treatment. <i>Psycho-Oncology</i> , 2014 , 23, 1165-71	3.9	19
17	Decision-making impairments in breast cancer patients treated with tamoxifen. <i>Hormones and Behavior</i> , 2014 , 66, 449-56	3.7	23
16	Attention network impairments in patients with focal frontal or parietal lesions. <i>Neuroscience Letters</i> , 2013 , 534, 177-81	3.3	18
15	The change of attentional blink and repetition blindness after cerebellar lesions. <i>Journal of Clinical Neuroscience</i> , 2013 , 20, 1742-6	2.2	3

LIST OF PUBLICATIONS

14	Genome-wide association analyses in Han Chinese identify two new susceptibility loci for amyotrophic lateral sclerosis. <i>Nature Genetics</i> , 2013 , 45, 697-700	36.3	52
13	Electroconvulsive therapy and Klinefelter syndrome. <i>Journal of ECT</i> , 2013 , 29, e36-7	2	O
12	Reduced serum levels of triglyceride, very low density lipoprotein cholesterol and apolipoprotein B in Parkinson's disease patients. <i>PLoS ONE</i> , 2013 , 8, e75743	3.7	27
11	Association of DRD2 gene polymorphisms with mood disorders: a meta-analysis. <i>Journal of Affective Disorders</i> , 2012 , 136, 229-37	6.6	27
10	The study of time perception in migraineurs. <i>Headache</i> , 2012 , 52, 1483-98	4.2	10
9	Contributions of subregions of the prefrontal cortex to the theory of mind and decision making. <i>Behavioural Brain Research</i> , 2011 , 221, 587-93	3.4	29
8	Dissociation between visual line bisection and mental number line bisection in schizophrenia. <i>Neuroscience Letters</i> , 2011 , 491, 192-5	3.3	15
7	Impairment of conflict processing in alexithymic individuals. <i>Neuroscience Letters</i> , 2011 , 504, 261-4	3.3	13
6	More vulnerable processing of shengmu than yunmu in a Chinese Brocall aphasic. <i>Journal of Neurolinguistics</i> , 2011 , 24, 374-382	1.9	
5	When connectedness increases hemispatial neglect. <i>PLoS ONE</i> , 2011 , 6, e24760	3.7	1
4	Conceptual implicit memory impaired in amnestic mild cognitive impairment patient. <i>Neuroscience Letters</i> , 2010 , 484, 153-6	3.3	12
3	Attention networks in children with idiopathic generalized epilepsy. <i>Epilepsy and Behavior</i> , 2010 , 19, 513-7	3.2	19
2	Time-based prospective memory impairment in patients with thalamic stroke. <i>Behavioral Neuroscience</i> , 2010 , 124, 152-158	2.1	21
1	Volume of hippocampus-amygdala transition area predicts outcomes of electroconvulsive therapy in major depressive disorder: high accuracy validated in two independent cohorts. <i>Psychological Medicine</i> ,1-10	6.9	О