

Taina Tervahartiala

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1829396/publications.pdf>

Version: 2024-02-01

122
papers

3,971
citations

126907

33
h-index

149698

56
g-index

124
all docs

124
docs citations

124
times ranked

3707
citing authors

#	ARTICLE	IF	CITATIONS
1	Matrix metalloproteinases and their inhibitors in gingival crevicular fluid and saliva of periodontitis patients. <i>Journal of Clinical Periodontology</i> , 1996, 23, 1127-1132.	4.9	262
2	Analysis of matrix metalloproteinases, especially MMP-8, in gingival crevicular fluid, mouthrinse and saliva for monitoring periodontal diseases. <i>Periodontology</i> 2000, 2016, 70, 142-163.	13.4	207
3	Salivary MMP-8, TIMP-1, and ICTP as markers of advanced periodontitis. <i>Journal of Clinical Periodontology</i> , 2010, 37, 487-493.	4.9	161
4	Serum Matrix Metalloproteinase-8 Concentrations Are Associated With Cardiovascular Outcome in Men. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2007, 27, 2722-2728.	2.4	153
5	Collagenase-2 (MMP-8) as a point-of-care biomarker in periodontitis and cardiovascular diseases. Therapeutic response to non-antimicrobial properties of tetracyclines. <i>Pharmacological Research</i> , 2011, 63, 108-113.	7.1	116
6	Expression and induction of collagenases (MMP-8 and -13) in plasma cells associated with bone-destructive lesions. <i>Journal of Pathology</i> , 2001, 194, 217-224.	4.5	109
7	Levels and molecular forms of MMP-7 (matrilysin-1) and MMP-8 (collagenase-2) in diseased human peri-implant sulcular fluid. <i>Journal of Periodontal Research</i> , 2003, 38, 583-590.	2.7	101
8	Matrix metalloproteinases and myeloperoxidase in gingival crevicular fluid provide site-specific diagnostic value for chronic periodontitis. <i>Journal of Clinical Periodontology</i> , 2014, 41, 348-356.	4.9	99
9	Serum MMP-8, -9 and TIMP-1 in sepsis: High serum levels of MMP-8 and TIMP-1 are associated with fatal outcome in a multicentre, prospective cohort study. Hypothetical impact of tetracyclines. <i>Pharmacological Research</i> , 2011, 64, 590-594.	7.1	91
10	Salivary type I collagen degradation end-products and related matrix metalloproteinases in periodontitis. <i>Journal of Clinical Periodontology</i> , 2013, 40, 18-25.	4.9	91
11	The Ability of Quantitative, Specific, and Sensitive Point-of-Care/Chair-Side Oral Fluid Immunotests for aMMP-8 to Detect Periodontal and Peri-Implant Diseases. <i>Disease Markers</i> , 2018, 2018, 1-5.	1.3	87
12	Proteolytic roles of matrix metalloproteinase (MMP)-13 during progression of chronic periodontitis: initial evidence for MMP-13/MMP-9 activation cascade. <i>Journal of Clinical Periodontology</i> , 2009, 36, 1011-1017.	4.9	84
13	Diagnostic accuracy for apical and chronic periodontitis biomarkers in gingival crevicular fluid: an exploratory study. <i>Journal of Clinical Periodontology</i> , 2016, 43, 34-45.	4.9	72
14	<i>Treponema denticola</i> chymotrypsin-like proteinase may contribute to orodigestive carcinogenesis through immunomodulation. <i>British Journal of Cancer</i> , 2018, 118, 428-434.	6.4	71
15	Matrix Metalloproteinase-8 as an Inflammatory and Prevention Biomarker in Periodontal and Peri-Implant Diseases. <i>International Journal of Dentistry</i> , 2018, 2018, 1-27.	1.5	67
16	MMP activation in diagnostics of periodontitis and systemic inflammation. <i>Journal of Clinical Periodontology</i> , 2011, 38, 817-819.	4.9	65
17	Salivary Diagnostics – Point-of-Care diagnostics of MMP-8 in dentistry and medicine. <i>Diagnostics</i> , 2017, 7, 7.	2.6	61
18	Serum MMP-8 and TIMP-1 predict prognosis in colorectal cancer. <i>BMC Cancer</i> , 2018, 18, 679.	2.6	59

#	ARTICLE	IF	CITATIONS
19	Smoking Affects Diagnostic Salivary Periodontal Disease Biomarker Levels in Adolescents. <i>Journal of Periodontology</i> , 2010, 81, 1299-1307.	3.4	56
20	Serum MMP-8 levels increase in colorectal cancer and correlate with disease course and inflammatory properties of primary tumors. <i>International Journal of Cancer</i> , 2012, 131, E463-74.	5.1	55
21	Increased MMP-7 expression in biliary epithelium and serum underpins native liver fibrosis after successful portoenterostomy in biliary atresia. <i>Journal of Pathology: Clinical Research</i> , 2016, 2, 187-198.	3.0	47
22	Serum and Salivary Matrix Metalloproteinases, Neutrophil Elastase, Myeloperoxidase in Patients with Chronic or Aggressive Periodontitis. <i>Inflammation</i> , 2014, 37, 1771-1778.	3.8	46
23	Gingival Crevicular Fluid Matrix Metalloproteinase-8 Levels Predict Treatment Outcome Among Smokers With Chronic Periodontitis. <i>Journal of Periodontology</i> , 2014, 85, 250-260.	3.4	46
24	Association of MMP-8 with obesity, smoking and insulin resistance. <i>European Journal of Clinical Investigation</i> , 2016, 46, 757-765.	3.4	45
25	Serum MMP-9 Diagnostics, Prognostics, and Activation in Acute Coronary Syndrome and Its Recurrence. <i>Journal of Cardiovascular Translational Research</i> , 2018, 11, 210-220.	2.4	45
26	Urinary matrix metalloproteinase -8, -9, -14 and their regulators (TRY-1, TRY-2, TATI) in patients with diabetic nephropathy. <i>Annals of Medicine</i> , 2008, 40, 312-320.	3.8	43
27	Salivary Matrix Metalloproteinase-8 and -9 and Myeloperoxidase in Relation to Coronary Heart and Periodontal Diseases: A Subgroup Report from the PAROKRANK Study (Periodontitis and Its Relation to) Tj ETQq1 1207843143gBT /C		
28	The Utility of Gingival Crevicular Fluid Matrix Metalloproteinase-8 Response Patterns in Prediction of Site-Level Clinical Treatment Outcome. <i>Journal of Periodontology</i> , 2015, 86, 777-787.	3.4	43
29	Acute Myocardial Infarction is Reflected in Salivary Matrix Metalloproteinase-8 Activation Level. <i>Journal of Periodontology</i> , 2011, 82, 716-725.	3.4	42
30	Biomarkers of periodontitis and inflammation in ischemic stroke: A case-control study. <i>Innate Immunity</i> , 2014, 20, 511-518.	2.4	42
31	Levels and Activation of Matrix Metalloproteinases in Aqueous Humor Are Elevated in Uveitis-Related Secondary Glaucoma. <i>Journal of Glaucoma</i> , 2006, 15, 229-237.	1.6	37
32	Pilot Study on the Genetic Background of an Active Matrix Metalloproteinase-8 Test in Finnish Adolescents. <i>Journal of Periodontology</i> , 2017, 88, 464-472.	3.4	36
33	Association of the salivary triggering receptor expressed on myeloid cells/its ligand peptidoglycan recognition protein 1 axis with oral inflammation in kidney disease. <i>Journal of Periodontology</i> , 2018, 89, 117-129.	3.4	35
34	Prediabetes/Diabetes Can Be Screened at the Dental Office by a Low-Cost and Fast Chair-Side/Point-of-Care aMMP-8 Immunotest. <i>Diagnostics</i> , 2019, 9, 151.	2.6	35
35	Collagenases in Gingival Crevicular Fluid in Type 1 Diabetes Mellitus. <i>Journal of Periodontology</i> , 2006, 77, 189-194.	3.4	33
36	Active Matrix Metalloproteinase-8 Point-of-Care (PoC)/Chairside Mouthrinse Test vs. Bleeding on Probing in Diagnosing Subclinical Periodontitis in Adolescents. <i>Diagnostics</i> , 2019, 9, 34.	2.6	33

#	ARTICLE	IF	CITATIONS
37	aMMP-8 Point-of-Care/Chairside Oral Fluid Technology as a Rapid, Non-Invasive Tool for Periodontitis and Peri-Implantitis Screening in a Medical Care Setting. <i>Diagnostics</i> , 2020, 10, 562.	2.6	33
38	The Effect of Adjunctive Subantimicrobial Dose Doxycycline Therapy on GCF EMMPRIN Levels in Chronic Periodontitis. <i>Journal of Periodontology</i> , 2008, 79, 469-476.	3.4	32
39	Saliva and serum biomarkers in periodontitis and coronary artery disease. <i>Journal of Clinical Periodontology</i> , 2018, 45, 1045-1055.	4.9	31
40	Prognostic value of serum MMP-8, -9 and TIMP-1 in patients with hepatocellular carcinoma. <i>Annals of Medicine</i> , 2013, 45, 482-487.	3.8	30
41	Point-of-Care/Chairside aMMP-8 Analytics of Periodontal Diseasesâ€™ Activity and Episodic Progression. <i>Diagnostics</i> , 2018, 8, 74.	2.6	30
42	High serum MMP-14 predicts worse survival in gastric cancer. <i>PLoS ONE</i> , 2018, 13, e0208800.	2.5	28
43	Molecular forms and fragments of salivary MMP-8 in relation to periodontitis. <i>Journal of Clinical Periodontology</i> , 2018, 45, 1421-1428.	4.9	28
44	Elevated matrix metalloproteinase-8 in saliva and serum in polycystic ovary syndrome and association with gingival inflammation. <i>Innate Immunity</i> , 2015, 21, 619-625.	2.4	27
45	Matrix Metalloproteinase (MMP-8) and Tissue Inhibitor of MMP-1 (TIMP-1) Gene Polymorphisms in Generalized Aggressive Periodontitis: Gingival Crevicular Fluid MMP-8 and TIMP-1 Levels and Outcome of Periodontal Therapy. <i>Journal of Periodontology</i> , 2014, 85, 1070-1080.	3.4	26
46	Inflammatory biomarkers in saliva and serum of patients with rheumatoid arthritis with respect to periodontal status. <i>Annals of Medicine</i> , 2018, 50, 333-344.	3.8	26
47	Matrix metalloproteinase-8 and tissue inhibitor of matrix metalloproteinase-1 predict incident cardiovascular disease events and all-cause mortality in a population-based cohort. <i>European Journal of Preventive Cardiology</i> , 2017, 24, 1136-1144.	1.8	25
48	Mucin 4 and matrix metalloproteinase 7 as novel salivary biomarkers for periodontitis. <i>Journal of Clinical Periodontology</i> , 2017, 44, 247-254.	4.9	25
49	Diagnosis of Newly Delivered Mothers for Periodontitis with a Novel Oral-Rinse aMMP-8 Point-of-Care Test in a Rural Malawian Population. <i>Diagnostics</i> , 2018, 8, 67.	2.6	25
50	Serum MMP-8 and TIMP-1 as prognostic biomarkers in gastric cancer. <i>Tumor Biology</i> , 2018, 40, 101042831879926.	1.8	25
51	Salivary levels of MPO, MMP-8 and TIMP-1 are associated with gingival inflammation response patterns during experimental gingivitis. <i>Cytokine</i> , 2019, 115, 135-141.	3.2	25
52	Local and systemic levels of aMMP-8 in gingivitis and stage 3 grade C periodontitis. <i>Journal of Periodontal Research</i> , 2020, 55, 887-894.	2.7	25
53	Serum tissue-degrading proteinases and incident cardiovascular disease events. <i>European Journal of Preventive Cardiology</i> , 2014, 21, 806-812.	1.8	24
54	Periodontal disease and targeted prevention using aMMP-8 point-of-care oral fluid analytics in the COVID-19 era. <i>Medical Hypotheses</i> , 2020, 144, 110276.	1.5	24

#	ARTICLE	IF	CITATIONS
55	Prediabetes/diabetes screening strategy at the periodontal clinic. <i>Clinical and Experimental Dental Research</i> , 2021, 7, 85-92.	1.9	24
56	Active matrix metalloproteinase-8 and interleukin-6 detect periodontal degeneration caused by radiotherapy of head and neck cancer: a pilot study. <i>Expert Review of Proteomics</i> , 2020, 17, 777-784.	3.0	23
57	Probiotic intervention influences the salivary levels of Matrix Metalloproteinase (MMP)-9 and Tissue Inhibitor of metalloproteinases (TIMP)-1 in healthy adults. <i>Archives of Oral Biology</i> , 2018, 85, 58-63.	1.8	22
58	<i>Chlamydia trachomatis</i> chymotrypsin-like proteinase is present in early-stage mobile tongue squamous cell carcinoma and related to the clinicopathological features. <i>Journal of Oral Pathology and Medicine</i> , 2018, 47, 764-772.	2.7	22
59	Gingival Inflammation and Salivary or Serum Granulocyte-Secreted Enzymes in Patients With Polycystic Ovary Syndrome. <i>Journal of Periodontology</i> , 2017, 88, 1145-1152.	3.4	21
60	Subclinical inflammation associated with prolonged TIMP-1 upregulation and arterial stiffness after gestational diabetes mellitus: a hospital-based cohort study. <i>Cardiovascular Diabetology</i> , 2017, 16, 49.	6.8	21
61	Cross-sectional analysis of risk factors for subclinical periodontitis; active matrix metalloproteinase-8 as a potential indicator in initial periodontitis in adolescents. <i>Journal of Periodontology</i> , 2019, 90, 484-492.	3.4	21
62	Genetic Variants Contributing to Circulating Matrix Metalloproteinase 8 Levels and Their Association With Cardiovascular Diseases. <i>Circulation: Cardiovascular Genetics</i> , 2017, 10, .	5.1	21
63	Matrix Metalloproteinases -8 and -9 and Tissue Inhibitor of Metalloproteinase-1 in Burn Patients. A Prospective Observational Study. <i>PLoS ONE</i> , 2015, 10, e0125918.	2.5	20
64	Do salivary and serum collagenases have a role in an association between obstructive sleep apnea syndrome and periodontal disease? A preliminary case-control study. <i>Archives of Oral Biology</i> , 2015, 60, 134-143.	1.8	19
65	An Oral Rinse Active Matrix Metalloproteinase-8 Point-of-Care Immunotest May Be Less Accurate in Patients with Crohn's Disease. <i>Biomolecules</i> , 2020, 10, 395.	4.0	19
66	Assessment of systemic matrix metalloproteinase and their regulator response in children with <i>Helicobacter pylori</i> gastritis. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2010, 70, 492-496.	1.2	18
67	Anti-rheumatic medication and salivary MMP-8, a biomarker for periodontal disease. <i>Oral Diseases</i> , 2018, 24, 1562-1571.	3.0	17
68	Periodontal Inflammatory Burden and Salivary Matrix Metalloproteinase-8 Concentration Among Patients With Chronic Kidney Disease at the Predialysis Stage. <i>Journal of Periodontology</i> , 2015, 86, 1212-1220.	3.4	16
69	Changes in MMP-9 and TIMP-1 Concentrations in Cerebrospinal Fluid after 1 Week of Treatment of Childhood Bacterial Meningitis. <i>Journal of Clinical Microbiology</i> , 2015, 53, 2340-2342.	3.9	16
70	On the diagnostic discrimination ability of mouthrinse and salivary aMMP-8 point-of-care testing regarding periodontal health and disease. <i>Diagnostic Microbiology and Infectious Disease</i> , 2019, 95, 114871.	1.8	16
71	aMMP-8 Oral Fluid PoC Test in Relation to Oral and Systemic Diseases. <i>Frontiers in Oral Health</i> , 0, 3, .	3.0	16
72	High Expression of MMP-9 in Primary Tumors and High Preoperative MPO in Serum Predict Improved Prognosis in Colorectal Cancer with Operable Liver Metastases. <i>Oncology</i> , 2021, 99, 144-160.	1.9	15

#	ARTICLE	IF	CITATIONS
73	An aMMP-8 Point-of-Care and Questionnaire Based Real-Time Diagnostic Toolkit for Medical Practitioners. <i>Diagnostics</i> , 2021, 11, 711.	2.6	15
74	Active MMP-8 point-of-care (PoC)/chairside enzyme test as an adjunctive tool for early and real-time diagnosis of peri-implantitis. <i>Clinical and Experimental Dental Research</i> , 2022, 8, 485-496.	1.9	15
75	25-hydroxyvitamin D correlates with inflammatory markers in cord blood of healthy newborns. <i>Pediatric Research</i> , 2017, 81, 731-735.	2.3	14
76	Label-Free Quantitative Proteomics versus Antibody-Based Assays to Measure Neutrophil-Derived Enzymes in Saliva. <i>Proteomics - Clinical Applications</i> , 2020, 14, e1900050.	1.6	14
77	Evaluation of active matrix metalloproteinase-8 (aMMP-8) chair-side test as a diagnostic biomarker in the staging of periodontal diseases. <i>Archives of Oral Biology</i> , 2021, 124, 104955.	1.8	14
78	Matrix metalloproteinase-7, -8, -9, -25, and -26 and CD43, -45, and -68 cell-markers in HIV-infected patients' saliva and gingival tissue. <i>Journal of Oral Pathology and Medicine</i> , 2006, 35, 530-539.	2.7	13
79	Adjunctive Effects of a Sub-Antimicrobial Dose of Doxycycline on Clinical Parameters and Potential Biomarkers of Periodontal Tissue Catabolism. <i>Dentistry Journal</i> , 2019, 7, 9.	2.3	13
80	A point-of-care test of active matrix metalloproteinase-8 predicts triggering receptor expressed on myeloid cells-1 (TREM-1) levels in saliva. <i>Journal of Periodontology</i> , 2020, 91, 102-109.	3.4	13
81	Active MMP-8 Quantitative Test as an Adjunctive Tool for Early Diagnosis of Periodontitis. <i>Diagnostics</i> , 2021, 11, 1503.	2.6	13
82	Ability of matrix metalloproteinase-8 biosensor, IFMA, and ELISA immunoassays to differentiate between periodontal health, gingivitis, and periodontitis. <i>Journal of Periodontal Research</i> , 2022, 57, 558-567.	2.7	13
83	Intracellular localization of <i>Treponema denticola</i> chymotrypsin-like proteinase in chronic periodontitis. <i>Journal of Oral Microbiology</i> , 2014, 6, 24349.	2.7	12
84	Proteolytic Mediators in Gestational Diabetes Mellitus and Gingivitis. <i>Journal of Periodontology</i> , 2017, 88, 289-297.	3.4	12
85	High levels of tissue inhibitor of metalloproteinase-1 (TIMP-1) in the serum are associated with poor prognosis in HPV-negative squamous cell oropharyngeal cancer. <i>Cancer Immunology, Immunotherapy</i> , 2019, 68, 1263-1272.	4.2	12
86	Isolation, characterization and regulation of moonlighting proteases from <i>Candida glabrata</i> cell wall. <i>Microbial Pathogenesis</i> , 2020, 149, 104547.	2.9	12
87	Human neutrophil peptide-1 affects matrix metalloproteinase-2, -8 and -9 secretions of oral squamous cell carcinoma cell lines in vitro. <i>Archives of Oral Biology</i> , 2016, 66, 1-7.	1.8	11
88	Persistent Oral Human Papillomavirus (HPV) Infection is Associated with Low Salivary Levels of Matrix Metalloproteinase 8 (MMP-8). <i>Journal of Clinical Virology</i> , 2017, 97, 4-9.	3.1	11
89	Metabolic milieu associates with impaired skeletal characteristics in obesity. <i>PLoS ONE</i> , 2017, 12, e0179660.	2.5	11
90	Smoking confounds the periodontal diagnostics using saliva biomarkers. <i>Journal of Periodontology</i> , 2019, 90, 475-483.	3.4	11

#	ARTICLE	IF	CITATIONS
91	Targeting matrix metalloproteinases with intravenous doxycycline in severe sepsis – A randomised placebo-controlled pilot trial. <i>Pharmacological Research</i> , 2015, 99, 44-51.	7.1	10
92	Inflammatory mediator polymorphisms associate with initial periodontitis in adolescents. <i>Clinical and Experimental Dental Research</i> , 2016, 2, 208-215.	1.9	10
93	Saliva and plasma levels of cardiac-related biomarkers in post-myocardial infarction patients. <i>Journal of Clinical Periodontology</i> , 2017, 44, 692-699.	4.9	10
94	The Potential Role of Matrix Metalloproteinases 8 and 9 and Myeloperoxidase in Predicting Outcomes of Bacterial Meningitis of Childhood. <i>Mediators of Inflammation</i> , 2019, 2019, 1-8.	3.0	10
95	On the accuracy, sensitivity, and grading of mouthrinse active matrix metalloproteinase-8 (aMMP-8) point-of-care testing (POCT). <i>Journal of Clinical Periodontology</i> , 2021, 48, 1495-1498.	4.9	10
96	Low MMP-8/TIMP-1 reflects left ventricle impairment in takotsubo cardiomyopathy and high TIMP-1 may help to differentiate it from acute coronary syndrome. <i>PLoS ONE</i> , 2017, 12, e0173371.	2.5	10
97	Lingonberries – General and Oral Effects on the Microbiome and Inflammation. <i>Nutrients</i> , 2021, 13, 3738.	4.1	10
98	Practical implications of novel serum ELISA-assay for matrix metalloproteinase-8 in acute cardiac diagnostics. <i>Acute Cardiac Care</i> , 2015, 17, 46-47.	0.2	9
99	Association of thalassemia major and gingival inflammation: A pilot study. <i>Archives of Oral Biology</i> , 2016, 64, 80-84.	1.8	9
100	Salivary MMP-8 gender differences in periodontitis: A cross-sectional study from Sweden. <i>Clinical and Experimental Dental Research</i> , 2017, 3, 165-170.	1.9	8
101	SNP Analysis of Caries and Initial Caries in Finnish Adolescents. <i>International Journal of Dentistry</i> , 2018, 2018, 1-5.	1.5	8
102	Low association between bleeding on probing propensity and the salivary aMMP-8 levels in adolescents with gingivitis and stage I periodontitis. <i>Journal of Periodontal Research</i> , 2021, 56, 289-297.	2.7	8
103	MMP-8, TRAP-5, and OPG Levels in GCF Diagnostic Potential to Discriminate between Healthy Patients™, Mild and Severe Periodontitis Sites. <i>Biomolecules</i> , 2020, 10, 1500.	4.0	7
104	Decreased salivary matrix metalloproteinase-8 reflecting a defensive potential in juvenile parotitis. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2016, 80, 74-77.	1.0	6
105	Matrix metalloproteinase MMP-8, TIMP-1 and MMP-8/TIMP-1 ratio in plasma in methicillin-sensitive <i>Staphylococcus aureus</i> bacteremia. <i>PLoS ONE</i> , 2021, 16, e0252046.	2.5	6
106	Repeated Home-Applied Dual-Light Antibacterial Photodynamic Therapy Can Reduce Plaque Burden, Inflammation, and aMMP-8 in Peri-Implant Disease – A Pilot Study. <i>Current Issues in Molecular Biology</i> , 2022, 44, 1273-1283.	2.4	6
107	Oral fluid matrix metalloproteinase (MMP)-8 as a diagnostic tool in chronic periodontitis. <i>Metalloproteinases in Medicine</i> , 0, , 11.	1.0	5
108	Periodontal Initial Radiological Findings of Genetically Predisposed Finnish Adolescents.. <i>Journal of Clinical and Diagnostic Research JCDR</i> , 2017, 11, ZC25-ZC28.	0.8	5

#	ARTICLE	IF	CITATIONS
109	Is There a Link between COVID-19 and Periodontal Disease? A Narrative Review. <i>European Journal of Dentistry</i> , 2022, 16, 514-520.	1.7	5
110	Effects of Fermented Lingonberry Juice Mouthwash on Salivary Parameters – A One-Year Prospective Human Intervention Study. <i>Dentistry Journal</i> , 2022, 10, 69.	2.3	5
111	Enhanced Systemic Response of Matrix Metalloproteinases and Their Regulators in <i>Campylobacter</i> and <i>Salmonella</i> Patients. <i>Diagnostics</i> , 2018, 8, 82.	2.6	4
112	Regulation of matrix metalloproteinases-8, -9 and endogenous tissue inhibitor-1 in oral biofluids during pregnancy and postpartum. <i>Archives of Oral Biology</i> , 2021, 124, 105065.	1.8	4
113	Serum Matrix Metalloproteinase-8 and Myeloperoxidase Predict Survival after Resection of Colorectal Liver Metastases. <i>Oncology</i> , 2021, 99, 766-779.	1.9	4
114	Implementing of a MMP-8 point-of-care test with a modified new disease classification in Finnish adolescent cohorts. <i>Clinical and Experimental Dental Research</i> , 2022, 8, 1142-1148.	1.9	4
115	Lingonberry polyphenols: Potential SARS-CoV-2 inhibitors as nutraceutical tools?. <i>Physiological Reports</i> , 2021, 9, e14741.	1.7	3
116	Salivary Biomarkers and Oral Health in Liver Transplant Recipients, with an Emphasis on Diabetes. <i>Diagnostics</i> , 2021, 11, 662.	2.6	3
117	Adjunctive Antiseptic Irrigation of Periodontal Pockets: Effects on Microbial and Cytokine Profiles. <i>Dentistry Journal</i> , 2020, 8, 124.	2.3	2
118	Human leukocyte antigens are associated with salivary level of active MMP-8. <i>Clinical and Experimental Dental Research</i> , 2021, 7, 833-839.	1.9	2
119	Periodontitis and peri-implantitis tissue levels of <i>Treponema denticola</i> -CTLP and its MMP-8 activating ability. <i>Acta Histochemica</i> , 2021, 123, 151767.	1.8	2
120	The collagenases: are they tractable targets for preventing cartilage destruction in osteoarthritis?. <i>Expert Opinion on Therapeutic Targets</i> , 2022, 26, 93-105.	3.4	2
121	The Use of Doxycycline and Tetracycline in Extended-Spectrum β -Lactamase-Producing Enterobacteriaceae Colonization. <i>Clinical Infectious Diseases</i> , 2015, 61, 1031.1-1031.	5.8	1
122	Insights into Preservation of Blood Biomarkers in Biobank Samples. <i>Biopreservation and Biobanking</i> , 2022, , .	1.0	0