

Richard A Josephson

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/182982/publications.pdf>

Version: 2024-02-01

126
papers

3,945
citations

172207

29
h-index

143772

57
g-index

131
all docs

131
docs citations

131
times ranked

4915
citing authors

#	ARTICLE	IF	CITATIONS
1	Relationships Between Sinus Rhythm, Treatment, and Survival in the Atrial Fibrillation Follow-Up Investigation of Rhythm Management (AFFIRM) Study. <i>Circulation</i> , 2004, 109, 1509-1513.	1.6	1,105
2	Randomized Controlled Trial of Mindfulness-Based Stress Reduction for Prehypertension. <i>Psychosomatic Medicine</i> , 2013, 75, 721-728.	1.3	108
3	Depression increases the risk of mortality in patients with heart failure: A meta-analysis. <i>Journal of Psychosomatic Research</i> , 2017, 94, 82-89.	1.2	103
4	Cardiac Rehabilitation for Patients With Heart Failure. <i>Journal of the American College of Cardiology</i> , 2021, 77, 1454-1469.	1.2	102
5	Cognitive Function and Treatment Adherence in Older Adults With Heart Failure. <i>Psychosomatic Medicine</i> , 2012, 74, 965-973.	1.3	99
6	Cerebral Perfusion is Associated With White Matter Hyperintensities in Older Adults With Heart Failure. <i>Congestive Heart Failure</i> , 2013, 19, E29-34.	2.0	94
7	Cognitive Impairment Is Independently Associated With Reduced Instrumental Activities of Daily Living in Persons With Heart Failure. <i>Journal of Cardiovascular Nursing</i> , 2012, 27, 44-50.	0.6	80
8	Heart Failure as a Newly Approved Diagnosis for Cardiac Rehabilitation. <i>Journal of the American College of Cardiology</i> , 2015, 65, 2652-2659.	1.2	77
9	Atrial Fibrillation Exacerbates Cognitive Dysfunction and Cerebral Perfusion in Heart Failure. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2015, 38, 178-186.	0.5	77
10	Randomized controlled feasibility trial of two telemedicine medication reminder systems for older adults with heart failure. <i>Journal of Telemedicine and Telecare</i> , 2014, 20, 293-299.	1.4	71
11	The MoCA and MMSE as screeners for cognitive impairment in a heart failure population: A study with comprehensive neuropsychological testing. <i>Heart and Lung: Journal of Acute and Critical Care</i> , 2014, 43, 462-468.	0.8	69
12	Association Between Poorer Cognitive Function and Reduced Objectively Monitored Medication Adherence in Patients With Heart Failure. <i>Circulation: Heart Failure</i> , 2016, 9, .	1.6	66
13	Depression predicts failure to complete phase-II cardiac rehabilitation. <i>Journal of Behavioral Medicine</i> , 2008, 31, 421-431.	1.1	64
14	Depression is associated with reduced physical activity in persons with heart failure.. <i>Health Psychology</i> , 2012, 31, 754-762.	1.3	63
15	Obesity Interacts with Cerebral Hypoperfusion to Exacerbate Cognitive Impairment in Older Adults with Heart Failure. <i>Cerebrovascular Diseases Extra</i> , 2012, 2, 88-98.	0.5	60
16	The Effectiveness of Community Health Workers for CVD Prevention in LMIC. <i>Global Heart</i> , 2017, 12, 233.	0.9	59
17	Mortality Due to Aortic Stenosis in the United States, 2008-2017. <i>JAMA - Journal of the American Medical Association</i> , 2019, 321, 2236.	3.8	49
18	Effects of Advancing Age on the Efficacy and Side Effects of Antiarrhythmic Drugs in Post-Myocardial Infarction Patients with Ventricular Arrhythmias. <i>Journal of the American Geriatrics Society</i> , 1992, 40, 666-672.	1.3	45

#	ARTICLE	IF	CITATIONS
19	Resource Loss Predicts Depression and Anxiety Among Patients Treated With an Implantable Cardioverter Defibrillator. <i>Psychosomatic Medicine</i> , 2006, 68, 794-800.	1.3	45
20	Decreased physical activity predicts cognitive dysfunction and reduced cerebral blood flow in heart failure. <i>Journal of the Neurological Sciences</i> , 2014, 339, 169-175.	0.3	45
21	Reduced cerebral perfusion predicts greater depressive symptoms and cognitive dysfunction at a 1-year follow-up in patients with heart failure. <i>International Journal of Geriatric Psychiatry</i> , 2014, 29, 428-436.	1.3	43
22	Current Perspectives on the Use of Meditation to Reduce Blood Pressure. <i>International Journal of Hypertension</i> , 2012, 2012, 1-11.	0.5	42
23	Randomized Controlled Trial of the SystemCHANGE Intervention on Behaviors Related to Cardiovascular Risk in HIV+ Adults. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2018, 78, 23-33.	0.9	40
24	The need for exercise sciences and an integrated response to COVID-19: A position statement from the international HL-PIVOT network. <i>Progress in Cardiovascular Diseases</i> , 2021, 67, 2-10.	1.6	39
25	Executive dysfunction is independently associated with reduced functional independence in heart failure. <i>Journal of Clinical Nursing</i> , 2014, 23, 829-836.	1.4	36
26	Worsening Tricuspid Regurgitation Following Pericardiectomy for Constrictive Pericarditis. <i>Chest</i> , 1993, 104, 79-81.	0.4	35
27	Depression Is Associated with Cognitive Dysfunction in Older Adults with Heart Failure. <i>Cardiovascular Psychiatry and Neurology</i> , 2011, 2011, 1-6.	0.8	35
28	The independent association of hypertension with cognitive function among older adults with heart failure. <i>Journal of the Neurological Sciences</i> , 2012, 323, 216-220.	0.3	34
29	ACC/AHA/SCAI/AMA-Convened PCPI/NCQA 2013 Performance Measures for Adults Undergoing Percutaneous Coronary Intervention. <i>Circulation</i> , 2014, 129, 926-949.	1.6	34
30	The Effects of Obesity on Functional Work Capacity and Quality of Life in Phase II Cardiac Rehabilitation. <i>Preventive Cardiology</i> , 2007, 10, 64-67.	1.1	32
31	Poorer physical fitness is associated with reduced structural brain integrity in heart failure. <i>Journal of the Neurological Sciences</i> , 2013, 328, 51-57.	0.3	29
32	Cardiac rehabilitation is associated with lasting improvements in cognitive function in older adults with heart failure. <i>Acta Cardiologica</i> , 2014, 69, 407-414.	0.3	28
33	Dietary Sodium Adherence Is Poor in Chronic Heart Failure Patients. <i>Journal of Cardiac Failure</i> , 2015, 21, 323-329.	0.7	28
34	The 2-minute step test is independently associated with cognitive function in older adults with heart failure. <i>Aging Clinical and Experimental Research</i> , 2012, 24, 468-74.	1.4	28
35	Cognitive profiles in heart failure: A cluster analytic approach. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2012, 34, 509-520.	0.8	27
36	The Interactive Effects of Cerebral Perfusion and Depression on Cognitive Function in Older Adults With Heart Failure. <i>Psychosomatic Medicine</i> , 2013, 75, 632-639.	1.3	27

#	ARTICLE	IF	CITATIONS
37	The impact of medication nonadherence on the relationship between mortality risk and depression in heart failure.. Health Psychology, 2017, 36, 839-847.	1.3	27
38	The Contribution of Living Arrangements, Social Support, and Self-efficacy to Self-management Behaviors Among Individuals With Heart Failure. Journal of Cardiovascular Nursing, 2019, 34, 319-326.	0.6	27
39	Poor sleep quality and reduced cognitive function in persons with heart failure. International Journal of Cardiology, 2012, 156, 248-249.	0.8	26
40	Catheter Ablation for Atrial Fibrillation in Patients With Concurrent Heart Failure. American Journal of Cardiology, 2020, 137, 45-54.	0.7	26
41	Decreases in Daily Physical Activity Predict Acute Decline in Attention and Executive Function in Heart Failure. Journal of Cardiac Failure, 2015, 21, 339-346.	0.7	23
42	Reduced Executive Functioning Is Associated With Poorer Outcome in Cardiac Rehabilitation. Preventive Cardiology, 2010, 13, 100-3.	1.1	22
43	Closing Gaps in Lifestyle Adherence for Secondary Prevention of Coronary Heart Disease. American Journal of Cardiology, 2021, 145, 1-11.	0.7	22
44	Obesity and cognitive dysfunction in heart failure: The role of hypertension, type 2 diabetes, and physical fitness. European Journal of Cardiovascular Nursing, 2015, 14, 334-341.	0.4	20
45	Prediction of cardiac death in patients with a very low ejection fraction after myocardial infarction: A Cardiac Arrhythmia Suppression Trial (CAST) study. American Heart Journal, 1995, 130, 685-691.	1.2	19
46	Cognitive reserve moderates the association between heart failure and cognitive impairment. Journal of Clinical and Experimental Neuropsychology, 2012, 34, 1-10.	0.8	19
47	Daily Physical Activity Is Associated with Subcortical Brain Volume and Cognition in Heart Failure. Journal of the International Neuropsychological Society, 2015, 21, 851-860.	1.2	19
48	Cognitive Function in Heart Failure Is Associated With Nonsomatic Symptoms of Depression But Not Somatic Symptoms. Journal of Cardiovascular Nursing, 2015, 30, E9-E17.	0.6	19
49	Intra-aortic balloon pump complications: A five-year retrospective study of 283 patients. Heart and Lung: Journal of Acute and Critical Care, 1999, 28, 195-202.	0.8	18
50	The association between cognitive function and objective adherence to dietary sodium guidelines in patients with heart failure. Patient Preference and Adherence, 2016, 10, 233.	0.8	18
51	Effect of a Community Health Worker-Based Approach to Integrated Cardiovascular Risk Factor Control in India: A Cluster Randomized Controlled Trial. Global Heart, 2019, 14, 355.	0.9	18
52	Effect of age on postmyocardial infarction ventricular arrhythmias (Holter Registry data from CAST I) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	0.7	17
53	Greater Body Mass Index Is Associated With Poorer Cognitive Functioning in Male Heart Failure Patients. Journal of Cardiac Failure, 2014, 20, 199-206.	0.7	17
54	Greater physical activity is associated with better cognitive function in heart failure.. Health Psychology, 2014, 33, 1337-1343.	1.3	17

#	ARTICLE	IF	CITATIONS
55	COPD is associated with cognitive dysfunction and poor physical fitness in heart failure. <i>Heart and Lung: Journal of Acute and Critical Care</i> , 2015, 44, 21-26.	0.8	17
56	Intracardiac Sarcoma Diagnosed by Left Ventricular Endomyocardial Biopsy. <i>Chest</i> , 1987, 92, 177-179.	0.4	16
57	Sleep Apnea and Cognitive Function in Heart Failure. <i>Cardiovascular Psychiatry and Neurology</i> , 2012, 2012, 1-7.	0.8	16
58	Cognitive performance in older adults with stable heart failure: Longitudinal evidence for stability and improvement. <i>Aging, Neuropsychology, and Cognition</i> , 2014, 21, 239-256.	0.7	16
59	Reduced cognitive function predicts functional decline in patients with heart failure over 12 months. <i>European Journal of Cardiovascular Nursing</i> , 2014, 13, 304-310.	0.4	16
60	Cognitive function and health literacy are independently associated with heart failure knowledge. <i>Heart and Lung: Journal of Acute and Critical Care</i> , 2016, 45, 386-391.	0.8	16
61	The adverse impact of type 2 diabetes on brain volume in heart failure. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2013, 35, 309-318.	0.8	15
62	Cognitive dysfunction mediates the effects of poor physical fitness on decreased functional independence in heart failure. <i>Geriatrics and Gerontology International</i> , 2015, 15, 174-181.	0.7	15
63	Depressive symptoms moderate the relationship between medication regimen complexity and objectively measured medication adherence in adults with heart failure. <i>Journal of Behavioral Medicine</i> , 2017, 40, 602-611.	1.1	15
64	Cognitive Function Predicts Risk for Clinically Significant Weight Gain in Adults With Heart Failure. <i>Journal of Cardiovascular Nursing</i> , 2017, 32, 568-575.	0.6	15
65	Role development of community health workers for cardiovascular disease prevention in India. <i>Evaluation and Program Planning</i> , 2018, 67, 177-183.	0.9	15
66	The Influence of Exercise on Cardiovascular Health in Sedentary Adults With Human Immunodeficiency Virus. <i>Journal of Cardiovascular Nursing</i> , 2018, 33, 239-247.	0.6	15
67	Cardiac rehabilitation is associated with lasting improvements in cognitive function in older adults with heart failure. <i>Acta Cardiologica</i> , 2014, 69, 407-14.	0.3	15
68	Socioeconomic Deprivation and Heart Failure Mortality in the United States. <i>Journal of Cardiac Failure</i> , 2020, 26, 1106-1107.	0.7	14
69	Depressive Symptomatology, Exercise Adherence, and Fitness Are Associated With Reduced Cognitive Performance in Heart Failure. <i>Journal of Aging and Health</i> , 2013, 25, 459-477.	0.9	13
70	Better adherence to treatment recommendations in heart failure predicts improved cognitive function at a one-year follow-up. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2014, 36, 956-966.	0.8	13
71	Reduced Gray Matter Volume Is Associated With Poorer Instrumental Activities of Daily Living Performance in Heart Failure. <i>Journal of Cardiovascular Nursing</i> , 2016, 31, 31-41.	0.6	13
72	Prevalence and pattern of cardiovascular risk factors in a population in India. <i>Heart Asia</i> , 2017, 9, e010931.	1.1	12

#	ARTICLE	IF	CITATIONS
73	Current Activities Centered on Healthy Living and Recommendations for the Future: A Position Statement from the HL-PIVOT Network. <i>Current Problems in Cardiology</i> , 2021, 46, 100823.	1.1	12
74	Depressive symptoms are associated with obesity in adults with heart failure: An analysis of gender differences. <i>European Journal of Cardiovascular Nursing</i> , 2015, 14, 516-524.	0.4	11
75	Cardiorespiratory Fitness and Atherosclerosis: Recent Data and Future Directions. <i>Current Atherosclerosis Reports</i> , 2016, 18, 26.	2.0	11
76	Rapid Desensitization to Overcome Contrast Allergy Prior to Urgent Coronary Angiography. <i>International Heart Journal</i> , 2018, 59, 622-625.	0.5	11
77	Examination of attention, executive function, and memory as predictors of mortality risk in adults with systolic heart failure. <i>European Journal of Cardiovascular Nursing</i> , 2019, 18, 729-735.	0.4	11
78	Level of Scientific Evidence Underlying the Current American College of Cardiology/American Heart Association Clinical Practice Guidelines. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2019, 12, e005293.	0.9	11
79	Cardiorespiratory fitness is associated with inflammation and physical activity in HIV+ adults. <i>Aids</i> , 2019, 33, 1023-1030.	1.0	11
80	What is your patient's cognitive profile? Three distinct subgroups of cognitive function in persons with heart failure. <i>Applied Nursing Research</i> , 2015, 28, 186-191.	1.0	10
81	Rationale and design of a cluster-randomized controlled trial to evaluate the effects of a community health worker-based program for cardiovascular risk factor control in India. <i>American Heart Journal</i> , 2017, 185, 161-172.	1.2	10
82	Pre-operative glycaemic control and long-term survival in diabetic patients after coronary artery bypass grafting. <i>European Journal of Cardio-thoracic Surgery</i> , 2021, 60, 1169-1177.	0.6	10
83	Sleep and Cognition in Older Adults With Cardiovascular Disease. <i>Journal of Cardiovascular Nursing</i> , 2010, 25, 497-502.	0.6	9
84	Depression and Heart Rate Variability in Cardiac Rehabilitation Patients: Exploring the Roles of Physical Activity and Fitness. <i>Perceptual and Motor Skills</i> , 2010, 111, 608-624.	0.6	9
85	Cognitive Function Does Not Impact Self-reported Health-Related Quality of Life in Heart Failure Patients. <i>Journal of Cardiovascular Nursing</i> , 2016, 31, 405-411.	0.6	9
86	Occult peripheral artery disease is common and limits the benefit achieved in cardiac rehabilitation. <i>Vascular Medicine</i> , 2016, 21, 130-136.	0.8	9
87	Association Between the 6-Minute Walk Test Distance and Peak Cardiorespiratory Fitness Among People Living with HIV Varies by Fitness Level. <i>Journal of the Association of Nurses in AIDS Care</i> , 2018, 29, 775-781.	0.4	9
88	Cardiac rehabilitation 2022. <i>Progress in Cardiovascular Diseases</i> , 2022, 70, 1.	1.6	9
89	Decreases in Body Mass Index After Cardiac Rehabilitation Predict Improved Cognitive Function in Older Adults with Heart Failure. <i>Journal of the American Geriatrics Society</i> , 2014, 62, 2215-2216.	1.3	8
90	Deactivation of Ventricular Assist Devices: Perspectives and Experiences of Adult Cardiovascular Providers. <i>Journal of Cardiac Failure</i> , 2017, 23, 485-486.	0.7	8

#	ARTICLE	IF	CITATIONS
91	Higher BMI is associated with reduced brain volume in heart failure. BMC Obesity, 2014, 1, 4.	3.1	7
92	First case report: Late-onset coronary artery spasm after radiofrequency catheter ablation for atrial fibrillation in a Caucasian patient. Clinical Case Reports (discontinued), 2020, 8, 1786-1790.	0.2	6
93	Impact of catheter ablation in patients with atrial flutter and concurrent heart failure. Heart Rhythm O2, 2021, 2, 53-63.	0.6	6
94	Sleep quality and daytime sleepiness are not associated with cognition in heart failure. Journal of Psychosomatic Research, 2018, 113, 100-106.	1.2	5
95	Standardizing hypertension management in a primary care setting in India through a protocol based model. Indian Heart Journal, 2019, 71, 375-380.	0.2	5
96	Outcomes of coronary artery bypass grafting in patients with heart failure with a midrange ejection fraction. Journal of Thoracic and Cardiovascular Surgery, 2023, 165, 149-158.e4.	0.4	5
97	A pilot randomized clinical trial of a teamwork intervention for heart failure care dyads. Heart and Lung: Journal of Acute and Critical Care, 2021, 50, 877-884.	0.8	5
98	Revascularization in ischaemic heart failure with preserved ejection fraction: a nationwide cohort study. European Journal of Heart Failure, 2022, 24, 1427-1438.	2.9	5
99	Development and Psychometric Evaluation of a Cardiovascular Risk and Disease Management Knowledge Assessment Tool. Journal of Cardiovascular Nursing, 2014, 29, 242-256.	0.6	4
100	The relationship of cardiorespiratory function, fatigue and depressive symptoms in PLHIV. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2020, 32, 877-881.	0.6	4
101	Weekday and Weekend Physical Activity and Stationary Behavior Patterns of People Living With HIV. Journal of the Association of Nurses in AIDS Care, 2020, 31, 337-345.	0.4	4
102	Endothelin-1 and peak oxygen consumption in patients with heart failure with preserved ejection fraction. Heart and Lung: Journal of Acute and Critical Care, 2021, 50, 442-446.	0.8	4
103	A qualitative study of facilitators and barriers to cardiovascular risk factor control in a semiurban population in India. Journal of Family Medicine and Primary Care, 2019, 8, 3773.	0.3	4
104	Cardiac rehabilitation in heart failure: Indications for exercise training based on heart failure phenotype. Progress in Cardiovascular Diseases, 2021, , .	1.6	4
105	Granulomatosis with Polyangiitis Presenting with Acute Aortic and Mitral Regurgitation: Case Report and Big-Data Analysis. Journal of Heart Valve Disease, 2017, 26, 103-106.	0.5	4
106	Coronary stenting in the elderly: Longitudinal results in a wide spectrum of patients treated with a new and more practical approach. , 1998, 44, 397-404.		3
107	The safety and efficacy of prednisolone in preventing reaccumulation of ascites among endomyocardial fibrosis patients in Uganda: a randomized clinical trial. BMC Research Notes, 2015, 8, 783.	0.6	3
108	The Role of Nonvitamin K Antagonist Oral Anticoagulants (NOACs) in Stroke Prevention in Patients with Atrial Fibrillation. Current Neurology and Neuroscience Reports, 2016, 16, 47.	2.0	3

#	ARTICLE	IF	CITATIONS
109	Gender Differences in Cognitive Test Performance in Adults With Heart Failure. <i>Journal of Cardiovascular Nursing</i> , 2017, 32, 212-217.	0.6	3
110	Relationship of HIV Status and Fatigue, Cardiorespiratory Fitness, Myokines, and Physical Activity. <i>Journal of the Association of Nurses in AIDS Care</i> , 2019, 30, 392-404.	0.4	3
111	Health Literacy, Cognitive Function, and Mortality in Patients With Heart Failure. <i>Journal of Cardiovascular Nursing</i> , 2022, 37, 50-55.	0.6	3
112	Acquired Left Ventricular Outflow Tract Obstruction During Acute Myocardial Infarction: Diagnosis of a New Cardiac Murmur. <i>The American Journal of Geriatric Cardiology</i> , 2001, 10, 283-285.	0.7	3
113	Systolic expansion of the aortic root: An echocardiographic and angiographic sign of aortic composite graft dehiscence. <i>Catheterization and Cardiovascular Diagnosis</i> , 1988, 14, 105-107.	0.7	2
114	Community health workers for blood pressure control in Nepal. <i>The Lancet Global Health</i> , 2018, 6, e6-e7.	2.9	2
115	Rationale and Design of a Randomized Controlled Trial to Evaluate the Effectiveness of Medical Student Counseling for Hospitalized Patients Addicted to Tobacco (the MS-CHAT Trial). <i>Journal of Smoking Cessation</i> , 2021, 2021, 6682408.	0.3	2
116	SVM Communications: Supervised exercise therapy for symptomatic peripheral artery disease – A conversation with the experts. <i>Vascular Medicine</i> , 2022, 27, 214-216.	0.8	2
117	The Rehabilitation Continuum from Hospital to Cardiac Rehabilitation: A Study of 147,000 Medicare Beneficiaries. <i>Western Journal of Nursing Research</i> , 2017, 39, 1379-1380.	0.6	1
118	Development and Validation of a Teaching Module for Echocardiographic Scoring of Rheumatic Mitral Stenosis. <i>Global Heart</i> , 2019, 13, 105.	0.9	1
119	Response to letter by Visaria et al regarding our article, “Standardizing hypertension management in a primary care setting in India through a protocol based model.” <i>Indian Heart Journal</i> , 2020, 72, 59-60.	0.2	1
120	Insights from Monitoring Aspirin Adherence: A Medication Adherence Cascade Tool. <i>Patient Preference and Adherence</i> , 2021, Volume 15, 1639-1646.	0.8	1
121	Screening for Vascular Disease in Pulmonary Rehabilitation. <i>British Journal of Medicine and Medical Research</i> , 2015, 5, 169-177.	0.2	1
122	Campaign Finance Reform as a Health Issue in the USA. <i>Journal of General Internal Medicine</i> , 2020, 35, 2189-2190.	1.3	0
123	Calcified myocardial scar seen via cardiac imaging correlating with ventricular tachycardia focus. <i>BMJ Case Reports</i> , 2021, 14, e240549.	0.2	0
124	Physical Activity to Reduce Subclinical Myocardial Injury Associated Heart Failure in Blacks. <i>JACC: Heart Failure</i> , 2021, 9, 494-496.	1.9	0
125	Diaphragmatic pacemaker-induced ventricular tachycardia leading to cardiac arrest: a case report. <i>European Heart Journal - Case Reports</i> , 2021, 5, ytab352.	0.3	0
126	The Right Stuff. <i>Mayo Clinic Proceedings</i> , 2022, 97, 1222-1223.	1.4	0