

# Richard A Josephson

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/182982/richard-a-josephson-publications-by-citations.pdf>

**Version:** 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

120  
papers

2,887  
citations

26  
h-index

50  
g-index

131  
ext. papers

3,446  
ext. citations

3.6  
avg, IF

4.72  
L-index

#	Paper	IF	Citations
120	Relationships between sinus rhythm, treatment, and survival in the Atrial Fibrillation Follow-Up Investigation of Rhythm Management (AFFIRM) Study. <i>Circulation</i> , <b>2004</b> , 109, 1509-13	16.7	888
119	Randomized controlled trial of mindfulness-based stress reduction for prehypertension. <i>Psychosomatic Medicine</i> , <b>2013</b> , 75, 721-8	3.7	83
118	Cognitive function and treatment adherence in older adults with heart failure. <i>Psychosomatic Medicine</i> , <b>2012</b> , 74, 965-73	3.7	78
117	Cerebral perfusion is associated with white matter hyperintensities in older adults with heart failure. <i>Congestive Heart Failure</i> , <b>2013</b> , 19, E29-34		75
116	Cognitive impairment is independently associated with reduced instrumental activities of daily living in persons with heart failure. <i>Journal of Cardiovascular Nursing</i> , <b>2012</b> , 27, 44-50	2.1	71
115	Depression increases the risk of mortality in patients with heart failure: A meta-analysis. <i>Journal of Psychosomatic Research</i> , <b>2017</b> , 94, 82-89	4.1	69
114	Depression is associated with reduced physical activity in persons with heart failure. <i>Health Psychology</i> , <b>2012</b> , 31, 754-62	5	52
113	Depression predicts failure to complete phase-II cardiac rehabilitation. <i>Journal of Behavioral Medicine</i> , <b>2008</b> , 31, 421-31	3.6	52
112	Heart Failure as a Newly Approved Diagnosis for Cardiac Rehabilitation: Challenges and Opportunities. <i>Journal of the American College of Cardiology</i> , <b>2015</b> , 65, 2652-2659	15.1	51
111	Atrial fibrillation exacerbates cognitive dysfunction and cerebral perfusion in heart failure. <i>PACE - Pacing and Clinical Electrophysiology</i> , <b>2015</b> , 38, 178-86	1.6	51
110	The MoCA and MMSE as screeners for cognitive impairment in a heart failure population: a study with comprehensive neuropsychological testing. <i>Heart and Lung: Journal of Acute and Critical Care</i> , <b>2014</b> , 43, 462-8	2.6	50
109	Obesity interacts with cerebral hypoperfusion to exacerbate cognitive impairment in older adults with heart failure. <i>Cerebrovascular Diseases Extra</i> , <b>2012</b> , 2, 88-98	2.1	50
108	Randomized controlled feasibility trial of two telemedicine medication reminder systems for older adults with heart failure. <i>Journal of Telemedicine and Telecare</i> , <b>2014</b> , 20, 293-9	6.8	45
107	Effects of advancing age on the efficacy and side effects of antiarrhythmic drugs in post-myocardial infarction patients with ventricular arrhythmias. The CAST Investigators. <i>Journal of the American Geriatrics Society</i> , <b>1992</b> , 40, 666-72	5.6	38
106	Resource loss predicts depression and anxiety among patients treated with an implantable cardioverter defibrillator. <i>Psychosomatic Medicine</i> , <b>2006</b> , 68, 794-800	3.7	37
105	The Effectiveness of Community Health Workers for CVD Prevention in LMIC. <i>Global Heart</i> , <b>2017</b> , 12, 233-243.e6	2.9	37
104	Decreased physical activity predicts cognitive dysfunction and reduced cerebral blood flow in heart failure. <i>Journal of the Neurological Sciences</i> , <b>2014</b> , 339, 169-75	3.2	36

103	Association Between Poorer Cognitive Function and Reduced Objectively Monitored Medication Adherence in Patients With Heart Failure. <i>Circulation: Heart Failure</i> , <b>2016</b> , 9,	7.6	36
102	Current perspectives on the use of meditation to reduce blood pressure. <i>International Journal of Hypertension</i> , <b>2012</b> , 2012, 578397	2.4	34
101	Reduced cerebral perfusion predicts greater depressive symptoms and cognitive dysfunction at a 1-year follow-up in patients with heart failure. <i>International Journal of Geriatric Psychiatry</i> , <b>2014</b> , 29, 428-38	3.8	33
100	Depression is associated with cognitive dysfunction in older adults with heart failure. <i>Cardiovascular Psychiatry and Neurology</i> , <b>2011</b> , 2011, 368324		33
99	Randomized Controlled Trial of the SystemCHANGE Intervention on Behaviors Related to Cardiovascular Risk in HIV+ Adults. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , <b>2018</b> , 78, 23-33	3.1	30
98	Worsening tricuspid regurgitation following pericardiectomy for constrictive pericarditis. <i>Chest</i> , <b>1993</b> , 104, 79-81	5.3	29
97	Executive dysfunction is independently associated with reduced functional independence in heart failure. <i>Journal of Clinical Nursing</i> , <b>2014</b> , 23, 829-36	3.2	28
96	Poorer physical fitness is associated with reduced structural brain integrity in heart failure. <i>Journal of the Neurological Sciences</i> , <b>2013</b> , 328, 51-7	3.2	27
95	The independent association of hypertension with cognitive function among older adults with heart failure. <i>Journal of the Neurological Sciences</i> , <b>2012</b> , 323, 216-20	3.2	26
94	The 2-minute step test is independently associated with cognitive function in older adults with heart failure. <i>Aging Clinical and Experimental Research</i> , <b>2012</b> , 24, 468-74	4.8	25
93	Dietary sodium adherence is poor in chronic heart failure patients. <i>Journal of Cardiac Failure</i> , <b>2015</b> , 21, 323-9	3.3	24
92	Poor sleep quality and reduced cognitive function in persons with heart failure. <i>International Journal of Cardiology</i> , <b>2012</b> , 156, 248-9	3.2	23
91	Cardiac rehabilitation is associated with lasting improvements in cognitive function in older adults with heart failure. <i>Acta Cardiologica</i> , <b>2014</b> , 69, 407-414	0.9	22
90	The interactive effects of cerebral perfusion and depression on cognitive function in older adults with heart failure. <i>Psychosomatic Medicine</i> , <b>2013</b> , 75, 632-9	3.7	22
89	Cognitive profiles in heart failure: a cluster analytic approach. <i>Journal of Clinical and Experimental Neuropsychology</i> , <b>2012</b> , 34, 509-20	2.1	22
88	The effects of obesity on functional work capacity and quality of life in phase II cardiac rehabilitation. <i>Preventive Cardiology</i> , <b>2007</b> , 10, 64-7		22
87	ACC/AHA/SCAI/AMA-Convended PCPI/NCQA 2013 Performance Measures for Adults Undergoing Percutaneous Coronary Intervention: A Report of the American College of Cardiology/American Heart Association Task Force on Performance Measures, the Society for Cardiovascular Angiography and Interventions, the American Medical Association-Convended Physician Consortium	16.7	21
86	Mortality Due to Aortic Stenosis in the United States, 2008-2017. <i>JAMA - Journal of the American Medical Association</i> , <b>2019</b> , 321, 2236-2238	27.4	20

85	Reduced executive functioning is associated with poorer outcome in cardiac rehabilitation. <i>Preventive Cardiology</i> , <b>2010</b> , 13, 100-3		20
84	Cardiac Rehabilitation for Patients With Heart Failure: JACC Expert Panel. <i>Journal of the American College of Cardiology</i> , <b>2021</b> , 77, 1454-1469	15.1	20
83	The impact of medication nonadherence on the relationship between mortality risk and depression in heart failure. <i>Health Psychology</i> , <b>2017</b> , 36, 839-847	5	19
82	Cognitive reserve moderates the association between heart failure and cognitive impairment. <i>Journal of Clinical and Experimental Neuropsychology</i> , <b>2012</b> , 34, 1-10	2.1	18
81	Decreases in daily physical activity predict acute decline in attention and executive function in heart failure. <i>Journal of Cardiac Failure</i> , <b>2015</b> , 21, 339-46	3.3	17
80	Prediction of cardiac death in patients with a very low ejection fraction after myocardial infarction: a Cardiac Arrhythmia Suppression Trial (CAST) study. <i>American Heart Journal</i> , <b>1995</b> , 130, 685-91	4.9	17
79	Obesity and cognitive dysfunction in heart failure: the role of hypertension, type 2 diabetes, and physical fitness. <i>European Journal of Cardiovascular Nursing</i> , <b>2015</b> , 14, 334-41	3.3	16
78	Daily Physical Activity Is Associated with Subcortical Brain Volume and Cognition in Heart Failure. <i>Journal of the International Neuropsychological Society</i> , <b>2015</b> , 21, 851-60	3.1	16
77	Intra-aortic balloon pump complications: A five-year retrospective study of 283 patients. <i>Heart and Lung: Journal of Acute and Critical Care</i> , <b>1999</b> , 28, 195-202	2.6	16
76	The association between cognitive function and objective adherence to dietary sodium guidelines in patients with heart failure. <i>Patient Preference and Adherence</i> , <b>2016</b> , 10, 233-41	2.4	16
75	COPD is associated with cognitive dysfunction and poor physical fitness in heart failure. <i>Heart and Lung: Journal of Acute and Critical Care</i> , <b>2015</b> , 44, 21-6	2.6	15
74	Sleep apnea and cognitive function in heart failure. <i>Cardiovascular Psychiatry and Neurology</i> , <b>2012</b> , 2012, 402079		15
73	Intracardiac sarcoma diagnosed by left ventricular endomyocardial biopsy. <i>Chest</i> , <b>1987</b> , 92, 177-9	5.3	15
72	Cognitive Function in Heart Failure Is Associated With Nonsomatic Symptoms of Depression But Not Somatic Symptoms. <i>Journal of Cardiovascular Nursing</i> , <b>2015</b> , 30, E9-E17	2.1	14
71	Cognitive performance in older adults with stable heart failure: longitudinal evidence for stability and improvement. <i>Aging, Neuropsychology, and Cognition</i> , <b>2014</b> , 21, 239-56	2.1	13
70	Reduced cognitive function predicts functional decline in patients with heart failure over 12 months. <i>European Journal of Cardiovascular Nursing</i> , <b>2014</b> , 13, 304-10	3.3	13
69	Effect of age on postmyocardial infarction ventricular arrhythmias (Holter Registry data from CAST I and CAST II). Cardiovascular Arrhythmia Suppression Trials. <i>American Journal of Cardiology</i> , <b>1995</b> , 76, 710-3	3	13
68	Cardiac rehabilitation is associated with lasting improvements in cognitive function in older adults with heart failure. <i>Acta Cardiologica</i> , <b>2014</b> , 69, 407-14	0.9	13

67	The Contribution of Living Arrangements, Social Support, and Self-efficacy to Self-management Behaviors Among Individuals With Heart Failure: A Path Analysis. <i>Journal of Cardiovascular Nursing</i> , <b>2019</b> , 34, 319-326	2.1	13
66	Cognitive dysfunction mediates the effects of poor physical fitness on decreased functional independence in heart failure. <i>Geriatrics and Gerontology International</i> , <b>2015</b> , 15, 174-81	2.9	12
65	Greater physical activity is associated with better cognitive function in heart failure. <i>Health Psychology</i> , <b>2014</b> , 33, 1337-43	5	12
64	The adverse impact of type 2 diabetes on brain volume in heart failure. <i>Journal of Clinical and Experimental Neuropsychology</i> , <b>2013</b> , 35, 309-18	2.1	12
63	Depressive symptomatology, exercise adherence, and fitness are associated with reduced cognitive performance in heart failure. <i>Journal of Aging and Health</i> , <b>2013</b> , 25, 459-77	2.6	12
62	The need for exercise sciences and an integrated response to COVID-19: A position statement from the international HL-PIVOT network. <i>Progress in Cardiovascular Diseases</i> , <b>2021</b> , 67, 2-10	8.5	12
61	Depressive symptoms moderate the relationship between medication regimen complexity and objectively measured medication adherence in adults with heart failure. <i>Journal of Behavioral Medicine</i> , <b>2017</b> , 40, 602-611	3.6	11
60	Role development of community health workers for cardiovascular disease prevention in India. <i>Evaluation and Program Planning</i> , <b>2018</b> , 67, 177-183	1.7	11
59	Greater body mass index is associated with poorer cognitive functioning in male heart failure patients. <i>Journal of Cardiac Failure</i> , <b>2014</b> , 20, 199-206	3.3	11
58	Cognitive Function Predicts Risk for Clinically Significant Weight Gain in Adults With Heart Failure. <i>Journal of Cardiovascular Nursing</i> , <b>2017</b> , 32, 568-575	2.1	11
57	Better adherence to treatment recommendations in heart failure predicts improved cognitive function at a one-year follow-up. <i>Journal of Clinical and Experimental Neuropsychology</i> , <b>2014</b> , 36, 956-66	2.1	11
56	Effect of a Community Health Worker-Based Approach to Integrated Cardiovascular Risk Factor Control in India: A Cluster Randomized Controlled Trial. <i>Global Heart</i> , <b>2019</b> , 14, 355-365	2.9	11
55	Cognitive function and health literacy are independently associated with heart failure knowledge. <i>Heart and Lung: Journal of Acute and Critical Care</i> , <b>2016</b> , 45, 386-91	2.6	10
54	The Influence of Exercise on Cardiovascular Health in Sedentary Adults With Human Immunodeficiency Virus. <i>Journal of Cardiovascular Nursing</i> , <b>2018</b> , 33, 239-247	2.1	10
53	What is your patient's cognitive profile? Three distinct subgroups of cognitive function in persons with heart failure. <i>Applied Nursing Research</i> , <b>2015</b> , 28, 186-91	1.8	9
52	Cardiorespiratory Fitness and Atherosclerosis: Recent Data and Future Directions. <i>Current Atherosclerosis Reports</i> , <b>2016</b> , 18, 26	6	9
51	Depression and heart rate variability in cardiac rehabilitation patients: exploring the roles of physical activity and fitness. <i>Perceptual and Motor Skills</i> , <b>2010</b> , 111, 608-24	2.2	9
50	Reduced Gray Matter Volume Is Associated With Poorer Instrumental Activities of Daily Living Performance in Heart Failure. <i>Journal of Cardiovascular Nursing</i> , <b>2016</b> , 31, 31-41	2.1	9

49	Level of Scientific Evidence Underlying the Current American College of Cardiology/American Heart Association Clinical Practice Guidelines. <i>Circulation: Cardiovascular Quality and Outcomes</i> , <b>2019</b> , 12, e005293	5.8	9
48	Rationale and design of a cluster-randomized controlled trial to evaluate the effects of a community health worker-based program for cardiovascular risk factor control in India. <i>American Heart Journal</i> , <b>2017</b> , 185, 161-172	4.9	8
47	Association Between the 6-Minute Walk Test Distance and Peak Cardiorespiratory Fitness Among People Living with HIV Varies by Fitness Level. <i>Journal of the Association of Nurses in AIDS Care</i> , <b>2018</b> , 29, 775-781	1.6	8
46	Rapid Desensitization to Overcome Contrast Allergy Prior to Urgent Coronary Angiography. <i>International Heart Journal</i> , <b>2018</b> , 59, 622-625	1.8	8
45	Prevalence and pattern of cardiovascular risk factors in a population in India. <i>Heart Asia</i> , <b>2017</b> , 9, e010931	1.9	8
44	Decreases in body mass index after cardiac rehabilitation predict improved cognitive function in older adults with heart failure. <i>Journal of the American Geriatrics Society</i> , <b>2014</b> , 62, 2215-6	5.6	8
43	Cognitive Function Does Not Impact Self-reported Health-Related Quality of Life in Heart Failure Patients. <i>Journal of Cardiovascular Nursing</i> , <b>2016</b> , 31, 405-11	2.1	8
42	Higher BMI is associated with reduced brain volume in heart failure. <i>BMC Obesity</i> , <b>2014</b> , 1, 4	3.6	7
41	Occult peripheral artery disease is common and limits the benefit achieved in cardiac rehabilitation. <i>Vascular Medicine</i> , <b>2016</b> , 21, 130-6	3.3	6
40	Deactivation of Ventricular Assist Devices: Perspectives and Experiences of Adult Cardiovascular Providers. <i>Journal of Cardiac Failure</i> , <b>2017</b> , 23, 485-486	3.3	6
39	Depressive symptoms are associated with obesity in adults with heart failure: An analysis of gender differences. <i>European Journal of Cardiovascular Nursing</i> , <b>2015</b> , 14, 516-24	3.3	6
38	Cardiorespiratory fitness is associated with inflammation and physical activity in HIV+ adults. <i>Aids</i> , <b>2019</b> , 33, 1023-1030	3.5	6
37	Examination of attention, executive function, and memory as predictors of mortality risk in adults with systolic heart failure. <i>European Journal of Cardiovascular Nursing</i> , <b>2019</b> , 18, 729-735	3.3	5
36	Sleep and cognition in older adults with cardiovascular disease. <i>Journal of Cardiovascular Nursing</i> , <b>2010</b> , 25, 497-502	2.1	5
35	Catheter Ablation for Atrial Fibrillation in Patients With Concurrent Heart Failure. <i>American Journal of Cardiology</i> , <b>2020</b> , 137, 45-54	3	5
34	Socioeconomic Deprivation and Heart Failure Mortality in the United States. <i>Journal of Cardiac Failure</i> , <b>2020</b> , 26, 1106-1107	3.3	5
33	Development and psychometric evaluation of a cardiovascular risk and disease management knowledge assessment tool. <i>Journal of Cardiovascular Nursing</i> , <b>2014</b> , 29, 242-56	2.1	4
32	Standardizing hypertension management in a primary care setting in India through a protocol based model. <i>Indian Heart Journal</i> , <b>2019</b> , 71, 375-380	1.6	4



31	Granulomatosis with Polyangiitis Presenting with Acute Aortic and Mitral Regurgitation: Case Report and Big-Data Analysis. <i>Journal of Heart Valve Disease</i> , <b>2017</b> , 26, 103-106		4
30	Gender Differences in Cognitive Test Performance in Adults With Heart Failure. <i>Journal of Cardiovascular Nursing</i> , <b>2017</b> , 32, 212-217	2.1	3
29	Sleep quality and daytime sleepiness are not associated with cognition in heart failure. <i>Journal of Psychosomatic Research</i> , <b>2018</b> , 113, 100-106	4.1	3
28	The safety and efficacy of prednisolone in preventing reaccumulation of ascites among endomyocardial fibrosis patients in Uganda: a randomized clinical trial. <i>BMC Research Notes</i> , <b>2015</b> , 8, 783	2.3	3
27	Closing Gaps in Lifestyle Adherence for Secondary Prevention of Coronary Heart Disease. <i>American Journal of Cardiology</i> , <b>2021</b> , 145, 1-11	3	3
26	Current Activities Centered on Healthy Living and Recommendations for the Future: A Position Statement from the HL-PIVOT Network. <i>Current Problems in Cardiology</i> , <b>2021</b> , 46, 100823	17.1	3
25	The Role of Nonvitamin K Antagonist Oral Anticoagulants (NOACs) in Stroke Prevention in Patients with Atrial Fibrillation. <i>Current Neurology and Neuroscience Reports</i> , <b>2016</b> , 16, 47	6.6	3
24	The relationship of cardiorespiratory function, fatigue and depressive symptoms in PLHIV. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , <b>2020</b> , 32, 877-881	2.2	3
23	Outcomes of coronary artery bypass grafting in patients with heart failure with a midrange ejection fraction. <i>Journal of Thoracic and Cardiovascular Surgery</i> , <b>2021</b> ,	1.5	3
22	Coronary stenting in the elderly: longitudinal results in a wide spectrum of patients treated with a new and more practical approach. <i>Catheterization and Cardiovascular Diagnosis</i> , <b>1998</b> , 44, 397-404		2
21	Systolic expansion of the aortic root: an echocardiographic and angiographic sign of aortic composite graft dehiscence. <i>Catheterization and Cardiovascular Diagnosis</i> , <b>1988</b> , 14, 105-7		2
20	A qualitative study of facilitators and barriers to cardiovascular risk factor control in a semiurban population in India. <i>Journal of Family Medicine and Primary Care</i> , <b>2019</b> , 8, 3773-3778	1.5	2
19	Pre-operative glycaemic control and long-term survival in diabetic patients after coronary artery bypass grafting. <i>European Journal of Cardio-thoracic Surgery</i> , <b>2021</b> , 60, 1169-1177	3	2
18	Relationship of HIV Status and Fatigue, Cardiorespiratory Fitness, Myokines, and Physical Activity. <i>Journal of the Association of Nurses in AIDS Care</i> , <b>2019</b> , 30, 392-404	1.6	2
17	The Rehabilitation Continuum from Hospital to Cardiac Rehabilitation: A Study of 147,000 Medicare Beneficiaries. <i>Western Journal of Nursing Research</i> , <b>2017</b> , 39, 1379-1380	2	1
16	Response to letter by Visaria et al regarding our article, "Standardizing hypertension management in a primary care setting in India through a protocol based model." <i>Indian Heart Journal</i> , <b>2020</b> , 72, 59-60	1.6	1
15	Community health workers for blood pressure control in Nepal. <i>The Lancet Global Health</i> , <b>2018</b> , 6, e6-e7	13.6	1
14	Acquired left ventricular outflow tract obstruction during acute myocardial infarction: diagnosis of a new cardiac murmur. <i>The American Journal of Geriatric Cardiology</i> , <b>2001</b> , 10, 283-5		1

13	Cardiac rehabilitation in heart failure: Indications for exercise training based on heart failure phenotype. <i>Progress in Cardiovascular Diseases</i> , <b>2021</b> ,	8.5	1
12	Weekday and Weekend Physical Activity and Stationary Behavior Patterns of People Living With HIV. <i>Journal of the Association of Nurses in AIDS Care</i> , <b>2020</b> , 31, 337-345	1.6	1
11	First case report: Late-onset coronary artery spasm after radiofrequency catheter ablation for atrial fibrillation in a Caucasian patient. <i>Clinical Case Reports (discontinued)</i> , <b>2020</b> , 8, 1786-1790	0.7	1
10	Development and Validation of a Teaching Module for Echocardiographic Scoring of Rheumatic Mitral Stenosis. <i>Global Heart</i> , <b>2018</b> , 13, 105-111	2.9	1
9	Health Literacy, Cognitive Function, and Mortality in Patients With Heart Failure. <i>Journal of Cardiovascular Nursing</i> , <b>2022</b> , 37, 50-55	2.1	1
8	Endothelin-1 and peak oxygen consumption in patients with heart failure with preserved ejection fraction. <i>Heart and Lung: Journal of Acute and Critical Care</i> , <b>2021</b> , 50, 442-446	2.6	0
7	Impact of catheter ablation in patients with atrial flutter and concurrent heart failure. <i>Heart Rhythm O2</i> , <b>2021</b> , 2, 53-63	1.5	0
6	Insights from Monitoring Aspirin Adherence: A Medication Adherence Cascade Tool. <i>Patient Preference and Adherence</i> , <b>2021</b> , 15, 1639-1646	2.4	0
5	A pilot randomized clinical trial of a teamwork intervention for heart failure care dyads. <i>Heart and Lung: Journal of Acute and Critical Care</i> , <b>2021</b> , 50, 877-884	2.6	0
4	SVM Communications: Supervised exercise therapy for symptomatic peripheral artery disease - A conversation with the experts.. <i>Vascular Medicine</i> , <b>2022</b> , 1358863X221078886	3.3	0
3	Calcified myocardial scar seen via cardiac imaging correlating with ventricular tachycardia focus. <i>BMJ Case Reports</i> , <b>2021</b> , 14,	0.9	
2	Diaphragmatic pacemaker-induced ventricular tachycardia leading to cardiac arrest: a case report. <i>European Heart Journal - Case Reports</i> , <b>2021</b> , 5, ytab352	0.9	
1	Rationale and Design of a Randomized Controlled Trial to Evaluate the Effectiveness of Medical Student Counseling for Hospitalized Patients Addicted to Tobacco (the MS-CHAT Trial). <i>Journal of Smoking Cessation</i> , <b>2021</b> , 2021, 6682408	0.5	