

Richard A Josephson

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/182982/richard-a-josephson-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

120
papers

2,887
citations

26
h-index

50
g-index

131
ext. papers

3,446
ext. citations

3.6
avg, IF

4.72
L-index

#	Paper	IF	Citations
120	Health Literacy, Cognitive Function, and Mortality in Patients With Heart Failure. <i>Journal of Cardiovascular Nursing</i> , 2022 , 37, 50-55	2.1	1
119	SVM Communications: Supervised exercise therapy for symptomatic peripheral artery disease - A conversation with the experts.. <i>Vascular Medicine</i> , 2022 , 1358863X221078886	3.3	0
118	Cardiac rehabilitation in heart failure: Indications for exercise training based on heart failure phenotype. <i>Progress in Cardiovascular Diseases</i> , 2021 ,	8.5	1
117	Cardiac Rehabilitation for Patients With Heart Failure: JACC Expert Panel. <i>Journal of the American College of Cardiology</i> , 2021 , 77, 1454-1469	15.1	20
116	Calcified myocardial scar seen via cardiac imaging correlating with ventricular tachycardia focus. <i>BMJ Case Reports</i> , 2021 , 14,	0.9	
115	Closing Gaps in Lifestyle Adherence for Secondary Prevention of Coronary Heart Disease. <i>American Journal of Cardiology</i> , 2021 , 145, 1-11	3	3
114	Pre-operative glycaemic control and long-term survival in diabetic patients after coronary artery bypass grafting. <i>European Journal of Cardio-thoracic Surgery</i> , 2021 , 60, 1169-1177	3	2
113	Endothelin-1 and peak oxygen consumption in patients with heart failure with preserved ejection fraction. <i>Heart and Lung: Journal of Acute and Critical Care</i> , 2021 , 50, 442-446	2.6	0
112	Current Activities Centered on Healthy Living and Recommendations for the Future: A Position Statement from the HL-PIVOT Network. <i>Current Problems in Cardiology</i> , 2021 , 46, 100823	17.1	3
111	Outcomes of coronary artery bypass grafting in patients with heart failure with a midrange ejection fraction. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2021 ,	1.5	3
110	Impact of catheter ablation in patients with atrial flutter and concurrent heart failure. <i>Heart Rhythm O2</i> , 2021 , 2, 53-63	1.5	0
109	The need for exercise sciences and an integrated response to COVID-19: A position statement from the international HL-PIVOT network. <i>Progress in Cardiovascular Diseases</i> , 2021 , 67, 2-10	8.5	12
108	Insights from Monitoring Aspirin Adherence: A Medication Adherence Cascade Tool. <i>Patient Preference and Adherence</i> , 2021 , 15, 1639-1646	2.4	0
107	Diaphragmatic pacemaker-induced ventricular tachycardia leading to cardiac arrest: a case report. <i>European Heart Journal - Case Reports</i> , 2021 , 5, ytab352	0.9	
106	A pilot randomized clinical trial of a teamwork intervention for heart failure care dyads. <i>Heart and Lung: Journal of Acute and Critical Care</i> , 2021 , 50, 877-884	2.6	0
105	Rationale and Design of a Randomized Controlled Trial to Evaluate the Effectiveness of Medical Student Counseling for Hospitalized Patients Addicted to Tobacco (the MS-CHAT Trial). <i>Journal of Smoking Cessation</i> , 2021 , 2021, 6682408	0.5	
104	Response to letter by Visaria et al regarding our article, "Standardizing hypertension management in a primary care setting in India through a protocol based model.". <i>Indian Heart Journal</i> , 2020 , 72, 59-60	1.6	1

103	Weekday and Weekend Physical Activity and Stationary Behavior Patterns of People Living With HIV. <i>Journal of the Association of Nurses in AIDS Care</i> , 2020 , 31, 337-345	1.6	1
102	Catheter Ablation for Atrial Fibrillation in Patients With Concurrent Heart Failure. <i>American Journal of Cardiology</i> , 2020 , 137, 45-54	3	5
101	Socioeconomic Deprivation and Heart Failure Mortality in the United States. <i>Journal of Cardiac Failure</i> , 2020 , 26, 1106-1107	3.3	5
100	First case report: Late-onset coronary artery spasm after radiofrequency catheter ablation for atrial fibrillation in a Caucasian patient. <i>Clinical Case Reports (discontinued)</i> , 2020 , 8, 1786-1790	0.7	1
99	The relationship of cardiorespiratory function, fatigue and depressive symptoms in PLHIV. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2020 , 32, 877-881	2.2	3
98	Mortality Due to Aortic Stenosis in the United States, 2008-2017. <i>JAMA - Journal of the American Medical Association</i> , 2019 , 321, 2236-2238	27.4	20
97	Examination of attention, executive function, and memory as predictors of mortality risk in adults with systolic heart failure. <i>European Journal of Cardiovascular Nursing</i> , 2019 , 18, 729-735	3.3	5
96	A qualitative study of facilitators and barriers to cardiovascular risk factor control in a semiurban population in India. <i>Journal of Family Medicine and Primary Care</i> , 2019 , 8, 3773-3778	1.5	2
95	Level of Scientific Evidence Underlying the Current American College of Cardiology/American Heart Association Clinical Practice Guidelines. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2019 , 12, e005293	5.8	9
94	Standardizing hypertension management in a primary care setting in India through a protocol based model. <i>Indian Heart Journal</i> , 2019 , 71, 375-380	1.6	4
93	Relationship of HIV Status and Fatigue, Cardiorespiratory Fitness, Myokines, and Physical Activity. <i>Journal of the Association of Nurses in AIDS Care</i> , 2019 , 30, 392-404	1.6	2
92	The Contribution of Living Arrangements, Social Support, and Self-efficacy to Self-management Behaviors Among Individuals With Heart Failure: A Path Analysis. <i>Journal of Cardiovascular Nursing</i> , 2019 , 34, 319-326	2.1	13
91	Cardiorespiratory fitness is associated with inflammation and physical activity in HIV+ adults. <i>Aids</i> , 2019 , 33, 1023-1030	3.5	6
90	Effect of a Community Health Worker-Based Approach to Integrated Cardiovascular Risk Factor Control in India: A Cluster Randomized Controlled Trial. <i>Global Heart</i> , 2019 , 14, 355-365	2.9	11
89	Role development of community health workers for cardiovascular disease prevention in India. <i>Evaluation and Program Planning</i> , 2018 , 67, 177-183	1.7	11
88	Randomized Controlled Trial of the SystemCHANGE Intervention on Behaviors Related to Cardiovascular Risk in HIV+ Adults. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2018 , 78, 23-33	3.1	30
87	Community health workers for blood pressure control in Nepal. <i>The Lancet Global Health</i> , 2018 , 6, e6-e7	13.6	1
86	Association Between the 6-Minute Walk Test Distance and Peak Cardiorespiratory Fitness Among People Living with HIV Varies by Fitness Level. <i>Journal of the Association of Nurses in AIDS Care</i> , 2018 , 29, 775-781	1.6	8

85	Rapid Desensitization to Overcome Contrast Allergy Prior to Urgent Coronary Angiography. <i>International Heart Journal</i> , 2018 , 59, 622-625	1.8	8
84	Sleep quality and daytime sleepiness are not associated with cognition in heart failure. <i>Journal of Psychosomatic Research</i> , 2018 , 113, 100-106	4.1	3
83	Development and Validation of a Teaching Module for Echocardiographic Scoring of Rheumatic Mitral Stenosis. <i>Global Heart</i> , 2018 , 13, 105-111	2.9	1
82	The Influence of Exercise on Cardiovascular Health in Sedentary Adults With Human Immunodeficiency Virus. <i>Journal of Cardiovascular Nursing</i> , 2018 , 33, 239-247	2.1	10
81	Gender Differences in Cognitive Test Performance in Adults With Heart Failure. <i>Journal of Cardiovascular Nursing</i> , 2017 , 32, 212-217	2.1	3
80	Rationale and design of a cluster-randomized controlled trial to evaluate the effects of a community health worker-based program for cardiovascular risk factor control in India. <i>American Heart Journal</i> , 2017 , 185, 161-172	4.9	8
79	Depression increases the risk of mortality in patients with heart failure: A meta-analysis. <i>Journal of Psychosomatic Research</i> , 2017 , 94, 82-89	4.1	69
78	Depressive symptoms moderate the relationship between medication regimen complexity and objectively measured medication adherence in adults with heart failure. <i>Journal of Behavioral Medicine</i> , 2017 , 40, 602-611	3.6	11
77	The Rehabilitation Continuum from Hospital to Cardiac Rehabilitation: A Study of 147,000 Medicare Beneficiaries. <i>Western Journal of Nursing Research</i> , 2017 , 39, 1379-1380	2	1
76	Prevalence and pattern of cardiovascular risk factors in a population in India. <i>Heart Asia</i> , 2017 , 9, e010931.9	1.9	8
75	Deactivation of Ventricular Assist Devices: Perspectives and Experiences of Adult Cardiovascular Providers. <i>Journal of Cardiac Failure</i> , 2017 , 23, 485-486	3.3	6
74	Cognitive Function Predicts Risk for Clinically Significant Weight Gain in Adults With Heart Failure. <i>Journal of Cardiovascular Nursing</i> , 2017 , 32, 568-575	2.1	11
73	The impact of medication nonadherence on the relationship between mortality risk and depression in heart failure. <i>Health Psychology</i> , 2017 , 36, 839-847	5	19
72	The Effectiveness of Community Health Workers for CVD Prevention in LMIC. <i>Global Heart</i> , 2017 , 12, 233-243.e6	2.9	37
71	Granulomatosis with Polyangiitis Presenting with Acute Aortic and Mitral Regurgitation: Case Report and Big-Data Analysis. <i>Journal of Heart Valve Disease</i> , 2017 , 26, 103-106		4
70	Occult peripheral artery disease is common and limits the benefit achieved in cardiac rehabilitation. <i>Vascular Medicine</i> , 2016 , 21, 130-6	3.3	6
69	Cardiorespiratory Fitness and Atherosclerosis: Recent Data and Future Directions. <i>Current Atherosclerosis Reports</i> , 2016 , 18, 26	6	9
68	The association between cognitive function and objective adherence to dietary sodium guidelines in patients with heart failure. <i>Patient Preference and Adherence</i> , 2016 , 10, 233-41	2.4	16

67	Reduced Gray Matter Volume Is Associated With Poorer Instrumental Activities of Daily Living Performance in Heart Failure. <i>Journal of Cardiovascular Nursing</i> , 2016 , 31, 31-41	2.1	9
66	Cognitive Function Does Not Impact Self-reported Health-Related Quality of Life in Heart Failure Patients. <i>Journal of Cardiovascular Nursing</i> , 2016 , 31, 405-11	2.1	8
65	Association Between Poorer Cognitive Function and Reduced Objectively Monitored Medication Adherence in Patients With Heart Failure. <i>Circulation: Heart Failure</i> , 2016 , 9,	7.6	36
64	The Role of Nonvitamin K Antagonist Oral Anticoagulants (NOACs) in Stroke Prevention in Patients with Atrial Fibrillation. <i>Current Neurology and Neuroscience Reports</i> , 2016 , 16, 47	6.6	3
63	Cognitive function and health literacy are independently associated with heart failure knowledge. <i>Heart and Lung: Journal of Acute and Critical Care</i> , 2016 , 45, 386-91	2.6	10
62	Heart Failure as a Newly Approved Diagnosis for Cardiac Rehabilitation: Challenges and Opportunities. <i>Journal of the American College of Cardiology</i> , 2015 , 65, 2652-2659	15.1	51
61	Decreases in daily physical activity predict acute decline in attention and executive function in heart failure. <i>Journal of Cardiac Failure</i> , 2015 , 21, 339-46	3.3	17
60	Dietary sodium adherence is poor in chronic heart failure patients. <i>Journal of Cardiac Failure</i> , 2015 , 21, 323-9	3.3	24
59	Atrial fibrillation exacerbates cognitive dysfunction and cerebral perfusion in heart failure. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2015 , 38, 178-86	1.6	51
58	Cognitive dysfunction mediates the effects of poor physical fitness on decreased functional independence in heart failure. <i>Geriatrics and Gerontology International</i> , 2015 , 15, 174-81	2.9	12
57	What is your patient's cognitive profile? Three distinct subgroups of cognitive function in persons with heart failure. <i>Applied Nursing Research</i> , 2015 , 28, 186-91	1.8	9
56	COPD is associated with cognitive dysfunction and poor physical fitness in heart failure. <i>Heart and Lung: Journal of Acute and Critical Care</i> , 2015 , 44, 21-6	2.6	15
55	Obesity and cognitive dysfunction in heart failure: the role of hypertension, type 2 diabetes, and physical fitness. <i>European Journal of Cardiovascular Nursing</i> , 2015 , 14, 334-41	3.3	16
54	Daily Physical Activity Is Associated with Subcortical Brain Volume and Cognition in Heart Failure. <i>Journal of the International Neuropsychological Society</i> , 2015 , 21, 851-60	3.1	16
53	Cognitive Function in Heart Failure Is Associated With Nonsomatic Symptoms of Depression But Not Somatic Symptoms. <i>Journal of Cardiovascular Nursing</i> , 2015 , 30, E9-E17	2.1	14
52	The safety and efficacy of prednisolone in preventing reaccumulation of ascites among endomyocardial fibrosis patients in Uganda: a randomized clinical trial. <i>BMC Research Notes</i> , 2015 , 8, 783	2.3	3
51	Depressive symptoms are associated with obesity in adults with heart failure: An analysis of gender differences. <i>European Journal of Cardiovascular Nursing</i> , 2015 , 14, 516-24	3.3	6
50	Higher BMI is associated with reduced brain volume in heart failure. <i>BMC Obesity</i> , 2014 , 1, 4	3.6	7

49	Decreased physical activity predicts cognitive dysfunction and reduced cerebral blood flow in heart failure. <i>Journal of the Neurological Sciences</i> , 2014 , 339, 169-75	3.2	36
48	The MoCA and MMSE as screeners for cognitive impairment in a heart failure population: a study with comprehensive neuropsychological testing. <i>Heart and Lung: Journal of Acute and Critical Care</i> , 2014 , 43, 462-8	2.6	50
47	Greater body mass index is associated with poorer cognitive functioning in male heart failure patients. <i>Journal of Cardiac Failure</i> , 2014 , 20, 199-206	3.3	11
46	Greater physical activity is associated with better cognitive function in heart failure. <i>Health Psychology</i> , 2014 , 33, 1337-43	5	12
45	Cardiac rehabilitation is associated with lasting improvements in cognitive function in older adults with heart failure. <i>Acta Cardiologica</i> , 2014 , 69, 407-414	0.9	22
44	Cognitive performance in older adults with stable heart failure: longitudinal evidence for stability and improvement. <i>Aging, Neuropsychology, and Cognition</i> , 2014 , 21, 239-56	2.1	13
43	Randomized controlled feasibility trial of two telemedicine medication reminder systems for older adults with heart failure. <i>Journal of Telemedicine and Telecare</i> , 2014 , 20, 293-9	6.8	45
42	Better adherence to treatment recommendations in heart failure predicts improved cognitive function at a one-year follow-up. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2014 , 36, 956-66	2.1	11
41	ACC/AHA/SCAI/AMA-Convended PCPI/NCQA 2013 Performance Measures for Adults Undergoing Percutaneous Coronary Intervention: A Report of the American College of Cardiology/American Heart Association Task Force on Performance Measures, the Society for Cardiovascular	16.7	21
40	Angiography and Interventions, the American Medical Association-Convended Physician Consortium Reduced cerebral perfusion predicts greater depressive symptoms and cognitive dysfunction at a 1-year follow-up in patients with heart failure. <i>International Journal of Geriatric Psychiatry</i> , 2014 , 29, 428-38	3.9	33
39	Executive dysfunction is independently associated with reduced functional independence in heart failure. <i>Journal of Clinical Nursing</i> , 2014 , 23, 829-36	3.2	28
38	Decreases in body mass index after cardiac rehabilitation predict improved cognitive function in older adults with heart failure. <i>Journal of the American Geriatrics Society</i> , 2014 , 62, 2215-6	5.6	8
37	Development and psychometric evaluation of a cardiovascular risk and disease management knowledge assessment tool. <i>Journal of Cardiovascular Nursing</i> , 2014 , 29, 242-56	2.1	4
36	Reduced cognitive function predicts functional decline in patients with heart failure over 12 months. <i>European Journal of Cardiovascular Nursing</i> , 2014 , 13, 304-10	3.3	13
35	Cardiac rehabilitation is associated with lasting improvements in cognitive function in older adults with heart failure. <i>Acta Cardiologica</i> , 2014 , 69, 407-14	0.9	13
34	Poorer physical fitness is associated with reduced structural brain integrity in heart failure. <i>Journal of the Neurological Sciences</i> , 2013 , 328, 51-7	3.2	27
33	The adverse impact of type 2 diabetes on brain volume in heart failure. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2013 , 35, 309-18	2.1	12
32	Randomized controlled trial of mindfulness-based stress reduction for prehypertension. <i>Psychosomatic Medicine</i> , 2013 , 75, 721-8	3.7	83

31	Depressive symptomatology, exercise adherence, and fitness are associated with reduced cognitive performance in heart failure. <i>Journal of Aging and Health</i> , 2013 , 25, 459-77	2.6	12
30	The interactive effects of cerebral perfusion and depression on cognitive function in older adults with heart failure. <i>Psychosomatic Medicine</i> , 2013 , 75, 632-9	3.7	22
29	Cerebral perfusion is associated with white matter hyperintensities in older adults with heart failure. <i>Congestive Heart Failure</i> , 2013 , 19, E29-34		75
28	Depression is associated with reduced physical activity in persons with heart failure. <i>Health Psychology</i> , 2012 , 31, 754-62	5	52
27	Poor sleep quality and reduced cognitive function in persons with heart failure. <i>International Journal of Cardiology</i> , 2012 , 156, 248-9	3.2	23
26	The independent association of hypertension with cognitive function among older adults with heart failure. <i>Journal of the Neurological Sciences</i> , 2012 , 323, 216-20	3.2	26
25	Cognitive reserve moderates the association between heart failure and cognitive impairment. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2012 , 34, 1-10	2.1	18
24	Sleep apnea and cognitive function in heart failure. <i>Cardiovascular Psychiatry and Neurology</i> , 2012 , 2012, 402079		15
23	Cognitive function and treatment adherence in older adults with heart failure. <i>Psychosomatic Medicine</i> , 2012 , 74, 965-73	3.7	78
22	Cognitive profiles in heart failure: a cluster analytic approach. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2012 , 34, 509-20	2.1	22
21	Current perspectives on the use of meditation to reduce blood pressure. <i>International Journal of Hypertension</i> , 2012 , 2012, 578397	2.4	34
20	Cognitive impairment is independently associated with reduced instrumental activities of daily living in persons with heart failure. <i>Journal of Cardiovascular Nursing</i> , 2012 , 27, 44-50	2.1	71
19	Obesity interacts with cerebral hypoperfusion to exacerbate cognitive impairment in older adults with heart failure. <i>Cerebrovascular Diseases Extra</i> , 2012 , 2, 88-98	2.1	50
18	The 2-minute step test is independently associated with cognitive function in older adults with heart failure. <i>Aging Clinical and Experimental Research</i> , 2012 , 24, 468-74	4.8	25
17	Depression is associated with cognitive dysfunction in older adults with heart failure. <i>Cardiovascular Psychiatry and Neurology</i> , 2011 , 2011, 368324		33
16	Depression and heart rate variability in cardiac rehabilitation patients: exploring the roles of physical activity and fitness. <i>Perceptual and Motor Skills</i> , 2010 , 111, 608-24	2.2	9
15	Sleep and cognition in older adults with cardiovascular disease. <i>Journal of Cardiovascular Nursing</i> , 2010 , 25, 497-502	2.1	5
14	Reduced executive functioning is associated with poorer outcome in cardiac rehabilitation. <i>Preventive Cardiology</i> , 2010 , 13, 100-3		20

13	Depression predicts failure to complete phase-II cardiac rehabilitation. <i>Journal of Behavioral Medicine</i> , 2008 , 31, 421-31	3.6	52
12	The effects of obesity on functional work capacity and quality of life in phase II cardiac rehabilitation. <i>Preventive Cardiology</i> , 2007 , 10, 64-7		22
11	Resource loss predicts depression and anxiety among patients treated with an implantable cardioverter defibrillator. <i>Psychosomatic Medicine</i> , 2006 , 68, 794-800	3.7	37
10	Relationships between sinus rhythm, treatment, and survival in the Atrial Fibrillation Follow-Up Investigation of Rhythm Management (AFFIRM) Study. <i>Circulation</i> , 2004 , 109, 1509-13	16.7	888
9	Acquired left ventricular outflow tract obstruction during acute myocardial infarction: diagnosis of a new cardiac murmur. <i>The American Journal of Geriatric Cardiology</i> , 2001 , 10, 283-5		1
8	Intra-aortic balloon pump complications: A five-year retrospective study of 283 patients. <i>Heart and Lung: Journal of Acute and Critical Care</i> , 1999 , 28, 195-202	2.6	16
7	Coronary stenting in the elderly: longitudinal results in a wide spectrum of patients treated with a new and more practical approach. <i>Catheterization and Cardiovascular Diagnosis</i> , 1998 , 44, 397-404		2
6	Prediction of cardiac death in patients with a very low ejection fraction after myocardial infarction: a Cardiac Arrhythmia Suppression Trial (CAST) study. <i>American Heart Journal</i> , 1995 , 130, 685-91	4.9	17
5	Effect of age on postmyocardial infarction ventricular arrhythmias (Holter Registry data from CAST I and CAST II). Cardiovascular Arrhythmia Suppression Trials. <i>American Journal of Cardiology</i> , 1995 , 76, 710-3	3	13
4	Worsening tricuspid regurgitation following pericardiectomy for constrictive pericarditis. <i>Chest</i> , 1993 , 104, 79-81	5.3	29
3	Effects of advancing age on the efficacy and side effects of antiarrhythmic drugs in post-myocardial infarction patients with ventricular arrhythmias. The CAST Investigators. <i>Journal of the American Geriatrics Society</i> , 1992 , 40, 666-72	5.6	38
2	Systolic expansion of the aortic root: an echocardiographic and angiographic sign of aortic composite graft dehiscence. <i>Catheterization and Cardiovascular Diagnosis</i> , 1988 , 14, 105-7		2
1	Intracardiac sarcoma diagnosed by left ventricular endomyocardial biopsy. <i>Chest</i> , 1987 , 92, 177-9	5.3	15