

# Debajyoti Ghoshal

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1830774/publications.pdf>

Version: 2024-02-01

76  
papers

2,129  
citations

172457

29  
h-index

243625

44  
g-index

78  
all docs

78  
docs citations

78  
times ranked

2283  
citing authors

#	ARTICLE	IF	CITATIONS
1	Synthesis of two cationic Coordination polymers for the exploration of anion exchange properties. <i>Polyhedron</i> , 2022, 211, 115528.	2.2	3
2	Designing of three mixed ligand MOFs in searching of length induced flexibility in ligand for the creation of interpenetration. <i>Polyhedron</i> , 2022, 218, 115763.	2.2	4
3	Strategies for the Improvement of Hydrogen Physisorption in Metal-Organic Frameworks and Advantages of Flexibility for the Enhancement. <i>Journal of Molecular and Engineering Materials</i> , 2022, 10, .	1.8	2
4	Structural Transformations in Metal-Organic Frameworks for the Exploration of Their CO <sub>2</sub> Sorption Behavior at Ambient and High Pressure. <i>Crystal Growth and Design</i> , 2021, 21, 2633-2642.	3.0	5
5	Multifunctional Porous Coordination Polymers Synthesized by the Variation of Chain Length and Flexibility of Dicarboxylates and Size of the Metal Ions. <i>Crystal Growth and Design</i> , 2021, 21, 4892-4903.	3.0	6
6	Unraveling the Role of Structural Dynamism in Metal Organic Frameworks (MOF) for Excited-State Intramolecular Proton Transfer (ESIPT) Driven Water Sensing. <i>Crystal Growth and Design</i> , 2021, 21, 6110-6118.	3.0	10
7	Mixed ligand coordination complexes by using multicomponent ligand: Syntheses, characterization and effect of non-covalent interactions on their framework structures. <i>Journal of Molecular Structure</i> , 2020, 1201, 127189.	3.6	1
8	Fabrication and characterization of transparent, self-cleaning glass covers for solar photovoltaic cells. <i>Materials Letters</i> , 2020, 277, 128350.	2.6	5
9	Reversible Switching of Frameworks through Single-Crystal-to-Single-Crystal Structural Transformation in Two Entangled Coordination Polymers and Their Impact on Adsorption Properties. <i>Crystal Growth and Design</i> , 2020, 20, 7667-7674.	3.0	12
10	Three mixed ligand coordination polymers: Syntheses, characterization and detailed study of the structural transformations. <i>Polyhedron</i> , 2020, 183, 114534.	2.2	44
11	Molecular enneanuclear Cu <sup>II</sup> phosphates containing planar hexanuclear and trinuclear sub-units: syntheses, structures, and magnetism. <i>Dalton Transactions</i> , 2020, 49, 2527-2536.	3.3	4
12	Coligand-Rigidity Induced Interpenetration in Flexible Bis-imidazolyl Type Linker Based Mixed Ligand Metal-Organic Frameworks. <i>Crystal Growth and Design</i> , 2019, 19, 5152-5160.	3.0	19
13	Polarity-Induced Excited-State Intramolecular Proton Transfer (ESIPT) in a Pair of Supramolecular Isomeric Multifunctional Dynamic Metal-Organic Frameworks. <i>Chemistry - A European Journal</i> , 2019, 25, 12196-12205.	3.3	30
14	Proton Conductivity and Sorption Study in Three Sulfonic Group Functionalized Mixed Ligand Coordination Polymers and the Impact of Structural Dynamicity on Their Property. <i>Inorganic Chemistry</i> , 2019, 58, 12943-12953.	4.0	23
15	Five coordination polymers of Cd(II) and Co(II) using 3,3'-azobispyridine and different dicarboxylates: Synthesis, structures and adsorption properties. <i>Polyhedron</i> , 2019, 161, 289-297.	2.2	11
16	A reversible photochemical solid-state transformation in an interpenetrated 3D metal-organic framework with mechanical softness. <i>Chemical Communications</i> , 2019, 55, 12515-12518.	4.1	27
17	Structure and properties of dynamic metal-organic frameworks: a brief accounts of crystalline-to-crystalline and crystalline-to-amorphous transformations. <i>CrystEngComm</i> , 2018, 20, 1322-1345.	2.6	54
18	Set of Multifunctional Azo Functionalized Semiconducting Cd(II)-MOFs Showing Photoswitching Property and Selective CO <sub>2</sub> Adsorption. <i>Inorganic Chemistry</i> , 2018, 57, 251-263.	4.0	49

#	ARTICLE	IF	CITATIONS
19	Biosurfactant tailored synthesis of porous polypyrrole nanostructures: A facile approach towards CO <sub>2</sub> adsorption and dopamine sensing. <i>Synthetic Metals</i> , 2018, 245, 209-222.	3.9	21
20	Crystalline to Crystalline Phase Transformations in Six Two-Dimensional Dynamic Metal-Organic Frameworks: Syntheses, Characterizations, and Sorption Studies. <i>Crystal Growth and Design</i> , 2018, 18, 5231-5244.	3.0	8
21	Five Diverse Multidimensional Polycarboxylate-Based Mixed-Ligand Coordination Polymers with Different N <sup>2</sup> -Donor Ligands: Synthesis, Characterization and Their Sorption Study. <i>ChemistrySelect</i> , 2018, 3, 8980-8991.	1.5	6
22	Sulfonic Group Functionalized Mixed Ligand Coordination Polymers: Synthesis, Characterization, Water Sorption, and Proton Conduction Studies. <i>Inorganic Chemistry</i> , 2017, 56, 1581-1590.	4.0	67
23	Hydrogen Uptake by an Inclined Polycatenated Dynamic Metal-Organic Framework Based Material. <i>Inorganic Chemistry</i> , 2017, 56, 713-716.	4.0	30
24	Structural Diversity in Six Mixed Ligand Zn(II) Metal-Organic Frameworks Constructed by Rigid and Flexible Dicarboxylates and Different N <sup>2</sup> Donor Ligands. <i>Crystal Growth and Design</i> , 2017, 17, 6613-6624.	3.0	43
25	Structural Diversity in Zn(II) Coordination Polymers Constructed by Linear N <sup>2</sup> -Donor Linker and Different Pseudohalides: Sorption Study and Luminescent Properties. <i>ChemistrySelect</i> , 2017, 2, 5783-5792.	1.5	3
26	Benzimidazole linked arylimide based covalent organic framework as gas adsorbing and electrode materials for supercapacitor application. <i>European Polymer Journal</i> , 2017, 93, 448-457.	5.4	47
27	Crystallography as a Path-Finding Tool to Understand Functionality in Coordination Polymers. <i>Journal of the Indian Institute of Science</i> , 2017, 97, 261-279.	1.9	0
28	A Schiff Base Macrocyclic Ligand and Its Mg(II) and Cd(II) Complexes: Spectral Properties with Theoretical Understanding and Biological Activity. <i>ChemistrySelect</i> , 2017, 2, 11832-11839.	1.5	7
29	Construction of five dicyanamide based coordination polymers with diverse dimensionality: Synthesis, characterization and photoluminescence study. <i>Polyhedron</i> , 2016, 117, 585-591.	2.2	7
30	Azo Functionalized 5-Nitro-1,3-benzenedicarboxylate Based Coordination Polymers with Different Dimensionality and Functionality. <i>Crystal Growth and Design</i> , 2016, 16, 4793-4804.	3.0	40
31	Eye-Catching Dual-Fluorescent Dynamic Metal-Organic Framework Senses Traces of Water: Experimental Findings and Theoretical Correlation. <i>Chemistry - A European Journal</i> , 2016, 22, 14998-15005.	3.3	69
32	Syntheses and characterization of three diphenyl phosphate based Cu(II) complexes and the effect of non-covalent interactions on their supramolecular framework. <i>Journal of Chemical Sciences</i> , 2016, 128, 1861-1869.	1.5	4
33	Reversible Phase Transformation in Three Dynamic Mixed-Ligand Metal-Organic Frameworks: Synthesis, Structure, and Sorption Study. <i>Crystal Growth and Design</i> , 2016, 16, 4783-4792.	3.0	14
34	Multifunctional mixed ligand metal organic frameworks: X-ray structure, adsorption, luminescence and electrical conductivity with theoretical correlation. <i>CrystEngComm</i> , 2016, 18, 5754-5763.	2.6	23
35	Selective CO <sub>2</sub> Adsorption by Nitro Functionalized Metal Organic Frameworks. <i>Crystal Growth and Design</i> , 2016, 16, 1162-1167.	3.0	78
36	Dynamic metal-organic frameworks: syntheses, characterizations, sorption studies and their hydrolytic inter-conversion. <i>CrystEngComm</i> , 2016, 18, 4074-4083.	2.6	18

#	ARTICLE	IF	CITATIONS
37	Construction of diverse dimensionality in eight coordination polymers of bivalent metal ions using 5-nitroisophthalate and different linear N,Nâ€²-donor linkers. <i>Polyhedron</i> , 2015, 102, 634-642.	2.2	14
38	Crystal Structures of Two Macrocyclic Bischalcones Possessing 26-Membered Rings. <i>Journal of Crystallography</i> , 2015, 2015, 1-5.	0.0	0
39	Two Series of Isostructural Coordination Polymers with Isomeric Benzenedicarboxylates and Different Azine Based N,Nâ€²-Donor Ligands: Syntheses, Characterization and Magnetic Properties. <i>Crystal Growth and Design</i> , 2015, 15, 4427-4437.	3.0	36
40	Pillared-bilayer porous coordination polymers of Zn( $\text{II}$ ): enhanced hydrophobicity of pore surface by changing the pillar functionality. <i>CrystEngComm</i> , 2015, 17, 3478-3486.	2.6	23
41	Selective carbon dioxide adsorption by mixed-ligand porous coordination polymers. <i>CrystEngComm</i> , 2015, 17, 8388-8413.	2.6	50
42	Tuned synthesis of two coordination polymers of Cd( $\text{II}$ ) using substituted bent 3-pyridyl linker and succinate: structures and their applications in anion exchange and sorption properties. <i>Dalton Transactions</i> , 2015, 44, 20999-21007.	3.3	22
43	Ionophoric azoaromatics: Synthesis, isolation and complex formation with alkali metal ions. <i>Inorganica Chimica Acta</i> , 2015, 424, 260-266.	2.4	0
44	Flexible dicarboxylate based pillar-layer metal organic frameworks: differences in structure and porosity by tuning the pyridyl based N,Nâ€² linkers. <i>CrystEngComm</i> , 2014, 16, 2305.	2.6	33
45	Five diverse bivalent metal coordination polymers based on benzene dicarboxylate and bent dipyridyl ligands: syntheses, structures, and photoluminescent properties. <i>CrystEngComm</i> , 2014, 16, 8896-8909.	2.6	39
46	Cd(II) based metalâ€‘organic framework behaving as a Schottky barrier diode. <i>Chemical Communications</i> , 2014, 50, 7858.	4.1	80
47	Two 3D supramolecular frameworks assembled from the dinuclear building block: A crystallographic evidence of carboxylate(O)â€‘â€‘ interaction. <i>Journal of Chemical Sciences</i> , 2014, 126, 1153-1161.	1.5	1
48	Syntheses, X-ray structures, catalytic activity and magnetic properties of two new coordination polymers of Co( $\text{II}$ ) and Ni( $\text{II}$ ) based on benzenedicarboxylate and linear N,Nâ€²-donor Schiff base linkers. <i>Inorganic Chemistry Frontiers</i> , 2014, 1, 414-425.	6.0	35
49	Porous coordination polymers based on functionalized Schiff base linkers: enhanced CO <sub>2</sub> uptake by pore surface modification. <i>Dalton Transactions</i> , 2014, 43, 2272-2282.	3.3	51
50	Syntheses, X-ray structures, gas adsorption and luminescent properties of three coordination polymers of Zn( $\text{II}$ ) dicarboxylates mixed with a linear, neutral, and rigid N,Nâ€²-donor ligand. <i>CrystEngComm</i> , 2014, 16, 4783-4795.	2.6	38
51	Fabrication of two supramolecular self-assemblies of Mn(II)-dicarboxylates with trans-4,4â€‘-azobispyridine: Analysis of H-bonding interactions with Hirshfeld surfaces and DFT calculations. <i>Journal of Molecular Structure</i> , 2014, 1067, 64-73.	3.6	4
52	Synthesis, crystal structure and photo luminescent property of a 3D metal-organic hybrid of Cd(II) constructed by two different bridging carboxylate. <i>Journal of Chemical Sciences</i> , 2013, 125, 661-666.	1.5	11
53	Formation of three new metal organic hybrids of Cd(II) with N,Nâ€² donor spacer: an in situ perchlorate to chloride transformation. <i>CrystEngComm</i> , 2013, 15, 9457.	2.6	20
54	Fabrication of metalâ€‘organic hybrid architectures using bridging diphenyl phosphate: Syntheses, characterization, magnetic properties and the effect of weak interactions on their crystal packing. <i>Dalton Transactions</i> , 2013, 42, 2094-2106.	3.3	23

#	ARTICLE	IF	CITATIONS
55	Four 3D Cd(II)-Based Metal Organic Hybrids with Different N,Nâ€²-Donor Spacers: Syntheses, Characterizations, and Selective Gas Adsorption Properties. <i>Crystal Growth and Design</i> , 2013, 13, 731-739.	3.0	57
56	Syntheses, characterizations and biophysical studies of Cu(II) diphenylphosphate complexes: Effect of co-ligands on their biological properties. <i>Polyhedron</i> , 2012, 48, 157-166.	2.2	6
57	Syntheses and characterization of two supramolecular self-assembled Mn(II) compounds using trans 4,4â€²-azobispyridine as a bridging ligand: Effect of Î€â€” interactions in the formation of a solid-state structure. <i>Polyhedron</i> , 2012, 34, 24-30.	2.2	6
58	Three-Dimensional Robust Porous Coordination Polymer with Schiff Base Site on the Pore Wall: Synthesis, Single-Crystal-to-Single-Crystal Reversibility, and Selective CO <sub>2</sub> Adsorption. <i>Crystal Growth and Design</i> , 2011, 11, 3905-3911.	3.0	59
59	Fabrication of supramolecular frameworks by tuning the binding site of a tripodal ligand with d 10 metal ions: Interplay of covalent and non-covalent interactions in solid-state structure. <i>Journal of Chemical Sciences</i> , 2010, 122, 801-806.	1.5	5
60	Single-Crystal-to-Single-Crystal Structural Transformation in a Three-Dimensional Bimetallic (4fâ€”3d) Supramolecular Porous Framework. <i>Crystal Growth and Design</i> , 2010, 10, 2483-2489.	3.0	25
61	A Germanium(II) Hydride as an Effective Reagent for Hydrogermylation Reactions. <i>Journal of the American Chemical Society</i> , 2009, 131, 1288-1293.	13.7	144
62	Towards rational design of supramolecular helices using linear pseudohalides in Cd(ii) - 2,2â€²-biimidazole system. <i>CrystEngComm</i> , 2007, 9, 304-312.	2.6	25
63	Succinato-bridged copper(II) supramolecular 3D framework: Synthesis, crystal structure and magnetic property. <i>Inorganica Chimica Acta</i> , 2007, 360, 1771-1775.	2.4	24
64	Synthesis, crystal structure and thermal analysis of supramolecular architectures of copper(II)(2,2â€²-biimidazole) complexes using dicarboxylate as a coligand. <i>Polyhedron</i> , 2007, 26, 4195-4200.	2.2	16
65	Hydrogen-Bonded Assembly of Water and Chloride in a 3D Supramolecular Host. <i>Crystal Growth and Design</i> , 2006, 6, 36-39.	3.0	74
66	Higher dimensional networks of Mn(II) azide/cyanate using flexible N-donor ligands: Synthesis, crystal structure and magnetic properties. <i>Journal of Molecular Structure</i> , 2006, 796, 195-202.	3.6	24
67	Formation of a supramolecular ladder using dinuclear dicyanamide bridged Cu(II) species: Synthesis, crystal structure and magnetic property. <i>Inorganica Chimica Acta</i> , 2006, 359, 690-694.	2.4	16
68	Different topologies in heterometallic frameworks of copper(II) with bridging ligand: Syntheses, crystal structures, thermal and magnetic properties. <i>Inorganica Chimica Acta</i> , 2006, 359, 593-602.	2.4	25
69	Syntheses and crystal structures of two new coordination polymers of Cd(II) using organic spacer and inorganic-bridging ligands. <i>Structural Chemistry</i> , 2006, 17, 85-90.	2.0	23
70	Synthesis of a metalâ€”dicarboxylate hybrid with three dimensional Naâ€”Cu connectivity: structure, magnetic property and controlled solid state thermolysis leading to CuO nanorod. <i>Inorganica Chimica Acta</i> , 2005, 358, 1027-1033.	2.4	29
71	Use of Different Unsaturated Dicarboxylates Toward the Design of New 3D and 2D Networks of Copper(II). <i>European Journal of Inorganic Chemistry</i> , 2004, 2004, 4675-4680.	2.0	38
72	1D/2D coordination polymers of copper(II) having two superexchange pathways: syntheses, crystal structures and magnetic properties. <i>Inorganica Chimica Acta</i> , 2004, 357, 1031-1038.	2.4	23

#	ARTICLE	IF	CITATIONS
73	Synthesis, crystal structure and magnetic behavior of three polynuclear complexes: [Co(py <sub>o</sub> ) <sub>2</sub> (dca) <sub>2</sub> ] <sub>n</sub> , [Co <sub>3</sub> (ac) <sub>4</sub> (bpe) <sub>3</sub> (dca) <sub>2</sub> ] <sub>n</sub> and [Co(male)(H <sub>2</sub> O) <sub>2</sub> ](H <sub>2</sub> O) <sub>n</sub> [py <sub>o</sub> , pyridine-N-oxide; dca, dicyanamide; ac, acetate; bpe, 1,2-bis-(4-pyridyl)ethane and male, maleate]. <i>New Journal of Chemistry</i> , 2004, 28, 1204.	2.8	88
74	A novel 2D mixed valence copper(i/ii) rectangular grid constructed with pyrazine and croconate. <i>CrystEngComm</i> , 2004, 6, 623.	2.6	45
75	Syntheses, Structure and Magnetic Properties of the First μ <sub>1,5</sub> -Dicyanamido-Bridged Dinuclear Compounds [Ni(μ <sub>1,5</sub> -dca)(dca)(dpt)] <sub>2</sub> and [Ni(μ <sub>1,5</sub> -dca)(dca)(medpt)] <sub>2</sub> . <i>European Journal of Inorganic Chemistry</i> , 2003, 2003, 3929-3933.	2.0	39
76	A Three-Dimensional Honeycomb-Like Network Constructed with Novel "Sinusoidal" One-Dimensional Chains via Hydrogen Bonding and π-π Interactions. <i>Crystal Growth and Design</i> , 2003, 3, 9-11.	3.0	62