Karina Lovell

List of Publications by Citations

Source: https://exaly.com/author-pdf/1831301/karina-lovell-publications-by-citations.pdf

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

263 8,560 49 84 g-index

281 10,236 4.2 5.97 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
263	Collaborative care for depression and anxiety problems. <i>The Cochrane Library</i> , 2012 , 10, CD006525	5.2	451
262	Treatment of posttraumatic stress disorder by exposure and/or cognitive restructuring: a controlled study. <i>Archives of General Psychiatry</i> , 1998 , 55, 317-25		445
261	The Lancet Psychiatry Commission: a blueprint for protecting physical health in people with mental illness. <i>Lancet Psychiatry,the</i> , 2019 , 6, 675-712	23.3	411
260	Comparative efficacy, speed, and adverse effects of three PTSD treatments: exposure therapy, EMDR, and relaxation training. <i>Journal of Consulting and Clinical Psychology</i> , 2003 , 71, 330-8	6.5	379
259	What makes self-help interventions effective in the management of depressive symptoms? Meta-analysis and meta-regression. <i>Psychological Medicine</i> , 2007 , 37, 1217-28	6.9	293
258	Computerised cognitive behaviour therapy (cCBT) as treatment for depression in primary care (REEACT trial): large scale pragmatic randomised controlled trial. <i>BMJ, The</i> , 2015 , 351, h5627	5.9	235
257	Is Exposure Necessary? A Randomized Clinical Trial of Interpersonal Psychotherapy for PTSD. <i>American Journal of Psychiatry</i> , 2015 , 172, 430-40	11.9	212
256	Influence of initial severity of depression on effectiveness of low intensity interventions: meta-analysis of individual patient data. <i>BMJ, The</i> , 2013 , 346, f540	5.9	182
255	Integrated primary care for patients with mental and physical multimorbidity: cluster randomised controlled trial of collaborative care for patients with depression comorbid with diabetes or cardiovascular disease. <i>BMJ, The</i> , 2015 , 350, h638	5.9	159
254	Bustifiable depression? how primary care professionals and patients view late-life depression? A qualitative study. <i>Family Practice</i> , 2006 , 23, 369-77	1.9	148
253	MULTIPLE ACCESS POINTS AND LEVELS OF ENTRY (MAPLE): ENSURING CHOICE, ACCESSIBILITY AND EQUITY FOR CBT SERVICES. <i>Behavioural and Cognitive Psychotherapy</i> , 2000 , 28, 379-391	2.1	145
252	Clinical effectiveness of collaborative care for depression in UK primary care (CADET): cluster randomised controlled trial. <i>BMJ, The</i> , 2013 , 347, f4913	5.9	136
251	Collaborative care for depression in UK primary care: a randomized controlled trial. <i>Psychological Medicine</i> , 2008 , 38, 279-87	6.9	120
250	Psychotherapy mediated by remote communication technologies: a meta-analytic review. <i>BMC Psychiatry</i> , 2008 , 8, 60	4.2	117
249	Characteristics of effective collaborative care for treatment of depression: a systematic review and meta-regression of 74 randomised controlled trials. <i>PLoS ONE</i> , 2014 , 9, e108114	3.7	115
248	Qualitative meta-synthesis of user experience of computerised therapy for depression and anxiety. <i>PLoS ONE</i> , 2014 , 9, e84323	3.7	107
247	The clinical and cost-effectiveness of self-help treatments for anxiety and depressive disorders in primary care: a systematic review. <i>British Journal of General Practice</i> , 2001 , 51, 838-45	1.6	99

246	A systematic review of predictors and moderators of response to psychological therapies in OCD: do we have enough empirical evidence to target treatment?. <i>Clinical Psychology Review</i> , 2013 , 33, 1067-	₹P.8	96
245	Telephone administered cognitive behaviour therapy for treatment of obsessive compulsive disorder: randomised controlled non-inferiority trial. <i>BMJ, The</i> , 2006 , 333, 883	5.9	94
244	Post-traumatic stress disorder: Evaluation of a behavioral treatment program. <i>Journal of Traumatic Stress</i> , 1994 , 7, 669-680	3.8	93
243	The power of support from companion animals for people living with mental health problems: a systematic review and narrative synthesis of the evidence. <i>BMC Psychiatry</i> , 2018 , 18, 31	4.2	91
242	Delivering stepped care: an analysis of implementation in routine practice. <i>Implementation Science</i> , 2012 , 7, 3	8.4	90
241	Cognitive behavior therapy, exercise, or both for treating chronic widespread pain. <i>Archives of Internal Medicine</i> , 2012 , 172, 48-57		89
240	Healthy living interventions and schizophrenia: a systematic review. <i>Journal of Advanced Nursing</i> , 2005 , 49, 634-54	3.1	84
239	Prevalence and Measurement of Anxiety in Samples of Patients With Heart Failure: Meta-analysis. <i>Journal of Cardiovascular Nursing</i> , 2016 , 31, 367-79	2.1	79
238	Nurse led, home based self help treatment for patients in primary care with chronic fatigue syndrome: randomised controlled trial. <i>BMJ, The</i> , 2010 , 340, c1777	5.9	79
237	P201 TherapistsPexperiences of remotely delivered cognitive-behavioural and graded-exercise interventions to lessen the impact of fatigue in inflammatory rheumatic diseases: a qualitative evaluation. <i>Rheumatology</i> , 2021 , 60,	3.9	78
236	Systematic synthesis of barriers and facilitators to service user-led care planning. <i>British Journal of Psychiatry</i> , 2015 , 207, 104-14	5.4	76
235	Professional perspectives on service user and carer involvement in mental health care planning: a qualitative study. <i>International Journal of Nursing Studies</i> , 2015 , 52, 1834-45	5.8	72
234	An exploration of the follow-up up needs of patients with inflammatory bowel disease. <i>Journal of Crohnmand Colitis</i> , 2013 , 7, e386-95	1.5	71
233	Psychological and pharmacological interventions for posttraumatic stress disorder and comorbid mental health problems following complex traumatic events: Systematic review and component network meta-analysis. <i>PLoS Medicine</i> , 2020 , 17, e1003262	11.6	71
232	Service user views and expectations of UK-registered mental health nurses: a systematic review of empirical research. <i>International Journal of Nursing Studies</i> , 2008 , 45, 442-57	5.8	69
231	The clinical effectiveness of guided self-help versus waiting-list control in the management of anxiety and depression: a randomized controlled trial. <i>Psychological Medicine</i> , 2005 , 35, 1633-43	6.9	67
230	Role of exposure homework in phobia reduction: A controlled study. <i>Behavior Therapy</i> , 1992 , 23, 599-62	1 4.8	67
229	Understanding the health and social care needs of people living with IBD: a meta-synthesis of the evidence. World Journal of Gastroenterology, 2012, 18, 6240-9	5.6	66

228	Modest association of joint hypermobility with disabling and limiting musculoskeletal pain: results from a large-scale general population-based survey. <i>Arthritis Care and Research</i> , 2013 , 65, 1325-33	4.7	60	
227	A qualitative study of mild to moderate psychological distress during pregnancy. <i>International Journal of Nursing Studies</i> , 2009 , 46, 669-77	5.8	60	
226	Telephone cognitive-behavioral therapy for adolescents with obsessive-compulsive disorder: a randomized controlled non-inferiority trial. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2014 , 53, 1298-1307.e2	7.2	59	
225	Learning and performance outcomes of mental health staff training in de-escalation techniques for the management of violence and aggression. <i>British Journal of Psychiatry</i> , 2015 , 206, 447-55	5.4	58	
224	Telephone-supported computerised cognitive-behavioural therapy: REEACT-2 large-scale pragmatic randomised controlled trial. <i>British Journal of Psychiatry</i> , 2017 , 210, 362-367	5.4	57	
223	A randomised controlled trial to test the feasibility of a collaborative care model for the management of depression in older people. <i>British Journal of General Practice</i> , 2007 , 57, 364-70	1.6	55	
222	Association Between Chronic Physical Conditions and the Effectiveness of Collaborative Care for Depression: An Individual Participant Data Meta-analysis. <i>JAMA Psychiatry</i> , 2016 , 73, 978-89	14.5	54	
221	Developing a U.K. protocol for collaborative care: a qualitative study. <i>General Hospital Psychiatry</i> , 2006 , 28, 296-305	5.6	54	
220	A best-evidence synthesis review of the administration of psychotropic pro re nata (PRN) medication in in-patient mental health settings. <i>Journal of Clinical Nursing</i> , 2008 , 17, 1122-31	3.2	53	
219	CarersPexperiences of involvement in care planning: a qualitative exploration of the facilitators and barriers to engagement with mental health services. <i>BMC Psychiatry</i> , 2015 , 15, 208	4.2	52	
218	Bringing meaning to user involvement in mental health care planning: a qualitative exploration of service user perspectives. <i>Journal of Psychiatric and Mental Health Nursing</i> , 2016 , 23, 12-21	2.4	52	
217	Ontological security and connectivity provided by pets: a study in the self-management of the everyday lives of people diagnosed with a long-term mental health condition. <i>BMC Psychiatry</i> , 2016 , 16, 409	4.2	51	
216	Maternal mental health: The missing "m" in the global maternal and child health agenda. <i>Seminars in Perinatology</i> , 2015 , 39, 345-52	3.3	50	
215	Psychosocial interventions for the management of chronic orofacial pain. <i>Cochrane Database of Systematic Reviews</i> , 2011 , CD008456		49	
214	Developing guided self-help for depression using the Medical Research Council complex interventions framework: a description of the modelling phase and results of an exploratory randomised controlled trial. <i>BMC Psychiatry</i> , 2008 , 8, 91	4.2	47	
213	What work has to be done to implement collaborative care for depression? Process evaluation of a trial utilizing the Normalization Process Model. <i>Implementation Science</i> , 2010 , 5, 15	8.4	44	
212	Metacognitive Therapy Versus Prolonged Exposure in Adults with Chronic Post-traumatic Stress Disorder: A Parallel Randomized Controlled Trial. <i>Cognitive Therapy and Research</i> , 2015 , 39, 70-80	2.7	43	
211	Patient experience of computerised therapy for depression in primary care. <i>BMJ Open</i> , 2015 , 5, e00858	13	43	

(2009-2013)

210	POn the surfaceP a qualitative study of GPsPand patientsPperspectives on psoriasis. <i>BMC Family Practice</i> , 2013 , 14, 158	2.6	42	
209	Beliefs, sense of control and treatment outcome in post-traumatic stress disorder. <i>Psychological Medicine</i> , 2002 , 32, 157-65	6.9	40	
208	A randomised controlled trial of computerised cognitive behaviour therapy for the treatment of depression in primary care: the Randomised Evaluation of the Effectiveness and Acceptability of Computerised Therapy (REEACT) trial. <i>Health Technology Assessment</i> , 2015 , 19, viii, xxi-171	4.4	40	
207	User satisfaction with in-patient mental health services. <i>Journal of Psychiatric and Mental Health Nursing</i> , 1995 , 2, 143-50	2.4	38	
206	Mental health professionalsPpsychotropic pro re nata (p.r.n.) medication practices in acute inpatient mental health care: a qualitative study. <i>General Hospital Psychiatry</i> , 2007 , 29, 163-8	5.6	37	
205	An exploratory randomized controlled study of a healthy living intervention in early intervention services for psychosis: the INTERvention to encourage ACTivity, improve diet, and reduce weight gain (INTERACT) study. <i>Journal of Clinical Psychiatry</i> , 2014 , 75, 498-505	4.6	37	
204	Effective nurse-patient relationships in mental health care: A systematic review of interventions to improve the therapeutic alliance. <i>International Journal of Nursing Studies</i> , 2020 , 102, 103490	5.8	36	
203	Health Technologies P n the WildP 2016 ,		35	
202	Fatigue Intervention by Nurses Evaluationthe FINE Trial. A randomised controlled trial of nurse led self-help treatment for patients in primary care with chronic fatigue syndrome: study protocol. [ISRCTN74156610]. BMC Medicine, 2006, 4, 9	11.4	34	
201	Behavioural treatment of AIDS-focused illness phobia. <i>British Journal of Psychiatry</i> , 1991 , 159, 422-5	5.4	34	
200	Improving access to psychosocial interventions for common mental health problems in the United Kingdom: narrative review and development of a conceptual model for complex interventions. <i>BMC Health Services Research</i> , 2012 , 12, 249	2.9	33	
199	Multidisciplinary consensus of best practice for pro re nata (PRN) psychotropic medications within acute mental health settings: a Delphi study. <i>Journal of Psychiatric and Mental Health Nursing</i> , 2007 , 14, 478-84	2.4	33	
198	Cost-effectiveness of collaborative care for depression in UK primary care: economic evaluation of a randomised controlled trial (CADET). <i>PLoS ONE</i> , 2014 , 9, e104225	3.7	33	
197	Overcoming the barriers to the diagnosis and management of chronic fatigue syndrome/ME in primary care: a meta synthesis of qualitative studies. <i>BMC Family Practice</i> , 2014 , 15, 44	2.6	32	
196	Mapping nursing activity in acute inpatient mental healthcare settings. <i>Journal of Mental Health</i> , 2006 , 15, 217-226	2.7	32	
195	Service usersPexperiences of Pas neededPpsychotropic medications in acute mental healthcare settings. <i>Journal of Advanced Nursing</i> , 2006 , 56, 354-62	3.1	32	
194	Barefoot therapists: barriers and facilitators to delivering maternal mental health care through peer volunteers in Pakistan: a qualitative study. <i>International Journal of Mental Health Systems</i> , 2016 , 10, 24	3.6	31	
193	A pilot study of telephone cognitive-behavioural therapy for obsessive-compulsive disorder in young people. <i>Behavioural and Cognitive Psychotherapy</i> , 2009 , 37, 469-74	2.1	31	

192	Researching the mental health needs of hard-to-reach groups: managing multiple sources of evidence. <i>BMC Health Services Research</i> , 2009 , 9, 226	2.9	31
191	Long-term clinical and cost-effectiveness of collaborative care (versus usual care) for people with mental-physical multimorbidity: cluster-randomised trial. <i>British Journal of Psychiatry</i> , 2018 , 213, 456-46	53 ⁴	31
190	Depression predicts future emergency hospital admissions in primary care patients with chronic physical illness. <i>Journal of Psychosomatic Research</i> , 2016 , 82, 54-61	4.1	30
189	You can early get anything perfect: "user perspectives on the delivery of cognitive behavioural therapy by telephone". <i>Social Science and Medicine</i> , 2010 , 71, 1308-1315	5.1	30
188	The impact of a good practice manual on professional practice associated with psychotropic PRN in acute mental health wards: an exploratory study. <i>International Journal of Nursing Studies</i> , 2008 , 45, 140.	3 ⁵ 18	30
187	A qualitative study of patientsPperceptions of a PminimalPpsychological therapy. <i>International Journal of Social Psychiatry</i> , 2007 , 53, 23-35	8.5	30
186	PeoplesPunderstandings of a primary care-based mental health self-help clinic. <i>Patient Education and Counseling</i> , 2004 , 53, 41-6	3.1	30
185	Clinical effectiveness and cost-effectiveness of collaborative care for depression in UK primary care (CADET): a cluster randomised controlled trial. <i>Health Technology Assessment</i> , 2016 , 20, 1-192	4.4	30
184	Electronic Quality of Life Assessment Using Computer-Adaptive Testing. <i>Journal of Medical Internet Research</i> , 2016 , 18, e240	7.6	29
183	Development and pilot investigation of behavioral activation for negative symptoms. <i>Behavior Modification</i> , 2011 , 35, 486-506	2.5	28
182	Collaborative Depression Trial (CADET): multi-centre randomised controlled trial of collaborative care for depressionstudy protocol. <i>BMC Health Services Research</i> , 2009 , 9, 188	2.9	27
181	Access and effectiveness in psychological therapies: self-help as a routine health technology. Health and Social Care in the Community, 2003 , 11, 175-82	2.6	27
180	Clinical effectiveness, cost-effectiveness and acceptability of low-intensity interventions in the management of obsessive-compulsive disorder: the Obsessive-Compulsive Treatment Efficacy randomised controlled Trial (OCTET). <i>Health Technology Assessment</i> , 2017 , 21, 1-132	4.4	27
179	DO COGNITIVE AND EXPOSURE TREATMENTS IMPROVE VARIOUS PTSD SYMPTOMS DIFFERENTLY? A RANDOMIZED CONTROLLED TRIAL. <i>Behavioural and Cognitive Psychotherapy</i> , 2001 , 29, 107-112	2.1	26
178	Embedding shared decision-making in the care of patients with severe and enduring mental health problems: The EQUIP pragmatic cluster randomised trial. <i>PLoS ONE</i> , 2018 , 13, e0201533	3.7	26
177	The British Sign Language versions of the Patient Health Questionnaire, the Generalized Anxiety Disorder 7-item Scale, and the Work and Social Adjustment Scale. <i>Journal of Deaf Studies and Deaf Education</i> , 2013 , 18, 110-22	1.6	25
176	The development and evaluation of a complex health education intervention for adults with a diagnosis of schizophrenia. <i>Journal of Psychiatric and Mental Health Nursing</i> , 2010 , 17, 473-86	2.4	25
175	Evaluation of a co-delivered training package for community mental health professionals on service user- and carer-involved care planning. <i>Journal of Psychiatric and Mental Health Nursing</i> , 2017 , 24, 358-3	66 ⁴	24

(2015-2015)

174	results from the MUSICIAN randomised controlled trial. <i>RMD Open</i> , 2015 , 1, e000026	5.9	24
173	Improving health and productivity of depressed workers: a pilot randomized controlled trial of telephone cognitive behavioral therapy delivery in workplace settings. <i>General Hospital Psychiatry</i> , 2010 , 32, 337-40	5.6	24
172	Social anxiety in adult males with autism spectrum disorders. <i>Research in Autism Spectrum Disorders</i> , 2016 , 32, 13-23	3	24
171	Acceptability of telephone support as perceived by patients with cancer: A systematic review. <i>European Journal of Cancer Care</i> , 2018 , 27, e12643	2.4	23
170	Practice NursesPviews of their role in the management of Chronic Fatigue Syndrome/Myalagic Encephalitis: a qualitative study. <i>BMC Nursing</i> , 2009 , 8, 2	3.2	23
169	Collaborative Interventions for Circulation and Depression (COINCIDE): study protocol for a cluster randomized controlled trial of collaborative care for depression in people with diabetes and/or coronary heart disease. <i>Trials</i> , 2012 , 13, 139	2.8	22
168	TELEPHONE TREATMENT OF OBSESSIVE-COMPULSIVE DISORDER. <i>Behavioural and Cognitive Psychotherapy</i> , 2000 , 28, 87-91	2.1	21
167	Is it time to abandon care planning in mental health services? A qualitative study exploring the views of professionals, service users and carers. <i>Health Expectations</i> , 2018 , 21, 597-605	3.7	21
166	Understanding experiences of and preferences for service user and carer involvement in physical health care discussions within mental health care planning. <i>BMC Psychiatry</i> , 2017 , 17, 138	4.2	20
165	A cluster randomised controlled trial and process evaluation of a training programme for mental health professionals to enhance user involvement in care planning in service users with severe mental health issues (EQUIP): study protocol for a randomised controlled trial. <i>Trials</i> , 2015 , 16, 348	2.8	20
164	Developing resources to support the diagnosis and management of Chronic Fatigue Syndrome/Myalgic Encephalitis (CFS/ME) in primary care: a qualitative study. <i>BMC Family Practice</i> , 2012 , 13, 93	2.6	20
163	Specialist educational intervention for acute inpatient mental health nursing staff: service user views and effects on nursing quality. <i>Journal of Advanced Nursing</i> , 2005 , 51, 634-44	3.1	20
162	The second Randomised Evaluation of the Effectiveness, cost-effectiveness and Acceptability of Computerised Therapy (REEACT-2) trial: does the provision of telephone support enhance the effectiveness of computer-delivered cognitive behaviour therapy? A randomised controlled trial.	4.4	20
161	Patient perspectives on barriers and enablers to the use and effectiveness of de-escalation techniques for the management of violence and aggression in mental health settings. <i>Journal of Advanced Nursing</i> , 2018 , 74, 614-625	3.1	19
160	Is telephone health coaching a useful population health strategy for supporting older people with multimorbidity? An evaluation of reach, effectiveness and cost-effectiveness using a Rerial within a cohortP. BMC Medicine, 2018, 16, 80	11.4	19
159	History of sexual trauma moderates psychotherapy outcome for posttraumatic stress disorder. <i>Depression and Anxiety</i> , 2017 , 34, 692-700	8.4	18
158	Development and evaluation of culturally sensitive psychosocial interventions for under-served people in primary care. <i>BMC Psychiatry</i> , 2014 , 14, 217	4.2	18
157	Re-inventing care planning in mental health: stakeholder accounts of the imagined implementation of a user/carer involved intervention. <i>BMC Health Services Research</i> , 2015 , 15, 490	2.9	18

156	Alcohol Consumption in Relation to Risk and Severity of Chronic Widespread Pain: Results From a UK Population-Based Study. <i>Arthritis Care and Research</i> , 2015 , 67, 1297-1303	4.7	18
155	An evaluation of a medication management training programme for community mental health professionals; service user level outcomes: a cluster randomised controlled trial. <i>International Journal of Nursing Studies</i> , 2009 , 46, 645-52	5.8	18
154	Development and piloting of a multidisciplinary training course for detecting and managing depression in the older person. <i>Journal of Psychiatric and Mental Health Nursing</i> , 2004 , 11, 165-71	2.4	18
153	Increasing equity of access to high-quality mental health services in primary care: a mixed-methods study. <i>Programme Grants for Applied Research</i> , 2013 , 1, XXXX-XXXX	1.5	18
152	A randomized controlled trial comparing EMDR and CBT for obsessive-compulsive disorder. <i>Clinical Psychology and Psychotherapy</i> , 2018 , 25, e10-e18	2.9	17
151	The support-control continuum: An investigation of staff perspectives on factors influencing the success or failure of de-escalation techniques for the management of violence and aggression in mental health settings. <i>International Journal of Nursing Studies</i> , 2018 , 77, 197-206	5.8	17
150	Process and Outcome of a Non-Guided Self-Help Manual for Anxiety and Depression in Primary Care: A Pilot Study. <i>Behavioural and Cognitive Psychotherapy</i> , 2005 , 33, 319-331	2.1	17
149	Long-term cost-effectiveness of collaborative care (vs usual care) for people with depression and comorbid diabetes or cardiovascular disease: a Markov model informed by the COINCIDE randomised controlled trial. <i>BMJ Open</i> , 2016 , 6, e012514	3	17
148	EQUIP training the trainers: an evaluation of a training programme for service users and carers involved in training mental health professionals in user-involved care planning. <i>Journal of Psychiatric and Mental Health Nursing</i> , 2017 , 24, 367-376	2.4	16
147	The challenges of translating the clinical outcomes in Routine Evaluation-Outcome Measure (CORE-OM) into British Sign Language. <i>Journal of Deaf Studies and Deaf Education</i> , 2013 , 18, 287-98	1.6	16
146	Optimising treatment resources for OCD: a review of the evidence base for technology-enhanced delivery. <i>Journal of Mental Health</i> , 2011 , 20, 525-42	2.7	16
145	Once-a-week psychiatric ward round or daily inpatient team meeting? A multidisciplinary mental health teamB experience of new ways of working. <i>International Journal of Mental Health Nursing</i> , 2010 , 19, 119-27	3.8	16
144	Evaluating and Quantifying User and Carer Involvement in Mental Health Care Planning (EQUIP): Co-Development of a New Patient-Reported Outcome Measure. <i>PLoS ONE</i> , 2016 , 11, e0149973	3.7	16
143	Improving access to primary mental health care: uncontrolled evaluation of a pilot self-help clinic. <i>British Journal of General Practice</i> , 2003 , 53, 133-5	1.6	16
142	Exploring service usersP, carersPand professionalsPperspectives and experiences of current antipsychotic prescribing: A qualitative study. <i>Chronic Illness</i> , 2017 , 13, 275-287	1.4	15
141	Group psychological intervention for postnatal depression: a nested qualitative study with British South Asian women. <i>BMC Womenna Health</i> , 2015 , 15, 109	2.9	15
140	Managing chronic widespread pain in primary care: a qualitative study of patient perspectives and implications for treatment delivery. <i>BMC Musculoskeletal Disorders</i> , 2016 , 17, 354	2.8	15
139	Low-intensity cognitive-behaviour therapy interventions for obsessive-compulsive disorder compared to waiting list for therapist-led cognitive-behaviour therapy: 3-arm randomised controlled trial of clinical effectiveness. <i>PLoS Medicine</i> , 2017 , 14, e1002337	11.6	14

138	A pilot study of a self-help manual with minimal therapist contact in the treatment of obsessivedompulsive disorder. <i>Clinical Effectiveness in Nursing</i> , 2004 , 8, 122-127		14
137	Exploring the potential use of patient and public involvement to strengthen Indonesian mental health care for people with psychosis: A qualitative exploration of the views of service users and carers. <i>Health Expectations</i> , 2020 , 23, 377-387	·7	14
136	Implementing resources to support the diagnosis and management of Chronic Fatigue Syndrome/Myalgic Encephalomyelitis (CFS/ME) in primary care: A qualitative study. <i>BMC Family</i> 2 Practice, 2016 , 17, 66	.6	14
135	Culturally-adapted cognitive behavioural therapy based intervention for maternal depression: a mixed-methods feasibility study. <i>BMC Womeni</i> Health, 2019 , 19, 21	.9	13
134	Developing a healthy living intervention for people with early psychosis using the Medical Research Council® guidelines on complex interventions: phase 1 of the HELPER - InterACT programme. International Journal of Nursing Studies, 2012, 49, 398-406	.8	13
133	Challenges of nurse delivery of psychological interventions for long-term conditions in primary care: a qualitative exploration of the case of chronic fatigue syndrome/myalgic encephalitis. 8 Implementation Science, 2011, 6, 132	-4	13
132	A qualitative systematic review of published work on disclosure and help-seeking for domestic violence and abuse among women from ethnic minority populations in the UK. <i>Ethnicity and Health</i> , 2 2020 , 25, 732-746	.2	13
131	Improving mental health literacy among young people aged 11-15 years in Java, Indonesia: co-development and feasibility testing of a culturally-appropriate, user-centred resource (IMPeTUs) 2 - a study protocol. <i>BMC Health Services Research</i> , 2019 , 19, 484	.9	12
130	Cost-effectiveness of supported self-management for CFS/ME patients in primary care. <i>BMC Family Practice</i> , 2013 , 14, 12	.6	12
129	Diagnosis and management of chronic fatigue syndrome/myalgic encephalitis in black and minority ethnic people: a qualitative study. <i>Primary Health Care Research and Development</i> , 2014 , 15, 143-55	.6	12
128	Evaluating a complex model designed to increase access to high quality primary mental health care for under-served groups: a multi-method study. <i>BMC Health Services Research</i> , 2016 , 16, 58	.9	11
127	Implementing the NICE OCD/BDD guidelines. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2008 , 81, 365-76	.5	11
126	Organizing and delivering training for acute mental health services: a discussion paper. <i>Journal of Psychiatric and Mental Health Nursing</i> , 2005 , 12, 139-45	·4	11
125	A FURTHER STUDY OF SOME COGNITIVE AND OTHER DISABILITIES IN BACKWARD READERS OF AVERAGE NON-VERBAL REASONING SCORES. <i>British Journal of Educational Psychology</i> , 1964 , 34, 275-275) ²	11
124	Low intensity interventions for Obsessive-Compulsive Disorder (OCD): a qualitative study of mental health practitioner experiences. <i>BMC Psychiatry</i> , 2017 , 17, 77	2	10
123	A SUMMARY OF A STUDY OF THE READING AGES OF CHILDREN WHO HAD BEEN GIVEN REMEDIAL TEACHING. <i>British Journal of Educational Psychology</i> , 1962 , 32, 66-71	.2	10
122	Qualitative systematic review of barriers and facilitators to patient-involved antipsychotic prescribing. <i>BJPsych Open</i> , 2018 , 4, 5-14		10
121	Impact of telephone delivered case-management on the effectiveness of collaborative care for depression and anti-depressant use: A systematic review and meta-regression. <i>PLoS ONE</i> , 2019 , 14, e021	⁷ 948	9

120	The Maintaining Musculoskeletal Health (MAmMOTH) Study: Protocol for a randomised trial of cognitive behavioural therapy versus usual care for the prevention of chronic widespread pain. <i>BMC Musculoskeletal Disorders</i> , 2016 , 17, 179	2.8	9
119	Embedding telephone therapy in statutory mental health services: a qualitative, theory-driven analysis. <i>BMC Psychiatry</i> , 2016 , 16, 56	4.2	9
118	Obsessive Compulsive Treatment Efficacy Trial (OCTET) comparing the clinical and cost effectiveness of self-managed therapies: study protocol for a randomised controlled trial. <i>Trials</i> , 2014 , 15, 278	2.8	9
117	Achieving target recruitment in a primary care trial: lessons from PRIDE. <i>Primary Health Care Research and Development</i> , 2007 , 8, 264	1.6	9
116	Consent and long-term neuroleptic treatment. <i>Journal of Psychiatric and Mental Health Nursing</i> , 2002 , 9, 475-82	2.4	9
115	Implementing an intervention designed to enhance service user involvement in mental health care planning: a qualitative process evaluation. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2019 , 54, 221-7	2 3 3	9
114	POne manß medicine is another manß poison? a qualitative study of user perspectives on low intensity interventions for Obsessive-Compulsive Disorder (OCD). BMC Health Services Research, 2016, 16, 188	2.9	8
113	Exploring the potential of civic engagement to strengthen mental health systems in Indonesia (IGNITE): a study protocol. <i>International Journal of Mental Health Systems</i> , 2018 , 12, 49	3.6	8
112	Mental health practitioner attitude towards maintenance neuroleptic treatment for people with schizophrenia. <i>Journal of Psychiatric and Mental Health Nursing</i> , 2007 , 14, 113-9	2.4	8
111	Should treatment distinguish anxiogenic from anxiolytic obsessive-compulsive ruminations? Results of a pilot controlled study and of a clinical audit. <i>Psychotherapy and Psychosomatics</i> , 1994 , 61, 150-5	9.4	8
110	The role of relapse prevention for depression in collaborative care: A systematic review. <i>Journal of Affective Disorders</i> , 2020 , 265, 618-644	6.6	8
109	Clinical and cost-effectiveness of one-session treatment (OST) versus multisession cognitive-behavioural therapy (CBT) for specific phobias in children: protocol for a non-inferiority randomised controlled trial. <i>BMJ Open</i> , 2018 , 8, e025031	3	8
108	Implementing an innovative intervention to increase research capacity for enhancing early psychosis care in Indonesia. <i>Journal of Psychiatric and Mental Health Nursing</i> , 2017 , 24, 671-680	2.4	7
107	A systematic review of prognostic factors for distal upper limb pain. <i>British Journal of Pain</i> , 2015 , 9, 241	-55	7
106	Agoraphobia: nurse therapist-facilitated self-help manual. <i>Journal of Advanced Nursing</i> , 2003 , 43, 623-30	03.1	7
105	Specialist educational intervention for mental health nursing staff: delivery, content and personal impact. <i>Journal of Advanced Nursing</i> , 2005 , 51, 529-38	3.1	7
104	Disparities in COVID-19 infection, hospitalisation and death in people with schizophrenia, bipolar disorder, and major depressive disorder: a cohort study of the UK Biobank. <i>Molecular Psychiatry</i> , 2021 ,	15.1	7
103	Evaluating the effectiveness and cost-effectiveness of British Sign Language Improving Access to Psychological Therapies: an exploratory study. <i>Health Services and Delivery Research</i> , 2017 , 5, 1-196	1.5	7

102	Post-traumatic stress disorder: evaluation of a behavioral treatment program. <i>Journal of Traumatic Stress</i> , 1994 , 7, 669-80	3.8	7
101	Pjust wanted someone to tell me it wasnP all in my mind and do something for meP. Qualitative exploration of acceptability of a CBT based intervention to manage chronic orofacial pain. <i>British Dental Journal</i> , 2016 , 220, 459-63	1.2	7
100	Civic engagement and mental health system strengthening in Indonesia: a qualitative examination of the views of health professionals and national key stakeholders. <i>BMC Psychiatry</i> , 2020 , 20, 172	4.2	7
99	Evaluating the acceptability of a co-produced and co-delivered mental health public engagement festival: Mental Health Matters, Jakarta, Indonesia. <i>Research Involvement and Engagement</i> , 2019 , 5, 25	4.4	6
98	Telephone cognitive behavioural therapy to prevent the development of chronic widespread pain: a qualitative study of patient perspectives and treatment acceptability. <i>BMC Musculoskeletal Disorders</i> , 2019 , 20, 198	2.8	6
97	Pragmatic RAndomised controlled trial of a trauma-focused guided self-help Programme versus InDividual trauma-focused cognitive Behavioural therapy for post-traumatic stress disorder (RAPID): trial protocol. <i>BMC Psychiatry</i> , 2018 , 18, 77	4.2	6
96	A Pilot Randomized Controlled Trial of a Guided Self-Help Intervention to Manage Chronic Orofacial Pain. <i>Journal of Oral and Facial Pain and Headache</i> , 2017 , 31, 61-71	2.5	6
95	The reliability of British Sign Language and English versions of the Clinical Outcomes in Routine EvaluationOutcome Measure with d/Deaf populations in the UK: an initial study. <i>Health and Social Care in the Community</i> , 2014 , 22, 278-89	2.6	6
94	An evaluation of the impact of the recommendations of the Chief Nursing Officer® (England) Review of Mental Health Nursing in Mental Health Trusts and Universities in England: findings from stage one, an e-survey. <i>Journal of Clinical Nursing</i> , 2010 , 19, 2590-600	3.2	6
93	Collaborative care for depression and anxiety problems 2007 ,		6
92	Why do adults with schizophrenia have poorer physical health than the rest of the population?. Mental Health Practice, 2005, 9, 28-30	0.4	6
92 91		0.4	6
	Mental Health Practice, 2005, 9, 28-30 Impact of involving people with dementia and their care partners in research: a qualitative study.		
91	Mental Health Practice, 2005, 9, 28-30 Impact of involving people with dementia and their care partners in research: a qualitative study. BMJ Open, 2020, 10, e039321 Psychosocial family interventions for relatives of people living with psychotic disorders in the Arab	3	6
91	Mental Health Practice, 2005, 9, 28-30 Impact of involving people with dementia and their care partners in research: a qualitative study. BMJ Open, 2020, 10, e039321 Psychosocial family interventions for relatives of people living with psychotic disorders in the Arab world: systematic review. BMC Psychiatry, 2020, 20, 413 PatientsPperspectives on shared decision making in secondary mental healthcare in Taiwan: A	3 4.2	6
91 90 89	Mental Health Practice, 2005, 9, 28-30 Impact of involving people with dementia and their care partners in research: a qualitative study. BMJ Open, 2020, 10, e039321 Psychosocial family interventions for relatives of people living with psychotic disorders in the Arab world: systematic review. BMC Psychiatry, 2020, 20, 413 PatientsPperspectives on shared decision making in secondary mental healthcare in Taiwan: A qualitative study. Patient Education and Counseling, 2020, A (five-)level playing field for mental health conditions?: exploratory analysis of EQ-5D-5L-derived	3.1	6 6 5
91 90 89 88	Mental Health Practice, 2005, 9, 28-30 Impact of involving people with dementia and their care partners in research: a qualitative study. BMJ Open, 2020, 10, e039321 Psychosocial family interventions for relatives of people living with psychotic disorders in the Arab world: systematic review. BMC Psychiatry, 2020, 20, 413 PatientsPperspectives on shared decision making in secondary mental healthcare in Taiwan: A qualitative study. Patient Education and Counseling, 2020, A (five-)level playing field for mental health conditions?: exploratory analysis of EQ-5D-5L-derived utility values. Quality of Life Research, 2018, 27, 717-724 Clinician views of referring people with negative symptoms to outcome research: a questionnaire	3.1 3.7	6 6 5 5

84	Service user- and carer-reported measures of involvement in mental health care planning: methodological quality and acceptability to users. <i>Frontiers in Psychiatry</i> , 2014 , 5, 178	5	5
83	The HELPER programme: HEalthy Living and Prevention of Early Relapse Ithree exploratory randomised controlled trials of phase-specific interventions in first-episode psychosis. <i>Programme Grants for Applied Research</i> , 2015 , 3, 1-238	1.5	5
82	Supporting low intensity interventions using the telephone 2010 , 275-280		5
81	Implementing civic engagement within mental health services in South East Asia: a systematic review and realist synthesis of current evidence. <i>International Journal of Mental Health Systems</i> , 2020 , 14, 17	3.6	4
80	Negotiating support from relationships and resources: a longitudinal study examining the role of personal support networks in the management of severe and enduring mental health problems. <i>BMC Psychiatry</i> , 2020 , 20, 50	4.2	4
79	The theoretical and practical determination of clinical cut-offs for the British Sign Language versions of PHQ-9 and GAD-7. <i>BMC Psychiatry</i> , 2016 , 16, 372	4.2	4
78	The impact of advertising patient and public involvement on trial recruitment: embedded cluster randomised recruitment trial. <i>Trials</i> , 2016 , 17, 586	2.8	4
77	A qualitative exploration of trial-related terminology in a study involving Deaf British Sign Language users. <i>Trials</i> , 2016 , 17, 219	2.8	4
76	Behavioural treatments in post-traumatic stress disorder. <i>British Journal of Nursing</i> , 1995 , 4, 934-6, 953	0.7	4
75	What influences practitionersPreadiness to deliver psychological interventions by telephone? A qualitative study of behaviour change using the Theoretical Domains Framework. <i>BMC Psychiatry</i> , 2020 , 20, 371	4.2	4
74	Evaluation of a research awareness training programme to support research involvement of older people with dementia and their care partners. <i>Health Expectations</i> , 2020 , 23, 1177-1190	3.7	4
73	P didnR know what to expectP Exploring patient perspectives to identify targets for change to improve telephone-delivered psychological interventions. <i>BMC Psychiatry</i> , 2020 , 20, 156	4.2	4
72	Maintaining musculoskeletal health using a behavioural therapy approach: a population-based randomised controlled trial (the MAmMOTH Study). <i>Annals of the Rheumatic Diseases</i> , 2021 , 80, 903-917	1 ^{2.4}	4
71	Knowledge and competency standards for specialized cognitive behavior therapy for adult obsessive-compulsive disorder. <i>Psychiatry Research</i> , 2021 , 303, 113752	9.9	4
70	Can support workers from AgeUK deliver an intervention to support older people with anxiety and depression? A qualitative evaluation. <i>BMC Family Practice</i> , 2019 , 20, 16	2.6	3
69	Personality disorder co-morbidity in primary care Improving Access to Psychological TherapyP services: A qualitative study exploring professionals Pperspectives of working with this patient group. <i>Personality and Mental Health</i> , 2019 , 13, 168-179	3.1	3
68	Assessing mental health service user and carer involvement in physical health care planning: The development and validation of a new patient-reported experience measure. <i>PLoS ONE</i> , 2019 , 14, e0206	507	3
67	Influence of Needs and Experiences of Haemato-Oncology Patients on Acceptability of a Telephone Intervention for Support and Symptom Management: A Qualitative Study. <i>Clinical Nursing Research</i> , 2020 , 29, 627-637	1.7	3

66	A feasibility study for NOn-Traditional providers to support the management of Elderly People with Anxiety and Depression: The NOTEPAD study Protocol. <i>Trials</i> , 2018 , 19, 172	2.8	3
65	Collaborative, individualised lifestyle interventions are acceptable to people with first episode psychosis; a qualitative study. <i>BMC Psychiatry</i> , 2018 , 18, 111	4.2	3
64	Carer and mental health professional views of a psychosocial treatment for negative symptoms in psychosis: a qualitative study. <i>International Journal of Nursing Studies</i> , 2012 , 49, 1191-9	5.8	3
63	Psychosocial interventions for the negative symptoms of psychosis. <i>Mental Health Practice</i> , 2013 , 16, 19-22	0.4	3
62	Developing a framework for admission and discharge: a nurse-led initiative within a mental health setting. <i>Journal of Psychiatric and Mental Health Nursing</i> , 2007 , 14, 705-12	2.4	3
61	The use of CBT based, brief, facilitated self-help interventions in primary care mental health service provision: Evaluation of a 10-day training programme. <i>Clinical Effectiveness in Nursing</i> , 2006 , 9, e88-e96		3
60	Self-help for anxiety and depression in primary care: an audit of a pilot clinic. <i>Clinical Effectiveness in Nursing</i> , 2002 , 6, 129-133		3
59	Interventions for adults with a history of complex traumatic events: the INCiTE mixed-methods systematic review. <i>Health Technology Assessment</i> , 2020 , 24, 1-312	4.4	3
58	Improving care for older people with long-term conditions and social care needs in Salford: the CLASSIC mixed-methods study, including RCT. <i>Health Services and Delivery Research</i> , 2018 , 6, 1-188	1.5	3
57	Training to enhance user and carer involvement in mental health-care planning: the EQUIP research programme including a cluster RCT. <i>Programme Grants for Applied Research</i> , 2019 , 7, 1-140	1.5	3
56	Improving mental health literacy among young people aged 11-15 years in Java, Indonesia: the co-development of a culturally-appropriate, user-centred resource (The IMPeTUs Intervention). Child and Adolescent Psychiatry and Mental Health, 2021, 15, 56	6.8	3
55	Behavioural activation to prevent depression and loneliness among socially isolated older people with long-term conditions: The BASIL COVID-19 pilot randomised controlled trial. <i>PLoS Medicine</i> , 2021 , 18, e1003779	11.6	3
54	A randomised controlled trial, cost-effectiveness and process evaluation of the implementation of self-management for chronic gastrointestinal disorders in primary care, and linked projects on identification and risk assessment. <i>Programme Grants for Applied Research</i> , 2018 , 6, 1-154	1.5	3
53	Digital methods to enhance the usefulness of patient experience data in services for long-term conditions: the DEPEND mixed-methods study. <i>Health Services and Delivery Research</i> , 2020 , 8, 1-128	1.5	3
52	Protocol for a multicentre randomised controlled parallel-group trial to compare the effectiveness of remotely delivered cognitive-behavioural and graded exercise interventions with usual care alone to lessen the impact of fatigue in inflammatory rheumatic diseases (LIFT). <i>BMJ Open</i> , 2019 , 9, e02	3 6793	3
51	PHeB my mate you seeP a critical discourse analysis of the therapeutic role of companion animals in the social networks of people with a diagnosis of severe mental illness. <i>Medical Humanities</i> , 2019 , 45, 326-334	1.4	3
50	A qualitative study of professional stakeholdersPperceptions about the implementation of a stepped care pain platform for people experiencing chronic widespread pain. <i>BMC Family Practice</i> , 2018 , 19, 151	2.6	3
49	Exploring the experience of relatives living with individuals diagnosed with schizophrenia in Oman: A qualitative study. <i>Journal of Psychiatric and Mental Health Nursing</i> , 2021 , 28, 1029-1040	2.4	3

48	PatientsPexperiences of cognitive behavioural therapy and eye movement desensitisation and reprocessing as treatments for obsessive-compulsive disorder. <i>Counselling and Psychotherapy Research</i> , 2018 , 18, 251-261	1.3	2
47	A follow-up evaluation of the impact of the Chief Nursing Officer® review of mental health nursing in Mental Health Trusts and Universities in England: comparisons of two e-surveys. <i>Journal of Advanced Nursing</i> , 2012 , 68, 625-35	3.1	2
46	Collaborative care for depression in UK primary care: a randomized controlled trial Corrigendum. <i>Psychological Medicine</i> , 2009 , 39, 701-701	6.9	2
45	COVID-19 vaccination uptake in people with severe mental illness: a UK-based cohort study <i>World Psychiatry</i> , 2022 , 21, 153-154	14.4	2
44	Children and young peopleß beliefs about mental health and illness in Indonesia: A qualitative study informed by the Common Sense Model of Self-Regulation <i>PLoS ONE</i> , 2022 , 17, e0263232	3.7	2
43	A study on the feasibility of delivering a psychologically informed ward-based intervention on an acute mental health ward. <i>Clinical Psychology and Psychotherapy</i> , 2021 ,	2.9	2
42	Enhancing the Behaviour Change Wheel with synthesis, stakeholder involvement and decision-making: a case example using the 压nhancing the Quality of Psychological Interventions Delivered by Telephone倒EQUITy) research programme. <i>Implementation Science</i> , 2021 , 16, 53	8.4	2
41	The clinical and behavioral cardiometabolic risk of children and young people on mental health inpatient units: A systematic review and meta-analysis. <i>General Hospital Psychiatry</i> , 2021 , 70, 80-97	5.6	2
40	The experiences of help-seeking in people with obsessive compulsive disorder: an internet survey. <i>The Cognitive Behaviour Therapist</i> , 2016 , 9,	2.9	2
39	Moderators and predictors of outcomes in telephone delivered compared to face-to-face cognitive behaviour therapy for paediatric obsessive-compulsive disorder: preliminary evidence from a non-inferiority RCT. <i>Cognitive Behaviour Therapy</i> , 2019 , 48, 353-368	4.4	2
38	Use of smartphones, mobile apps and wearables for health promotion by people with anxiety or depression: An analysis of a nationally representative survey data. <i>Psychiatry Research</i> , 2021 , 304, 1141	28 ^{.9}	2
37	Cost-effectiveness analysis of telephone cognitive-behaviour therapy for adolescents with obsessive-compulsive disorder. <i>BJPsych Open</i> , 2019 , 5, e7	5	1
36	Treating patients who strain the research psychotherapy paradigm. <i>Journal of Nervous and Mental Disease</i> , 2012 , 200, 594-7	1.8	1
35	Cognitive Restructuring in the Treatment of Post-Traumatic Stress Disorder wo Single Cases. <i>Clinical Psychology and Psychotherapy</i> , 1996 , 3, 137-148	2.9	1
34	Conceptualisations of positive mental health and wellbeing among children and adolescents in low- and middle-income countries: A systematic review and narrative synthesis <i>Health Expectations</i> , 2021 ,	3.7	1
33	A cluster randomised controlled trial of a ward-based intervention to improve access to psychologically-informed care and psychological therapy for mental health in-patients <i>BMC Psychiatry</i> , 2022 , 22, 82	4.2	1
32	Multicentre randomised controlled trial of a group psychological intervention for postnatal depression in British mothers of South Asian origin (ROSHNI-2): study protocol. <i>BJPsych Open</i> , 2022 , 8,	5	1
31	CHOICE: Choosing Health Options In Chronic Care Emergencies. <i>Programme Grants for Applied Research</i> , 2017 , 5, 1-272	1.5	1

30	Collaborative case management to aid return to work after long-term sickness absence: a pilot randomised controlled trial. <i>Public Health Research</i> , 2018 , 6, 1-76	1.7	1
29	Non-traditional support workers delivering a brief psychosocial intervention for older people with anxiety and depression: the NOTEPAD feasibility study. <i>Health Services and Delivery Research</i> , 2019 , 7, 1-120	1.5	1
28	Management of late-life depression17-32		1
27	Conducting a consensus conference to design a psychology service model for acute mental health wards. <i>British Journal of Clinical Psychology</i> , 2020 , 59, 439-460	3.6	1
26	ApTiC: A feasibility trial of a communication method using mobile technology to improve assessment within an early intervention service. <i>European Psychiatry</i> , 2016 , 33, S608-S608	6	1
25	Assessing the effectiveness of social network interventions for adults with a diagnosis of mental health problems: a systematic review and narrative synthesis of impact <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2022 , 1	4.5	O
24	Providing Telephone-Based Support for Patients With Haematological Malignancies: A Qualitative Investigation of Expert Nurses. <i>Canadian Journal of Nursing Research</i> , 2021 , 8445621211013231	1.5	О
23	Effectiveness of collaborative care in reducing suicidal ideation: An individual participant data meta-analysis. <i>General Hospital Psychiatry</i> , 2021 , 71, 27-35	5.6	О
22	Personality disorder co-morbidity in primary care Improving Access to Psychological TherapyP (IAPT) services: a qualitative study exploring patient perspectives on treatment experience. <i>Behavioural and Cognitive Psychotherapy</i> , 2021 , 49, 144-158	2.1	O
21	Behavioural Activation for Social IsoLation (BASIL+) trial (Behavioural activation to mitigate depression and loneliness among older people with long-term conditions): Protocol for a fully-powered pragmatic randomised controlled trial <i>PLoS ONE</i> , 2022 , 17, e0263856	3.7	О
20	Out of pocket expenses in obsessive compulsive disorder. Journal of Mental Health, 2020, 1-6	2.7	
19	OP78 Improving trial recruitment through improved communication about patient and public involvement: an embedded cluster randomised recruitment trial. <i>Journal of Epidemiology and Community Health</i> , 2016 , 70, A43.2-A44	5.1	
18	OP52 A systematic review of the prognosis of distal upper limb pain. <i>Journal of Epidemiology and Community Health</i> , 2014 , 68, A27.2-A28	5.1	
17	OP0232 Long-Term Effects of Cognitive Behaviour Therapy and Exercise for Chronic Widespread Pain. <i>Annals of the Rheumatic Diseases</i> , 2013 , 72, A131.1-A131	2.4	
16	PTU-095 A qualitative exploration of inflammatory bowel disease patient perceptions of primary care in the UK. <i>Gut</i> , 2012 , 61, A222.3-A223	19.2	
15	PMO-024 A qualitative exploration of inflammatory bowel disease patient attitudes towards self management and new modes of care delivery. <i>Gut</i> , 2012 , 61, A82.3-A83	19.2	
14	Health professionalsPperspectives on shared decision-making in secondary mental healthcare: a qualitative study <i>Journal of Mental Health</i> , 2022 , 1-7	2.7	
13	Exploring views of relatives and mental health professionals to inform the cultural adaptation of a family intervention for schizophrenia in Oman: A qualitative study <i>International Journal of Social Psychiatry</i> , 2022 , 207640211060694	8.5	

12	therapy intervention for patients with axial spondyloarthritis. <i>Rheumatology Advances in Practice</i> , 2021 , 5, rkaa063	1.1
11	OC-005 An exploration of the health and social needs of people living with inflammatory bowel disease: a metasynthesis. <i>Gut</i> , 2012 , 61, A2.2-A2	19.2
10	Exploratory randomized controlled trial of a group psychological intervention for postnatal depression in British mothers of South Asian origin. <i>European Psychiatry</i> , 2016 , 33, s279-s279	6
9	Psychological Therapies420-438	
8	Mental health literacy amongst children with common mental health problems and their parents in Java, Indonesia: a qualitative study. <i>Global Mental Health (Cambridge, England)</i> ,1-12	3.9
7	Identifying and managing psoriasis-associated comorbidities: the IMPACT research programme. <i>Programme Grants for Applied Research</i> , 2022 , 10, 1-240	1.5
6	Psychological and pharmacological interventions for posttraumatic stress disorder and comorbid mental health problems following complex traumatic events: Systematic review and component network meta-analysis 2020 , 17, e1003262	
5	Psychological and pharmacological interventions for posttraumatic stress disorder and comorbid mental health problems following complex traumatic events: Systematic review and component network meta-analysis 2020 , 17, e1003262	
4	Psychological and pharmacological interventions for posttraumatic stress disorder and comorbid mental health problems following complex traumatic events: Systematic review and component network meta-analysis 2020 , 17, e1003262	
3	Psychological and pharmacological interventions for posttraumatic stress disorder and comorbid mental health problems following complex traumatic events: Systematic review and component network meta-analysis 2020 , 17, e1003262	
2	Psychological and pharmacological interventions for posttraumatic stress disorder and comorbid mental health problems following complex traumatic events: Systematic review and component network meta-analysis 2020 , 17, e1003262	
1	De-escalation of conflict in forensic mental health inpatient settings: a Theoretical Domains Framework-informed qualitative investigation of staff and patient perspectives <i>BMC Psychology</i> ,	2.8