

Ian Clapp

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1831857/publications.pdf>

Version: 2024-02-01

33
papers

349
citations

840776

11
h-index

839539

18
g-index

33
all docs

33
docs citations

33
times ranked

205
citing authors

#	ARTICLE	IF	CITATIONS
1	The Influence of Pain in Other Major Joints and the Spine on 2-Year Outcomes After Hip Arthroscopy. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2018, 34, 3196-3201.	2.7	36
2	Machine Learning Algorithms Predict Functional Improvement After Hip Arthroscopy for Femoroacetabular Impingement Syndrome in Athletes. <i>Journal of Bone and Joint Surgery - Series A</i> , 2021, 103, 1055-1062.	3.0	36
3	High Rate of Return to Cycling After Hip Arthroscopy for Femoroacetabular Impingement Syndrome. <i>Sports Health</i> , 2018, 10, 259-265.	2.7	34
4	Comparing Outcomes of Competitive Athletes Versus Nonathletes Undergoing Hip Arthroscopy for Treatment of Femoroacetabular Impingement Syndrome. <i>American Journal of Sports Medicine</i> , 2020, 48, 159-166.	4.2	30
5	High Rate of Return to Yoga for Athletes After Hip Arthroscopy for Femoroacetabular Impingement Syndrome. <i>Sports Health</i> , 2018, 10, 434-440.	2.7	24
6	Intra-articular Volume Reduction With Arthroscopic Plication for Capsular Laxity of the Hip: A Cadaveric Comparison of Two Surgical Techniques. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2019, 35, 471-477.	2.7	22
7	Machine Learning Algorithms Predict Achievement of Clinically Significant Outcomes After Orthopaedic Surgery: A Systematic Review. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2022, 38, 2090-2105.	2.7	20
8	Return to Golf After Arthroscopic Management of Femoroacetabular Impingement Syndrome. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2018, 34, 3187-3193.e1.	2.7	16
9	Assessment of Association Between Spino-Pelvic Parameters and Outcomes Following Gluteus Medius Repair. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2019, 35, 1092-1098.	2.7	14
10	Association Between Preoperative Patient Factors and Clinically Meaningful Outcomes After Hip Arthroscopy for Femoroacetabular Impingement Syndrome: A Machine Learning Analysis. <i>American Journal of Sports Medicine</i> , 2022, 50, 746-756.	4.2	14
11	What is the Role of Kinesiophobia and Pain Catastrophizing in Outcomes After Hip Arthroscopy for Femoroacetabular Impingement Syndrome?. <i>Arthroscopy, Sports Medicine, and Rehabilitation</i> , 2020, 2, e97-e104.	1.7	13
12	Complete Capsular Closure Provides Higher Rates of Clinically Significant Outcome Improvement and Higher Survivorship Versus Partial Closure After Hip Arthroscopy at Minimum 5-Year Follow-Up. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2021, 37, 1833-1842.	2.7	12
13	Defining Clinically Significant Improvement on the Patient-Reported Outcomes Measurement Information System Test at 1-Year Follow-up for Patients Undergoing Hip Arthroscopy for the Treatment of Femoroacetabular Impingement Syndrome. <i>American Journal of Sports Medicine</i> , 2021, 49, 2457-2465.	4.2	12
14	Repeat Revision Hip Arthroscopy Outcomes Match That of Initial Revision But Not That of Primary Surgery for Femoroacetabular Impingement Syndrome. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2021, 37, 3434-3441.	2.7	11
15	Patients Require Less Time to Complete Preoperative Patient-Reported Outcomes Measurement Information System (PROMIS) Than Legacy Patient-Reported Outcome Measures. <i>Arthroscopy, Sports Medicine, and Rehabilitation</i> , 2021, 3, e1413-e1419.	1.7	11
16	The Natural Course of Recovery After Hip Arthroscopy for Femoroacetabular Impingement According to the International Hip Outcome Tool [®] 12 and Hip Outcome Score Sports Subscale. <i>American Journal of Sports Medicine</i> , 2021, 49, 3250-3260.	4.2	7
17	Return to Sport in Athletes With Borderline Hip Dysplasia After Hip Arthroscopy for Femoroacetabular Impingement Syndrome. <i>American Journal of Sports Medicine</i> , 2022, 50, 30-39.	4.2	5
18	Hypermobility Disorders and Their Effects on the Hip Joint. <i>Frontiers in Surgery</i> , 2021, 8, 596971.	1.4	4

#	ARTICLE	IF	CITATIONS
19	Superior Gluteal Reconstruction Results in Promising Outcomes for Massive Abductor Tendon Tears. <i>Arthroscopy, Sports Medicine, and Rehabilitation</i> , 2021, 3, e1321-e1327.	1.7	4
20	Patient-Reported Outcomes Measurement Information System Test Is Less Responsive Than Legacy Hip-Specific Patient-Reported Outcome Measures in Patients Undergoing Arthroscopy for Femoroacetabular Impingement Syndrome. <i>Arthroscopy, Sports Medicine, and Rehabilitation</i> , 2021, 3, e1645-e1650.	1.7	4
21	Pain Catastrophizing and Kinesiophobia Affect Return to Sport in Patients Undergoing Hip Arthroscopy for the Treatment of Femoroacetabular Impingement. <i>Arthroscopy, Sports Medicine, and Rehabilitation</i> , 2021, 3, e1087-e1095.	1.7	4
22	Quantification of Acetabular Coverage on 3-Dimensional Reconstructed Computed Tomography Scan Bone Models in Patients With Femoroacetabular Impingement Syndrome: A Descriptive Study. <i>Orthopaedic Journal of Sports Medicine</i> , 2021, 9, 232596712110494.	1.7	4
23	Arthroscopic Treatment of Femoroacetabular Impingement Using Labral Reconstruction with Capsular Autograft. <i>Arthroscopy Techniques</i> , 2021, 10, e2375-e2381.	1.3	3
24	Use of Younger Patient Age and Greater Anterior Center-Edge Angle to Predict the Need for Bilateral Hip Arthroscopy in Patients With Bilateral Femoroacetabular Impingement-Related Hip Pain. <i>American Journal of Sports Medicine</i> , 2021, 49, 2110-2116.	4.2	2
25	High rate of return to tennis after hip arthroscopy for patients with femoroacetabular impingement syndrome. <i>Physical Therapy in Sport</i> , 2021, 51, 45-49.	1.9	2
26	Patients Follow 3 Different Rate-of-Recovery Patterns After Anterior Cruciate Ligament Reconstruction Based on International Knee Documentation Committee Score. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2022, 38, 2480-2490.e3.	2.7	2
27	Improvements in Sleep Quality Are Maintained at a Minimum of 2 Years Following Hip Arthroscopy for Femoroacetabular Impingement Syndrome. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2021, 37, 873-878.	2.7	1
28	Collection of the International Hip Outcome Tool-12 Using a Smartphone Application Format Is Faster and Preferred When Compared With the Paper Version: A Pilot Study of rHip. <i>Arthroscopy, Sports Medicine, and Rehabilitation</i> , 2021, 3, e1401-e1405.	1.7	1
29	Determining the Roles of the Anterior Cruciate Ligament, Posterolateral Corner, and Medial Collateral Ligament in Knee Hyperextension Using the Heel-Height Test. <i>Orthopaedic Journal of Sports Medicine</i> , 2022, 10, 232596712210866.	1.7	1
30	Biomechanical Role of the Superior Capsule in a Rotator Cuff Sectioned and Repaired State: A Sequential Sectioning Study. <i>American Journal of Sports Medicine</i> , 2022, , 036354652210836.	4.2	0
31	Paper 26: Defining Clinically Significant Improvement on Patient-Reported Outcomes Measurement Information System Test for Patients Undergoing Hip Arthroscopy for the Treatment of Femoroacetabular Impingement Syndrome at 1-Year Follow-Up. <i>Orthopaedic Journal of Sports Medicine</i> . 2022, 10, 2325967121S0056.	1.7	0
32	Paper 24: The Natural Course of Recovery for Health-Related Quality of Life Following Hip Arthroscopy for Femoroacetabular Impingement Syndrome. <i>Orthopaedic Journal of Sports Medicine</i> , 2022, 10, 2325967121S0056.	1.7	0
33	Paper 08: Predicting Clinically Significant Outcomes in Patients Undergoing Hip Arthroscopy for the Treatment of Femoroacetabular Impingement Syndrome: Five-Year Results in 453 Patients. <i>Orthopaedic Journal of Sports Medicine</i> , 2022, 10, 2325967121S0054.	1.7	0