

Hendri H Pas

List of Publications by Citations

Source: <https://exaly.com/author-pdf/1831934/hendri-h-pas-publications-by-citations.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

163
papers

3,942
citations

36
h-index

54
g-index

173
ext. papers

4,594
ext. citations

4
avg, IF

5.03
L-index

#	Paper	IF	Citations
163	Revertant mosaicism in epidermolysis bullosa caused by mitotic gene conversion. <i>Cell</i> , 1997 , 88, 543-51	56.2	213
162	Loss of desmoplakin tail causes lethal acantholytic epidermolysis bullosa. <i>American Journal of Human Genetics</i> , 2005 , 77, 653-60	11	167
161	180-kD bullous pemphigoid antigen (BP180) is deficient in generalized atrophic benign epidermolysis bullosa. <i>Journal of Clinical Investigation</i> , 1995 , 95, 1345-52	15.9	140
160	U-serrated immunodeposition pattern differentiates type VII collagen targeting bullous diseases from other subepidermal bullous autoimmune diseases. <i>British Journal of Dermatology</i> , 2004 , 151, 112-8 ⁴		121
159	S-phosphocysteine and phosphohistidine are intermediates in the phosphoenolpyruvate-dependent mannitol transport catalyzed by <i>Escherichia coli</i> E11Mtl. <i>Biochemistry</i> , 1988 , 27, 5835-9	3.2	108
158	Bullous pemphigoid and linear IgA dermatosis sera recognize a similar 120-kDa keratinocyte collagenous glycoprotein with antigenic cross-reactivity to BP180. <i>Journal of Investigative Dermatology</i> , 1997 , 108, 423-9	4.3	98
157	Effects of keratin 14 ablation on the clinical and cellular phenotype in a kindred with recessive epidermolysis bullosa simplex. <i>Journal of Investigative Dermatology</i> , 1996 , 107, 764-9	4.3	89
156	Revertant mosaicism in junctional epidermolysis bullosa due to multiple correcting second-site mutations in LAMB3. <i>Journal of Clinical Investigation</i> , 2007 , 117, 1240-8	15.9	79
155	Laboratory diagnosis of paraneoplastic pemphigus. <i>British Journal of Dermatology</i> , 2013 , 169, 1016-24	4	74
154	The many faces of epidermolysis bullosa acquisita after serration pattern analysis by direct immunofluorescence microscopy. <i>British Journal of Dermatology</i> , 2011 , 165, 92-8	4	74
153	Persistent failures in gene repair. <i>Nature Biotechnology</i> , 2001 , 19, 305-6	44.5	69
152	Multiple correcting COL17A1 mutations in patients with revertant mosaicism of epidermolysis bullosa. <i>American Journal of Human Genetics</i> , 2005 , 77, 727-40	11	66
151	Low-dose rituximab is effective in pemphigus. <i>British Journal of Dermatology</i> , 2012 , 166, 405-12	4	64
150	IgA-mediated epidermolysis bullosa acquisita: two cases and review of the literature. <i>Journal of the American Academy of Dermatology</i> , 2002 , 47, 919-25	4.5	59
149	Large-Scale Electron Microscopy Maps of Patient Skin and Mucosa Provide Insight into Pathogenesis of Blistering Diseases. <i>Journal of Investigative Dermatology</i> , 2015 , 135, 1763-1770	4.3	58
148	Adhesive stripping to remove epidermis in junctional epidermolysis bullosa for revertant cell therapy. <i>British Journal of Dermatology</i> , 2009 , 161, 444-7	4	56
147	Enhanced diagnostic immunofluorescence using biopsies transported in saline. <i>BMC Dermatology</i> , 2004 , 4, 10	2.1	56

146	Bullous pemphigoid successfully controlled by tetracycline and nicotinamide. <i>British Journal of Dermatology</i> , 1995 , 133, 88-90	4	55
145	Cicatricial pemphigoid with circulating autoantibodies to beta4 integrin, bullous pemphigoid 180 and bullous pemphigoid 230. <i>British Journal of Dermatology</i> , 2001 , 145, 998-1004	4	55
144	IgG-induced clustering of desmogleins 1 and 3 in skin of patients with pemphigus fits with the desmoglein nonassembly depletion hypothesis. <i>British Journal of Dermatology</i> , 2011 , 165, 552-62	4	53
143	Partial revertant mosaicism of keratin 14 in a patient with recessive epidermolysis bullosa simplex. <i>Journal of Investigative Dermatology</i> , 2002 , 118, 626-30	4.3	53
142	Abundance of the long pentraxin PTX3 at sites of leukocytoclastic lesions in patients with small-vessel vasculitis. <i>Arthritis and Rheumatism</i> , 2006 , 54, 986-91		52
141	Deletion of a cytoplasmic domain of integrin beta4 causes epidermolysis bullosa simplex. <i>Journal of Investigative Dermatology</i> , 2002 , 119, 1275-81	4.3	51
140	Bacterial phosphoenolpyruvate-dependent phosphotransferase system: mannitol-specific EII contains two phosphoryl binding sites per monomer and one high-affinity mannitol binding site per dimer. <i>Biochemistry</i> , 1988 , 27, 5520-5	3.2	50
139	Bullous pemphigoid as pruritus in the elderly: a common presentation. <i>JAMA Dermatology</i> , 2013 , 149, 950-3	5.1	48
138	Inflammatory variant of epidermolysis bullosa acquisita with IgG autoantibodies against type VII collagen and laminin alpha3. <i>Archives of Dermatology</i> , 2000 , 136, 227-31		48
137	³¹ P-NMR demonstration of phosphocysteine as a catalytic intermediate on the Escherichia coli phosphotransferase system EIIIMtl.. <i>Journal of Biological Chemistry</i> , 1991 , 266, 6690-6692	5.4	48
136	Epiplakin Is a Paraneoplastic Pemphigus Autoantigen and Related to Bronchiolitis Obliterans in Japanese Patients. <i>Journal of Investigative Dermatology</i> , 2016 , 136, 399-408	4.3	39
135	Immunofluorescence serration pattern analysis as a diagnostic criterion in antilaminin-332 mucous membrane pemphigoid: immunopathological findings and clinical experience in 10 Dutch patients. <i>British Journal of Dermatology</i> , 2011 , 165, 815-22	4	39
134	PLEC1 mutations underlie adult-onset dilated cardiomyopathy in epidermolysis bullosa simplex with muscular dystrophy. <i>Journal of Investigative Dermatology</i> , 2010 , 130, 1178-81	4.3	39
133	Details of mannitol transport in Escherichia coli elucidated by site-specific mutagenesis and complementation of phosphorylation site mutants of the phosphoenolpyruvate-dependent mannitol-specific phosphotransferase system. <i>Biochemistry</i> , 1991 , 30, 1768-73	3.2	38
132	Assessment of Diagnostic Strategy for Early Recognition of Bullous and Nonbullous Variants of Pemphigoid. <i>JAMA Dermatology</i> , 2019 , 155, 158-165	5.1	38
131	Laboratory Diagnosis and Clinical Profile of Anti-p200 Pemphigoid. <i>JAMA Dermatology</i> , 2016 , 152, 897-904	4	37
130	Serration pattern analysis for differentiating epidermolysis bullosa acquisita from other pemphigoid diseases. <i>Journal of the American Academy of Dermatology</i> , 2018 , 78, 754-759.e6	4.5	36
129	Coexistence of IgA antibodies to desmogleins 1 and 3 in pemphigus vulgaris, pemphigus foliaceus and paraneoplastic pemphigus. <i>British Journal of Dermatology</i> , 2007 , 156, 635-41	4	36

128	Localized and generalized forms of blistering in junctional epidermolysis bullosa due to COL17A1 mutations in the Netherlands. <i>British Journal of Dermatology</i> , 2007 , 156, 861-70	4	36
127	Bacterial phosphoenolpyruvate-dependent phosphotransferase system: association state of membrane-bound mannitol-specific enzyme II demonstrated by inactivation. <i>Biochemistry</i> , 1987 , 26, 6689-96	3.2	35
126	Bullous pemphigoid and epidermolysis bullosa acquisita. Differentiation by fluorescence overlay antigen mapping. <i>Archives of Dermatology</i> , 1996 , 132, 151-7		35
125	Mutation in exon 1a of PLEC, leading to disruption of plectin isoform 1a, causes autosomal-recessive skin-only epidermolysis bullosa simplex. <i>Human Molecular Genetics</i> , 2015 , 24, 3155-62	5.6	34
124	Caspase-1-independent IL-1 release mediates blister formation in autoantibody-induced tissue injury through modulation of endothelial adhesion molecules. <i>Journal of Immunology</i> , 2015 , 194, 3656-63	5.3	34
123	Circulating pemphigus autoantibodies in healthy relatives of pemphigus patients: coincidental phenomenon with a risk of disease development?. <i>Archives of Dermatological Research</i> , 2007 , 299, 239-43	3.3	34
122	Lethal acantholytic epidermolysis bullosa due to a novel homozygous deletion in DSP: expanding the phenotype and implications for desmoplakin function in skin and heart. <i>British Journal of Dermatology</i> , 2010 , 162, 1388-94	4	33
121	The ultrastructure of acantholysis in pemphigus vulgaris. <i>British Journal of Dermatology</i> , 2009 , 160, 460-1	4	33
120	Retrospective diagnosis of fatal BP180-deficient non-Herlitz junctional epidermolysis bullosa suggested by immunofluorescence (IF) antigen-mapping of parental carriers bearing enamel defects. <i>Journal of Investigative Dermatology</i> , 2007 , 127, 1772-5	4.3	32
119	Linear IgA bullous dermatosis in a patient with renal cell carcinoma. <i>British Journal of Dermatology</i> , 2001 , 144, 870-3	4	32
118	Low sensitivity of type VII collagen enzyme-linked immunosorbent assay in epidermolysis bullosa acquisita: serration pattern analysis on skin biopsy is required for diagnosis. <i>British Journal of Dermatology</i> , 2013 , 169, 164-7	4	31
117	The use of skin substrates deficient in basement membrane molecules for the diagnosis of subepidermal autoimmune bullous disease. <i>European Journal of Dermatology</i> , 1998 , 8, 83-5	0.8	30
116	A homozygous nonsense mutation in type XVII collagen gene (COL17A1) uncovers an alternatively spliced mRNA accounting for an unusually mild form of non-Herlitz junctional epidermolysis bullosa. <i>Journal of Investigative Dermatology</i> , 2001 , 116, 182-7	4.3	29
115	Cytoplasmic phosphorylating domain of the mannitol-specific transport protein of the phosphoenolpyruvate-dependent phosphotransferase system in <i>Escherichia coli</i> : overexpression, purification, and functional complementation with the mannitol binding domain. <i>Biochemistry</i> , 1991 , 30, 8478-85	3.2	29
114	Meeting Report of the Pathogenesis of Pemphigus and Pemphigoid Meeting in Munich, September 2016. <i>Journal of Investigative Dermatology</i> , 2017 , 137, 1199-1203	4.3	26
113	Routine detection of serum antidesmocollin autoantibodies is only useful in patients with atypical pemphigus. <i>Experimental Dermatology</i> , 2017 , 26, 1267-1270	4	26
112	LAD-1 is absent in a subset of junctional epidermolysis bullosa patients. <i>Journal of Investigative Dermatology</i> , 1997 , 109, 356-9	4.3	26
111	Bullous pemphigoid: serum antibody titre and antigen specificity. <i>Experimental Dermatology</i> , 1995 , 4, 372-6	4	26

110	Human retinal Müller cells synthesize collagens of the vitreous and vitreoretinal interface in vitro. <i>Molecular Vision</i> , 2008 , 14, 652-60	2.3	25
109	Laboratory diagnosis of pemphigus: direct immunofluorescence remains the gold standard. <i>British Journal of Dermatology</i> , 2016 , 175, 185-6	4	24
108	Smaller desmosomes are seen in the skin of pemphigus patients with anti-desmoglein 1 antibodies but not in patients with anti-desmoglein 3 antibodies. <i>Journal of Investigative Dermatology</i> , 2014 , 134, 2287-2290	4.3	23
107	Enzyme IIMtl of the Escherichia coli phosphoenolpyruvate-dependent phosphotransferase system: identification of the activity-linked cysteine on the mannitol carrier. <i>Biochemistry</i> , 1988 , 27, 5515-9	3.2	23
106	Direct and indirect immunofluorescence staining patterns in the diagnosis of paraneoplastic pemphigus. <i>British Journal of Dermatology</i> , 2016 , 174, 912-5	4	23
105	The IgG "lupus-band" deposition pattern of pemphigus erythematosus: association with the desmoglein 1 ectodomain as revealed by 3 cases. <i>Archives of Dermatology</i> , 2012 , 148, 1173-8		22
104	Immunoblot assay in differential diagnosis of autoimmune blistering skin diseases. <i>Clinics in Dermatology</i> , 2001 , 19, 622-30	3	22
103	Conditional depletion of mast cells has no impact on the severity of experimental epidermolysis bullosa acquisita. <i>European Journal of Immunology</i> , 2015 , 45, 1462-70	6.1	21
102	Mosaic expression of uncein, linear IgA bullous dermatosis antigen and 180-kDa bullous pemphigoid antigen in generalized atrophic benign epidermolysis bullosa. <i>British Journal of Dermatology</i> , 1998 , 138, 904	4	21
101	Long-term survival of type XVII collagen revertant cells in an animal model of revertant cell therapy. <i>Journal of Investigative Dermatology</i> , 2014 , 134, 571-574	4.3	20
100	Long-term follow-up of patients with recessive dystrophic epidermolysis bullosa in the Netherlands: expansion of the mutation database and unusual phenotype-genotype correlations. <i>Journal of Dermatological Science</i> , 2009 , 56, 9-18	4.3	20
99	Acquired palmoplantar keratoderma and immunobullous disease associated with antibodies to desmocollin 3. <i>British Journal of Dermatology</i> , 2007 , 157, 168-73	4	20
98	Paraneoplastic pemphigus as the initial presentation of chronic lymphocytic leukemia. <i>Annals of Oncology</i> , 2001 , 12, 115-8	10.3	20
97	Reduced skin blistering in experimental epidermolysis bullosa acquisita after anti-TNF treatment. <i>Molecular Medicine</i> , 2017 , 22, 918-926	6.2	19
96	Complement in bullous pemphigoid: results from a large observational study. <i>British Journal of Dermatology</i> , 2017 , 176, 517-519	4	18
95	Whole-Genome Expression Profiling in Skin Reveals SYK As a Key Regulator of Inflammation in Experimental Epidermolysis Bullosa Acquisita. <i>Frontiers in Immunology</i> , 2018 , 9, 249	8.4	18
94	Recombinant human IgA1 and IgA2 autoantibodies to type VII collagen induce subepidermal blistering ex vivo. <i>Journal of Immunology</i> , 2014 , 193, 1600-8	5.3	18
93	Enzymatic breakdown of type II collagen in the human vitreous 2009 , 50, 4552-60		18

92	Anti-epiligrin cicatricial pemphigoid and epidermolysis bullosa acquisita: differentiation by use of indirect immunofluorescence microscopy. <i>Journal of the American Academy of Dermatology</i> , 2003 , 48, 542-7	4.5	18
91	Junctional epidermolysis bullosa of late onset explained by mutations in COL17A1. <i>British Journal of Dermatology</i> , 2011 , 164, 1280-4	4	17
90	Autoantibodies to Multiple Epitopes on the Non-Collagenous-1 Domain of Type VII Collagen Induce Blisters. <i>Journal of Investigative Dermatology</i> , 2015 , 135, 1565-1573	4.3	16
89	Oral Lesions in Autoimmune Bullous Diseases: An Overview of Clinical Characteristics and Diagnostic Algorithm. <i>American Journal of Clinical Dermatology</i> , 2019 , 20, 847-861	7.1	16
88	No evidence of apoptotic cells in pemphigus acantholysis. <i>Journal of Investigative Dermatology</i> , 2014 , 134, 2039-2041	4.3	16
87	Differential IgG recognition of desmoglein 3 by paraneoplastic pemphigus and pemphigus vulgaris sera. <i>Journal of Investigative Dermatology</i> , 2012 , 132, 1738-41	4.3	16
86	European Guidelines (S3) on diagnosis and management of mucous membrane pemphigoid, initiated by the European Academy of Dermatology and Venereology - Part II. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021 , 35, 1926-1948	4.6	16
85	Nonbullous pemphigoid: Insights in clinical and diagnostic findings, treatment responses, and prognosis. <i>Journal of the American Academy of Dermatology</i> , 2019 , 81, 355-363	4.5	15
84	PDE4 Inhibition as Potential Treatment of Epidermolysis Bullosa Acquisita. <i>Journal of Investigative Dermatology</i> , 2016 , 136, 2211-2220	4.3	15
83	Ultrastructure of acantholysis in pemphigus foliaceus re-examined from the current perspective. <i>British Journal of Dermatology</i> , 2012 , 167, 1265-71	4	15
82	Antipelectin autoantibodies in subepidermal blistering diseases. <i>British Journal of Dermatology</i> , 2009 , 161, 762-71	4	15
81	A very mild form of non-Herlitz junctional epidermolysis bullosa: BP180 rescue by outsplicing of mutated exon 30 coding for the COL15 domain. <i>Experimental Dermatology</i> , 2004 , 13, 125-8	4	15
80	Type XVII collagen (BP180) and LAD-1 are present as separate trimeric complexes. <i>Journal of Investigative Dermatology</i> , 1999 , 112, 58-61	4.3	15
79	Paraneoplastic pemphigus as the presenting symptom of a lymphoma of the tongue. <i>Oral Oncology</i> , 1998 , 34, 567-70	4.4	14
78	Features of epidermolysis bullosa simplex due to mutations in the ectodomain of type XVII collagen. <i>British Journal of Dermatology</i> , 2004 , 151, 669-74	4	14
77	Transition of pemphigus vulgaris into pemphigus foliaceus confirmed by antidesmoglein ELISA profile. <i>International Journal of Dermatology</i> , 2002 , 41, 525-7	1.7	14
76	Serum plakophilin-3 autoreactivity in paraneoplastic pemphigus. <i>British Journal of Dermatology</i> , 2010 , 163, 630-2	4	13
75	Contact allergens in shoe leather among patients with foot eczema. <i>Contact Dermatitis</i> , 2002 , 46, 145-8	2.7	13

74	Reversible relapse of pemphigus foliaceus triggered by topical imiquimod suggests that Toll-like receptor 7 inhibitors may be useful treatments for pemphigus. <i>Clinical and Experimental Dermatology</i> , 2011 , 36, 91-3	1.8	12
73	Staphylococcal scalded skin syndrome: loss of desmoglein 1 in patient skin. <i>European Journal of Dermatology</i> , 2010 , 20, 451-6	0.8	12
72	The smallest resonance energy transfer acceptor for tryptophan. <i>Journal of the American Chemical Society</i> , 2002 , 124, 6812-3	16.4	12
71	Carriers with functional null mutations in LAMA3 have localized enamel abnormalities due to haploinsufficiency. <i>European Journal of Human Genetics</i> , 2016 , 25, 94-99	5.3	11
70	Epidermolysis bullosa acquisita requiring multiple oesophageal dilatations. <i>Clinical and Experimental Dermatology</i> , 2008 , 33, 787-9	1.8	11
69	Truncated typeXVII collagen expression in a patient with non-herlitz junctional epidermolysis bullosa caused by a homozygous splice-site mutation. <i>Laboratory Investigation</i> , 2001 , 81, 887-94	5.9	11
68	Immunofluorescence of Autoimmune Bullous Diseases. <i>Surgical Pathology Clinics</i> , 2017 , 10, 505-512	3.9	10
67	HLA class II alleles of susceptibility and protection in Brazilian and Dutch pemphigus foliaceus. <i>British Journal of Dermatology</i> , 2018 , 178, e212-e214	4	10
66	Experimental human cell and tissue models of pemphigus. <i>Dermatology Research and Practice</i> , 2010 , 2010, 143871	2	10
65	Pemphigus foliaceus in an 11-year-old boy with dermatomyositis: simple coincidence or familial immunological background?. <i>British Journal of Dermatology</i> , 2003 , 148, 838-9	4	10
64	European guidelines (S3) on diagnosis and management of mucous membrane pemphigoid, initiated by the European Academy of Dermatology and Venereology - Part I. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021 , 35, 1750-1764	4.6	10
63	Detection of pemphigus autoantibodies by IIF and ELISA tests in patients with pemphigus vulgaris and foliaceus and in healthy relatives. <i>Medical Science Monitor</i> , 2003 , 9, CR528-33	3.2	10
62	Value of BIOCHIP Technology in the Serological Diagnosis of Pemphigoid Gestationis. <i>Acta Dermato-Venereologica</i> , 2017 , 97, 128-130	2.2	9
61	IgG antibodies to BP180 in a subset of oral lichen planus patients. <i>Journal of Dermatological Science</i> , 2007 , 47, 256-8	4.3	9
60	Inflammatory epidermolysis bullosa acquisita with coexistent IgA antibodies to plectin. <i>Clinical and Experimental Dermatology</i> , 2005 , 30, 531-4	1.8	9
59	Keratinocyte footprint assay discriminates antilaminin-332 pemphigoid from all other forms of pemphigoid diseases. <i>British Journal of Dermatology</i> , 2020 , 182, 373-381	4	9
58	Epidermolysis Bullosa Simplex Caused by Distal Truncation of BPAG1-e: An Intermediate Generalized Phenotype with Prurigo Papules. <i>Journal of Investigative Dermatology</i> , 2017 , 137, 2227-2230	4.3	8
57	Significantly higher prevalence of circulating bullous pemphigoid-specific IgG autoantibodies in elderly patients with a nonbullous skin disorder. <i>British Journal of Dermatology</i> , 2015 , 173, 1274-6	4	8

56	Immune diagnosis of pure ocular mucous membrane pemphigoid: indirect immunofluorescence versus immunoblot. <i>European Journal of Dermatology</i> , 2009 , 19, 456-60	0.8	8
55	Two type XVII collagen (BP180) mRNA transcripts in human keratinocytes: a long and a short form. <i>Clinical and Experimental Dermatology</i> , 2000 , 25, 71-6	1.8	8
54	Paraneoplastic pemphigus caused by an epithelioid leiomyosarcoma and associated with fatal respiratory failure. <i>Oral Oncology</i> , 2000 , 36, 390-3	4.4	8
53	Pigmentation and melanocyte supply to the epidermis depend on type XVII collagen. <i>Experimental Dermatology</i> , 2014 , 23, 130-2	4	7
52	Crystallization of the A-domain of the mannitol transport protein enzyme IImtl. <i>Journal of Molecular Biology</i> , 1992 , 228, 310-2	6.5	6
51	Hyperkeratotic hand eczema: Eczema or not?. <i>Contact Dermatitis</i> , 2020 , 83, 196-205	2.7	5
50	Bullous Pemphigoid With a Dual Pattern of Glomerular Immune Complex Disease. <i>American Journal of Kidney Diseases</i> , 2016 , 67, 302-6	7.4	5
49	Keratinocyte Binding Assay Identifies Anti-Desmosomal Pemphigus Antibodies Where Other Tests Are Negative. <i>Frontiers in Immunology</i> , 2018 , 9, 839	8.4	5
48	Type VII Collagen Expression in the Human Vitreoretinal Interface, Corpora Amylacea and Inner Retinal Layers. <i>PLoS ONE</i> , 2015 , 10, e0145502	3.7	5
47	Autoantibody Detection for Diagnosis in Direct Immunofluorescence-Negative Mucous Membrane Pemphigoid: Ocular and Other Sites Compared. <i>Ophthalmology</i> , 2021 , 128, 372-382	7.3	5
46	Type VII Collagen in the Human Accommodation System: Expression in Ciliary Body, Zonules, and Lens Capsule 2018 , 59, 1075-1083		5
45	Two major 5' untranslated regions for type XVII collagen mRNA. <i>Journal of Dermatological Science</i> , 2006 , 43, 11-9	4.3	4
44	False-negative results in immunoblot assay of serum IgA antibodies reactive with the 180-kDa bullous pemphigoid antigen: the importance of primary incubation temperature. <i>British Journal of Dermatology</i> , 2001 , 145, 986-9	4	4
43	IgE autoantibodies in serum and skin of non-bullous and bullous pemphigoid patients. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021 , 35, 973-980	4.6	4
42	Particle Bombardment of Ex Vivo Skin to Deliver DNA and Express Proteins. <i>Methods in Molecular Biology</i> , 2017 , 1559, 107-118	1.4	3
41	A PLEC Isoform Identified in Skin, Muscle, and Heart. <i>Journal of Investigative Dermatology</i> , 2017 , 137, 518-522	4.3	3
40	The effectiveness of rituximab in pemphigus and the benefit of additional maintenance infusions: Daily practice data from a retrospective study. <i>Journal of the American Academy of Dermatology</i> , 2020 , 83, 1503-1505	4.5	3
39	Immunoglobulin M bullous pemphigoid: An enigma. <i>JAAD Case Reports</i> , 2020 , 6, 518-520	1.4	3

38	A rare case with prominent features of both discoid lupus erythematosus and pemphigus foliaceus. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019 , 33, e5-e7	4.6	3
37	Prevalence of Pemphigoid as a Potentially Unrecognized Cause of Pruritus in Nursing Home Residents. <i>JAMA Dermatology</i> , 2019 , 155, 1423-1424	5.1	3
36	A childhood subepidermal autoimmune bullous disease resembling mechanobullous epidermolysis bullosa acquisita. <i>British Journal of Dermatology</i> , 2015 , 173, 871-4	4	3
35	Orf-induced pemphigoid with antilaminin-332 antibodies. <i>British Journal of Dermatology</i> , 2012 , 167, 956-8	4	3
34	Antiepiligrin cicatricial pemphigoid without mucous membrane involvement. <i>British Journal of Dermatology</i> , 2005 , 153, 1080-1	4	3
33	Comparison of Two Diagnostic Assays for Anti-Laminin 332 Mucous Membrane Pemphigoid.. <i>Frontiers in Immunology</i> , 2021 , 12, 773720	8.4	3
32	Molecular details of Escherichia coli Ellmtl catalyzed mannitol transport and phosphorylation. <i>FEMS Microbiology Reviews</i> , 1989 , 5, 135-42	15.1	3
31	Assessment of Diagnostic Strategy for Mucous Membrane Pemphigoid. <i>JAMA Dermatology</i> , 2021 , 157, 780-787	5.1	3
30	Is skin autofluorescence (SAF) representative of dermal advanced glycation endproducts (AGEs) in dark skin? A pilot study. <i>Heliyon</i> , 2020 , 6, e05364	3.6	2
29	Image Gallery: Paraneoplastic pemphigus and follicular dendritic cell sarcoma. <i>British Journal of Dermatology</i> , 2018 , 178, e146	4	2
28	Nuclear Proteins and Apoptotic Bodies Are Found in the Lupus Band of Patients with Cutaneous Lupus Erythematosus. <i>Journal of Investigative Dermatology</i> , 2017 , 137, 2652-2654	4.3	2
27	Punctate pemphigus: an underreported direct immunofluorescence pattern. <i>Journal of Cutaneous Pathology</i> , 2014 , 41, 756-7	1.7	2
26	A solid-phase protein assay: quantitation of protein in the nanogram range. <i>Analytical Biochemistry</i> , 1993 , 211, 301-4	3.1	2
25	The redox state and the phosphorylation state of the mannitol-specific carrier of the E. coli phosphoenolpyruvate-dependent phosphotransferase system. <i>Molecular and Cellular Biochemistry</i> , 1988 , 82, 113-8	4.2	2
24	Non-bullous Lichen Planus Pemphigoides: A Case Report. <i>Acta Dermato-Venereologica</i> , 2020 , 100, adv00156	1.56	2
23	Immunoassays 2016 , 57-62		2
22	Paraneoplastic pemphigus associated with post-transplant lymphoproliferative disorder after small bowel transplantation. <i>Pediatric Transplantation</i> , 2021 , 25, e14023	1.8	2
21	Endocytosis of IgG, Desmoglein 1, and Plakoglobin in Pemphigus Foliaceus Patient Skin. <i>Frontiers in Immunology</i> , 2019 , 10, 2635	8.4	2

20	Direct Immunofluorescence of Mechanobullous Epidermolysis Bullosa Acquisita, Porphyria Cutanea Tarda and Pseudoporphyria. <i>Acta Dermato-Venereologica</i> , 2019 , 99, 26-32	2.2	2
19	Pathogenic Activation and Therapeutic Blockage of Fc β -Expressing Polymorphonuclear Leukocytes in IgA Pemphigus. <i>Journal of Investigative Dermatology</i> , 2021 , 141, 2820-2828	4.3	2
18	Pemphigoid variants affecting the skin. <i>Clinical and Experimental Dermatology</i> , 2019 , 44, 721-727	1.8	1
17	The expression pattern of N-acetyltransferase 1 in healthy human skin. <i>Contact Dermatitis</i> , 2021 , 85, 1-6	2.7	1
16	Juvenile and adult vulvar pemphigoid, an under recognized entity: Case series of fourteen patients. <i>JAAD Case Reports</i> , 2021 , 13, 75-80	1.4	1
15	Direct Evidence of Endothelial Dysfunction and Glycocalyx Loss in Dermal Biopsies of Patients With Chronic Kidney Disease and Their Association With Markers of Volume Overload. <i>Frontiers in Cell and Developmental Biology</i> , 2021 , 9, 733015	5.7	1
14	Response to Serological diagnostics in the detection of IgG autoantibodies against human collagen VII in epidermolysis bullosa acquisita: a multicentre analysis <i>British Journal of Dermatology</i> , 2018 , 178, 573	4	
13	Paraneoplastic Pemphigus 2016 , 95-99		
12	Reply to: "Pruritus with pemphigoid autoantibodies is the tip of an iceberg". <i>Journal of the American Academy of Dermatology</i> , 2019 , 81, e153-e154	4.5	
11	Molecular details of Escherichia coli EII _{mtl} catalyzed mannitol transport and phosphorylation. <i>FEMS Microbiology Letters</i> , 1989 , 63, 135-142	2.9	
10	Indirect Immunofluorescence Microscopy 2022 , 43-51		
9	Paraneoplastic Pemphigus 2022 , 87-91		
8	Immuno-Assays 2022 , 53-59		
7	Direct Immunofluorescence Microscopy 2022 , 35-42		
6	Subepidermal type VII collagen speckles as an additional clue for diagnosing epidermolysis bullosa acquisita by salt-split skin serum analysis.. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2022 ,	4.6	
5	Direct Immunofluorescence Microscopy 2016 , 39-46		
4	Indirect Immunofluorescence Microscopy 2016 , 47-55		
3	Response to Letter to the editor of Borradori et al. How to diagnose bullous pemphigoid and its variants: the question is still open. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021 , 35, e435-e436	4.6	

- 2 Dermopath & Clinic: Pemphigus herpetiformis with vacuolar interface dermatitis and autoantibodies against desmoglein 1 and 3. *European Journal of Dermatology*, **2021**, 31, 433-435 0.8
- 1 New versatile monoclonal antibodies against type XVII collagen endodomain for diagnosis and subtyping COL17A1-associated junctional epidermolysis bullosa. *Journal of the European Academy of Dermatology and Venereology*, **2016**, 30, 1426-7 4.6