

# Vasileios A Bampidis

List of Publications by Year  
in descending order

Source: <https://exaly.com/author-pdf/1832127/publications.pdf>

Version: 2024-02-01

856  
papers

6,850  
citations

201674  
27  
h-index

106344  
65  
g-index

856  
all docs

856  
docs citations

856  
times ranked

4338  
citing authors

#	ARTICLE	IF	CITATIONS
1	Guidance on the characterisation of microorganisms used as feed additives or as production organisms. EFSA Journal, 2018, 16, e05206.	1.8	458
2	Citrus by-products as ruminant feeds: A review. Animal Feed Science and Technology, 2006, 128, 175-217.	2.2	377
3	Guidance on the assessment of the safety of feed additives for the target species. EFSA Journal, 2017, 15, e05021.	1.8	334
4	Guidance on the assessment of the efficacy of feed additives. EFSA Journal, 2018, 16, e05274.	1.8	293
5	Guidance on the identity, characterisation and conditions of use of feed additives. EFSA Journal, 2017, 15, e05023.	1.8	272
6	Guidance on the assessment of the safety of feed additives for the consumer. EFSA Journal, 2017, 15, e05022.	1.8	267
7	Guidance on the assessment of the safety of feed additives for the environment. EFSA Journal, 2019, 17, e05648.	1.8	218
8	Guidance on harmonised methodologies for human health, animal health and ecological risk assessment of combined exposure to multiple chemicals. EFSA Journal, 2019, 17, e05634.	1.8	201
9	Guidance on the use of the Threshold of Toxicological Concern approach in food safety assessment. EFSA Journal, 2019, 17, e05708.	1.8	120
10	Effect of dietary dried oregano leaves on growth performance, carcase characteristics and serum cholesterol of female early maturing turkeys. British Poultry Science, 2005, 46, 595-601.	1.7	98
11	Genotoxicity assessment of chemical mixtures. EFSA Journal, 2019, 17, e05519.	1.8	95
12	Guidance on risk assessment of nanomaterials to be applied in the food and feed chain: human and animal health. EFSA Journal, 2021, 19, e06768.	1.8	86
13	Guidance on technical requirements for regulated food and feed product applications to establish the presence of small particles including nanoparticles. EFSA Journal, 2021, 19, e06769.	1.8	80
14	Chickpeas ( <i>Cicer arietinum</i> L.) in animal nutrition: A review. Animal Feed Science and Technology, 2011, 168, 1-20.	2.2	74
15	Guidance on the renewal of the authorisation of feed additives. EFSA Journal, 2013, 11, 3431.	1.8	73
16	Scientific Opinion on the potential reduction of the currently authorised maximum zinc content in complete feed. EFSA Journal, 2014, 12, 3668.	1.8	69
17	Effect of dietary dried oregano leaves supplementation on performance and carcass characteristics of growing lambs. Animal Feed Science and Technology, 2005, 121, 285-295.	2.2	63
18	Revision of the currently authorised maximum copper content in complete feed. EFSA Journal, 2016, 14, e04563.	1.8	57

#	ARTICLE	IF	CITATIONS
19	Guidance on the renewal of the authorisation of feed additives. EFSA Journal, 2021, 19, e06340.	1.8	50
20	Guidance on the assessment of the toxigenic potential of Bacillus species used in animal nutrition. EFSA Journal, 2014, 12, 3665.	1.8	49
21	Effect of dietary garlic bulb and garlic husk supplementation on performance and carcass characteristics of growing lambs. Animal Feed Science and Technology, 2005, 121, 273-283.	2.2	47
22	Effects of dietary pomegranate byproduct silage supplementation on performance, carcass characteristics and meat quality of growing lambs. Animal Feed Science and Technology, 2014, 197, 92-102.	2.2	46
23	Effect of Dried Oregano Leaves Versus Neomycin in Treating Newborn Calves with Colibacillosis. Transboundary and Emerging Diseases, 2006, 53, 154-156.	0.6	36
24	Risks associated with endotoxins in feed additives produced by fermentation. Environmental Health, 2016, 15, 5.	4.0	36
25	Guidance Document on Scientific criteria for grouping chemicals into assessment groups for human risk assessment of combined exposure to multiple chemicals. EFSA Journal, 2021, 19, e07033.	1.8	35
26	The Use of Dried Tomato Pulp in Diets of Laying Hens. International Journal of Poultry Science, 2006, 5, 618-622.	0.1	32
27	Nutritional value of chickpeas in rations of lactating ewes and growing lambs. Animal Feed Science and Technology, 2005, 118, 229-241.	2.2	29
28	Scientific Opinion on the safety and efficacy of synthetic astaxanthin as feed additive for salmon and trout, other fish, ornamental fish, crustaceans and ornamental birds. EFSA Journal, 2014, 12, 3724.	1.8	29
29	Scientific Opinion on the safety and efficacy of tannic acid when used as feed flavouring for all animal species. EFSA Journal, 2014, 12, 3828.	1.8	28
30	Scientific Opinion on the safety and efficacy of aliphatic, alicyclic and aromatic saturated and unsaturated tertiary alcohols and esters with esters containing tertiary alcohols ethers (chemical) Tj ETQq0 0 0 rgBT. /Overlock 1710 Tf 50	1.8	27
31	Guidance on aneugenicity assessment. EFSA Journal, 2021, 19, e06770.	1.8	27
32	Effects of dietary partly destoned exhausted olive cake supplementation on performance, carcass characteristics and meat quality of growing lambs. Small Ruminant Research, 2017, 156, 33-41.	1.2	26
33	Scientific Opinion on the safety and efficacy of a preparation of bentonite and sepiolite (Toxfin® Dry) as feed additive for all species. EFSA Journal, 2013, 11, 3179.	1.8	24
34	Scientific Opinion on the safety and efficacy of the use of amino acids (chemical group 34) when used as flavourings for all animal species. EFSA Journal, 2014, 12, 3670.	1.8	24
35	Safety and efficacy of eight compounds belonging to chemical group 31 (aliphatic and aromatic) Tj ETQq1 1 0.784314 rgBT /Overlock 1710 Tf 50 4339.	1.8	24
36	Effects of dietary orange peel essential oil supplementation on milk yield and composition, and blood and milk antioxidant status of dairy ewes. Animal Feed Science and Technology, 2018, 245, 20-31.	2.2	24

#	ARTICLE	IF	CITATIONS
37	Scientific Opinion on the safety and efficacy of aliphatic and aromatic hydrocarbons (chemical group) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 462	1.8	23
38	Safety and efficacy of ethoxyquin (6-ethoxy-2,2,4-trimethylquinoline) for all animal species. EFSA Journal, 2015, 13, 4272.	1.8	23
39	Scientific Opinion on safety and efficacy of hydroxy-analogue of selenomethionine as feed additive for all species. EFSA Journal, 2013, 11, 3046.	1.8	22
40	A systems-based approach to the environmental risk assessment of multiple stressors in honey bees. EFSA Journal, 2021, 19, e06607.	1.8	21
41	Effect of dietary field pea ( <i>Pisum sativum</i> L.) supplementation on growth performance, and carcass and meat quality of broiler chickens. Livestock Science, 2014, 164, 135-143.	1.6	20
42	Scientific Opinion on the safety and efficacy of L-lysine sulphate produced by fermentation with <i>Escherichia coli</i> CGMCC 3705 for all animal species. EFSA Journal, 2015, 13, 4155.	1.8	20
43	Safety and efficacy of secondary alicyclic saturated and unsaturated alcohols, ketones, ketals and esters with ketals containing alicyclic alcohols or ketones and esters containing secondary alicyclic alcohols from chemical group 8 when used as flavourings for all animal species. EFSA Journal, 2016, 14, e04475.	1.8	20
44	Scientific Opinion on the safety and efficacy of vitamin K3 (menadione sodium bisulphite and) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 462	1.8	19
45	Effects of dietary pomegranate pulp silage supplementation on milk yield and composition, milk fatty acid profile and blood plasma antioxidant status of lactating dairy cows. Animal Feed Science and Technology, 2017, 234, 228-236.	2.2	19
46	Safety and efficacy of feed additives consisting of expressed lemon oil and its fractions from <i>Citrus limon</i> (L.) Osbeck and of lime oil from <i>Citrus aurantiifolia</i> (Christm.) Swingle for use in all animal species (FEFANA asbl). EFSA Journal, 2021, 19, e06548.	1.8	19
47	Assessment of the feed additive consisting of <i>Lentilactobacillus buchneri</i> (formerly <i>Lactobacillus</i> ) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 462	1.8	19
48	Scientific Opinion on the safety and efficacy of straight-chain primary aliphatic alcohols/aldehydes/acids, acetals and esters with esters containing saturated alcohols and acetals containing saturated aldehydes (chemical group 1) when used as flavourings for all animal species. EFSA Journal, 2013, 11, 3169.	1.8	17
49	Scientific Opinion on the safety and efficacy of fumonisin esterase (FUMzyme®) as a technological feed additive for pigs. EFSA Journal, 2014, 12, 3667.	1.8	17
50	Scientific Opinion on the safety and efficacy of concentrated liquid L-lysine (base), concentrated liquid L-lysine monohydrochloride and L-lysine monohydrochloride technically pure produced using <i>Escherichia coli</i> (FERM BP-11355) for all animal species based on a dossier submitted by Ajinomoto Eurolysine S.A.S.. EFSA Journal, 2014, 12, 3895.	1.8	17
51	Scientific Opinion on the safety and efficacy of L-lysine monohydrochloride produced by fermentation with <i>Escherichia coli</i> for all animal species based on a dossier submitted by HELM AG on behalf of Meihua Holdings Group Co. Ltd. EFSA Journal, 2015, 13, 4052.	1.8	17
52	Safety and efficacy of iron compounds (E1) as feed additives for all animal species: ferrous carbonate; ferric chloride, hexahydrate; ferrous fumarate; ferrous sulphate, heptahydrate; ferrous sulphate, monohydrate; ferrous chelate of amino acids, hydrate; ferrous chelate of glycine, hydrate, based on a dossier submitted by FEFANA asbl. EFSA Journal, 2016, 14, 4396.	1.8	17
53	Statement on the derivation of Health-Based Guidance Values (HBCVs) for regulated products that are also nutrients. EFSA Journal, 2021, 19, e06479.	1.8	17
54	Scientific Opinion on the efficacy of Bactocell ( <i>Pediococcus acidilactici</i> ) when used as a feed additive for fish. EFSA Journal, 2012, 10, 2886.	1.8	16

#	ARTICLE	IF	CITATIONS
55	Scientific Opinion on the safety and efficacy of copper compounds (E4) as feed additives for all animal species: cupric sulphate pentahydrate based on a dossier submitted by Manica S.p.A.. EFSA Journal, 2012, 10, 2969.	1.8	16
56	Safety and efficacy of concentrated liquid L-lysine (base), L-lysine monohydrochloride and L-lysine sulphate produced using different strains of <i>Corynebacterium glutamicum</i> for all animal species based on a dossier submitted by AMAC/EEIG. EFSA Journal, 2016, 14, 4346.	1.8	16
57	Safety and efficacy of 26 compounds belonging to chemical group 3 (1,2-unsaturated straight-chain and) Tj ETQq1 1 0.784314 r all animal species and categories. EFSA Journal, 2019, 17, e05654.	1.8	16
58	Risk assessment of nitrate and nitrite in feed. EFSA Journal, 2020, 18, e06290.	1.8	16
59	Safety and efficacy of sodium carboxymethyl cellulose for all animal species. EFSA Journal, 2020, 18, e06211.	1.8	16
60	Safety and efficacy of a feed additive consisting of an extract of olibanum from <i>Boswellia serrata</i> Roxb. ex Colebr. for use in dogs and horses (FEFANA asbl). EFSA Journal, 2022, 20, e07158.	1.8	16
61	Scientific Opinion on the safety and efficacy of L-selenomethionine as feed additive for all animal species. EFSA Journal, 2013, 11, 3219.	1.8	15
62	Scientific opinion on the safety and efficacy of concentrated liquid L-lysine (base), concentrated liquid L-lysine monohydrochloride and L-lysine monohydrochloride produced by <i>Escherichia coli</i> (FERM BP-10941) for all animal species, based on three dossiers submitted by Ajinomoto Eurolysine SAS. EFSA Journal, 2013, 11, 3365.	1.8	15
63	Scientific Opinion on the safety and efficacy of astaxanthin (CAROPHYLLA® Pink 10% CWS) for salmonids and ornamental fish. EFSA Journal, 2014, 12, 3725.	1.8	15
64	Scientific Opinion on the safety and efficacy of formic acid when used as a technological additive for all animal species. EFSA Journal, 2014, 12, 3827.	1.8	15
65	Milk fat quality of Greek buffalo ( <i>Bubalus bubalis</i> ). Journal of Food Composition and Analysis, 2014, 33, 181-186.	3.9	15
66	Scientific Opinion on the safety and efficacy of L-lysine monohydrochloride, technically pure, produced with <i>Escherichia coli</i> CGMCC 3705 and L-lysine sulphate produced with <i>Corynebacterium glutamicum</i> CGMCC 3704 for all animal species, based on a dossier submitted by HELM AG. EFSA Journal, 2015, 13, 4156.	1.8	15
67	Evaluation of existing guidelines for their adequacy for the microbial characterisation and environmental risk assessment of microorganisms obtained through synthetic biology. EFSA Journal, 2020, 18, e06263.	1.8	15
68	Scientific Opinion on the safety and efficacy of aliphatic and alicyclic ethers (chemical group 16) when used as flavourings for all animal species. EFSA Journal, 2012, 10, 2967.	1.8	14
69	Scientific Opinion on the safety and efficacy of DL-selenomethionine as a feed additive for all animal species. EFSA Journal, 2014, 12, 3567.	1.8	14
70	Scientific opinion on the safety and efficacy of canthaxanthin as a feed additive for poultry and for ornamental birds and ornamental fish. EFSA Journal, 2014, 12, 3527.	1.8	14
71	Safety of concentrated L-lysine (base), L-lysine monohydrochloride and L-lysine sulfate produced using different strains of <i>Corynebacterium glutamicum</i> for all animal species based on a dossier submitted by FEFANA asbl. EFSA Journal, 2019, 17, e05532.	1.8	14
72	Maximum levels of cross-contamination for 24 antimicrobial active substances in non-target feed. Part 5: Lincosamides: lincomycin. EFSA Journal, 2021, 19, e06856.	1.8	14

#	ARTICLE	IF	CITATIONS
73	Rumen fermentation characteristics in pre-weaning calves receiving yeast culture supplements. Czech Journal of Animal Science, 2009, 54, 435-442.	1.3	13
74	Scientific Opinion on the safety and efficacy of clinoptilolite of sedimentary origin for all animal species. EFSA Journal, 2013, 11, 3039.	1.8	13
75	Scientific Opinion on the safety and efficacy of Probiotic LACTINA <sup>®</sup> (Lactobacillus acidophilus,) Tj ETQq1 1 0.784314 rgBT /Overlock	1.8	13
76	Scientific Opinion on the safety and efficacy of Toyocerin <sup>®</sup> (Bacillus toyonensis) as a feed additive for chickens for fattening, weaned piglets, pigs for fattening, sows for reproduction, cattle for fattening and calves for rearing and for rabbits for fat. EFSA Journal, 2014, 12, 3766.	1.8	13
77	Safety and efficacy of fumonisin esterase (FUMzyme <sup>®</sup> ) as a technological feed additive for all avian species. EFSA Journal, 2016, 14, e04617.	1.8	13
78	Safety and efficacy of guanidinoacetic acid for chickens for fattening, breeder hens and roosters, and pigs. EFSA Journal, 2016, 14, 4394.	1.8	13
79	Safety of L-lysine sulfate produced by fermentation with Escherichia coli CGMCC 3705 for all animal species. EFSA Journal, 2017, 15, e04714.	1.8	13
80	Safety and efficacy of vitamin B12 (in the form of cyanocobalamin) produced by Ensifer spp. as a feed additive for all animal species based on a dossier submitted by VITAC EEIG. EFSA Journal, 2018, 16, e05336.	1.8	13
81	Draft for internal testing Scientific Committee guidance on appraising and integrating evidence from epidemiological studies for use in EFSA's scientific assessments. EFSA Journal, 2020, 18, e06221.	1.8	13
82	Maximum levels of cross-contamination for 24 antimicrobial active substances in non-target feed. Part 11: Sulfonamides. EFSA Journal, 2021, 19, e06863.	1.8	13
83	Maximum levels of cross-contamination for 24 antimicrobial active substances in non-target feed. Part 3: Amprolium. EFSA Journal, 2021, 19, e06854.	1.8	13
84	Effect of replacing soybean meal by extruded chickpeas in the diets of growing-finishing pigs on meat quality. Meat Science, 2006, 73, 529-535.	5.5	12
85	Nutritional value of fermented olive wastes in growing lamb rations. Animal Feed Science and Technology, 2008, 141, 375-383.	2.2	12
86	Scientific Opinion on the safety and efficacy of formaldehyde for all animal species based on a dossier submitted by Regal BV. EFSA Journal, 2014, 12, 3561.	1.8	12
87	Physicochemical, textural and sensory properties of white soft cheese made from buffalo and cow milk mixtures. International Journal of Dairy Technology, 2017, 70, 506-513.	2.8	12
88	Safety and efficacy of bentonite as a feed additive for all animal species. EFSA Journal, 2017, 15, e05096.	1.8	12
89	Safety and efficacy of L-lysine monohydrochloride and concentrated liquid L-lysine (base) produced by fermentation using Corynebacterium glutamicum strain NRRL B-50775 for all animal species based on a dossier submitted by ADM. EFSA Journal, 2019, 17, e05537.	1.8	12
90	Safety and efficacy of L-lysine monohydrochloride and concentrated liquid L-lysine (base) produced by fermentation using Corynebacterium glutamicum strain KCCM 10227 for all animal species. EFSA Journal, 2019, 17, e05697.	1.8	12

#	ARTICLE	IF	CITATIONS
91	Safety and efficacy of L-lysine monohydrochloride and L-lysine sulfate produced using <i>Corynebacterium glutamicum</i> CCTCC M 2015595 for all animal species. EFSA Journal, 2019, 17, e05643.	1.8	12
92	Safety and efficacy of <i>Lactobacillus parafarraginis</i> DSM 32962 as a silage additive for all animal species. EFSA Journal, 2020, 18, e06201.	1.8	12
93	Maximum levels of cross-contamination for 24 antimicrobial active substances in non-target feed. Part 13: Diaminopyrimidines: trimethoprim. EFSA Journal, 2021, 19, e06865.	1.8	12
94	Evaluation of Florina (Pelagonia) sheep breed for growth and carcass traits. Small Ruminant Research, 2007, 70, 239-247.	1.2	11
95	Scientific Opinion on the safety and efficacy of iodine compounds (E2) as feed additives for all species: calcium iodate anhydrous and potassium iodide, based on a dossier submitted by HELM AG. EFSA Journal, 2013, 11, 3101.	1.8	11
96	Scientific Opinion on the safety and efficacy of L-tryptophan technically pure produced by fermentation with <i>Escherichia coli</i> for all animal species, based on a dossier submitted by HELM AG on behalf of Global BioChem Technology. EFSA Journal, 2014, 12, 3673.	1.8	11
97	Safety of L-lysine monohydrochloride produced by fermentation with <i>Escherichia coli</i> CGMCC 7.57 for all animal species based on a dossier submitted by Feedway Europe NV. EFSA Journal, 2016, 14, e04471.	1.8	11
98	Safety and efficacy of astaxanthin-dimethyldisuccinate (Carophyll® Stay-Pink 10% CWS) for salmonids, crustaceans and other fish. EFSA Journal, 2019, 17, e05920.	1.8	11
99	Safety and efficacy of an essential oil from <i>Origanum vulgare</i> ssp. <i>hirtum</i> (Link) letsw. for all animal species. EFSA Journal, 2019, 17, e05909.	1.8	11
100	Maximum levels of cross-contamination for 24 antimicrobial active substances in non-target feed. Part 1: Methodology, general data gaps and uncertainties. EFSA Journal, 2021, 19, e06852.	1.8	11
101	Scientific Opinion on the safety and efficacy of vitamin D3 (cholecalciferol) as a feed additive for chickens for fattening, turkeys, other poultry, pigs, piglets (suckling), calves for rearing, calves for fattening, bovines, ovines, equines, fish and other animal species or categories, based on a dossier submitted by DSM. EFSA Journal, 2012, 10, 2968.	1.8	10
102	Scientific Opinion on the safety and efficacy of Lancer (lanthanide citrate) as feed additive for weaned piglets. EFSA Journal, 2013, 11, 3206.	1.8	10
103	Scientific opinion on the safety and efficacy of L-tryptophan produced by <i>Escherichia coli</i> (FERM) Tj ETQq1 1 0.784314 rgBT /Overload Journal, 2013, 11, 3368.	1.8	10
104	Scientific Opinion on the safety and efficacy of L-valine produced by <i>Corynebacterium glutamicum</i> (KCCM 80058) for all animal species, based on a dossier submitted by CJ Europe GmbH. EFSA Journal, 2013, 11, 3429.	1.8	10
105	Scientific Opinion on the safety and efficacy of L-tryptophan produced by <i>Escherichia coli</i> CGMCC 7.59 for all animal species based on a dossier submitted by HELM AG on behalf of Meihua Holdings Co. Ltd. EFSA Journal, 2015, 13, 4015.	1.8	10
106	Scientific Opinion on the safety and efficacy of ammonium formate, calcium formate and sodium formate when used as a technological additive for all animal species. EFSA Journal, 2015, 13, 4056.	1.8	10
107	Scientific Opinion on the safety and efficacy of lignosulphonate as a feed additive for all animal species. EFSA Journal, 2015, 13, 4160.	1.8	10
108	Scientific Opinion on the safety and efficacy of L-tryptophan, technically pure, produced by <i>Escherichia coli</i> strains DSM 25084, KCCM 11132P or SARI12091203 for all animal species based on a dossier submitted by AMAC EEIG. EFSA Journal, 2015, 13, 4238.	1.8	10



#	ARTICLE	IF	CITATIONS
109	Safety of vitamin B2 (80%) as riboflavin produced by <i>Bacillus subtilis</i> KCCM 10445 for all animal species. EFSA Journal, 2018, 16, e05223.	1.8	10
110	Safety and efficacy of L-lysine monohydrochloride and concentrated liquid L-lysine (base) produced by fermentation using <i>Corynebacterium glutamicum</i> strains NRRL B-67439 or NRRL B-67535 for all animal species. EFSA Journal, 2019, 17, e05886.	1.8	10
111	Maximum levels of cross-contamination for 24 antimicrobial active substances in non-target feed. Part 9: Polymyxins: colistin. EFSA Journal, 2021, 19, e06861.	1.8	10
112	Prevalence of hydatidosis and fertility of hydatid cysts in food animals in Northern Greece. Veterinaria Italiana, 2016, 52, 123-7.	0.5	10
113	Scientific Opinion on the safety and efficacy of iodine compounds (E2) as feed additives for all animal species: calcium iodate anhydrous and potassium iodide, based on a dossier submitted by Ajay Europe SARL. EFSA Journal, 2013, 11, 3099.	1.8	9
114	Scientific opinion on the safety and efficacy of iron compounds (E1) as feed additives for all species: iron chelate of amino acids, hydrate, based on a dossier submitted by Zinpro Animal Nutrition Inc.. EFSA Journal, 2013, 11, 3287.	1.8	9
115	Effect of dietary palygorskite on performance and blood parameters of lactating Holstein cows. Applied Clay Science, 2014, 91-92, 25-29.	5.2	9
116	Scientific Opinion on the safety and efficacy of vitamin D3 (cholecalciferol) as a feed additive for all animal species or categories based on a dossier submitted by Lohmann Animal Health GmbH. EFSA Journal, 2014, 12, 3568.	1.8	9
117	Safety of L-tryptophan produced by fermentation using <i>Escherichia coli</i> CGMCC 3667, for all animal species based on a dossier submitted by GBT Europe GmbH. EFSA Journal, 2016, 14, 4343.	1.8	9
118	Safety and efficacy of manganese compounds (E5) as feed additives for all animal species: manganous carbonate; manganous chloride, tetrahydrate; manganous oxide; manganous sulphate, monohydrate; manganese chelate of amino acids, hydrate; manganese chelate of glycine, hydrate, based on a dossier submitted by FEFANA asbl. EFSA Journal, 2016, 14, 4395.	1.8	9
119	Safety and efficacy of selenium compounds (E8) as feed additives for all animal species: sodium selenite, based on a dossier submitted by Retorte GmbH Selenium Chemicals and Metals. EFSA Journal, 2016, 14, 4398.	1.8	9
120	Assessment of the application for renewal of authorisation of selenomethionine produced by <i>Saccharomyces cerevisiae</i> CNCM I-3060 (selenised yeast inactivated) for all animal species. EFSA Journal, 2018, 16, e05386.	1.8	9
121	Safety and efficacy of butylated hydroxyanisole (BHA) as a feed additive for all animal species. EFSA Journal, 2018, 16, e05215.	1.8	9
122	Safety and efficacy of Deccox® (decoquinate) for chickens for fattening. EFSA Journal, 2019, 17, e05541.	1.8	9
123	Safety and efficacy of L-lysine sulfate produced by fermentation using <i>Corynebacterium glutamicum</i> KFCC 11043 as a feed additive for all animal species. EFSA Journal, 2020, 18, e06203.	1.8	9
124	Scientific Opinion on the safety and efficacy of microorganism DSM 11798 when used as a technological feed additive for pigs. EFSA Journal, 2013, 11, 3203.	1.8	9
125	Scientific Opinion on the safety and efficacy of L-tryptophan produced by <i>Escherichia coli</i> (FERM) Tj ETQq1 1.0.784314 rgBT / Overlock. EFSA Journal, 2014, 12, 3826.	1.8	9
126	Opinion on the impact of non-monotonic dose responses on EFSA's human health risk assessments. EFSA Journal, 2021, 19, e06877.	1.8	9



#	ARTICLE	IF	CITATIONS
127	Maximum levels of cross-contamination for 24 antimicrobial active substances in non-target feed. Part 2: Aminoglycosides/aminocyclitols: apramycin, paromomycin, neomycin and spectinomycin. EFSA Journal, 2021, 19, e06853.	1.8	9
128	The use of extruded chickpeas in diets of broiler turkeys. Czech Journal of Animal Science, 2006, 51, 416-423.	1.3	8
129	Scientific Opinion on Toyocerin® (Bacillus cereus) as a feed additive for sows, piglets, pigs for fattening, cattle for fattening, calves for rearing, chickens for fattening and rabbits for fattening. EFSA Journal, 2012, 10, 2924.	1.8	8
130	Scientific Opinion on the safety and efficacy of iodine compounds (E2) as feed additives for all animal species: calcium iodate anhydrous, based on a dossier submitted by Calibre Europe SPRL/BVBA. EFSA Journal, 2013, 11, 3100.	1.8	8
131	Scientific Opinion on the safety and efficacy of betaine (betaine anhydrous and betaine hydrochloride) as a feed additive for all animal species based on a dossier submitted by VITAC EEIG. EFSA Journal, 2013, 11, 3210.	1.8	8
132	Scientific Opinion on the safety and efficacy of L-methionine produced by Escherichia coli (KCCM) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	1.8	8
133	Safety and efficacy of Calsporin® (Bacillus subtilis DSM 15544) as a feed additive for laying hens and avian species for laying. EFSA Journal, 2015, 13, 4231.	1.8	8
134	Safety and efficacy of Calsporin® (Bacillus subtilis DSM 15544) as a feed additive for ornamental fish. EFSA Journal, 2015, 13, 4274.	1.8	8
135	Scientific Opinion on the safety and efficacy of L-threonine produced by Escherichia coli strains NRRL B-30843, DSM 26131, KCCM11133P or DSM 25085 for all animal species based on a dossier submitted by AMAC EEIG. EFSA Journal, 2015, 13, 4236.	1.8	8
136	Safety and efficacy of Bacillus subtilis PB6 (Bacillus subtilis ATCC PTA-6737) as a feed additive for sows. EFSA Journal, 2017, 15, e04855.	1.8	8
137	Safety and efficacy of sodium and potassium alginate for pets, other non food-producing animals and fish. EFSA Journal, 2017, 15, e04945.	1.8	8
138	Safety and efficacy of Natuphos® E (6-phytase) as a feed additive for avian and porcine species. EFSA Journal, 2017, 15, e05024.	1.8	8
139	Safety of lactic acid and calcium lactate when used as technological additives for all animal species. EFSA Journal, 2017, 15, e04938.	1.8	8
140	Safety and efficacy of Monimax® (monensin sodium and nicarbazin) for turkeys for fattening. EFSA Journal, 2017, 15, e05094.	1.8	8
141	Safety and efficacy of fumonisin esterase from Komagataella phaffii DSM 32159 as a technological feed additive for pigs and poultry. EFSA Journal, 2018, 16, e05269.	1.8	8
142	Safety and efficacy of Monimax® (monensin sodium and nicarbazin) for chickens for fattening and chickens reared for laying. EFSA Journal, 2018, 16, e05459.	1.8	8
143	Safety and efficacy of vitamin B2 (riboflavin) produced by Ashbya gossypii DSM 23096 for all animal species based on a dossier submitted by BASF SE. EFSA Journal, 2018, 16, e05337.	1.8	8
144	Assessment of the application for renewal of authorisation of selenomethionine produced by Saccharomyces cerevisiae NCYC R397 for all animal species. EFSA Journal, 2019, 17, e05539.	1.8	8

#	ARTICLE	IF	CITATIONS
145	Safety and efficacy of fumonisin esterase from <i>Komagataella phaffii</i> DSM 32159 as a feed additive for all animal species. EFSA Journal, 2020, 18, e06207.	1.8	8
146	Safety and efficacy of L-lysine monohydrochloride and L-lysine sulfate produced using <i>Corynebacterium glutamicum</i> CGMCC 7.266 for all animal species. EFSA Journal, 2020, 18, e06019.	1.8	8
147	Assessment of a feed additive consisting of all- $\alpha$ -tocopheryl acetate (vitamin E) for all animal species for the renewal of its authorisation (NHU Europe GmbH). EFSA Journal, 2021, 19, e06533.	1.8	8
148	Safety and efficacy of L-lysine monohydrochloride produced by fermentation with <i>Corynebacterium glutamicum</i> DSM 32932 for all animal species. EFSA Journal, 2020, 18, e06078.	1.8	8
149	Maximum levels of cross-contamination for 24 antimicrobial active substances in non-target feed. Part 8: Pleuromutilins: tiamulin and valnemulin. EFSA Journal, 2021, 19, e06860.	1.8	8
150	Maximum levels of cross-contamination for 24 antimicrobial active substances in non-target feed. Part 10: Quinolones: flumequine and oxolinic acid. EFSA Journal, 2021, 19, e06862.	1.8	8
151	Maximum levels of cross-contamination for 24 antimicrobial active substances in non-target feed. Part 6: Macrolides: tilmicosin, tylosin and tylvalosin. EFSA Journal, 2021, 19, e06858.	1.8	8
152	Safety and efficacy of a feed additive consisting of ethoxyquin (6-ethoxy-2,2,4-trimethylquinoline) for all animal species (FEFANA asbl). EFSA Journal, 2022, 20, e07166.	1.8	8
153	Impacts of supplemental dietary biotin on lameness in sheep. Animal Feed Science and Technology, 2007, 134, 162-169.	2.2	7
154	Scientific Opinion on the safety and efficacy of vitamin A (retinyl acetate, retinyl palmitate and retinyl) Tj ETQq0 0 0 rgBT /Overlock 10 T	1.8	7
155	Scientific opinion on the safety and efficacy of L-threonine produced by <i>Escherichia coli</i> (FERM) Tj ETQq1 1 0.784314 rgBT /Overlock 11 Journal, 2013, 11, 3319.	1.8	7
156	Scientific Opinion on the safety and efficacy of <i>Bacillus subtilis</i> PB6 ( <i>Bacillus subtilis</i> ) as a feed additive for turkeys for fattening and turkeys reared for breeding. EFSA Journal, 2013, 11, 3176.	1.8	7
157	Scientific Opinion on the safety and efficacy of inositol as a feed additive for fish, dogs and cats. EFSA Journal, 2014, 12, 3671.	1.8	7
158	Scientific Opinion on the safety and efficacy of L-threonine (ThreAMINOÂ®) produced by <i>Escherichia coli</i> (DSM 25086) for all animal species and categories based on a dossier submitted by Evonik Industries A.G.. EFSA Journal, 2014, 12, 3564.	1.8	7
159	Scientific Opinion on the safety and efficacy of L-threonine produced by <i>Escherichia coli</i> for all animal species, based on a dossier submitted by HELM AG on behalf of Global BioChem Technology. EFSA Journal, 2014, 12, 3674.	1.8	7
160	Scientific Opinion on the safety and efficacy of L-threonine produced by <i>Escherichia coli</i> for all animal species, based on a dossier submitted by HELM AG on behalf of Star Lake Bioscience Co.. EFSA Journal, 2014, 12, 3726.	1.8	7
161	Scientific Opinion on the safety and efficacy of L-threonine produced by <i>Escherichia coli</i> (FERM) Tj ETQq1 1 0.784314 rgBT /Overlock 11 Journal, 2014, 12, 3825.	1.8	7
162	Scientific Opinion on the safety and efficacy of calcium formate when used as a technological additive for all animal species. EFSA Journal, 2014, 12, 3898.	1.8	7

#	ARTICLE	IF	CITATIONS
163	Scientific Opinion on the safety and efficacy of L-valine produced by <i>Escherichia coli</i> NITE SD 00066 for all animal species. EFSA Journal, 2015, 13, 3965.	1.8	7
164	Scientific Opinion on the safety and efficacy of copper compounds (E4) as feed additives for all animal species (cupric acetate, monohydrate; basic cupric carbonate, monohydrate; cupric chloride,) Tj ETQq0 0 0 rgBT /Overlock 10,Tf 50 702	1.8	7
165	Safety and efficacy of dry grape extract when used as a feed flavouring for all animal species and categories. EFSA Journal, 2016, 14, e04476.	1.8	7
166	Safety and efficacy of $\pm$ , $\hat{2}$ unsaturated straight $\hat{c}$ chain and branched $\hat{c}$ chain aliphatic primary alcohols, aldehydes, acids and esters belonging to chemical group 3 when used as flavourings for all animal species. EFSA Journal, 2016, 14, e04512.	1.8	7
167	Safety and efficacy of a natural mixture of illite, montmorillonite and kaolinite (Argile Verte du) Tj ETQq1 1 0.784314,rgBT /Overlock 10	1.8	7
168	Safety and efficacy of selenium compounds (E8) as feed additives for all animal species: Sodium selenite, based on a dossier submitted by Todini and Co SpA. EFSA Journal, 2016, 14, 4442.	1.8	7
169	Safety and efficacy of non $\hat{c}$ conjugated and accumulated unsaturated straight $\hat{c}$ chain and branched $\hat{c}$ chain, aliphatic primary alcohols, aldehydes, acids, acetals and esters belonging to chemical group 4 when used as flavourings for all animal species. EFSA Journal, 2016, 14, e04559.	1.8	7
170	Safety of vitamin D3 addition to feedingstuffs for fish. EFSA Journal, 2017, 15, e04713.	1.8	7
171	Safety of $\hat{c}$ tryptophan technically pure, produced by <i>Escherichia coli</i> CGMCC 3667, for all animal species based on a dossier submitted by GBT Europe GmbH. EFSA Journal, 2017, 15, e04705.	1.8	7
172	Scientific Opinion on the safety and efficacy of Aviax 5% (semduramicin sodium) for chickens for fattening. EFSA Journal, 2018, 16, e05341.	1.8	7
173	Safety and efficacy of hydroxy analogue of methionine and its calcium salt (ADRY+ $\hat{A}$ ) for all animal species. EFSA Journal, 2018, 16, e05198.	1.8	7
174	Safety and efficacy of $\hat{c}$ tryptophan produced with <i>Escherichia coli</i> CGMCC 11674 for all animal species. EFSA Journal, 2019, 17, e05642.	1.8	7
175	Safety and efficacy of <i>Bacillus subtilis</i> PB6 ( <i>Bacillus velezensis</i> ATCC PTA 6737) as a feed additive for chickens for fattening, chickens reared for laying, minor poultry species (except for laying purposes), ornamental, sporting and game birds. EFSA Journal, 2020, 18, e06280.	1.8	7
176	Effects of dietary pomegranate seed cake supplementation on performance, carcass characteristics and meat quality of growing lambs. Animal Feed Science and Technology, 2021, 273, 114815.	2.2	7
177	Safety and efficacy of a feed additive consisting on the bacteriophages PCM F/00069, PCM F/00070, PCM F/00071 and PCM F/00097 infecting <i>Salmonella Gallinarum</i> B/00111 (Bafasal $\hat{A}$ ) for all avian species (Proteon Pharmaceuticals S.A.). EFSA Journal, 2021, 19, e06534.	1.8	7
178	Scientific Opinion on the safety and efficacy of branched-chain primary aliphatic alcohols/aldehydes/acids, acetals and esters with esters containing branched-chain alcohols and acetals containing branched-chain aldehydes (chemical group 2) when used as f. EFSA Journal, 2012, 10, 2927.	1.8	6
179	Scientific Opinion on the safety and efficacy of primary aliphatic saturated or unsaturated alcohols/aldehydes/acids/acetals/esters with a second primary, secondary or tertiary oxygenated functional group including aliphatic lactones (chemical group 9) when used as flavourings for all animal species. EFSA Journal, 2012, 10, 2928.	1.8	6
180	Scientific Opinion on the safety and efficacy of fumaric acid as a feed additive for all animal species. EFSA Journal, 2013, 11, 3102.	1.8	6

#	ARTICLE	IF	CITATIONS
181	Scientific Opinion on the safety and efficacy of aliphatic and aromatic mono- and di-thiols and mono-, di-, tri-, and polysulphides with or without additional oxygenated functional groups (chemical group) Tj ETQq1 1.8.784314 rgBT /Ove	1.8	6
182	Scientific Opinion on the safety and efficacy of copper compounds (E4) as feed additives for all species: cupric chelate of amino acids hydrate, based on a dossier submitted by Zinpro Animal Nutrition Inc.. EFSA Journal, 2013, 11, 3107.	1.8	6
183	Scientific Opinion on the safety and efficacy of L-cysteine hydrochloride monohydrate as a flavouring additive for pets. EFSA Journal, 2013, 11, 3437.	1.8	6
184	Scientific Opinion on the safety and efficacy of Lactobacillus brevis (DSM 23231), Lactobacillus buchneri (DSM 22501), Lactobacillus buchneri (NCIMB 40788 "CNCM 4323"), Lactobacillus buchneri (ATCC PTA 6138) and Lactobacillus buchneri (ATCC PTA 2494) as silage additives for all species. EFSA Journal, 2013, 11, 3168.	1.8	6
185	Scientific Opinion on the safety and efficacy of Friedland clay (montmorillonite-illite mixed layer clay) when used as technological additive for all animal species. EFSA Journal, 2014, 12, 3904.	1.8	6
186	Scientific Opinion on the safety and efficacy of iron compounds (E1) as feed additives for all species: ferrous sulphate heptahydrate based on a dossier submitted by Kronos International, Inc.. EFSA Journal, 2014, 12, 3566.	1.8	6
187	Scientific Opinion on the safety and efficacy of iron compounds (E1) as feed additives for all species: Ferrous sulphate monohydrate based on a dossier submitted by Kronos International, Inc.. EFSA Journal, 2014, 12, 3607.	1.8	6
188	Scientific Opinion on the safety and efficacy of <i>Bacillus subtilis</i> PB6 ( <i>Bacillus subtilis</i> ) as a feed additive for laying hens and minor poultry species for laying. EFSA Journal, 2015, 13, 3970.	1.8	6
189	Scientific Opinion on safety and efficacy of vitamin B12 (cyanocobalamin) produced by <i>Ensifer adhaerens</i> when used as a feed additive for all animal species based on a dossier submitted by Lohamnn Animal Health. EFSA Journal, 2015, 13, 4112.	1.8	6
190	Scientific Opinion on the safety and efficacy of citric acid when used as a technological additive (acidity regulator) for all animal species. EFSA Journal, 2015, 13, 4010.	1.8	6
191	Safety and efficacy of iron oxide black, red and yellow for all animal species. EFSA Journal, 2016, 14, e04482.	1.8	6
192	Safety and efficacy of L arginine produced by <i>Corynebacterium glutamicum</i> KCTC 10423BP for all animal species. EFSA Journal, 2016, 14, 4345.	1.8	6
193	Safety and efficacy of Sacox® microGranulate (salinomycin sodium) for chickens for fattening and chickens reared for laying. EFSA Journal, 2017, 15, e04670.	1.8	6
194	Safety of L-tryptophan technically pure, produced by fermentation with <i>Escherichia coli</i> DSM 25084, KCCM 11132P and SARI12091203 for all animal species based on a dossier submitted by FEFANA Asbl. EFSA Journal, 2017, 15, e04712.	1.8	6
195	Safety and efficacy of aryl-substituted primary alcohol, aldehyde, acid, ester and acetal derivatives belonging to chemical group 22 when used as flavourings for all animal species. EFSA Journal, 2017, 15, e04672.	1.8	6
196	Safety and efficacy of pyrazine derivatives including saturated ones belonging to chemical group 24 when used as flavourings for all animal species. EFSA Journal, 2017, 15, e04671.	1.8	6
197	Safety and efficacy of an essential oil from <i>Origanum vulgare</i> subsp. <i>hirtum</i> (Link) letsw. var. <i>Vulcan</i> when used as a sensory additive in feed for all animal species. EFSA Journal, 2017, 15, e05095.	1.8	6
198	Safety and efficacy of L-threonine produced by fermentation using <i>Escherichia coli</i> CGMCC 7.232 for all animal species. EFSA Journal, 2018, 16, e05458.	1.8	6

#	ARTICLE	IF	CITATIONS
199	Safety and efficacy of copper chelates of lysine and glutamic acid as a feed additive for all animal species. EFSA Journal, 2019, 17, e05728.	1.8	6
200	Safety and efficacy of L-tryptophan produced by fermentation with <i>Corynebacterium glutamicum</i> KCCM 80176 for all animal species. EFSA Journal, 2019, 17, e05729.	1.8	6
201	Safety and efficacy of APSA PHYTAFEED® 20,000 GR/L (6â€¢phytase) as a feed additive for chickens for fattening, chickens reared for laying and minor growing poultry species. EFSA Journal, 2019, 17, e05692.	1.8	6
202	Safety and efficacy of hydroxypropyl methyl cellulose for all animal species. EFSA Journal, 2020, 18, e06214.	1.8	6
203	Safety and efficacy of methyl cellulose for all animal species. EFSA Journal, 2020, 18, e06212.	1.8	6
204	Safety and efficacy of concentrated liquid L-lysine (base) and L-lysine monohydrochloride produced by fermentation with <i>Corynebacterium casei</i> KCCM 80190 as feed additives for all animal species. EFSA Journal, 2020, 18, e06285.	1.8	6
205	Safety and efficacy of a feed additive consisting of zinc chelate of ethylenediamine for all animal species (Zinpro Animal Nutrition (Europe), Inc.). EFSA Journal, 2021, 19, e06467.	1.8	6
206	Safety and efficacy of a feed additive consisting of a tincture derived from roots of <i>Gentiana lutea</i> L. (gentian tincture) for use in all animal species (FEFANA asbl). EFSA Journal, 2021, 19, e06547.	1.8	6
207	Safety and efficacy of a feed additive consisting of titanium dioxide for all animal species (Kronos) Tj ETQq1 1 0.784314 rgBT/Overload	1.8	6
208	Safety and efficacy of a feed additive consisting of acetic acid for all animal species. EFSA Journal, 2021, 19, e06615.	1.8	6
209	Safety and efficacy of a feed additive consisting of a flavonoid-rich dried extract of <i>Citrus aurantium</i> L. fruit (bitter orange extract) for use in all animal species (FEFANA asbl). EFSA Journal, 2021, 19, e06709.	1.8	6
210	Scientific Opinion on the safety and efficacy of L-valine (L-valine, feed grade) produced by <i>Escherichia coli</i> NITE BPâ€¢01755 for all animal species based on a dossier submitted by Ajinomoto Eurolysine S.A.S.. EFSA Journal, 2015, 13, 4110.	1.8	6
211	Nutritional and net energy value of fermented olive wastes in rations of lactating ewes. Czech Journal of Animal Science, 2007, 52, 456-462.	1.3	5
212	Scientific Opinion on the safety and efficacy of Prostora Max ( <i>Bifidobacterium animalis</i> ) as a feed additive for dogs. EFSA Journal, 2012, 10, 2964.	1.8	5
213	Scientific Opinion on the safety and efficacy of Cylactin® ( <i>Enterococcus faecium</i> ) as a feed additive for cats and dogs. EFSA Journal, 2013, 11, 3098.	1.8	5
214	Scientific Opinion on the safety and efficacy of Bonvital ( <i>Enterococcus faecium</i> ) for chickens reared for laying and minor avian species. EFSA Journal, 2013, 11, 3167.	1.8	5
215	Scientific opinion on the safety and efficacy of L-tyrosine for all animal species. EFSA Journal, 2013, 11, 3310.	1.8	5
216	Scientific Opinion on the safety and efficacy of manganese compounds (E5) as feed additives for all species: manganese chelate of amino acids, hydrate, based on a dossier submitted by Zinpro Animal Nutrition Inc.. EFSA Journal, 2013, 11, 3324.	1.8	5

#	ARTICLE	IF	CITATIONS
217	Scientific Opinion on the safety and efficacy of manganese compounds (E5) as feed additives for all animal species: manganous oxide, based on a dossier submitted by Poortershaven Industriële Mineralen B.V.. EFSA Journal, 2013, 11, 3325.	1.8	5
218	Scientific opinion on the characterisation of zinc compound – Zinc chelate of amino acids, hydrate (Avala®Zinc)™ as a feed additive for all animal species. EFSA Journal, 2013, 11, 3369.	1.8	5
219	Scientific Opinion on the safety and efficacy of vitamin D3 (cholecalciferol) as a feed additive for pigs, piglets, bovines, ovines, calves, equines, chickens for fattening, turkeys, other poultry, fish and other animal species or categories, based on a dossier submitted by Fermenta Biotech Ltd. EFSA Journal, 2013, 11, 3289.	1.8	5
220	Scientific Opinion on the safety and efficacy of Coxiril® (diclazuril) as a feed additive for turkeys for fattening. EFSA Journal, 2014, 12, 3729.	1.8	5
221	Scientific Opinion on the safety and efficacy of Bonvital (Enterococcus faecium) as a feed additive for sows. EFSA Journal, 2014, 12, 3565.	1.8	5
222	Scientific Opinion on the safety and efficacy of Coxiril® (diclazuril) as a feed additive for chickens for fattening. EFSA Journal, 2014, 12, 3728.	1.8	5
223	Scientific Opinion on the safety and efficacy of Coxiril® (diclazuril) for rabbits for fattening and breeding. EFSA Journal, 2015, 13, 3968.	1.8	5
224	Scientific Opinion on the safety of Hostazym X as a feed additive for poultry and pigs. EFSA Journal, 2015, 13, 3969.	1.8	5
225	Scientific Opinion on the safety and efficacy of citric acid when used as a technological additive (preservative) for all animal species. EFSA Journal, 2015, 13, 4009.	1.8	5
226	Scientific Opinion on the safety and efficacy of iron compounds (E1) as feed additives for all animal species: ferrous carbonate based on a dossier submitted by Ankerpoort N.V.. EFSA Journal, 2015, 13, 4109.	1.8	5
227	Scientific Opinion on the safety and efficacy of VevoVital® (benzoic acid) as a feed additive for pigs for reproduction (gestating and lactating sows, boars and gilts). EFSA Journal, 2015, 13, 4157.	1.8	5
228	Scientific Opinion on the safety and efficacy of Biosprint® (Saccharomyces cerevisiae MUCL 39885) for minor ruminant species for meat and milk production. EFSA Journal, 2015, 13, 4199.	1.8	5
229	Safety and efficacy of saturated and unsaturated aliphatic secondary alcohols, ketones and esters with esters containing secondary alcohols belonging to chemical group 5 when used as flavourings for all animal species. EFSA Journal, 2015, 13, 4268.	1.8	5
230	Scientific Opinion on the safety and efficacy of selenium compounds (E8) as feed additives for all animal species: sodium selenite (coated granulated preparation), based on a dossier submitted by Doxal Italia S.p.A. EFSA Journal, 2015, 13, 4271.	1.8	5
231	Scientific Opinion on the safety and efficacy of zinc compounds (E6) as feed additives for all animal species (zinc acetate, dihydrate; zinc chloride, anhydrous; zinc oxide; zinc sulphate, heptahydrate; zinc) on a dossier submitted by FEFANA asbl. EFSA Journal, 2015, 13, 4058.	1.8	5
232	Safety and efficacy of lactic acid and calcium lactate when used as technological additives for all animal species. EFSA Journal, 2015, 13, 4198.	1.8	5
233	Scientific Opinion on the safety and efficacy of L-threonine produced by Escherichia coli for all animal species based on a dossier submitted by HELM AG on behalf of Meihua Holdings Group Co. Ltd. EFSA Journal, 2015, 13, 4051.	1.8	5
234	Safety and efficacy of dicopper oxide as feed additive for all animal species. EFSA Journal, 2016, 14, e04509.	1.8	5



#	ARTICLE	IF	CITATIONS
235	Safety and efficacy of iron compounds (E1) as feed additives for all species: ferric oxide based on a dossier submitted by Poortershaven Industriële Mineralen B.V.. EFSA Journal, 2016, 14, e04508.	1.8	5
236	Safety and efficacy of BactAct® (Bacillus licheniformis DSM 28710) for chickens for fattening and chickens reared for laying. EFSA Journal, 2016, 14, e04615.	1.8	5
237	Safety of L-threonine produced by fermentation using Escherichia coli CGMCC 3703, for all animal species based on a dossier submitted by GBT Europe GmbH. EFSA Journal, 2016, 14, 4344.	1.8	5
238	Safety and efficacy of vitamin B2 (riboflavin and riboflavin 5-phosphate ester monosodium salt) produced by Bacillus subtilis for all animal species based on a dossier submitted by DSM. EFSA Journal, 2016, 14, 4349.	1.8	5
239	Safety and efficacy of lecithins for all animal species. EFSA Journal, 2016, 14, e04561.	1.8	5
240	Safety and efficacy of Calsporin® (Bacillus subtilis DSM 15544) as a feed additive for dogs. EFSA Journal, 2017, 15, e04760.	1.8	5
241	Safety and efficacy of sodium saccharin when used as a feed flavour for piglets, pigs for fattening, calves for rearing and calves for fattening. EFSA Journal, 2018, 16, e05208.	1.8	5
242	Safety and efficacy of Zinc-C-Selenomethionine as feed additive for all animal species. EFSA Journal, 2018, 16, e05197.	1.8	5
243	Safety and efficacy of vitamin B2 (riboflavin 5-phosphate ester monosodium salt) for all animal species when used in water for drinking. EFSA Journal, 2018, 16, e05531.	1.8	5
244	Safety and efficacy of muramidase from Trichoderma reesei DSM 32338 as a feed additive for chickens for fattening and minor poultry species. EFSA Journal, 2018, 16, e05342.	1.8	5
245	Safety and efficacy of L-histidine monohydrochloride monohydrate produced using Corynebacterium glutamicum KCCM 80172 for all animal species. EFSA Journal, 2019, 17, e05783.	1.8	5
246	Safety and efficacy of L-tryptophan produced by fermentation with Escherichia coli KCCM 80135 for all animal species. EFSA Journal, 2019, 17, e05694.	1.8	5
247	Safety and efficacy of L-tryptophan produced by fermentation with Escherichia coli KCCM 80152 for all animal species. EFSA Journal, 2019, 17, e05695.	1.8	5
248	Assessment of the application for renewal of authorisation of Bactocell® (Pediococcus acidilactici) Tj ETQ000rgBT /Overlock 10 Tf 5 laying and its extension of use to all growing pigs and all avian species. EFSA Journal, 2019, 17, e05690.	1.8	5
249	Safety and efficacy of an essential oil from Elettaria cardamomum (L.) Maton when used as a sensory additive in feed for all animal species. EFSA Journal, 2019, 17, e05721.	1.8	5
250	Safety and efficacy of L-tryptophan produced by fermentation with Escherichia coli CGMCC 7.248 for all animal species. EFSA Journal, 2019, 17, e05601.	1.8	5
251	Efficacy of sodium formate as a technological feed additive (hygiene condition enhancer) for all animal species. EFSA Journal, 2019, 17, e05645.	1.8	5
252	Safety and efficacy of a molybdenum compound (E7) sodium molybdate dihydrate as feed additive for sheep based on a dossier submitted by Trouw Nutrition International B.V.. EFSA Journal, 2019, 17, e05606.	1.8	5



#	ARTICLE	IF	CITATIONS
253	Safety and efficacy of l-Valine produced by fermentation using <i>Corynebacterium glutamicum</i> KCCM 11201P for all animal species. EFSA Journal, 2019, 17, e05538.	1.8	5
254	Safety and efficacy of Probiotic Lactina® (Enterococcus faecium NBIMCC 8270,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 717 Td (Lactobacillus acidophilus) for all animal species. EFSA Journal, 2019, 17, e05646.	1.8	5
255	Safety and efficacy of BioWorma® (Duddingtonia flagrans NCIMB 30336) as a feed additive for all grazing animals. EFSA Journal, 2020, 18, e06208.	1.8	5
256	Safety and efficacy of ethyl cellulose for all animal species. EFSA Journal, 2020, 18, e06210.	1.8	5
257	Safety and efficacy of Lactobacillus rhamnosus CNCM 163698 and Lactobacillus farciminis CNCM 163699 as a feed additive for all animal species. EFSA Journal, 2020, 18, e06082.	1.8	5
258	Safety and efficacy of propyl gallate for all animal species. EFSA Journal, 2020, 18, e06069.	1.8	5
259	Safety and efficacy of turmeric extract, turmeric oil, turmeric oleoresin and turmeric tincture from Curcuma longa L. rhizome when used as sensory additives in feed for all animal species. EFSA Journal, 2020, 18, e06146.	1.8	5
260	Assessment of the application for renewal of the authorisation of <i>Pediococcus pentosaceus</i> DSM 16244 as a feed additive for all animal species. EFSA Journal, 2020, 18, e06166.	1.8	5
261	Safety and efficacy of Availa®Cr (chromium chelate of DL-methionine) as a feed additive for dairy cows. EFSA Journal, 2020, 18, e06026.	1.8	5
262	Safety and efficacy of l-Glutamine produced using <i>Corynebacterium glutamicum</i> NITE BP 02524 for all animal species. EFSA Journal, 2020, 18, e06075.	1.8	5
263	Statement on the safety and efficacy of the feed additive consisting on tragacanth gum for all animal species (Association for International Promotion of Gums). EFSA Journal, 2021, 19, e06447.	1.8	5
264	Safety and efficacy of L-Lysine monohydrochloride and concentrated liquid L-Lysine (base) produced by fermentation with <i>Corynebacterium glutamicum</i> KCTC 12307BP as feed additives for all animal species. EFSA Journal, 2020, 18, e06333.	1.8	5
265	Maximum levels of cross-contamination for 24 antimicrobial active substances in non-target feed. Part 12: Tetracyclines: tetracycline, chlortetracycline, oxytetracycline, and doxycycline. EFSA Journal, 2021, 19, e06864.	1.8	5
266	Assessment of the application for renewal of authorisation of Bactocell (CNCM I-4622) as a feed additive for all fish and shrimps and its extension of use for all crustaceans. EFSA Journal, 2019, 17, e05691.	1.8	5
267	Safety and efficacy of a feed additive consisting of 3-nitrooxypropanol (Bovaer® 10) for ruminants for milk production and reproduction (DSM Nutritional Products Ltd). EFSA Journal, 2021, 19, e06905.	1.8	5
268	Safety and efficacy of a feed additive consisting of lactic acid produced by <i>Weizmannia coagulans</i> (synonym <i>Bacillus coagulans</i> ) DSM 32789 for all animal species except for fish (Jungbunzlauer SA). EFSA Journal, 2022, 20, e07268.	1.8	5
269	Effect of supplemental dietary biotin on performance of lactating ewes. Animal Feed Science and Technology, 2006, 130, 268-276.	2.2	4
270	Scientific Opinion on the safety and efficacy of Roxazyme® G2 G/L (endo-1, 4-beta-xylanase,) Tj ETQq0 0 0 rgBT /Overlock Journal, 2012, 10, 2930.	1.8	4

#	ARTICLE	IF	CITATIONS
271	Scientific Opinion on the safety and efficacy of methionine-zinc, technically pure as amino acid for ruminants, and as compound of trace element for all species. EFSA Journal, 2013, 11, 3038.	1.8	4
272	Scientific Opinion on the safety and efficacy of Bacillus amyloliquefaciens (NCIMB 30229) as a silage feed additive for all species. EFSA Journal, 2013, 11, 3042.	1.8	4
273	Scientific Opinion on the safety and efficacy of diclazuril (Clinacox® 0.5 %) as feed additive for chickens reared for laying. EFSA Journal, 2013, 11, 3106.	1.8	4
274	Scientific opinion on the safety and efficacy of AGalPro (alpha-galactosidase and endo-1,4-xylanase) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 62 fattening. EFSA Journal, 2013, 11, 3286.	1.8	4
275	Scientific Opinion on the safety and efficacy of Rovabio® Spiky (endo-1, 4-beta-xylanase and endo-1,4-xylanase) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 62 fattening. EFSA Journal, 2013, 11, 3286.	1.8	4

#	ARTICLE	IF	CITATIONS
289	Safety and efficacy of Hemicell <sup>®</sup> HT (endo- $\alpha$ -1,4- $\beta$ -D-mannanase) as a feed additive for chickens for fattening, chickens reared for laying, turkey for fattening, turkeys reared for breeding, weaned piglets, pigs for fattening and minor poultry and porcine species. EFSA Journal, 2017, 15, e04677.	1.8	4
290	Effect of dietary palygorskite on performance of lactating ewes. Applied Clay Science, 2017, 143, 76-79.	5.2	4
291	Safety and efficacy of l-threonine produced by fermentation with Escherichia coli CGMCC 11473 for all animal species. EFSA Journal, 2017, 15, e04939.	1.8	4
292	Safety and efficacy of Beltherm MP/ML (endo- $\alpha$ -1,4- $\beta$ -D-xylanase) as a feed additive for chickens for fattening, chickens reared for laying, turkeys for fattening, turkeys reared for breeding, turkeys for breeding purposes and minor poultry species. EFSA Journal, 2017, 15, e04941.	1.8	4
293	Safety and efficacy of Avatec <sup>®</sup> 150G (lasalocid A sodium) for chickens for fattening and chickens reared for laying, and modification of the terms of authorisation for chickens for fattening, chickens reared for laying, turkeys for fattening, minor avian species (pheasants, guinea fowl, quails) Tj ETQq1 1 0.784314 rgBT /Overl	1.8	4
294	Safety and efficacy of AviMatrix <sup>®</sup> (benzoic acid, calcium formate and fumaric acid) for chickens for fattening, chickens reared for laying, minor avian species for fattening and minor avian species reared to point of lay. EFSA Journal, 2017, 15, e05025.	1.8	4
295	Fatty acid profile, somatic cell count and microbiological quality of total machine milk and hand stripped milk of Chios ewes. Mljekarstvo, 2017, , 146-154.	0.6	4
296	Safety and efficacy of l-arginine produced by fermentation using Corynebacterium glutamicum KCCM10741P for all animal species. EFSA Journal, 2018, 16, e05277.	1.8	4
297	Safety and efficacy of Calsporin <sup>®</sup> (Bacillus subtilis DSM 15544) as a feed additive for pigs for fattening. EFSA Journal, 2018, 16, e05219.	1.8	4
298	Safety and efficacy of l-arginine produced by fermentation with Escherichia coli NITE BP02186 for all animal species. EFSA Journal, 2018, 16, e05276.	1.8	4
299	Safety and efficacy of betaine anhydrous for food-producing animal species based on a dossier submitted by AB Vista. EFSA Journal, 2018, 16, e05335.	1.8	4
300	Safety and efficacy of COXAM <sup>®</sup> (amprolium hydrochloride) for chickens for fattening and chickens reared for laying. EFSA Journal, 2018, 16, e05338.	1.8	4
301	Assessment of the application for renewal of authorisation of Calsporin <sup>®</sup> (Bacillus subtilis DSM) Tj ETQq1 1 0.784314 rgBT /Overl	1.8	4
302	Safety and efficacy of 3-phytase FLF1000 as a feed additive for chickens reared for laying and minor poultry species. EFSA Journal, 2018, 16, e05203.	1.8	4
303	Safety and efficacy of Taminizer D (dimethylglycine sodium salt) as a feed additive for chickens for fattening. EFSA Journal, 2018, 16, e05268.	1.8	4
304	Safety of an essential oil from Origanum vulgare subsp. hirtum (Link) letsw. var. Vulkan when used as a sensory additive in feed for all animal species. EFSA Journal, 2019, 17, e05794.	1.8	4
305	Safety and efficacy of Biomin <sup>®</sup> DC-P as a zootechnical feed additive for chickens for fattening, chickens reared for laying and minor avian species to the point of lay. EFSA Journal, 2019, 17, e05724.	1.8	4
306	Modification of the terms of authorisation regarding the maximum inclusion level of Maxiban <sup>®</sup> G160 (narasin and nicarbazin) for chickens for fattening. EFSA Journal, 2019, 17, e05786.	1.8	4

#	ARTICLE	IF	CITATIONS
307	Safety and efficacy of L-valine produced using <i>Corynebacterium glutamicum</i> CGMCC 11675 for all animal species. EFSA Journal, 2019, 17, e05611.	1.8	4
308	Safety and efficacy of an essential oil of <i>Origanum vulgare</i> ssp. <i>hirtum</i> (Link) Leetsw. for all poultry species. EFSA Journal, 2019, 17, e05653.	1.8	4
309	Safety and efficacy of Bonvital ( <i>Enterococcus faecium</i> , DSM 7134) as an additive in water for drinking for sows. EFSA Journal, 2019, 17, e05612.	1.8	4
310	Safety and efficacy of APSA PHYTAFEED® 20,000 GR/L (600 U phytase) as a feed additive for piglets (suckling) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 142 Td (v	1.8	4
311	Safety and efficacy of L-methionine produced by fermentation with <i>Corynebacterium glutamicum</i> KCCM 80184 and <i>Escherichia coli</i> KCCM 80096 for all animal species. EFSA Journal, 2019, 17, e05917.	1.8	4
312	Safety and efficacy of monosodium L-glutamate monohydrate produced by <i>Corynebacterium glutamicum</i> KCCM 80188 as a feed additive for all animal species. EFSA Journal, 2020, 18, e06085.	1.8	4
313	Safety and efficacy of microcrystalline cellulose for all animal species. EFSA Journal, 2020, 18, e06209.	1.8	4
314	Safety and efficacy of GalliPro® Fit ( <i>Bacillus subtilis</i> DSM 32324, <i>Bacillus subtilis</i> DSM 32325 and) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 142 Td (v laying/breeding. EFSA Journal, 2020, 18, e06094.	1.8	4
315	Safety and efficacy of L-valine produced by fermentation using <i>Escherichia coli</i> KCCM 80159 for all animal species. EFSA Journal, 2020, 18, e06074.	1.8	4
316	Safety and efficacy of L-isoleucine produced by fermentation with <i>Corynebacterium glutamicum</i> KCCM 80189 for all animal species. EFSA Journal, 2020, 18, e06021.	1.8	4
317	Safety and efficacy of octâ€¹â€¹enâ€³â€¹ol, pentâ€¹â€¹enâ€³â€¹ol, octâ€¹â€¹enâ€³â€¹one, octâ€¹â€¹enâ€³â€¹yl acetate, isopulegol and 5â€¹methylheptâ€²â€¹enâ€¹â€¹one, belonging to chemical group 5 and of isopulegone and 1â€¹â€¹damascone belonging to chemical group 8 when used as flavourings for all animal species. EFSA Journal, 2020, 18, e06002.		4
318	Assessment of the feed additive consisting of endoâ€¹â€¹â€¹xylanase produced by <i>Trichoderma reesei</i> CBS 114044 (ECONASE® XT) for piglets (weaned), chickens reared for laying, chickens for fattening, turkeys for fattening and turkeys reared for breeding for the renewal of its authorisation (Roal Oy). EFSA Journal, 2021, 19, e06458.	1.8	4
319	Safety of the feed additive consisting of manganese chelates of lysine and glutamic acid for all animal species (Zinpro Animal Nutrition). EFSA Journal, 2021, 19, e06454.	1.8	4
320	Safety and efficacy of a feed additive consisting of an essential oil from the fruits of <i>Litsea cubeba</i> (Lour.) Pers. (litsea berry oil) for use in all animal species (FEFANA asbl). EFSA Journal, 2021, 19, e06623.	1.8	4
321	Safety and efficacy of a feed additive consisting of L-lysine sulfate produced by <i>Corynebacterium glutamicum</i> KCCM 80227 for all animal species (Daesang Europe BV). EFSA Journal, 2021, 19, e06706.	1.8	4
322	Assessment of the application for renewal of the authorisation of Calsporin® ( <i>Bacillus</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 142 Td (v	1.8	4
323	Safety of potassium diformate (Formiâ„¢ LHS) as a feed additive for sows, from ADDCON EUROPE GmbH. EFSA Journal, 2020, 18, e06339.	1.8	4
324	Maximum levels of crossâ€¹contamination for 24 antimicrobial active substances in nonâ€¹target feed. Part 7: Amphenicols: florfenicol and thiamphenicol. EFSA Journal, 2021, 19, e06859.	1.8	4

#	ARTICLE	IF	CITATIONS
325	Safety and efficacy of a feed additive consisting of an aqueous extract of Citrus limon (L.) Osbeck (lemon extract) for use in all animal species (NorFeed SAS). EFSA Journal, 2021, 19, e06893.	1.8	4
326	Safety and efficacy of a feed additive consisting of sepiolite for all animal species (Sepiol S.A and) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 302	1.8	4
327	Safety and efficacy of a feed additive consisting of Bacillus velezensis ATCC PTA6737 (Bacillus) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 302 species for laying, piglets (weaned), weaned minor porcine species and sows (Kemin Europe N.V.). EFSA Journal, 2022, 20, e07244.	1.8	4
328	Safety and efficacy of a feed additive consisting of guanidinoacetic acid for all animal species (Alzchem Trostberg GmbH). EFSA Journal, 2022, 20, e07269.	1.8	4
329	The use of extruded chickpeas in diets for growing-finishing pigs. Czech Journal of Animal Science, 2006, 51, 334-342.	1.3	3
330	Scientific Opinion on the safety and efficacy of Miya-Gold (<i>Clostridium butyricum</i>) for chickens for fattening, chickens reared for laying and minor avian species. EFSA Journal, 2013, 11, 3040.	1.8	3
331	Scientific Opinion on the safety and efficacy of betaine anhydrous as a feed additive for all animal species based on a dossier submitted by Danisco Animal Nutrition. EFSA Journal, 2013, 11, 3209.	1.8	3
332	Scientific Opinion on the safety and efficacy of betaine anhydrous as a feed additive for all animal species based on a dossier submitted by Trouw Nutritional International B.V.. EFSA Journal, 2013, 11, 3211.	1.8	3
333	Scientific Opinion on the safety and efficacy of Saccharomyces cerevisiae (NBRC 0203), Lactobacillus plantarum (NBRC 3070) and Lactobacillus casei (NBRC 3425) as a silage additive for all species. EFSA Journal, 2013, 11, 3362.	1.8	3
334	Scientific Opinion on the safety and efficacy of Enterococcus faecium (NCIMB 10415, DSM 22502, ATCC) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 302	1.8	3
335	Scientific Opinion on Rovabio® Excel (endo1, 3(4)-beta-glucanase and endo1, 4-beta-xylanase) as a feed additive for chickens and turkeys for fattening, laying hens, piglets (weaned) and pigs for fattening, ducks, guinea fowls, quails, geese, pheasants and pigeons. EFSA Journal, 2013, 11, 3321.	1.8	3
336	Scientific Opinion on the safety and efficacy of Lactobacillus acidophilus D2/CSL (Lactobacillus) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 302	1.8	3
337	Scientific Opinion on the safety and efficacy of cassia gum (Galactogum) for dogs and cats based on a dossier submitted by Galacto Naturstoffe GmbH. EFSA Journal, 2014, 12, 3900.	1.8	3
338	Scientific Opinion on the safety and efficacy of Yeasacc® (Saccharomyces cerevisiae) as a feed additive for cattle for fattening, goats for fattening, dairy cows, dairy sheep, dairy goats and buffaloes. EFSA Journal, 2014, 12, 3666.	1.8	3
339	Scientific Opinion on the efficacy of Natugrain® TS/TS L (endo1, 4-beta-xylanase and endo1,) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 302	1.8	3
340	Scientific Opinion on the safety and efficacy of cassia gum for dogs and cats based on a dossier submitted by Glycomer GmbH. EFSA Journal, 2014, 12, 3899.	1.8	3
341	Scientific Opinion on the safety and efficacy of cassia gum (Diagum CS) for dogs and cats based on a dossier submitted by Lubrizol Advance Materials Europe B.V.B.A. EFSA Journal, 2014, 12, 3902.	1.8	3
342	Scientific Opinion on the safety and efficacy of disodium 5'-ribonucleotides, disodium 5'-guanylate, disodium 5'-inosinate for all animal species and categories. EFSA Journal, 2014, 12, 3606.	1.8	3

#	ARTICLE	IF	CITATIONS
343	Scientific Opinion on the safety and efficacy of XTRACTA® Evolution® B, Code X60® 6930 (carvacrol,) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 707 T 2015, 13, 4011.	1.8	3
344	Scientific Opinion on the safety and efficacy of Cibenza® EP150 (a preparation of Bacillus) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 707 T chickens reared for laying and minor avian species for fa. EFSA Journal, 2015, 13, 4055.	1.8	3
345	Scientific Opinion on the safety and efficacy of Rovabio® Spiky (endo-1,4-beta-xylanase and) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 707 T reared for laying or breeding. EFSA Journal, 2015, 13, 4106.	1.8	3
346	Safety of Allura Red AC in feed for cats and dogs. EFSA Journal, 2015, 13, 4270.	1.8	3
347	Scientific Opinion on the safety and efficacy of AviMatrix® (benzoic acid, calcium formate and fumaric) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 707 T minor avian species reared to point of lay. EFSA Journal, 2015, 13, 3794.	1.8	3
348	Safety and efficacy of aromatic ketones, secondary alcohols and related esters belonging to chemical group 21 when used as flavourings for all animal species. EFSA Journal, 2016, 14, e04557.	1.8	3
349	Safety of l-threonine, technically pure, produced by fermentation with Escherichia coli CGMCC 7.58 for all animal species based on a dossier submitted by Feedway Europe NV. EFSA Journal, 2016, 14, e04470.	1.8	3
350	Safety and efficacy of Belfeed B MP/ML (endo-1,4-beta-xylanase) as feed additive for poultry, piglets (weaned) and pigs for fattening. EFSA Journal, 2016, 14, e04562.	1.8	3
351	Safety and efficacy of inositol as nutritional additive for dogs and cats. EFSA Journal, 2016, 14, e04511.	1.8	3
352	Safety and efficacy of tartrazine (E102) for cats and dogs, ornamental fish, grain-eating ornamental birds and small rodents. EFSA Journal, 2016, 14, e04613.	1.8	3
353	Safety and efficacy of methylester of conjugated linoleic acid (t10,c12 isomer) for pigs for fattening, sows and cows. EFSA Journal, 2016, 14, 4348.	1.8	3
354	Safety and efficacy of Levucell® SB (Saccharomyces cerevisiae CNCM 1079) as a feed additive for weaned piglets and sows. EFSA Journal, 2016, 14, e04478.	1.8	3
355	Safety and efficacy of BIOSTRONG® 510 (essential oil of thyme and star anise) for chickens and minor avian species for fattening and rearing to point of lay. EFSA Journal, 2016, 14, e04351.	1.8	3
356	Safety and efficacy of RONOZYME® WX (endo-1,4-beta-xylanase) as a feed additive for chickens and turkeys for fattening, minor poultry species for fattening, weaned piglets and pigs for fattening. EFSA Journal, 2016, 14, e04564.	1.8	3
357	Safety and efficacy of manganese hydroxychloride as feed additive for all animal species. EFSA Journal, 2016, 14, e04474.	1.8	3
358	Safety and efficacy of a preparation of Lactobacillus fermentum NCIMB 41636, Lactobacillus plantarum NCIMB 41638 and Lactobacillus rhamnosus NCIMB 41640 as a technological feed additive for dogs. EFSA Journal, 2016, 14, 4340.	1.8	3
359	Efficacy of Saccharomyces cerevisiae (NBRC 2023), Lactobacillus plantarum (NBRC 3070) and Lactobacillus casei (NBRC 3425) as a silage additive for all species. EFSA Journal, 2017, 15, e04704.	1.8	3
360	Safety and efficacy of HOSTAZYME® X (endo-1,4-beta-xylanase) as a feed additive for chickens reared for laying and minor poultry species reared for laying. EFSA Journal, 2017, 15, e04708.	1.8	3



#	ARTICLE	IF	CITATIONS
361	Safety and efficacy of <i>Lactobacillus Acidophilus</i> D2/CSL ( <i>Lactobacillus Acidophilus</i> CECT 4529) as a feed additive for chickens for fattening. EFSA Journal, 2017, 15, e04762.	1.8	3
362	Safety and efficacy of microorganism DSM 11798 as a technological additive for all avian species. EFSA Journal, 2017, 15, e04676.	1.8	3
363	Safety and efficacy of RONOZYME® WX (endo-1,4- $\alpha$ -xylanase) as a feed additive for laying hens. EFSA Journal, 2017, 15, e05020.	1.8	3
364	Safety and efficacy of L-arginine produced by <i>Corynebacterium glutamicum</i> KCCM 80099 for all animal species. EFSA Journal, 2017, 15, e04858.	1.8	3
365	Safety and efficacy of ENZY CARBOPLUS® (endo-1,4- $\beta$ -xylanase and endo-1,3(4)- $\beta$ -glucanase) as a feed additive for avian species, weaned piglets and minor weaned porcine species. EFSA Journal, 2017, 15, e05097.	1.8	3
366	Safety and efficacy of Levucell® SC ( <i>Saccharomyces cerevisiae</i> CNCM 1077) as a feed additive for dairy cows, cattle for fattening, minor ruminant species and camelids. EFSA Journal, 2017, 15, e04944.	1.8	3
367	Safety and efficacy of Levucell® SB ( <i>Saccharomyces cerevisiae</i> CNCM 1079) as a feed additive for chickens for fattening and minor poultry species. EFSA Journal, 2017, 15, e04674.	1.8	3
368	Safety and efficacy of Calsporin® ( <i>Bacillus subtilis</i> DSM 15544) for sows and suckling piglets. EFSA Journal, 2017, 15, e04761.	1.8	3
369	Safety and efficacy of ponceau 4R for cats, dogs and ornamental fish. EFSA Journal, 2018, 16, e05222.	1.8	3
370	Safety and efficacy of Hemicell® HT (endo-1,4- $\alpha$ -mannanase) as a feed additive for chickens for fattening, chickens reared for laying, turkey for fattening, turkeys reared for breeding, weaned piglets, pigs for fattening and minor poultry and porcine species. EFSA Journal, 2018, 16, e05270.	1.8	3
371	Safety and efficacy of Monteban® G100 (narsin) for chickens for fattening. EFSA Journal, 2018, 16, e05460.	1.8	3
372	Safety and efficacy of cumin tincture ( <i>Cuminum cyminum</i> L.) when used as a sensory additive for all animal species. EFSA Journal, 2018, 16, e05273.	1.8	3
373	Safety and efficacy of <i>Lactobacillus acidophilus</i> D2/CSL ( <i>Lactobacillus acidophilus</i> CECT 4529) as a feed additive for cats and dogs. EFSA Journal, 2018, 16, e05278.	1.8	3
374	Safety and efficacy of alpha-amylase from <i>Bacillus amyloliquefaciens</i> DSM 9553, <i>Bacillus amyloliquefaciens</i> NCIMB 30251, <i>Aspergillus oryzae</i> CBS 585.94 and <i>Aspergillus oryzae</i> ATCC SD 5374, endo-1,4- $\beta$ -glucanase from <i>Trichoderma reesei</i> ATCC PTA 10001, <i>Trichoderma reesei</i> ATCC SD 6331, and <i>Aspergillus niger</i> CBSA 120604, endo-1,4- $\beta$ -xylanase from <i>Trichoderma koningii</i> MUCLA 39203 and <i>Trichoderma citrinoviride</i> CBSA 614.94 and endo-1,3(4)- $\beta$ -glucanase from <i>Aspergillus tubingensis</i> MUCLA 39199 as silage additives for. EFSA Journal, 2018, 16, e05224.	1.8	3
375	Safety and efficacy of zinc chelates of lysine and glutamic acid as feed additive for all animal species. EFSA Journal, 2019, 17, e05782.	1.8	3
376	Safety and efficacy of iron chelates of lysine and glutamic acid as feed additive for all animal species. EFSA Journal, 2019, 17, e05792.	1.8	3
377	Safety and efficacy of 3- $\alpha$ -phytase FLF1000 as a feed additive for pigs for fattening and minor porcine species for growing. EFSA Journal, 2019, 17, e05791.	1.8	3
378	Safety and efficacy of Robenz® 66G (robenidine hydrochloride) for chickens for fattening and turkeys for fattening. EFSA Journal, 2019, 17, e05613.	1.8	3



#	ARTICLE	IF	CITATIONS
379	Assessment of the application for renewal of authorisation of Biosprint® (Saccharomyces cerevisiae) Tj ETQq1 1 0,784314 rgBT /Overlock 10	1.8	3
380	Safety and efficacy of lutein and lutein/zeaxanthin extracts from Tagetes erecta for poultry for fattening and laying (except turkeys). EFSA Journal, 2019, 17, e05698.	1.8	3
381	Safety and efficacy of benzoic acid as a technological feed additive for weaned piglets and pigs for fattening. EFSA Journal, 2019, 17, e05527.	1.8	3
382	Safety and efficacy of Biomin® DC as a zootechnical feed additive for weaned piglets. EFSA Journal, 2019, 17, e05688.	1.8	3
383	Safety and efficacy of sorbitan monolaurate as a feed additive for all animal species. EFSA Journal, 2019, 17, e05651.	1.8	3
384	Assessment of the application for renewal of authorisation of Bonvital® (Enterococcus faecium DSM) Tj ETQq0 0,0 rgBT /Overlock 10	1.8	3
385	Safety and efficacy of 3-phytase FSF10000 as a feed additive for chickens for fattening or reared for laying, laying hens and minor poultry species. EFSA Journal, 2019, 17, e05543.	1.8	3
386	Safety and efficacy of Calsporin® (Bacillus subtilis DSM 15544) for all poultry species. EFSA Journal, 2019, 17, e05605.	1.8	3
387	Assessment of the application for renewal of authorisation of Levucell SC (Saccharomyces cerevisiae) Tj ETQq1 1 0,784314 rgBT /Overlock 10	1.8	3
388	Safety and efficacy of Bactact® (Bacillus licheniformis DSM 28710) as a feed additive for turkeys for fattening, turkeys reared for breeding and minor poultry species for fattening or raised for laying. EFSA Journal, 2019, 17, e05536.	1.8	3
389	Safety and efficacy of APSA PHYTAFEED® 20,000 GR/L (6-phytase) as a feed additive for turkeys for fattening, turkeys reared for breeding and minor poultry species. EFSA Journal, 2019, 17, e05893.	1.8	3
390	Safety and efficacy of Elancoban® G200 (monensin sodium) for chickens for fattening, chickens reared for laying and turkeys. EFSA Journal, 2019, 17, e05891.	1.8	3
391	Assessment of the application for renewal of authorisation of Biosprint® (Saccharomyces cerevisiae) Tj ETQq1 1 0,784314 rgBT /Overlock 10	1.8	3
392	Safety for the environment of Monimax® (monensin sodium and nicarbazin) for chickens for fattening, chickens reared for laying and for turkeys for fattening. EFSA Journal, 2019, 17, e05888.	1.8	3
393	Safety and efficacy of ClâFERâ,ç (ferric citrate chelate) as a zootechnical feed additive for suckling and weaned piglets and minor porcine species. EFSA Journal, 2019, 17, e05916.	1.8	3
394	Safety and efficacy of Sorbiflore® ADVANCE (Lactobacillus rhamnosus CNCM Iâ€3698 and Lactobacillus) Tj ETQq0 0 0 rgBT /Overlock 10	1.8	3
395	Safety and efficacy of Correlinkâ,ç ABS747 Bacillus subtilis (Bacillus velezensis NRRL Bâ€67257) as a feed additive for all growing poultry species. EFSA Journal, 2020, 18, e06278.	1.8	3
396	Statement on the safety and efficacy of phosphoric acid 60% on silica carrier (UD60) for all animal species. EFSA Journal, 2020, 18, e06064.	1.8	3

#	ARTICLE	IF	CITATIONS
397	Safety and efficacy of vermiculite as a feed additive for pigs, poultry, bovines, sheep, goats, rabbits and horses. EFSA Journal, 2020, 18, e06160.	1.8	3
398	Safety and efficacy of Avatec® 150G (lasalocid A sodium) as a feed additive for chickens for fattening and chickens reared for laying. EFSA Journal, 2020, 18, e06202.	1.8	3
399	Safety of 3-phytase FLF1000 and FSF10000 as a feed additive for pigs for fattening and minor growing porcine species. EFSA Journal, 2020, 18, e06205.	1.8	3
400	Safety and efficacy of OptiPhos® PLUS for suckling and weaned piglets, pigs for fattening, sows, other minor pig species for fattening and other minor reproductive pig species. EFSA Journal, 2020, 18, e06204.	1.8	3
401	Safety and efficacy of Sorbiflore® ADVANCE (Lactobacillus rhamnosus CNCM I-3698 and Lactobacillus Tj ETQq1 1 0.784314 rgBT / Overlock 10 TF 5	1.8	3
402	Safety and efficacy of OptiPhos® PLUS for poultry species for fattening, minor poultry species reared for breeding and ornamental birds. EFSA Journal, 2020, 18, e06141.	1.8	3
403	Safety and efficacy of 4-phenylbut-3-en-2-one and benzophenone belonging to chemical group 21 when used as flavouring compounds for all animal species. EFSA Journal, 2020, 18, e06017.	1.8	3
404	Safety and efficacy of IMP (disodium 5-inosinate) produced by fermentation with Corynebacterium stationis KCCM 80161 for all animal species. EFSA Journal, 2020, 18, e06140.	1.8	3
405	Safety and efficacy of essential oil, oleoresin and tincture from Zingiber officinale Roscoe when used as sensory additives in feed for all animal species. EFSA Journal, 2020, 18, e06147.	1.8	3
406	Safety and efficacy of APSA PHYTAFEED® 20,000 GR/L (6-phytase) as a feed additive for pigs for fattening. EFSA Journal, 2020, 18, e05979.	1.8	3
407	Assessment of the application for renewal of the authorisation of Amaferm® (fermentation product) Tj ETQq1 1 0.784314 rgBT / Overlock 10 TF 5	1.8	3
408	Assessment of the application for renewal of authorisation of Ecobiol® (Bacillus amyloliquefaciens) Tj ETQq0 0 0 rgBT / Overlock 10 TF 5 for laying. EFSA Journal, 2020, 18, e06014.	1.8	3
409	Assessment of the application for renewal of authorisation of Formiâ, LHS (potassium diformate) for sows. EFSA Journal, 2020, 18, e06024.	1.8	3
410	Safety and efficacy of a feed additive consisting on Propionibacterium freudenreichii ssp. shermanii ATCC PTA-6752 for all animal species (Chr. Hansen A/S). EFSA Journal, 2021, 19, e06470.	1.8	3
411	Assessment of the feed additive consisting of Enterococcus faecium DSM 7134 (Bonvital®) for chickens for fattening for the renewal of its authorisation (Lactosan GmbH & Co. KG). EFSA Journal, 2021, 19, e06451.	1.8	3
412	Safety and efficacy of the feed additive consisting of Vitamin B2/Riboflavin produced by Eremothecium ashbyi CCTCCM 2019833 for all animal species (Hubei Guangji Pharmaceutical Co., Ltd). EFSA Journal, 2021, 19, e06462.	1.8	3
413	Safety and efficacy of a feed additive consisting of lasalocid A sodium and nicarbazin (Nilablendâ, L) Tj ETQq1 1 0.784314 rgBT / Overlock 10 TF 5	1.8	3
414	Safety and efficacy of a feed additive consisting of a dried extract from Garcinia gummi-gutta (L.) Roxb. for use in cats and dogs (C.I.A.M.). EFSA Journal, 2021, 19, e06444.	1.8	3

#	ARTICLE	IF	CITATIONS
415	Safety and efficacy of a feed additive consisting of <i>Bacillus velezensis</i> PTA6507, <i>B. velezensis</i> NRRL B650013 and <i>B. velezensis</i> NRRL B650104 (Enviva® PRO 202 GT) for turkeys for fattening (Danisco Animal) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50	1.8	3
416	Assessment of the feed additive consisting of <i>Lactiplantibacillus plantarum</i> (formerly <i>Lactobacillus</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	1.8	3
417	Safety and efficacy of a feed additive consisting of expressed mandarin oil from the fruit peels of <i>Citrus reticulata</i> Blanco for use in all animal species (FEFANA asbl). EFSA Journal, 2021, 19, e06625.	1.8	3
418	Safety and efficacy of feed additives consisting of Vitamin B2 (98%) and Vitamin B2 (80%) as riboflavin produced by <i>Bacillus subtilis</i> KCCM 10445 for all animal species (Hubei Guangji Pharmaceutical Co.) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	1.8	3
419	Safety and efficacy of a feed additive consisting of <i>Lactiplantibacillus plantarum</i> (formerly) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50	1.8	3
420	Safety and efficacy of a feed additive consisting of <i>Lactiplantibacillus plantarum</i> (formerly) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 547 Td	1.8	3
421	Presence of endoparasites in the Greek buffalo ( <i>Bubalus bubalis</i> ) from Northern Greece. Journal of the Hellenic Veterinary Medical Society, 2018, 69, 999.	0.3	3
422	Scientific Opinion on the safety and efficacy of vitamin C (ascorbic acid and sodium calcium ascorbyl) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 Journal, 2013, 11, 3103.	1.8	3
423	Safety of Lancer® (lanthanide citrate) as a zootechnical additive for weaned piglets. EFSA Journal, 2019, 17, e05912.	1.8	3
424	Maximum levels of cross-contamination for 24 antimicrobial active substances in non-target feed. Part 4: Lactams: amoxicillin and penicillin V. EFSA Journal, 2021, 19, e06855.	1.8	3
425	Safety and efficacy of a feed additive consisting of <i>Lacticaseibacillus rhamnosus</i> (formerly) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 (Lactosan GmbH & Co. KG). EFSA Journal, 2021, 19, e06901.	1.8	3
426	Assessment of a feed additive consisting of all-trans- $\alpha$ -tocopheryl acetate (vitamin E) for all animal species for the renewal of its authorisation (Jilin Beisha Pharmaceutical Co., Ltd). EFSA Journal, 2021, 19, e06974.	1.8	3
427	Safety and efficacy of a feed additive consisting of an essential oil from <i>Cinnamomum camphora</i> (L.) J. Presl (camphor white oil) for use in all animal species (FEFANA asbl). EFSA Journal, 2022, 20, e06985.	1.8	3
428	Safety and efficacy of a feed additive consisting of a tincture from the bark of <i>Cinnamomum verum</i> J. Presl (cinnamon tincture) for use in all animal species (FEFANA asbl). EFSA Journal, 2021, 19, e06986.	1.8	3
429	Safety and efficacy of a feed additive consisting of carrageenan for pets and other non-food-producing animals (Marinalg International). EFSA Journal, 2022, 20, e07285.	1.8	3
430	Safety and efficacy of a feed additive consisting of butylated hydroxytoluene (BHT) for all animal species (Katyon Technologies Limited). EFSA Journal, 2022, 20, e07287.	1.8	3
431	Effect of the dietary inclusion of the growth promoter avoparcin on the performance and carcass characteristics of growing quail. Animal Feed Science and Technology, 1997, 65, 287-292.	2.2	2
432	Scientific Opinion on the safety and efficacy of orthophosphoric acid for all animal species. EFSA Journal, 2013, 11, 3043.	1.8	2

#	ARTICLE	IF	CITATIONS
433	Scientific Opinion on the safety and efficacy of L-cystine for all animal species. EFSA Journal, 2013, 11, 3173.	1.8	2
434	Scientific Opinion on the safety and efficacy of Hostazym C (endo- $\alpha$ , 4 $\beta$ -D-glucanase) as feed additive for chickens for fattening, all other birds for fattening and piglets (weaned). EFSA Journal, 2013, 11, 3207.	1.8	2
435	Scientific Opinion on the safety and efficacy of <i>Pediococcus pentosaceus</i> (DSM 14021, DSM 23688 and) Tj ETQq1 1.0.784314 rgBT / Overlock 10 Tf 5	1.8	2
436	Scientific opinion on the safety and efficacy of manganese compounds (E5) as feed additives for all species: manganous oxide and manganous sulphate monohydrate, based on a dossier submitted by Eramet & Comilog Chemicals S.A. EFSA Journal, 2013, 11, 3435.	1.8	2
437	Scientific Opinion on the safety and efficacy of thiazoles, thiophene, thiazoline and thienyl derivatives (chemical group 29): 3-acetyl-2, 5-dimethylthiophene when used as a flavouring for all animal species. EFSA Journal, 2013, 11, 3323.	1.8	2
438	Scientific Opinion on the safety and efficacy of Provita LE ( <i>Enterococcus faecium</i> and <i>Lactobacillus</i> ) Tj ETQq0 0 0 rgBT / Overlock 10 Tf 5	1.8	2
439	Scientific Opinion on the safety and efficacy of Amylofeed <sup>®</sup> (endo- $\alpha$ , 3(4)- $\beta$ -D-glucanase, endo- $\alpha$ ,) Tj ETQq1 1.0.784314 rgBT / Overlock 10 Tf 5 Journal, 2013, 11, 3430.	1.8	2
440	Scientific Opinion on the safety and efficacy of AGal <sup>®</sup> Pro BL <sup>®</sup> (alpha-D-galactosidase and endo- $\alpha$ ,) Tj ETQq0 0 0 rgBT / Overlock 10 Tf 5	1.8	2
441	Scientific Opinion on the safety and efficacy of copper chelate of L-lysinate-HCl as feed additive for all animal species. EFSA Journal, 2014, 12, 3796.	1.8	2
442	Scientific Opinion on the safety and efficacy of CRINA <sup>®</sup> Poultry Plus (benzoic acid, thymol, eugenol) Tj ETQq0 0 0 rgBT / Overlock 10 Tf 5 poultry species for fattening and reared for laying. EFSA Journal, 2014, 12, 3896.	1.8	2
443	Scientific Opinion on the safety and efficacy of sodium bisulphate (SBS) for all species as preservative and silage additive. EFSA Journal, 2014, 12, 3731.	1.8	2
444	Scientific Opinion on the safety and efficacy of Biomin <sup>®</sup> C3 ( <i>Bifidobacterium animalis</i> ssp. <i>animalis</i> ,) Tj ETQq0 0 0 rgBT / Overlock 10 Tf 5 fattening, chickens reared for laying and minor avian. EFSA Journal, 2015, 13, 3966.	1.8	2
445	Scientific Opinion on the safety of <i>Solanum glaucophyllum</i> standardised leaves as feed material. EFSA Journal, 2015, 13, 3967.	1.8	2
446	Scientific Opinion on the safety and efficacy of Cylactin <sup>®</sup> ( <i>Enterococcus faecium</i> NCIMB 10415) as a feed additive for pigs for fattening, piglets and sows. EFSA Journal, 2015, 13, 4158.	1.8	2
447	Scientific Opinion on the modification of the terms of the authorisation of OPTIPHOS <sup>®</sup> (6 $\alpha$ -phytase) as a feed additive for pigs for fattening. EFSA Journal, 2015, 13, 4200.	1.8	2
448	Update of the Scientific Opinion on the safety and efficacy of erythrosine in feed for cats, dogs, reptiles and ornamental fish. EFSA Journal, 2015, 13, 4233.	1.8	2
449	Scientific Opinion on the safety and efficacy of zinc chelate of L-lysinate-HCl as feed additive for all animal species. EFSA Journal, 2015, 13, 4267.	1.8	2
450	Scientific Opinion on the safety and efficacy of sorbic acid and potassium sorbate when used as technological additives for all animal species based on two dossiers from Nutrinova Nutrition Specialties & Food Ingredients GmbH. EFSA Journal, 2015, 13, 4239.	1.8	2

#	ARTICLE	IF	CITATIONS
451	Modification of the terms of the authorisation regarding the formulation of Maxiban® G160 (narsin) Tj ETQq1 1,0,784314,rgBT /Over	1.8	2
452	Safety and efficacy of Enviva® PRO 202 GT (Bacillus Amyloliquefaciens PTA®6507,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 712 Td (Bac fattening, chickens reared for laying and minor poultry species for fattening and to point of lay. EFSA Journal, 2016, 14, e04505.	1.8	2
453	Safety and efficacy of <i>Lactobacillus</i> <i>diolivorans</i> DSM 32074 as a silage additive for all animal species. EFSA Journal, 2016, 14, e04556.	1.8	2
454	Safety of Lancer (lanthanide citrate) as a zootechnical additive for weaned piglets. EFSA Journal, 2016, 14, e04477.	1.8	2
455	Safety and efficacy of selenium-enriched yeast ( <i>Saccharomyces Cerevisiae</i> NCYC R397) for all animal species. EFSA Journal, 2016, 14, e04624.	1.8	2
456	Safety and efficacy of Diarréstop S Plus® (Na2EDTA, tannin-rich extract of <i>Castanea Sativa</i> , thyme oil and) Tj ETQq0 0 0,rgBT /Over	1.8	2
457	Safety and efficacy of BioPlus 2B® (Bacillus <i>subtilis</i> DSM 5750 and Bacillus <i>licheniformis</i> DSM 5749) as a feed additive for sows, piglets, pigs for fattening, turkeys for fattening and calves. EFSA Journal, 2016, 14, e04558.	1.8	2
458	Safety and efficacy of a natural mixture of dolomite plus magnesite and magnesium phyllosilicates (Fluidol) as feed additive for all animal species. EFSA Journal, 2016, 14, 4341.	1.8	2
459	Safety and efficacy of Natugrain® TS (endo-1,4- $\alpha$ -xylanase and endo-1,4- $\alpha$ -glucanase) for chickens for fattening. EFSA Journal, 2016, 14, 4347.	1.8	2
460	Safety and efficacy of Amoklor (ammonium chloride) as a zootechnical additive for ruminants, cats and dogs. EFSA Journal, 2016, 14, 4352.	1.8	2
461	Safety and efficacy of RONOZYME® HiPhos (6-phytase) as a feed additive for sows and fish. EFSA Journal, 2016, 14, 4393.	1.8	2
462	Safety and efficacy of Bactocell PA ( <i>Pediococcus Acidilactici</i> CNCM MA18/5M) for pigs for fattening, minor porcine species, chickens for fattening and minor avian species. EFSA Journal, 2016, 14, e04483.	1.8	2
463	Safety and efficacy of 3-phytase FLF1000 as a feed additive for chickens for fattening and laying hens. EFSA Journal, 2016, 14, e04622.	1.8	2
464	Safety and efficacy of <i>Lactobacillus hilgardii</i> CNCM I4785 as a silage additive for all animal species. EFSA Journal, 2017, 15, e04758.	1.8	2
465	Safety and efficacy of OPTIPHOS® (6-phytase) as a feed additive for finfish. EFSA Journal, 2017, 15, e04763.	1.8	2
466	Safety and efficacy of natural mixture of illite, montmorillonite and kaolinite for all animal species. EFSA Journal, 2017, 15, e04940.	1.8	2
467	Safety and efficacy of selenium-enriched yeast ( <i>Saccharomyces Cerevisiae</i> CNCM I4399) for all animal species. EFSA Journal, 2017, 15, e04937.	1.8	2
468	Safety and efficacy of zinc chelate of methionine sulfate for all animal species. EFSA Journal, 2017, 15, e04859.	1.8	2

#	ARTICLE	IF	CITATIONS
469	Efficacy of Liderfeed® (eugenol) for chickens for fattening. EFSA Journal, 2017, 15, e04931.	1.8	2
470	Safety and efficacy of LactobacillusÂbuchneri NRRL Bâ€50733 as a silage additive for all animal species. EFSA Journal, 2017, 15, e04934.	1.8	2
471	Safety and efficacy of HOSTAZYMÂ® X (endoâ€1,4â€2â€xylanase) as a feed additive for carps. EFSA Journal, 2017, 15, e04942.	1.8	2
472	Safety and efficacy of VevoVitalÂ® (benzoic acid) as feed additive for minor porcine species. EFSA Journal, 2017, 15, e05026.	1.8	2
473	Safety and efficacy of benzoic acid for pigs and poultry. EFSA Journal, 2018, 16, e05210.	1.8	2
474	Safety and efficacy of PediococcusÂpentosaceus DSM 32291 as a silage additive for all animal species. EFSA Journal, 2018, 16, e05202.	1.8	2
475	Safety and efficacy of MontebanÂ® G100 (narasin) for ducks for fattening. EFSA Journal, 2018, 16, e05461.	1.8	2
476	Safety and efficacy of BacillusÂsubtilis DSMÂ28343 as a feed additive for piglets. EFSA Journal, 2018, 16, e05221.	1.8	2
477	Safety and efficacy of ZM16 10 (BacillusÂamyloliquefaciens DSM 25840) as a feed additive for weaned piglets and minor porcine species. EFSA Journal, 2018, 16, e05200.	1.8	2
478	Safety and efficacy of ECONASEÂ® XT (endoâ€1,4â€2â€xylanase) as a feed additive for laying hens. EFSA Journal, 2018, 16, e05216.	1.8	2
479	Safety and efficacy of CoxirilÂ® (diclazuril) for chickens reared for laying. EFSA Journal, 2018, 16, e05195.	1.8	2
480	Safety and efficacy of ECONASEÂ® XT (endoâ€1,4â€2â€xylanase) as a feed additive for pigs for fattening. EFSA Journal, 2018, 16, e05217.	1.8	2
481	Safety of natural mixture of illite, montmorillonite and kaolinite (Argile Verte du Velay) for all animal species. EFSA Journal, 2018, 16, e05387.	1.8	2
482	Safety and efficacy of Bacillus subtilis KCCM 10673P and Aspergillus oryzae KCTC 10258BP when used as a technological feed additive for all animal species. EFSA Journal, 2018, 16, e05275.	1.8	2
483	Safety and efficacy of sodium selenate as feed additive for ruminants. EFSA Journal, 2019, 17, e05788.	1.8	2
484	Safety and efficacy of lâ€histidine monohydrochloride monohydrate produced using CorynebacteriumÂglutamicum KCCM 80179 for all animal species. EFSA Journal, 2019, 17, e05784.	1.8	2
485	Efficacy of Bacillus subtilis DSM 28343 as a zootechnical additive (gut flora stabiliser) for calves for rearing. EFSA Journal, 2019, 17, e05793.	1.8	2
486	Safety and efficacy of lâ€histidine monohydrochloride monohydrate produced by fermentation with EscherichiaÂcoli (NITE BPâ€02526) for all animal species. EFSA Journal, 2019, 17, e05785.	1.8	2



#	ARTICLE	IF	CITATIONS
487	Safety and efficacy of <i>Bacillus licheniformis</i> DSM 32457 as a silage additive for all animal species. EFSA Journal, 2019, 17, e05787.	1.8	2
488	Safety and efficacy of a tincture derived from <i>Artemisia vulgaris</i> L. (Mugwort tincture) when used as a sensory additive in feed for all animal species. EFSA Journal, 2019, 17, e05879.	1.8	2
489	Safety and efficacy of Beltherm MP/ML (endo-1,4- $\beta$ -xylanase) as a feed additive for chickens for fattening, chickens reared for laying, turkeys for fattening, turkeys reared for breeding, turkeys for breeding purposes and minor poultry species. EFSA Journal, 2019, 17, e05609.	1.8	2
490	Safety and efficacy of muramidase from <i>Trichoderma reesei</i> DSM 32338 as a feed additive for turkeys for fattening, turkeys reared for breeding, chickens reared for breeding and other poultry species reared for breeding. EFSA Journal, 2019, 17, e05686.	1.8	2
491	Assessment of the application for renewal of authorisation of PHYZYME® XP 5000 G/L (6-phytase) for chickens for fattening, laying hens, turkeys for fattening, ducks for fattening, weaned piglets, pigs for fattening and sows for reproduction. EFSA Journal, 2019, 17, e05701.	1.8	2
492	Safety and efficacy of <i>Lactobacillus reuteri</i> NBF-2 (DSM 32264) as a feed additive for cats. EFSA Journal, 2019, 17, e05526.	1.8	2
493	Assessment of the application for renewal of authorisation of Natugrain® Wheat TS and TS L (endo-1,4- $\beta$ -xylanase) as a feed additive for chickens for fattening, ducks, turkeys for fattening, turkeys reared for breeding, minor avian species (except ducks and laying birds) and ornamental birds. EFSA Journal, 2019, 17, e05652.	1.8	2
494	Safety and efficacy of TYFERA,® (ferric tyrosine chelate) as a zootechnical feed additive for chickens, turkeys and minor poultry species for fattening or reared for laying/breeding. EFSA Journal, 2019, 17, e05608.	1.8	2
495	Safety and efficacy of 8-mercapto-6-p-menthane-3-one and p-menthane-1-ene-8-thiol belonging to chemical group 20 when used as flavourings for all animal species. EFSA Journal, 2019, 17, e05530.	1.8	2
496	Safety and efficacy of Actisaf® Sc47 ( <i>Saccharomyces cerevisiae</i> CNCM 4407) as a feed additive for cattle for fattening, dairy cows, weaned piglets and sows. EFSA Journal, 2019, 17, e05600.	1.8	2
497	Safety and efficacy of l-threonine produced by fermentation with <i>Corynebacterium glutamicum</i> for all animal species. EFSA Journal, 2019, 17, e05603.	1.8	2
498	Safety and efficacy of Cinergy® Life B3 HiCon ( <i>Bacillus amyloliquefaciens</i> NRRL B-50508,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 307 fattening and minor porcine species. EFSA Journal, 2019, 17, e05647.	1.8	2
499	Assessment of the application for renewal of authorisation of ECONASE® XT (endo-1,4- $\beta$ -xylanase) as a feed additive for piglets (weaned), chickens for fattening, chickens reared for laying, turkeys for fattening and turkeys reared for breeding. EFSA Journal, 2019, 17, e05880.	1.8	2
500	Efficacy of ZM16 10 ( <i>Bacillus amyloliquefaciens</i> DSM 25840) as a feed additive for weaned piglets and minor porcine species. EFSA Journal, 2019, 17, e05881.	1.8	2
501	Safety of lactic acid and calcium lactate when used as technological additives for all animal species. EFSA Journal, 2019, 17, e05914.	1.8	2
502	Safety and efficacy of <i>Lactobacillus reuteri</i> NBF-1 (DSM 32203) as a feed additive for dogs. EFSA Journal, 2019, 17, e05524.	1.8	2
503	Safety and efficacy of STENOROL® (halofuginone hydrobromide) as a feed additive for chickens for fattening and turkeys. EFSA Journal, 2020, 18, e06169.	1.8	2
504	Assessment of the application for renewal of authorisation of Biosprint® ( <i>Saccharomyces cerevisiae</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 307	1.8	2



#	ARTICLE	IF	CITATIONS
505	Assessment of the application for renewal of authorisation of l-histidine monohydrochloride monohydrate produced with <i>Escherichia coli</i> NITE SD 00268 for salmonids and its extension of use to other fin fish. EFSA Journal, 2020, 18, e06072.	1.8	2
506	Safety and efficacy of l-valine produced by fermentation using <i>Corynebacterium glutamicum</i> CGMCC 7.358 as a feed additive for all animal species. EFSA Journal, 2020, 18, e06286.	1.8	2
507	Safety and efficacy of Bonvital® (Enterococcus faecium DSM 7134) as a feed additive for laying hens. EFSA Journal, 2020, 18, e06277.	1.8	2
508	Safety and efficacy of Correlink®, ABS1781 <i>Bacillus subtilis</i> ( <i>Bacillus velezensis</i> NRRL B-67259) as a feed additive for all growing poultry species. EFSA Journal, 2020, 18, e06279.	1.8	2
509	Safety and efficacy of Nimicoat® (carvacrol) as a zootechnical additive for weaned piglets. EFSA Journal, 2020, 18, e06070.	1.8	2
510	Safety and efficacy of Biacton® ( <i>Lactobacillus farciminis</i> CNCM 3740) as a feed additive for chickens for fattening, turkeys for fattening and laying hens. EFSA Journal, 2020, 18, e06083.	1.8	2
511	Statement on the safety and efficacy of perlite for ruminants and poultry. EFSA Journal, 2020, 18, e06138.	1.8	2
512	Safety and efficacy of a dried aqueous ethanol extract of <i>Melissa officinalis</i> L. leaves when used as a sensory additive for all animal species. EFSA Journal, 2020, 18, e06016.	1.8	2
513	Safety and efficacy of DSP® (Na2EDTA, tannin-rich extract of <i>Castanea sativa</i> , thyme oil and origanum) Tj ETQq1 1 0.784314 rgBT	1.8	2
514	Safety and efficacy of the feed additive consisting of <i>Bacillus licheniformis</i> DSM 28710 (Bactact®) for laying hens, minor poultry species for laying, poultry species for breeding purposes and ornamental birds (HuvePharma N.V.). EFSA Journal, 2021, 19, e06449.	1.8	2
515	Efficacy of the feed additive consisting of decoquinat (Deccox®) for use in chickens for fattening (Zoetis Belgium SA). EFSA Journal, 2021, 19, e06453.	1.8	2
516	Safety and efficacy of the feed additive consisting of <i>Clostridium butyricum</i> FERM BP-2789 (Miyac-Gold®) Tj ETQq0 0 0 rgBT /Overlo breeding, minor avian species (excluding laying birds), piglets (suckling and weaned) and minor porcine species (Miyarisan Pharmaceutical Co. Ltd.). EFSA Journal, 2021, 19, e06450.	1.8	2
517	Safety and efficacy of a feed additive consisting of a preparation of benzoic acid, calcium formate and fumaric acid (AviMatrix® Z) for all avian species other than laying birds (Novus Europe S.A. / N.V.). EFSA Journal, 2021, 19, e06528.	1.8	2
518	Assessment of a feed additive consisting of all-rac-α-tocopheryl acetate (vitamin E) for all animal species for the renewal of its authorisation (DSM). EFSA Journal, 2021, 19, e06529.	1.8	2
519	Assessment of a feed additive consisting of all-rac-α-tocopheryl acetate (vitamin E) for all animal species for the renewal of its authorisation (EUROPE-ASIA Import Export GmbH). EFSA Journal, 2021, 19, e06530.	1.8	2
520	Safety and efficacy of a feed additive consisting of a dried extract from the leaves of <i>Ginkgo biloba</i> L. ( <i>G. biloba</i> dry extract) for use in cats and dogs (C.I.A.M.). EFSA Journal, 2021, 19, e06525.	1.8	2
521	Safety of the feed additives consisting of l-lysine monohydrochloride and l-lysine sulfate produced by <i>Corynebacterium glutamicum</i> CCTCC M 2015595 for all animal species (Kempex Holland B. V.). EFSA Journal, 2021, 19, e06520.	1.8	2
522	Assessment of a feed additive consisting of RRR-α-tocopheryl acetate (vitamin E) for all animal species for the renewal of its authorisation (Specialty Ingredients (Europe) B.V. and Vitae Caps S.A.). EFSA Journal, 2021, 19, e06532.	1.8	2

#	ARTICLE	IF	CITATIONS
523	Safety and efficacy of the feed additives concentrated liquid L-lysine (base) and L-lysine monohydrochloride produced by <i>Corynebacterium glutamicum</i> KCCM 80183 for all animal species (CJ) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 627 Td	1.8	2
524	Safety and efficacy of a feed additive consisting of an essential oil from the leaves of <i>Citrus Aurantium</i> L. (petitgrain bigarade oil) for use in all animal species (FEFANA asbl). EFSA Journal, 2021, 19, e06624.	1.8	2
525	Safety and efficacy of an additive consisting of potassium diformate (Formiã, LHS) for piglets (weaned) and pigs for fattening (Addcon GmbH). EFSA Journal, 2021, 19, e06617.	1.8	2
526	Safety and efficacy of a feed additive consisting on <i>Lactiplantibacillus plantarum</i> (formerly) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 627 Td CECT 8700 (AQ02) for suckling piglets (AQUILON CYL S.L.). EFSA Journal, 2021, 19, e06631.	1.8	2
527	Safety and efficacy of a feed additive consisting of <i>Lactiplantibacillus plantarum</i> (formerly) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 627 Td	1.8	2
528	Safety and efficacy of a feed additive consisting of <i>Lactocaseibacillus rhamnosus</i> (formerly) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 547 Td	1.8	2
529	Safety and efficacy of an additive consisting of xanthan gum produced by <i>Xanthomonas campestris</i> strains â–â–â–â–â–, â–â–â–â–â– for all animal species (Biopolymer International). EFSA Journal, 2021, 19, e06710.	1.8	2
530	Efficacy of Levucell® SB ( <i>Saccharomyces cerevisiae</i> CNCM Iâ€4079) as a feed additive for weaned piglets. EFSA Journal, 2017, 15, e04932.	1.8	2
531	Efficacy of Cygro® 10G (maduramicin ammoniumâ€) for turkeys. EFSA Journal, 2020, 18, e06079.	1.8	2
532	Safety and efficacy of a feed additive consisting of <i>Bacillus velezensis</i> DSM 15544 (Calsporin®) for piglets (suckling and weaned), pigs for fattening, sows in order to have benefit in piglets, ornamental fish, dogs and all avian species (Asahi Biocycle Co.). EFSA Journal, 2021, 19, e06903.	1.8	2
533	Safety and efficacy of a feed additive consisting of <i>Bacillus subtilis</i> strains CNCM Iâ€4606, CNCM Iâ€5043 and CNCM Iâ€4607 and <i>Lactococcus lactis</i> CNCM Iâ€4609 for all animal species (Nolivade). EFSA Journal, 2021, 19, e06907.	1.8	2
534	Safety and efficacy of a feed additive consisting of an essential oil from the flowers of <i>Cananga odorata</i> (Lam.) Hook.f. & Thomson (ylang ylang oil) for use in all animal species (FEFANA asbl). EFSA Journal, 2022, 20, e07159.	1.8	2
535	Safety and efficacy of a feed additive consisting of <i>Bacillus velezensis</i> NITE BPâ€01844 (BAâ€KING®) for chickens for fattening, chickens reared for laying, turkeys for fattening, turkeys reared for breeding and all avian species for fattening, or rearing to slaughter or point of lay including nonâ€food producing species (Toa Biopharma Co., Ltd.). EFSA Journal, 2022, 20, e07152.	1.8	2
536	Safety of 37 feed additives consisting of flavouring compounds belonging to different chemical groups for use in all animal species (FEFANA asbl). EFSA Journal, 2022, 20, e07249.	1.8	2
537	Safety and efficacy of a feed additive consisting of <i>Enterococcus faecium</i> NBIMCC 8270, <i>Lactobacillus acidophilus</i> NBIMCC 8242, <i>Lactobacillus helveticus</i> NBIMCC 8269, <i>Lactobacillus delbrueckii</i> ssp. <i>lactis</i> NBIMCC 8250, <i>L. delbrueckii</i> ssp. <i>bulgaricus</i> NBIMCC 8244 and <i>Streptococcus thermophilus</i> NBIMCC 8253 (Probiotic Lactina®) for chickens for fattening and suckling and weaned rabbits (Lactina Ltd.). EFSA Journal, 2022, 20, e07245.	1.8	2
538	Safety and efficacy of a feed additive consisting of butylated hydroxytoluene (BHT) for all animal species (Lanxess Deutschland GmbH). EFSA Journal, 2022, 20, e07286.	1.8	2
539	Safety and efficacy of a feed additive consisting of endoâ€1,4â€betaâ€xylanase and endoâ€1,3(4)â€betaâ€glucanase produced with <i>Talaromyces versatilis</i> IMI 378536 and DSM 26702 (ROVABIO® ADVANCE) for weaned piglets and pigs for fattening (ADISSEO France S.A.S). EFSA Journal, 2022, 20, e07251.	1.8	2
540	Safety and efficacy of a feed additive consisting of <i>Bacillus subtilis</i> FERM BPâ€07462, <i>Enterococcus lactis</i> FERM BPâ€10867 and <i>Clostridium butyricum</i> FERM BPâ€10866 (BIOâ€THREE®) for chickens for fattening, chickens reared for laying, turkeys for fattening, turkeys reared for breeding, all avian species for rearing/fattening to slaughter and all avian species reared for laying or breeding to point of lay (TOA) Tj ETQq0 0 0 rgBT /Overlock 10 Tf	1.8	2

#	ARTICLE	IF	CITATIONS
541	Scientific Opinion on the safety and efficacy of Feedlyve AXC (endo-1, 4- $\beta$ -xylanase) as a feed additive for turkeys. EFSA Journal, 2012, 10, 2843.	1.8	1
542	Scientific Opinion on the safety and efficacy of Lactobacillus buchneri (NCIMB 30139) as a silage additive for all species. EFSA Journal, 2012, 10, 2883.	1.8	1
543	Scientific Opinion on the safety and efficacy of Lactobacillus salivarius (CNCM I-3238) and Lactobacillus casei (ATTC PTA-6135) as silage additives for all species. EFSA Journal, 2012, 10, 2884.	1.8	1
544	Scientific Opinion on the safety and efficacy of biotin as a feed additive for all animal species based on a dossier submitted by VITAC EEIG. EFSA Journal, 2012, 10, 2926.	1.8	1
545	Scientific Opinion on the safety and efficacy of Biomin C3 (Enterococcus faecium, Bifidobacterium) Tj ETQq1 1 0.784314 rgBT /Overlo	1.8	1
546	Scientific Opinion on the safety and efficacy of AveMix <sup>®</sup> XG 10 (endo-1, 4- $\beta$ -xylanase and endo-1, 3(4)- $\beta$ -glucanase) Tj ETQq0 0 0 rgBT /Overlo	1.8	1
547	Scientific Opinion on the safety and efficacy of Lactobacillus kefir (DSM 19455) as a silage additive for all animal species. EFSA Journal, 2013, 11, 3177.	1.8	1
548	Scientific Opinion on the safety and efficacy of potassium sorbate as a silage additive for all animals except dogs and cats. EFSA Journal, 2013, 11, 3283.	1.8	1
549	Scientific Opinion on the safety and efficacy of Endofeed <sup>®</sup> DC (endo-1, 3(4)- $\beta$ -glucanase) Tj ETQq1 1 0.784314 rgBT /Overlo	1.8	1
550	Scientific opinion on the modification of authorisation of Deccox <sup>®</sup> (decoquinate) as feed additive for chickens for fattening. EFSA Journal, 2013, 11, 3370.	1.8	1
551	Scientific Opinion on the safety and efficacy of Econase <sup>®</sup> GT (endo-1, 3(4)- $\beta$ -glucanase) as a feed additive for chickens for fattening and weaned piglets. EFSA Journal, 2013, 11, 3432.	1.8	1
552	Scientific Opinion on the safety of neohesperidine dihydrochalcone as a sensory additive for fish. EFSA Journal, 2014, 12, 3669.	1.8	1
553	Scientific Opinion on the safety and efficacy of Lactobacillus brevis (DSMZ 16680) as a silage additive for all species. EFSA Journal, 2014, 12, 3534.	1.8	1
554	Scientific Opinion on the safety and efficacy of Pediococcus pentosaceus (NCIMB 30068) as a silage additive for all animal species. EFSA Journal, 2014, 12, 3609.	1.8	1
555	Scientific Opinion on the safety and efficacy of Miya <sup>®</sup> Gold <sup>®</sup> (Clostridium butyricum) for turkeys for fattening and turkeys reared for breeding. EFSA Journal, 2014, 12, 3603.	1.8	1
556	Scientific Opinion on the safety and efficacy of Pediococcus pentosaceus (NCIMB 30044) as a silage additive for all animal species. EFSA Journal, 2014, 12, 3610.	1.8	1
557	Scientific Opinion on the safety and efficacy of Lactobacillus paracasei (NCIMB 30151) as a silage additive for all animal species. EFSA Journal, 2014, 12, 3611.	1.8	1
558	Scientific Opinion on the safety and efficacy of Lactobacillus plantarum (DSMZ 16627) as a silage additive for all animal species. EFSA Journal, 2014, 12, 3612.	1.8	1

#	ARTICLE	IF	CITATIONS
559	Scientific Opinion on the safety and efficacy of Fecinor® and Fecinor® plus (Enterococcus faecium) as a feed additive for piglets. EFSA Journal, 2014, 12, 3672.	1.8	1
560	Scientific Opinion on the safety and efficacy of Oralin® (Enterococcus faecium) as a feed additive for calves for rearing, piglets, chickens for fattening, turkeys for fattening and dogs. EFSA Journal, 2014, 12, 3727.	1.8	1
561	Scientific Opinion on the safety for the target animals and for the users of selenium in the form of organic compounds produced by the selenium-enriched yeast <i>Saccharomyces cerevisiae</i> NCYC R645 (SelenoSource AF 2000) for all animal species. EFSA Journal, 2014, 12, 3797.	1.8	1
562	Scientific Opinion on the modification of the terms of authorisation of Aviadeccox® 60G (decoquinat) for chickens for fattening. EFSA Journal, 2014, 12, 3905.	1.8	1
563	Scientific Opinion on the safety and efficacy of Cylactin® (Enterococcus faecium NCIMB 10415) as a feed additive for chickens for fattening, chickens reared for laying, minor poultry species for fattening and minor poultry species reared for laying. EFSA Journal, 2014, 12, 3906.	1.8	1
564	Scientific Opinion on the efficacy of Lactobacillus brevis (DSM 23231) as a silage additive for all animal species. EFSA Journal, 2014, 12, 3530.	1.8	1
565	Scientific Opinion on the safety and efficacy of Suilectin®, ( <i>Phaseolus vulgaris</i> lectins) as a zootechnical additive for suckling piglets (performance enhancer). EFSA Journal, 2015, 13, 3903.	1.8	1
566	Scientific Opinion on the safety and efficacy of Cygro® 10G (maduramicin ammonium salt) for turkeys. EFSA Journal, 2015, 13, 4013.	1.8	1
567	Scientific Opinion on the safety of Hostazym® C (endo-1,4-beta-glucanase) as a feed additive for chickens for fattening, all other birds for fattening and piglets (weaned). EFSA Journal, 2015, 13, 4054.	1.8	1
568	Scientific Opinion on the safety and efficacy of AGalPro BL/BL (alpha-galactosidase and) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 38 Journal, 2015, 13, 4107.	1.8	1
569	Scientific Opinion on the safety and efficacy of indigo carmine (E 132) for cats and dogs and ornamental fish. EFSA Journal, 2015, 13, 4108.	1.8	1
570	Scientific Opinion on complexation products of sodium tartrates with iron(III) chloride for all animal species and categories. EFSA Journal, 2015, 13, 4114.	1.8	1
571	Scientific Opinion on the safety and efficacy of ENZY PHOSTAR® (6-phytase) as a feed additive for avian and porcine species. EFSA Journal, 2015, 13, 4159.	1.8	1
572	Scientific Opinion on the safety and efficacy of Kemzyme® Plus Liquid (endo-1,3(4)-beta-glucanase,) Tj ETQq0 0 0 rgBT /Overlock ornamental birds. EFSA Journal, 2015, 13, 4235.	1.8	1
573	Scientific Opinion on the efficacy of Suilectin TM (Phaseolus vulgaris lectins) as a zootechnical additive for suckling piglets (performance enhancer). EFSA Journal, 2015, 13, 4276.	1.8	1
574	Efficacy of Friedland clay (montmorillonite-illite mixed layer clay) when used as a technological additive for all animal species. EFSA Journal, 2015, 13, 4237.	1.8	1
575	Scientific Opinion on the safety and efficacy of Bacillus subtilis KCCM 10673P and Aspergillus oryzae KCTC 10258BP as feed additives for all animal species. EFSA Journal, 2015, 13, 4230.	1.8	1
576	Analysis of the need for an update of the guidance documents. EFSA Journal, 2016, 14, e04473.	1.8	1

#	ARTICLE	IF	CITATIONS
577	Safety and efficacy of ROVABIO® SPIKY (endo-1,4-β-D-glucanase and endo-1,3(4)-β-D-glucanase) as a feed additive for all major and minor poultry species. EFSA Journal, 2016, 14, e04510.	1.8	1
578	Safety and efficacy of Aextra® PHY20000 TPT2 (6-phytase) as a feed additive for poultry and porcine species. EFSA Journal, 2016, 14, e04625.	1.8	1
579	Safety and efficacy of dry grape extract when used as flavouring in water for drinking for all animal species and categories. EFSA Journal, 2016, 14, e04627.	1.8	1
580	Safety and efficacy of LactobacillusÂbrevis NCIMB 42149 as a silage additive for all animal species. EFSA Journal, 2016, 14, e04616.	1.8	1
581	Safety and efficacy of lecithins (Lipidol) for all animal species. EFSA Journal, 2016, 14, e04560.	1.8	1
582	Safety and efficacy of BacillusÂsubtilis DSMÂ28343 as a feed additive for chickens for fattening. EFSA Journal, 2016, 14, e04507.	1.8	1
583	Safety and efficacy of maltol belonging to chemical group 12 when used as flavouring for all animal species. EFSA Journal, 2016, 14, e04619.	1.8	1
584	Safety and efficacy of Aextra® XB 201 (endo-1,4-β-D-glucanase and endo-1,3(4)-β-D-glucanase) as a feed additive for lactating sows and minor porcine species. EFSA Journal, 2016, 14, 4350.	1.8	1
585	Safety and efficacy of pyridine and pyrrole derivatives belonging to chemical group 28 when used as flavourings for all animal species. EFSA Journal, 2016, 14, 4390.	1.8	1
586	Safety and efficacy of LactobacillusÂplantarum DSMÂ29024 as a silage additive for all animal species. EFSA Journal, 2017, 15, e04675.	1.8	1
587	Safety and efficacy of LactobacillusÂrhamnosus DSMÂ29226 as a silage additive for all animal species. EFSA Journal, 2017, 15, e04673.	1.8	1
588	Safety and nutritional value of a dried killed bacterial biomass from EscherichiaÂcoli (FERM BPÂ10941) (PL73 (LM)) as a feed material for pigs, ruminants and salmonids. EFSA Journal, 2017, 15, e04935.	1.8	1
589	Safety of natural mixture of dolomite plus magnesite and magnesiumÂphyllosilicates (Fluidol) for all animal species. EFSA Journal, 2017, 15, e04711.	1.8	1
590	Safety of Endofeed® DC (endo-1,3(4)-β-D-glucanase and endo-1,4-β-D-glucanase) as a feed additive for chickens for fattening, laying hens, pigs for fattening and minor poultry and porcine species. EFSA Journal, 2017, 15, e04706.	1.8	1
591	Safety of cassia gum as a feed additive for dogs and cats based on a dossier submitted by Glycomer GmbH. EFSA Journal, 2017, 15, e04710.	1.8	1
592	Assessment of the application for renewal of authorisation of VevoVital® (benzoic acid) as feed additive for weaned piglets and pigs for fattening. EFSA Journal, 2017, 15, e05093.	1.8	1
593	Safety and efficacy of FRA® Octazyme C Dry (1-α-galactosidase, 1-α-amylase, endo-1,3(4)-β-D-glucanase,) Tj ETQq1 1 0.784314 for fattening and weaned piglets. EFSA Journal, 2017, 15, e04943.	1.8	1
594	Safety and efficacy of Alterion NE® (BacillusÂsubtilis DSM 29784) as a feed additive for chickens for fattening and chickens reared for laying. EFSA Journal, 2017, 15, e04933.	1.8	1



#	ARTICLE	IF	CITATIONS
595	Safety and efficacy of Amylofeed® (endo-1,3(4)-D-glucanase and endo-1,4-D-xylanase and Î-amylase), as a feed additive for piglets and minor porcine species. EFSA Journal, 2017, 15, e04856.	1.8	1
596	Safety and efficacy of Bacillus Amyloliquefaciens (NCIMB 30229) as a silage additive for all animal species. EFSA Journal, 2017, 15, e04860.	1.8	1
597	Safety and efficacy of Lactobacillus Casei DSM 28872 as a silage additive for all animal species. EFSA Journal, 2017, 15, e04703.	1.8	1
598	Safety of cassia gum as a feed additive for dogs and cats based on a dossier submitted by Intercolloid (UK) Ltd. EFSA Journal, 2017, 15, e04709.	1.8	1
599	Safety and efficacy of Alterion NE® (Bacillus subtilis DSM 29784) as a feed additive for minor poultry species for fattening and reared for laying. EFSA Journal, 2018, 16, e05204.	1.8	1
600	Safety and efficacy of Coxiril® (diclazuril) for pheasants. EFSA Journal, 2018, 16, e05196.	1.8	1
601	Safety and efficacy of EB15 10 (Bacillus subtilis DSM 25841) as a feed additive for weaned piglets and minor porcine species. EFSA Journal, 2018, 16, e05199.	1.8	1
602	Safety and efficacy of Kelforce® (L-glutamic acid, N,N-diacetic acid, tetrasodium salt (GLDA-Na4)) as a feed additive for chickens for fattening. EFSA Journal, 2018, 16, e05279.	1.8	1
603	Safety and efficacy of Lactococcus Lactis NCIMB 30160 as a feed additive for all animal species. EFSA Journal, 2018, 16, e05218.	1.8	1
604	Safety of natural mixture of dolomite plus magnesite and magnesium-phyllsilicates (Fluidol) for all animal species. EFSA Journal, 2018, 16, e05272.	1.8	1
605	Efficacy of Cylactin® (Enterococcus faecium NCIMB 10415) as a feed additive for pigs for fattening. EFSA Journal, 2018, 16, e05201.	1.8	1
606	Safety and efficacy of Hostazym® X (endo-1,4-D-beta-xylanase) as a feed additive for sows in order to have benefit in piglets. EFSA Journal, 2018, 16, e05456.	1.8	1
607	Safety and efficacy of Bacillus subtilis DSM 28343 as a feed additive for calves for rearing. EFSA Journal, 2018, 16, e05220.	1.8	1
608	Safety and efficacy of Lactobacillus Hilgardii CNCM I 4785 and Lactobacillus Buchneri CNCM I 4323/NCIMB 40788 as a silage additive for all animal species. EFSA Journal, 2018, 16, e05455.	1.8	1
609	Efficacy of Bergazym® P100 (endo-1,4-D-xylanase) as a feed additive for chickens for fattening and weaned piglets. EFSA Journal, 2018, 16, e05457.	1.8	1
610	Safety and efficacy of a super critical carbon dioxide extract of Humulus lupulus L. flos when used as a feed flavouring for all animal species. EFSA Journal, 2018, 16, e05462.	1.8	1
611	Safety and efficacy of Coxar® (nicarbazin) for turkeys for fattening. EFSA Journal, 2018, 16, e05214.	1.8	1
612	Safety and efficacy of Amylofeed® (endo-1,3(4)-D-glucanase and endo-1,4-D-xylanase and Î-amylase), as a feed additive for piglets and minor growing porcine species. EFSA Journal, 2018, 16, e05271.	1.8	1

#	ARTICLE	IF	CITATIONS
613	Assessment of the application for renewal of authorisation of Actisaf® Sc47 (Saccharomyces) Tj ETQq1 1 0.784314 rgBT /Overlock 10 EFSA Journal, 2018, 16, e05339.	1.8	1
614	Modification of the terms of authorisation of lecithins as a feed additive for all animal species. EFSA Journal, 2018, 16, e05334.	1.8	1
615	Assessment of the application for renewal of authorisation of Levucell® SC (Saccharomyces) Tj ETQq1 1 0.784314 rgBT /Overlock 10	1.8	1
616	Safety and efficacy of Natuphos® E (6â€¢phytase) as a feed additive for laying hens, minor poultry and other avian species for laying. EFSA Journal, 2019, 17, e05789.	1.8	1
617	Safety and efficacy of AviPlus® as a feed additive for turkeys for fattening, turkeys reared for breeding and suckling piglets. EFSA Journal, 2019, 17, e05795.	1.8	1
618	Assessment of the application for renewal of authorisation of l-arginine produced by fermentation using CorynebacteriumÂglutamicum NITE SD 00285 for all animal species. EFSA Journal, 2019, 17, e05720.	1.8	1
619	Modification of the conditions of the authorisation of BioPlus® 2B (BacillusÂlicheniformis DSM 5749) Tj ETQq1 1 0.784314 rgBT /Over	1.8	1
620	Safety and efficacy of FRA® Octazyme C Dry (endoâ€¢1,4â€¢xylanase, mannanâ€¢endoâ€¢1,4â€¢mannosidase, Î±â€¢amylase,) Tj ET weaned piglets and chickens for fattening. EFSA Journal, 2019, 17, e05730.	1.8	1
621	Safety and efficacy of RONOZYME® WX CT/L (endoâ€¢1,4â€¢xylanase) as a feed additive for sows for reproduction. EFSA Journal, 2019, 17, e05790.	1.8	1
622	Assessment of the application for renewal of authorisation of Lantharenol® (lanthanum carbonate) Tj ETQq0 0 0 rgBT /Overlock 10 Tf	1.8	1
623	Safety and efficacy of Levucell® SB (Saccharomyces cerevisiae CNCM lã€¢1079) as a feed additive for turkeys for fattening. EFSA Journal, 2019, 17, e05693.	1.8	1
624	Assessment of the application for renewal of the authorisation of PHYZYME® XP 10000 TPT/L (6â€¢phytase) as a feed additive for all avian species and all swine species. EFSA Journal, 2019, 17, e05702.	1.8	1
625	Safety and efficacy of Levucell SC® (Saccharomyces cerevisiae CNCM lã€¢1077) as a feed additive for calves and minor ruminant species and camelids at the same developmental stage. EFSA Journal, 2019, 17, e05723.	1.8	1
626	Safety and efficacy of Levucell® SB (SaccharomycesÂcerevisiae CNCM lã€¢1079) as a feed additive for all pigs. EFSA Journal, 2019, 17, e05535.	1.8	1
627	Efficacy of a preparation of algae interspaced bentonite as a feed additive for all animal species. EFSA Journal, 2019, 17, e05604.	1.8	1
628	Safety and efficacy of l-leucine produced by fermentation with EscherichiaÂcoli NITE BPã€¢02351 for all animal species. EFSA Journal, 2019, 17, e05689.	1.8	1
629	Efficacy of Saccharomyces cerevisiae NBRC 0203, Lactobacillus plantarum NBRC 3070 and Lactobacillus casei NBRC 3425 as a technological additive (silage additive) for all animal species. EFSA Journal, 2019, 17, e05700.	1.8	1
630	Safety and efficacy of l-threonine produced by fermentation with CorynebacteriumÂglutamicum KCCM 80117 for all animal species. EFSA Journal, 2019, 17, e05602.	1.8	1



631	Assessment of the application for renewal of the authorisation of Natuphos (3â€¢phytase) as a feed additive for poultry and pigs. EFSA Journal, 2019, 17, e05640.	1.8	1
632	Safety and efficacy of HOSTAZYMÂ® X (endoâ€¢1,4â€¢betaâ€¢xylanase) as a feed additive for rabbits for fattening. EFSA Journal, 2019, 17, e05529.	1.8	1
633	Safety for the environment of vitamin D3 for salmonids. EFSA Journal, 2019, 17, e05540.	1.8	1
634	Modification of the terms of the authorisation of NatuphosÂ® E as a feed additive for chickens for fattening or reared for laying/breeding. EFSA Journal, 2019, 17, e05607.	1.8	1
635	Safety and efficacy of Beltherm MP/ML (endoâ€¢1,4â€¢betaâ€¢xylanase) as a feed additive for piglets, pigs for fattening and other porcine species. EFSA Journal, 2019, 17, e05610.	1.8	1
636	Safety and efficacy of eight compounds belonging to different chemical groups when used as flavourings for cats and dogs. EFSA Journal, 2019, 17, e05649.	1.8	1
637	Safety and efficacy of a tincture derived from Verbascum thapsus L. when used as a sensory additive in feed for all animal species. EFSA Journal, 2019, 17, e05910.	1.8	1
638	Safety and efficacy of Belfeed B MP/ML (endoâ€¢1,4â€¢Î²â€¢xylanase) as a feed additive for sows, in order to have benefits in piglets, and for all porcine species. EFSA Journal, 2019, 17, e05892.	1.8	1
639	Safety of ethyl ester of Î²â€¢apoâ€¢8â€¢TMâ€¢carotenoic acid as a feed additive for poultry for fattening and poultry for laying. EFSA Journal, 2019, 17, e05911.	1.8	1
640	Safety of butylated hydroxy anisole (BHA) for all animal species. EFSA Journal, 2019, 17, e05913.	1.8	1
641	Safety of lâ€¢threonine produced by fermentation with Escherichia coli CGMCC 11473 as a feed additive for all animal species. EFSA Journal, 2019, 17, e05885.	1.8	1
642	Efficacy of RONOZYMEÂ® WX (endoâ€¢1,4â€¢Î²â€¢xylanase) as a feed additive for laying hens. EFSA Journal, 2019, 17, e05919.	1.8	1
643	Assessment of the application for renewal of authorisation of pyridoxine hydrochloride (vitamin B6) as a feed additive for all animal species. EFSA Journal, 2020, 18, e06289.	1.8	1
644	Safety and efficacy of AextraÂ® XAP 104 TPT (endoâ€¢1,4â€¢xylanase, protease and alphaâ€¢amylase) as a feed additive for chickens for fattening, laying hens and minor poultry species. EFSA Journal, 2020, 18, e06165.	1.8	1
645	Safety and efficacy of hydroxypropyl cellulose for all animal species. EFSA Journal, 2020, 18, e06213.	1.8	1
646	Safety and efficacy of lâ€¢tryptophan produced by fermentation with Escherichia coli KCCM 10534 for all animal species. EFSA Journal, 2020, 18, e06071.	1.8	1
647	Safety of methanethiol [12.003] when used as a feed additive for all animal species. EFSA Journal, 2020, 18, e06288.	1.8	1
648	Safety and Efficacy of lâ€¢histidine monohydrochloride monohydrate produced by fermentation using Escherichia coli KCCM 80212 as a feed additive for all animal species. EFSA Journal, 2020, 18, e06287.	1.8	1

#	ARTICLE	IF	CITATIONS
649	Safety and efficacy of Capsozyme SB Plus (α-galactosidase and endo-α-1,4-p-xylanase) as a feed additive for poultry species for fattening or reared for laying and ornamental birds. EFSA Journal, 2020, 18, e06086.	1.8	1
650	Safety and efficacy of Manganese chelates of lysine and glutamic acid as feed additive for all animal species. EFSA Journal, 2020, 18, e06001.	1.8	1
651	Safety and efficacy of l-tryptophan produced by fermentation using Escherichia coli CGMCC 7.267 for all animal species. EFSA Journal, 2020, 18, e06013.	1.8	1
652	Safety and efficacy of saponified paprika extract, containing capsanthin as main carotenoid source, for poultry for fattening and laying (except turkeys). EFSA Journal, 2020, 18, e06023.	1.8	1
653	Safety and efficacy of ProEquo® (Lactobacillus plantarum DSM 11520) as a feed additive for horses. EFSA Journal, 2020, 18, e06143.	1.8	1
654	Safety and efficacy of TechnoSpore® (Bacillus coagulans DSM 32016) for piglets, other growing Suidae, chickens for fattening, other poultry for fattening and ornamental birds. EFSA Journal, 2020, 18, e06158.	1.8	1
655	Safety and efficacy of OptiPhos® PLUS (6 phytase) for laying hens, turkeys for breeding, chickens for breeding, minor poultry species for egg production purposes and breeding. EFSA Journal, 2020, 18, e06161.	1.8	1
656	Safety of l-tryptophan produced using Escherichia coli CGMCC 11674 for all animal species. EFSA Journal, 2020, 18, e06168.	1.8	1
657	Efficacy of calcium formate as a technological feed additive (preservative) for all animal species. EFSA Journal, 2020, 18, e06077.	1.8	1
658	Safety and efficacy of APSA PHYTAFEED® (6-phytase) as a feed additive for laying hens and other laying birds. EFSA Journal, 2020, 18, e06142.	1.8	1
659	Efficacy of iron chelates of lysine and glutamic acid as feed additive for all animal species. EFSA Journal, 2020, 18, e06164.	1.8	1
660	Safety and efficacy of FSF10000 and FLF1000 (3-phytase) as a feed additive for turkeys for fattening or reared for breeding, pigs for fattening and minor porcine species. EFSA Journal, 2020, 18, e06015.	1.8	1
661	Statement on the safety and efficacy of Shellac for all animal species. EFSA Journal, 2020, 18, e06065.	1.8	1
662	Safety and efficacy of l-cysteine hydrochloride monohydrate produced by fermentation using Escherichia coli KCCM 80180 and Escherichia coli KCCM 80181 as a flavouring additive for all animal species. EFSA Journal, 2020, 18, e06003.	1.8	1
663	Safety and efficacy of Natugrain® TS/TS L (endo-α-1,4-β-xylanase and endo-α-1,4-β-glucanase) as a feed additive for sows. EFSA Journal, 2020, 18, e06025.	1.8	1
664	Safety for the user of the feed additive consisting of ferric citrate chelate (Cl-FeRâ,ç) for suckling and weaned piglets and minor porcine species (Akeso Biomedical, Inc.). EFSA Journal, 2021, 19, e06455.	1.8	1
665	Safety and efficacy of a feed additive consisting of serine protease produced by Bacillus licheniformis DSM 19670 (Ronozyme® ProAct) for chickens for fattening (DSM Nutritional Products Ltd.). EFSA Journal, 2021, 19, e06448.	1.8	1
666	Safety and efficacy of a feed additive consisting of manganese chelate of ethylenediamine for all animal species (Zinpro Animal Nutrition (Europe), Inc.). EFSA Journal, 2021, 19, e06468.	1.8	1

#	ARTICLE	IF	CITATIONS
667	Safety and efficacy of a feed additive consisting of endo-1,4- $\alpha$ -xylanase produced by <i>Bacillus subtilis</i> LMG Sâ€15136 (Belfeed B MP/ML) for sows in order to have benefits in piglets and for all porcine species (Beldem, a division of Puratos NV). EFSA Journal, 2021, 19, e06456.	1.8	1
668	Efficacy of the feed additive consisting of amprolium hydrochloride (COXAMÂ®) for use in chickens for fattening and chickens reared for laying (Huvepharma N.V.). EFSA Journal, 2021, 19, e06457.	1.8	1
669	Safety and efficacy of the feed additive consisting of l-tryptophan produced by <i>Escherichia coli</i> KCCM 80210 for all animal species (Daesang Europe BV). EFSA Journal, 2021, 19, e06425.	1.8	1
670	Safety and efficacy of a feed additive consisting of l-valine produced by <i>Corynebacterium glutamicum</i> ÂCGMCC 7.366 for all animal species (Ningxia Eppen Biotech Co., Ltd.). EFSA Journal, 2021, 19, e06521.	1.8	1
671	Safety and efficacy of a feed additive consisting of a dried extract from the roots of <i>Arctium lappa</i> L. (A. lappa dry extract) for use in cats and dogs (C.I.A.M.). EFSA Journal, 2021, 19, e06527.	1.8	1
672	Safety and efficacy of a feed additive consisting of copper chelate of ethylenediamine for all animal species (Zinpro Animal Nutrition (Europe), Inc.). EFSA Journal, 2021, 19, e06541.	1.8	1
673	Safety and efficacy of a feed additive consisting of endo-1,4- $\alpha$ -xylanase (ECONASEÂ® XT) produced by <i>Trichoderma reesei</i> CBS 140027 as a feed additive for piglets (weaned), pigs for fattening, chickens for fattening, chickens reared for laying, laying hens, turkeys for fattening, turkeys reared for breeding and minor poultry species (Roal Ov). EFSA Journal, 2021, 19, e06536.	1.8	1
674	Safety and efficacy of an additive consisting of synthetic vitamin K1 (phytomenadione) for horses (JARAZ Enterprises GmbH & Co. KG). EFSA Journal, 2021, 19, e06538.	1.8	1
675	Assessment of a feed additive consisting of all- $\alpha$ -tocopheryl acetate (vitamin E) for all animal species for the renewal of its authorisation (BASF SE). EFSA Journal, 2021, 19, e06531.	1.8	1
676	Safety and efficacy of a feed additive consisting of ferrous lysinate sulfate for all animal species (Phytobiotics Futterzusatzstoffe GmbH). EFSA Journal, 2021, 19, e06545.	1.8	1
677	Safety and efficacy of a feed additive consisting of iron chelate of ethylenediamine for all animal species (Zinpro Animal Nutrition (Europe), Inc.). EFSA Journal, 2021, 19, e06540.	1.8	1
678	Assessment of the feed additive consisting of dimethylglycine sodium salt (Taminizer D) for chickens for fattening for the renewal of its authorisation (Taminco N.V.). EFSA Journal, 2021, 19, e06621.	1.8	1
679	Efficacy of the feed additive containing <i>Companilactobacillus farciminis</i> (formerly <i>Lactobacillus</i> ) Tj ETQq1 1 0.784314 rgBT /Overlock 10 (ChemVet dk A/S). EFSA Journal, 2021, 19, e06627.	1.8	1
680	Safety and efficacy of a feed additive consisting of l-histidine monohydrochloride monohydrate produced using <i>Escherichia coli</i> Â NITE SD 00268 for all animal species (Kyowa Hakko Europe GmbH). EFSA Journal, 2021, 19, e06622.	1.8	1
681	Safety and efficacy of a feed additive consisting of disodium 5- $\gamma$ -guanylate produced with <i>Corynebacterium stationis</i> KCCM 10530 and <i>Escherichia coli</i> Kâ€12 KFCC 11067 for all animal species (C) Tj ETQq1.1 0.784314 rgBT /C	1.8	1
682	Safety and efficacy of a feed additive consisting of ferric (III) ammonium hexacyanoferrate (II) for ruminants (domestic and wild), calves prior the start of rumination, lambs prior the start of rumination, kids prior the start of rumination and pigs (domestic and wild) (Honeywell Specialty) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 1	1.8	1
683	Safety and efficacy of the feed additive consisting of <i>Bacillus velezensis</i> ÂCECT 5940 (EcobiolÂ®) for turkeys for fattening, turkeys reared for breeding, minor poultry species for fattening and reared for laying and ornamental birds (Evonik Operations GmbH). EFSA Journal, 2021, 19, e06620.	1.8	1
684	Assessment of the feed additive consisting of <i>Pediococcus pentosaceus</i> ÂDSM 12834 for all animal species for the renewal of its authorisation (Lactosan GmbH & Co KG). EFSA Journal, 2021, 19, e06713.	1.8	1

#	ARTICLE	IF	CITATIONS
685	Assessment of the feed additive consisting of <i>Pediococcus acidilactici</i> DSM 16243 for all animal species for the renewal of its authorisation (Lactosan GmbH & Co.KG). EFSA Journal, 2021, 19, e06697.	1.8	1
686	Safety and efficacy of a feed additive consisting of <i>Pediococcus pentosaceus</i> IMI 507024 for all animal species (ALLTECHNOLOGY (IRELAND) LIMITED [Alltech Ireland]). EFSA Journal, 2021, 19, e06701.	1.8	1
687	Safety and efficacy of a feed additive consisting of butylated hydroxyanisole (BHA) for use in cats (FEDIAF). EFSA Journal, 2021, 19, e06714.	1.8	1
688	Safety and efficacy of a feed additive consisting of <i>Saccharomyces cerevisiae</i> MUCL 39885 (Biosprint®) for cats and dogs (Prosol S.p.A.). EFSA Journal, 2021, 19, e06699.	1.8	1
689	Safety for the environment of a feed additive consisting of nicarbazin (Coxar®) for use in turkeys for fattening (Huvepharma N.V.). EFSA Journal, 2021, 19, e06715.	1.8	1
690	Safety and efficacy of a feed additive consisting of <i>Pediococcus pentosaceus</i> IMI 507025 for all animal species (ALLTECHNOLOGY (IRELAND) LIMITED [Alltech Ireland]). EFSA Journal, 2021, 19, e06702.	1.8	1
691	Rare earth elements (REE) as feed additives in animal nutrition.. CAB Reviews: Perspectives in Agriculture, Veterinary Science, Nutrition and Natural Resources, 0, , 1-15.	1.0	1
692	Assessment of the application for renewal of the authorisation of Actisaf® Sc 47 ( <i>Saccharomyces</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	1.8	1
693	Safety and efficacy of <i>Lactobacillus buchneri</i> DSM 29026 as a silage additive for all animal species. EFSA Journal, 2020, 18, e06159.	1.8	1
694	Safety and efficacy of L-lysine monohydrochloride and concentrated liquid L-lysine (base) produced by fermentation with <i>Corynebacterium glutamicum</i> KCCM 80216 as feed additive for all animal species. EFSA Journal, 2020, 18, e06334.	1.8	1
695	Safety of vitamin B12 (in the form of cyanocobalamin) produced by <i>Ensifer adhaerens</i> CNCM 5541 for all animal species. EFSA Journal, 2020, 18, e06335.	1.8	1
696	Safety of 31 flavouring compounds belonging to different chemical groups when used as feed additives for all animal species. EFSA Journal, 2020, 18, e06338.	1.8	1
697	Safety and efficacy of L-cysteine monohydrochloride monohydrate produced by fermentation using <i>Escherichia coli</i> KCCM 80109 and <i>Escherichia coli</i> KCCM 80197 for all animal species. EFSA Journal, 2020, 18, e06101.	1.8	1
698	Assessment of the application for renewal of authorisation of AviPlus® as a feed additive for all porcine species (weaned), chickens for fattening, chickens reared for laying, minor poultry species for fattening, minor poultry species reared for laying. EFSA Journal, 2020, 18, e06063.	1.8	1
699	Assessment of the feed additive consisting of <i>Levilactobacillus brevis</i> (formerly <i>Lactobacillus brevis</i> ) DSM 12835 EU for all animal species for the renewal of its authorisation (Lactosan GmbH & Co KG). EFSA Journal, 2021, 19, e06900.	1.8	1
700	Assessment of the application for renewal of authorisation of manganese chelate of hydroxy analogue of methionine for all animal species. EFSA Journal, 2020, 18, e06281.	1.8	1
701	Safety and efficacy of Nutrase P (6-phytase) for chickens for fattening, other poultry for fattening, reared for laying and ornamental birds. EFSA Journal, 2020, 18, e06282.	1.8	1
702	Safety and efficacy of feed additives consisting of expressed sweet orange peel oil and its fractions from <i>Citrus sinensis</i> (L.) Osbeck for use in all animal species (FEFANA asbl). EFSA Journal, 2021, 19, e06891.	1.8	1

#	ARTICLE	IF	CITATIONS
703	Safety and efficacy of two solvent extracts of rosemary ( <i>Rosmarinus officinalis</i> L.) when used as feed additive for cats and dogs (Kemin Nutrisurance Europe SRL). EFSA Journal, 2022, 20, e06978.	1.8	1
704	Safety and efficacy of a feed additive consisting of zearalenone hydrolase produced by <i>Escherichia coli</i> DSM 32731 for all terrestrial animal species (Biomim GmbH). EFSA Journal, 2022, 20, e07157.	1.8	1
705	Safety and efficacy of a feed additive consisting of L-lysine produced by <i>Escherichia coli</i> CCTCC M2020321 for all animal species (Kempex Holland BV). EFSA Journal, 2022, 20, e07163.	1.8	1
706	Assessment of the feed additive consisting of potassium diformate for all animal species for the renewal of its authorisation (Addcon GmbH). EFSA Journal, 2022, 20, e07167.	1.8	1
707	Safety and efficacy of a feed additive consisting of an essential oil from the leaves of <i>Agathosma betulina</i> (P.J. Bergius) Pillans (buchu leaf oil) for use in all animal species (FEFANA asbl). EFSA Journal, 2022, 20, e07160.	1.8	1
708	Safety and efficacy of the feed additives consisting of L-glutamic acid and monosodium L-glutamate monohydrate produced by <i>Corynebacterium glutamicum</i> NITE BP-01681 for all animal species (METEX) Tj ETQq0 0.0 rgBT /Overlock 10	1.8	1
709	Safety and efficacy of a feed additive consisting of disodium 5'-inosinate (IMP) produced by <i>Corynebacterium stationis</i> KCCM 80235 for all animal species (CJ Europe GmbH). EFSA Journal, 2022, 20, e07153.	1.8	1
710	Safety and efficacy of a feed additive consisting of L-isoleucine produced by <i>Corynebacterium glutamicum</i> KCCM 80185 for all animal species (CJ Europe GmbH). EFSA Journal, 2021, 19, e06977.	1.8	1
711	Safety and efficacy of the feed additive consisting of selenium-enriched yeast ( <i>Saccharomyces</i> ) Tj ETQq1 1 0.784314 rgBT /Overlock 10	1.8	1
712	Safety and efficacy of a feed additive consisting of sodium aluminosilicate, synthetic, for all animal species (European Zeolites Producers Association (EUZEPA) & Association of Synthetic Amorphous) Tj ETQq0 0.0 rgBT /Overlock 10	1.8	1
713	Assessment of the feed additive consisting of <i>Lactococcus lactis</i> DSM 11037 for all animal species for the renewal of its authorisation (Chr. Hansen A/S). EFSA Journal, 2022, 20, e07241.	1.8	1
714	Safety and efficacy of a feed additive consisting of L-methionine produced by the combined activities of <i>Corynebacterium glutamicum</i> KCCM 80245 and <i>Escherichia coli</i> KCCM 80246 for all animal species (CJ) Tj ETQq0 0.0 rgBT /Overlock 10	1.8	1
715	Safety and efficacy of a feed additive consisting of L-lysine sulfate produced by <i>Escherichia coli</i> CGMCC 7.398 for all animal species (Kempex Holland B.V.). EFSA Journal, 2022, 20, e07246.	1.8	1
716	Assessment of the feed additive consisting of <i>Lactococcus lactis</i> NCIMB 30117 for all animal species for the renewal of its authorisation (Chr. Hansen A/S). EFSA Journal, 2022, 20, e07243.	1.8	1
717	Safety and efficacy of a feed additive consisting of agar for pets and non-food-producing animals (Hispanagar). EFSA Journal, 2022, 20, e07284.	1.8	1
718	Assessment of the feed additive consisting of naringin for all animal species for the renewal of its authorisation (HealthTech Bio Actives, S.L.U. (HTBA)). EFSA Journal, 2022, 20, .	1.8	1
719	Safety and efficacy of the feed additive consisting of ammonium chloride (Ammonium Chloride AF) for all ruminants, dogs and cats for the renewal of its authorisation (BASF SE). EFSA Journal, 2022, 20, e07255.	1.8	1
720	Safety and efficacy of a feed additive consisting of acacia gum (gum Arabic) for all animal species (A.I.P.G. Association for International Promotion of Gums). EFSA Journal, 2022, 20, e07252.	1.8	1



#	ARTICLE	IF	CITATIONS
721	Safety and efficacy of a feed additive consisting of guar gum for all animal species (A.I.P.G. Association) Tj ETQq1 1,0,784314,1rgBT /Over	1.8	1
722	Safety and efficacy of a feed additive consisting of 6â€phytase (produced by Komagataella phaffii DSM) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5 for breeding, weaned piglets, pigs for fattening and sows for the renewal of their authorisation and for the new use in breeding hens and turkeys, ornamental birds, suckling piglets and minor pig species for fattening and breeding (Huvepharma EOOD). EFSA Journal, 2022, 20, e07238.	1.8	1
723	Safety and efficacy of a feed additive consisting of Sunset Yellow FCF for cats and dogs, ornamental fish, grainâ€eating ornamental birds and small rodents (Sensient Colours Europe GmbH). EFSA Journal, 2022, 20, e07266.	1.8	1
724	Safety and efficacy of the feed additive consisting of 6â€phytase (produced by Komagataella phaffii) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5 and ornamental birds (Nutrex N.V.). EFSA Journal, 2022, 20, .	1.8	1
725	Serum enzyme status of Chios ewes fed increasing amounts of copper from copper sulfate. Research in Veterinary Science, 2010, 88, 456-457.	1.9	0
726	Scientific Opinion on the safety and efficacy of D-(+)-biotin as a feed additive for all animal species based on a dossier submitted by EUROPE-ASIA Import Export GmbH. EFSA Journal, 2012, 10, 2925.	1.8	0
727	Scientific Opinion on the safety evaluation of the following processes based on Starlinger IV+ Â® technology used to recycle postâ€consumer PET into food contact materials â€BTâ€, â€PRTâ€, â€Valplasticâ€, â€Fellinger Bâ€ and â€BariQâ€. EFSA Journal, 2012, 10, 2979.		0
728	Scientific Opinion on the safety and efficacy of <i>Lactobacillus plantarum</i> (NCIMB 30083 and NCIMB) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	1.8	0
729	Scientific Opinion on the safety and efficacy of Patent Blue V (E 131) as feed additive for non food-producing animals. EFSA Journal, 2013, 11, 3108.	1.8	0
730	Scientific Opinion on the safety and efficacy of Lactobacillus plantarum (NCIMB 40027) as a silage additive for all animal species. EFSA Journal, 2013, 11, 3205.	1.8	0
731	Scientific Opinion on the safety and efficacy of Quinoline Yellow (E104) as a feed additive for non food-producing animals. EFSA Journal, 2013, 11, 3320.	1.8	0
732	Scientific opinion on the efficacy and safety of QuantumÂ® Blue (6â€phytase) as a feed additive for poultry (except laying hens) and pigs. EFSA Journal, 2013, 11, 3364.	1.8	0
733	Scientific Opinion on the efficacy of RonozymeÂ® Rumistar (alphaâ€amylase) as a feed additive for dairy cows. EFSA Journal, 2013, 11, 3434.	1.8	0
734	Scientific Opinion on the safety and efficacy of Lenziaren (iron, aqua carbonate hydroxyl oxo starch) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	1.8	0
735	Scientific opinion on the safety and efficacy of Brilliant Blue FCF (E133) as a feed additive for cats and dogs. EFSA Journal, 2013, 11, 3288.	1.8	0
736	Scientific opinion on the efficacy of Lactobacillus plantarum (ATCC 55058 and ATCC 55942) and Pediococcus acidilactici (CNCM Iâ€3237) as silage additives for all animal species. EFSA Journal, 2013, 11, 3436.	1.8	0
737	Scientific Opinion on the safety and efficacy of Lactobacillus fermentum (NCIMB 30169) as a silage additive for all species. EFSA Journal, 2014, 12, 3533.	1.8	0
738	Scientific Opinion on the safety and efficacy of OralinÂ® (Enterococcus faecium) when used as a feed additive for cats. EFSA Journal, 2014, 12, 3602.	1.8	0



#	ARTICLE	IF	CITATIONS
739	Scientific Opinion on the safety and efficacy of Safizym <sup>®</sup> X (endo- $\alpha$ 1,4- $\beta$ -xylanase) as a feed additive for chickens and turkeys for fattening and laying hens. EFSA Journal, 2014, 12, 3528.	1.8	0
740	Scientific Opinion on the safety and efficacy of Lactobacillus plantarum (KKP/593/p and KKP/788/p) and Lactobacillus buchneri (KKP/907/p) as a silage additive for cattle and sheep. EFSA Journal, 2014, 12, 3529.	1.8	0
741	Scientific Opinion on the safety and efficacy of Lactobacillus plantarum (CECT 4528) as a silage additive for all species. EFSA Journal, 2014, 12, 3535.	1.8	0
742	Scientific Opinion on the safety and efficacy of furanones and tetrahydrofurfuryl derivatives: 5-ethyl-3-hydroxy-4-methylfuran-2(5H)-one and 3-hydroxy-4,5-dimethylfuran-2(5H)-one (chemical group 13) when used as flavourings for all animal species. EFSA Journal, 2014, 12, 3608.	1.8	0
743	Scientific Opinion on the safety and efficacy of Pediococcus acidilactici (NCIMB 30005) as a silage additive for all animal species. EFSA Journal, 2014, 12, 3613.	1.8	0
744	Scientific Opinion on the efficacy of Lenziaren (iron, aqua carbonate hydroxyl oxo starch sucrose) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	1.8	0
745	Scientific Opinion on the efficacy of Lactobacillus plantarum (NCIMB 30238) and Pediococcus pentosaceus (NCIMB 30237) as silage additives. EFSA Journal, 2014, 12, 3829.	1.8	0
746	Scientific Opinion on the safety and efficacy of MycoCell (Saccharomyces cerevisiae) as a feed additive for dairy cows. EFSA Journal, 2014, 12, 3830.	1.8	0
747	Efficacy of Fecinor <sup>®</sup> and Fecinor <sup>®</sup> plus (Enterococcus faecium) as feed additives for weaned piglets. EFSA Journal, 2015, 13, 4111.	1.8	0
748	Scientific Opinion on the safety and efficacy of Fecinor <sup>®</sup> soluble and Fecinor <sup>®</sup> soluble plus (Enterococcus faecium CECT 4515) as a feed additive for piglets and chickens for fattening. EFSA Journal, 2015, 13, 4232.	1.8	0
749	Scientific Opinion on the safety and efficacy of Kemzyme <sup>®</sup> Plus Dry (endo- $\alpha$ 1,3(4)- $\beta$ -glucanase,) Tj ETQq1 1 0.784314 rgBT /Ov birds and piglets (weaned). EFSA Journal, 2015, 13, 4234.	1.8	0
750	Safety and efficacy of 036 10 (Bacillus subtilis DSM 27273) as a feed additive for weaned piglets and minor porcine species. EFSA Journal, 2015, 13, 4269.	1.8	0
751	Safety and efficacy of Lavipan <sup>®</sup> (Lactococcus lactis B/00039, Carnobacterium divergens KKP 2012p,) Tj ETQq1 1 0.784314 rgBT /Ov for weaned piglets, chickens for fattening and turkeys fo. EFSA Journal, 2016, 14, e04555.	1.8	0
752	Safety and efficacy of copper complexes of chlorophylls for ornamental fish, grain-eating ornamental birds and small rodents and of copper complexes of chlorophyllins for all animal species. EFSA Journal, 2016, 14, 4391.	1.8	0
753	Safety and efficacy of Probiomix B (Lactobacillus plantarum KKP/593/p and Lactobacillus rhamnosus) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50	1.8	0
754	Safety and efficacy of Feedlyve AGL (endo- $\alpha$ 1,3(4)- $\beta$ -glucanase) as a feed additive for chickens for fattening. EFSA Journal, 2016, 14, e04620.	1.8	0
755	Safety and efficacy of Lactobacillus plantarum NCIMB 42150 as a silage additive for all animal species. EFSA Journal, 2016, 14, e04506.	1.8	0
756	Safety and efficacy of Feedlyve AXC (endo- $\alpha$ 1,4- $\beta$ -xylanase) as a feed additive for chickens for fattening. EFSA Journal, 2016, 14, e04621.	1.8	0

#	ARTICLE	IF	CITATIONS
757	Safety and efficacy of Natugrain® TS/TS L (endo-1,4- $\alpha$ -xylanase and endo-1,4- $\alpha$ -glucanase) as a feed additive for chickens reared for laying and minor poultry species for laying. EFSA Journal, 2016, 14, e04626.	1.8	0
758	Safety and efficacy of RONOZYME® NP (6- $\alpha$ -phytase) as a feed additive for pigs for fattening. EFSA Journal, 2016, 14, 4392.	1.8	0
759	Safety and efficacy of Lactobacillus plantarum DSM 29025 as a silage additive for all animal species. EFSA Journal, 2016, 14, e04479.	1.8	0
760	Safety and efficacy of secondary aliphatic saturated or unsaturated alcohols, ketones, ketals and esters with a second secondary or tertiary oxygenated functional group belonging to chemical group 10 when used as flavourings for all animal species. EFSA Journal, 2016, 14, e04618.	1.8	0
761	Safety and efficacy of Procion Forte® (Bacillus subtilis KCCM 10941P and Bacillus coagulans KCCM) Tj ETQq1 1 0,784314,rgBT /Over	1.8	0
762	Safety and efficacy of iron dextran as a feed additive for piglets. EFSA Journal, 2017, 15, e04701.	1.8	0
763	Safety and efficacy of Bergazym® P100 (endo-1,4- $\alpha$ -xylanase) as a feed additive for chickens for fattening, weaned piglets and pigs for fattening. EFSA Journal, 2017, 15, e04707.	1.8	0
764	Safety and efficacy of Pediococcus parvulus DSM 28875 as a silage additive for all animal species. EFSA Journal, 2017, 15, e04702.	1.8	0
765	Safety and nutritional value of a dried killed bacterial biomass from Escherichia coli (FERM BP 10942) (PT73 (TM)) as a feed material for pigs, ruminants and salmonids. EFSA Journal, 2017, 15, e04936.	1.8	0
766	Safety and efficacy of cis- $\epsilon$ -norbixin di- $\epsilon$ -potassium salt (annatto F) for cats and dogs. EFSA Journal, 2017, 15, e04764.	1.8	0
767	Safety and efficacy of natural mixtures of talc (steatite) and chlorite (E 560) as a feed additive for all animal species. EFSA Journal, 2018, 16, e05205.	1.8	0
768	Safety of zinc chelate of methionine sulfate for the target species. EFSA Journal, 2018, 16, e05463.	1.8	0
769	Safety and efficacy of Sacox® microGranulate (salinomycin sodium) for rabbits for fattening. EFSA Journal, 2018, 16, e05209.	1.8	0
770	Safety and efficacy of Bergazym® P100 (endo-1,4- $\alpha$ -xylanase) as a feed additive for other birds for fattening, ornamental birds and other growing Suidae. EFSA Journal, 2019, 17, e05781.	1.8	0
771	Safety and efficacy of aluminosilicate of sodium, potassium, calcium and magnesium as a feed additive for pigs. EFSA Journal, 2019, 17, e05722.	1.8	0
772	Safety and efficacy of Hemicellulase (endo-1,4- $\alpha$ -mannanase) as a feed additive for chickens for fattening or reared for laying, turkeys for fattening or reared for breeding and minor poultry species. EFSA Journal, 2019, 17, e05641.	1.8	0
773	Safety and efficacy of VevoVital® (benzoic acid) as feed additive for pigs for fattening. EFSA Journal, 2019, 17, e05727.	1.8	0
774	Safety and efficacy of Bacillus subtilis DSM 28343 for pigs for fattening. EFSA Journal, 2019, 17, e05725.	1.8	0

#	ARTICLE	IF	CITATIONS
775	Safety and efficacy of Procion forte® (Bacillus subtilis KCCM 10941P and Bacillus coagulans KCCM) Tj ETQq1 1 0.784314 rgBT /Over	1.8	0
776	Safety and efficacy of L-arginine produced by fermentation with Corynebacterium glutamicum KCCM 80182 for all animal species. EFSA Journal, 2019, 17, e05696.	1.8	0
777	Safety of erythrosine for ornamental fish. EFSA Journal, 2019, 17, e05699.	1.8	0
778	Assessment of the application for renewal of authorisation of GalliPro® (Bacillus subtilis DSM 17299) for chickens for fattening. EFSA Journal, 2019, 17, e05687.	1.8	0
779	Efficacy of methyl ester of conjugated linoleic acid (t10,c12 isomer) for sows and cows for reproduction. EFSA Journal, 2019, 17, e05614.	1.8	0
780	Safety of cassia gum as a feed additive for cats and dogs based on a dossier submitted by Glycomer GmbH. EFSA Journal, 2019, 17, e05528.	1.8	0
781	Safety and efficacy of ZM16 10 (Bacillus amyloliquefaciens DSM 25840) as a feed additive for sows in order to have benefits in piglets, sows for reproduction, piglets (suckling and weaned), pigs for fattening and minor porcine species. EFSA Journal, 2019, 17, e05883.	1.8	0
782	Safety of Lactococcus lactis NCIMB 30160 as a feed additive for all animal species. EFSA Journal, 2019, 17, e05890.	1.8	0
783	Safety and efficacy of EB15 10 (Bacillus subtilis DSM 25841) as a feed additive for piglets (suckling and) Tj ETQq1 1 0.784314 rgBT /Over minor porcine species. EFSA Journal, 2019, 17, e05884.	1.8	0
784	Efficacy of EB15 10 (Bacillus subtilis DSM 25841) as a feed additive for weaned piglets and weaned minor porcine species. EFSA Journal, 2019, 17, e05882.	1.8	0
785	Safety of a tincture derived from Artemisia vulgaris L. (Mugwort tincture) when used as a sensory additive in feed for all animal species. EFSA Journal, 2020, 18, e06206.	1.8	0
786	Safety and efficacy of montmorillonite® (FIMIX 1g557) for all animal species. EFSA Journal, 2020, 18, e06095.	1.8	0
787	Safety of ammonium formate (E295) for all animal species. EFSA Journal, 2020, 18, e06076.	1.8	0
788	Safety for the environment of sorbitan monolaurate as a feed additive for all animal species. EFSA Journal, 2020, 18, e06162.	1.8	0
789	Efficacy of calcium formate as a technological feed additive (preservative) for all animal species. EFSA Journal, 2020, 18, e06137.	1.8	0
790	Safety and efficacy of dry grape extract 60®™ when used as feed flavouring for dogs. EFSA Journal, 2020, 18, e06067.	1.8	0
791	Safety and efficacy of Biacton® (Lactobacillus farciminis CNCM 103740) as a feed additive for weaned piglets. EFSA Journal, 2020, 18, e06084.	1.8	0
792	Safety of lignosulphonate for all animal species. EFSA Journal, 2020, 18, e06000.	1.8	0

#	ARTICLE	IF	CITATIONS
793	Safety and efficacy of L-cysteine produced using <i>Pantoea ananatis</i> strain NITE BP02525 for all animal species. EFSA Journal, 2020, 18, e06020.	1.8	0
794	Assessment of the application for renewal of authorisation of L-iso-leucine produced by <i>Escherichia coli</i> FERM ABP0641 as a nutritional additive, its extension of use in water for drinking and a new use as flavouring additive for all animal species. EFSA Journal, 2020, 18, e06022.	1.8	0
795	Safety and efficacy of STABILFLOR® as a zootechnical feed additive for pigs for fattening. EFSA Journal, 2020, 18, e06145.	1.8	0
796	Efficacy of sodium formate as a technological feed additive (preservative) for all animal species. EFSA Journal, 2020, 18, e06139.	1.8	0
797	Assessment of the application for renewal of authorisation of selenium-enriched yeast produced by <i>Saccharomyces cerevisiae</i> CNCM I-3399 for all animal species. EFSA Journal, 2020, 18, e06144.	1.8	0
798	Safety and efficacy of a dried aqueous ethanol extract of leaves from <i>Olea europaea</i> L. when used as a sensory additive in feed for all animal species. EFSA Journal, 2020, 18, e06018.	1.8	0
799	Safety of hexamethylene tetramine for pigs, poultry, bovines, sheep, goats, rabbits and horses. EFSA Journal, 2020, 18, e06012.	1.8	0
800	Safety and efficacy of Avizyme® 1505 (endo-1,4-beta-xylanase, subtilisin and alpha-amylase) for all poultry species. EFSA Journal, 2020, 18, e06027.	1.8	0
801	Safety and efficacy of the additive consisting of muramidase produced by <i>Trichoderma reesei</i> DSM 32338 (Balancius, C) for use in weaned piglets (DSM Nutritional products Ltd). EFSA Journal, 2021, 19, e06452.	1.8	0
802	Safety and efficacy of a feed additive consisting on <i>Ligilactobacillus animalis</i> ATCC PTA6750 (formerly) Tj ETQq0 0.0 rgBT / Overlock 10	1.8	0
803	Safety and efficacy of a feed additive consisting of the seed husk of <i>Plantago ovata</i> Forssk. for use in cats and dogs (C.I.A.M.). EFSA Journal, 2021, 19, e06445.	1.8	0
804	Safety and efficacy of feed additives consisting of dried extracts from <i>Echinacea angustifolia</i> DC. or <i>Echinacea purpurea</i> (L.) Moench for use in cats and dogs (C.I.A.M.). EFSA Journal, 2021, 19, e06446.	1.8	0
805	Safety and efficacy of an additive consisting of <i>Bacillus subtilis</i> DSM 32324 for all animal species (Chr.) Tj ETQq1 1 0.784314 rgBT / Overlock 10	1.8	0
806	Safety and efficacy of an additive consisting of <i>Bacillus subtilis</i> DSM 32325 for all animal species (Chr.) Tj ETQq0 0.0 rgBT / Overlock 10	1.8	0
807	Safety and efficacy of the feed additive consisting of endo-1,4-beta-xylanase produced by <i>Trichoderma reesei</i> CBS 143953 (Danisco Xylanase 40000 C/L) for poultry and porcine species (Danisco Animal) Tj ETQq1 1 0.784314 rgBT / Overlock 10	1.8	0
808	Safety and efficacy of a feed additive consisting of a dried extract from the roots of <i>Panax ginseng</i> C.A. Meyer (P. ginseng dry extract) for use in cats and dogs (C.I.A.M.). EFSA Journal, 2021, 19, e06526.	1.8	0
809	Safety and efficacy of a feed additive consisting of chromium propionate (KemTRACE, Chromium) for all growing poultry species (Kemin Europa NV). EFSA Journal, 2021, 19, e06546.	1.8	0
810	Safety and efficacy of an additive consisting of <i>Bacillus amyloliquefaciens</i> DSM 25840 for all animal species (Chr. Hansen A/S). EFSA Journal, 2021, 19, e06522.	1.8	0

#	ARTICLE	IF	CITATIONS
811	Assessment of the feed additive consisting of copper chelate of hydroxy analogue of methionine for all animal species for the renewal of its authorisation (Novus Europe S.A./N.V.). EFSA Journal, 2021, 19, e06618.	1.8	0
812	Assessment of the feed additive consisting of <i>Lactiplantibacillus plantarum</i> (formerly <i>Lactobacillus</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	1.8	0
813	Safety and efficacy of an additive consisting of phyllite, natural mixture of minerals of metamorphic origin, as a feed additive for all animal species (Marmorkalkwerk Troesch GmbH & Co. KG). EFSA Journal, 2021, 19, e06616.	1.8	0
814	Assessment of the feed additive consisting of <i>Lactiplantibacillus plantarum</i> (formerly <i>Lactobacillus</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	1.8	0
815	Assessment of a feed additive consisting of vitamin B6 (pyridoxine hydrochloride) for all animal species for the renewal of its authorisation (Kaesler Nutrition GmbH). EFSA Journal, 2021, 19, e06612.	1.8	0
816	Safety of a feed additive consisting of a tincture derived from <i>Verbascum thapsus</i> L. (great mullein) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	1.8	0
817	Safety and efficacy of a feed additive consisting of <i>Saccharomyces cerevisiae</i> MUCL 39885 (Biosprint®) for all pigs (other than sows and weaned piglets) and other minor porcine species (Prosol S.p.A.). EFSA Journal, 2021, 19, e06698.	1.8	0
818	Assessment of the application for renewal of authorisation of Yeaâ€šacc® ( <i>Saccharomyces cerevisiae</i> ) for horses. EFSA Journal, 2019, 17, e05918.	1.8	0
819	Assessment of the application for renewal of authorisation of AveMix® XG 10 (endoâ€š1,4â€šbetaâ€šxylanase) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50	1.8	0
820	Safety of a feed additive consisting of a dried aqueous ethanol extract from the leaves of <i>Melissa officinalis</i> L. for all animal species (Norâ€šFeed SAS). EFSA Journal, 2021, 19, e06904.	1.8	0
821	Safety and efficacy of a feed additive consisting of <i>Lactiplantibacillus plantarum</i> (formerly) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 e06898.	1.8	0
822	Safety and efficacy of a feed additive consisting of copper (II) chelate of amino acids hydrate for all animal species (Zinpro Animal Nutrition (Europe) Inc.). EFSA Journal, 2021, 19, e06896.	1.8	0
823	Safety and efficacy of a feed additive consisting of zinc chelate of amino acids hydrate for all animal species (Zinpro Animal Nutrition (Europe) Inc.). EFSA Journal, 2021, 19, e06897.	1.8	0
824	Safety and efficacy of a feed additive consisting of cashew nutshell liquid for all animal species (Oligobasic Europe). EFSA Journal, 2021, 19, e06892.	1.8	0
825	Safety and efficacy of a feed additive consisting of manganese chelate of amino acids hydrate for all animal species (Zinpro Animal Nutrition (Europe) Inc.). EFSA Journal, 2021, 19, e06895.	1.8	0
826	Safety and efficacy of lâ€š-threonine produced using <i>Escherichia coli</i> CGMCC 13325 as a feed additive for all animal species. EFSA Journal, 2020, 18, e06332.	1.8	0
827	Assessment of the application for renewal of authorisation of zinc chelate of hydroxy analogue of methionine for all animal species. EFSA Journal, 2020, 18, e06337.	1.8	0
828	Assessment of the application for renewal of authorisation of endoâ€š1,4â€šbetaâ€šxylanase produced by <i>Aspergillus niger</i> CBS 109.713 and endoâ€š1,4â€šbetaâ€šglucanase produced by <i>Aspergillus niger</i> DSM 18404 for poultry species, ornamental birds and weaned piglets, from BASF SE. EFSA Journal, 2020, 18, e06331.	1.8	0

#	ARTICLE	IF	CITATIONS
829	Assessment of the application for renewal of authorisation of 6-phytase produced by <i>Trichoderma reesei</i> CBS 122001 as a feed additive for pigs and poultry, from Roal Oy. EFSA Journal, 2020, 18, e06336.	1.8	0
830	Statement on the safety and efficacy of lignosulphonate of magnesium (Caimabond) for all animal species. EFSA Journal, 2020, 18, e06066.	1.8	0
831	Safety and efficacy of Panavital feed (D-glyceric acid) for chickens for fattening. EFSA Journal, 2020, 18, e06068.	1.8	0
832	Safety and efficacy of a feed additive consisting of endo-1,4- $\alpha$ -xylanase produced by <i>Bacillus subtilis</i> LMG 27588 (Beltherm MP/ML) for laying hens, minor poultry species and all avian species (Puratos NV). EFSA Journal, 2021, 19, e06906.	1.8	0
833	Assessment of the feed additive consisting of sodium benzoate (Protural <sup>®</sup> ) for weaned piglets for the renewal of its authorisation and the extension of use to other growing Suidae (Taminco Finland Oy). EFSA Journal, 2021, 19, e06899.	1.8	0
834	Safety and efficacy of a feed additive consisting of iron (II) chelate of amino acids hydrate for all animal species. EFSA Journal, 2021, 19, e06894.	1.8	0
835	Assessment of the feed additive consisting of <i>Lactococcus lactis</i> NCIMB 30160 for all animal species for the renewal of its authorisation (Lactosan GmbH & Co KG). EFSA Journal, 2022, 20, e06975.	1.8	0
836	Safety and efficacy of a feed additive consisting of <i>Bacillus velezensis</i> DSM 15544 (Calsporin <sup>®</sup> ) for dairy cows and other dairy ruminants (Asahi Biocycle Co. Ltd.). EFSA Journal, 2022, 20, e06984.	1.8	0
838	Safety of the fermentation product of <i>Aspergillus oryzae</i> NRRL 458 (Amaferm <sup>®</sup> ) as a feed additive for dairy cows (Biozyme Inc.). EFSA Journal, 2022, 20, e06983.	1.8	0
839	Efficacy of a feed additive consisting of nicarbazin (Coxar <sup>®</sup> ) for use in turkeys for fattening (Huvepharma N.V.). EFSA Journal, 2022, 20, e07162.	1.8	0
840	Safety and efficacy of a feed additive consisting of ferric citrate chelate (Clâ€FERâ„¢) for poultry species for fattening or reared up to the point of lay (Akeso Biomedical, Inc.). EFSA Journal, 2022, 20, e07155.	1.8	0
841	Safety and efficacy of a feed additive consisting of <i>Propionibacterium freudenreichii</i> DSM 33189 and <i>Lentilactobacillus buchneri</i> (formerly <i>Lactobacillus buchneri</i> ) DSM 12856 for all animal species (Lactosan GmbH & Co.KG.). EFSA Journal, 2022, 20, e07151.	1.8	0
842	Assessment of the feed additive consisting of <i>Lentilactobacillus buchneri</i> (formerly <i>Lactobacillus</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 2	1.8	0
843	Safety and efficacy of a feed additive consisting of lanthanum carbonate octahydrate (Lanthan One) for cats (Porus GmbH). EFSA Journal, 2022, 20, e07168.	1.8	0
844	Safety and efficacy of a feed additive consisting of astaxanthinâ€rich <i>Phaffia rhodozyma</i> for salmon and trout (Igene Biotechnology, Inc.). EFSA Journal, 2022, 20, e07161.	1.8	0
845	Safety and efficacy of the feed additive consisting of <i>Lactobacillus acidophilus</i> CECT 4529 ( <i>Lactobacillus acidophilus</i> D2/CSL) for all poultry species and categories and all ornamental birds (Centro Sperimentale del Latte S.r.l.). EFSA Journal, 2022, 20, e07150.	1.8	0
846	Safety and efficacy of a feed additive consisting of sodium alginate for all animal species (ALGAIA). EFSA Journal, 2022, 20, e07164.	1.8	0



#	ARTICLE	IF	CITATIONS
847	Efficacy of a feed additive consisting of endo- $\alpha$ -(1,4- $\beta$ -xylanase produced by <i>Trichoderma citrinoviride</i> (IMI SD 135) (HOSTAZYMA® X) for sows in order to have benefits in piglets (Huvepharma NV). EFSA Journal, 2022, 20, e07154.	1.8	0
848	Safety and efficacy of a feed additive consisting of manganous lysinate sulfate for all animal species (Phytobiotics Futterzusatzstoffe GmbH). EFSA Journal, 2022, 20, e07165.	1.8	0
849	Assessment of the feed additive consisting of <i>Lactiplantibacillus plantarum</i> (formerly <i>Lactobacillus</i> ) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 38 Journal, 2022, 20, e07149.	1.8	0
850	Safety and efficacy of a feed additive consisting of Allura Red AC for small non-food-producing mammals and ornamental birds (Versele-Laga). EFSA Journal, 2021, 19, e06987.	1.8	0
851	Safety and efficacy of a feed additive consisting of $\beta$ -galactosidase (produced by <i>Aspergillus tubingensis</i> ) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 38 Journal, 2021, 19, e06980.	1.8	0
852	Safety and efficacy of a feed additive consisting of lysine monohydrochloride and lysine sulfate produced by <i>Corynebacterium glutamicum</i> CGMCC 14498 for all animal species (Kempex Holland BV). EFSA Journal, 2021, 19, e06980.	1.8	0
853	Safety and efficacy of a feed additive consisting of monosodium glutamate produced by fermentation with <i>Corynebacterium glutamicum</i> KCCM 80187 for all animal species (CJ Europe GmbH). EFSA Journal, 2021, 19, e06982.	1.8	0
854	Safety of feed additives consisting of $\beta$ -damascone [07.083] and (E)- $\beta$ -damascone [07.224] belonging to chemical group 8 for use in all animal species (FEFANA asbl). EFSA Journal, 2022, 20, e07248.	1.8	0
855	Safety and efficacy of a feed additive consisting of Sepiolitic clay for all animal species (Mineria y) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 38 Journal, 2022, 20, e07248.	1.8	0
856	Assessment of the efficacy of a feed additive consisting of <i>Limosilactobacillus reuteri</i> (formerly) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 38 Journal, 2022, 20, e07248.	1.8	0