

Vasileios A Bampidis

List of Publications by Citations

Source: <https://exaly.com/author-pdf/1832127/vasileios-a-bampidis-publications-by-citations.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

795
papers

4,524
citations

23
h-index

52
g-index

856
ext. papers

5,302
ext. citations

2.2
avg, IF

6.43
L-index

#	Paper	IF	Citations
795	Citrus by-products as ruminant feeds: A review. <i>Animal Feed Science and Technology</i> , 2006 , 128, 175-217	3	310
794	Guidance on the characterisation of microorganisms used as feed additives or as production organisms. <i>EFSA Journal</i> , 2018 , 16, e05206	2.3	262
793	Guidance on the assessment of the safety of feed additives for the target species. <i>EFSA Journal</i> , 2017 , 15, e05021	2.3	214
792	Guidance on the assessment of the safety of feed additives for the consumer. <i>EFSA Journal</i> , 2017 , 15, e05022	2.3	176
791	Guidance on the assessment of the efficacy of feed additives. <i>EFSA Journal</i> , 2018 , 16, e05274	2.3	172
790	Guidance on the identity, characterisation and conditions of use of feed additives. <i>EFSA Journal</i> , 2017 , 15, e05023	2.3	167
789	Guidance on the assessment of the safety of feed additives for the environment. <i>EFSA Journal</i> , 2019 , 17, e05648	2.3	127
788	Guidance on harmonised methodologies for human health, animal health and ecological risk assessment of combined exposure to multiple chemicals. <i>EFSA Journal</i> , 2019 , 17, e05634	2.3	100
787	Effect of dietary dried oregano leaves on growth performance, carcass characteristics and serum cholesterol of female early maturing turkeys. <i>British Poultry Science</i> , 2005 , 46, 595-601	1.9	75
786	Guidance on the renewal of the authorisation of feed additives. <i>EFSA Journal</i> , 2013 , 11, 3431	2.3	72
785	Guidance on the use of the Threshold of Toxicological Concern approach in food safety assessment. <i>EFSA Journal</i> , 2019 , 17, e05708	2.3	56
784	Chickpeas (<i>Cicer arietinum</i> L.) in animal nutrition: A review. <i>Animal Feed Science and Technology</i> , 2011 , 168, 1-20	3	55
783	Scientific Opinion on the potential reduction of the currently authorised maximum zinc content in complete feed. <i>EFSA Journal</i> , 2014 , 12, 3668	2.3	51
782	Effect of dietary dried oregano leaves supplementation on performance and carcass characteristics of growing lambs. <i>Animal Feed Science and Technology</i> , 2005 , 121, 285-295	3	48
781	Genotoxicity assessment of chemical mixtures. <i>EFSA Journal</i> , 2019 , 17, e05519	2.3	45
780	Guidance on the assessment of the toxigenic potential of <i>Bacillus</i> species used in animal nutrition. <i>EFSA Journal</i> , 2014 , 12, 3665	2.3	45
779	Effects of dietary pomegranate byproduct silage supplementation on performance, carcass characteristics and meat quality of growing lambs. <i>Animal Feed Science and Technology</i> , 2014 , 197, 92-102	3	36

778	Revision of the currently authorised maximum copper content in complete feed. <i>EFSA Journal</i> , 2016 , 14, e04563	2.3	34
777	Effect of dietary garlic bulb and garlic husk supplementation on performance and carcass characteristics of growing lambs. <i>Animal Feed Science and Technology</i> , 2005 , 121, 273-283	3	33
776	Guidance on the renewal of the authorisation of feed additives. <i>EFSA Journal</i> , 2021 , 19, e06340	2.3	27
775	Nutritional value of chickpeas in rations of lactating ewes and growing lambs. <i>Animal Feed Science and Technology</i> , 2005 , 118, 229-241	3	26
774	Effect of dried oregano leaves versus neomycin in treating newborn calves with colibacillosis. <i>Transboundary and Emerging Diseases</i> , 2006 , 53, 154-6		25
773	Scientific Opinion on the safety and efficacy of the use of amino acids (chemical group 34) when used as flavourings for all animal species. <i>EFSA Journal</i> , 2014 , 12, 3670	2.3	24
772	Risks associated with endotoxins in feed additives produced by fermentation. <i>Environmental Health</i> , 2016 , 15, 5	6	23
771	The Use of Dried Tomato Pulp in Diets of Laying Hens. <i>International Journal of Poultry Science</i> , 2006 , 5, 618-622	0.3	23
770	Scientific Opinion on the safety and efficacy of synthetic astaxanthin as feed additive for salmon and trout, other fish, ornamental fish, crustaceans and ornamental birds. <i>EFSA Journal</i> , 2014 , 12, 3724	2.3	22
769	Scientific Opinion on the safety and efficacy of aliphatic, alicyclic and aromatic saturated and unsaturated tertiary alcohols and esters with esters containing tertiary alcohols ethers (chemical group 6) when used as flavourings for all animal species. <i>EFSA Journal</i> , 2012 , 10, 2966	2.3	22
768	Scientific Opinion on the safety and efficacy of L-lysine sulphate produced by fermentation with <i>Escherichia coli</i> CGMCC 3705 for all animal species. <i>EFSA Journal</i> , 2015 , 13, 4155	2.3	20
767	Guidance on risk assessment of nanomaterials to be applied in the food and feed chain: human and animal health. <i>EFSA Journal</i> , 2021 , 19, e06768	2.3	20
766	Scientific Opinion on safety and efficacy of hydroxy-analogue of selenomethionine as feed additive for all species. <i>EFSA Journal</i> , 2013 , 11, 3046	2.3	19
765	Assessment of the feed additive consisting of (formerly) DSM 16774 for all animal species for the renewal of its authorisation (Lactosan GmbH & Co.KG). <i>EFSA Journal</i> , 2021 , 19, e06696	2.3	19
764	Safety and efficacy of eight compounds belonging to chemical group 31 (aliphatic and aromatic hydrocarbons) when used as flavourings for all animal species and categories. <i>EFSA Journal</i> , 2016 , 14, 4339	2.3	19
763	Scientific Opinion on the safety and efficacy of tannic acid when used as feed flavouring for all animal species. <i>EFSA Journal</i> , 2014 , 12, 3828	2.3	18
762	Safety and efficacy of ethoxyquin (6-ethoxy-1,2-dihydro-2,2,4-trimethylquinoline) for all animal species. <i>EFSA Journal</i> , 2015 , 13, 4272	2.3	18
761	Scientific Opinion on the safety and efficacy of L-lysine monohydrochloride produced by fermentation with <i>Escherichia coli</i> for all animal species based on a dossier submitted by HELM AG on behalf of Meihua Holdings Group Co. Ltd. <i>EFSA Journal</i> , 2015 , 13, 4052	2.3	17

760	Scientific Opinion on the safety and efficacy of a preparation of bentonite-and sepiolite (Toxin Dry) as feed additive for all species. <i>EFSA Journal</i> , 2013 , 11, 3179	2.3	17
759	Safety and efficacy of concentrated liquid L-lysine (base), L-lysine monohydrochloride and L-lysine sulphate produced using different strains of <i>Corynebacterium glutamicum</i> for all animal species based on a dossier submitted by AMAC/EEIG. <i>EFSA Journal</i> , 2016 , 14, 4346	2.3	16
758	Effects of dietary partly destoned exhausted olive cake supplementation on performance, carcass characteristics and meat quality of growing lambs. <i>Small Ruminant Research</i> , 2017 , 156, 33-41	1.7	16
757	Scientific Opinion on the safety and efficacy of aliphatic and aromatic hydrocarbons (chemical group 31) when used as flavourings for all animal species. <i>EFSA Journal</i> , 2015 , 13, 4053	2.3	16
756	Scientific Opinion on the safety and efficacy of straight-chain primary aliphatic alcohols/aldehydes/acids, acetals and esters with esters containing saturated alcohols and acetals containing saturated aldehydes (chemical group 1) when used as flavourings for all animal species. <i>EFSA Journal</i> , 2013 , 11, 3169	2.3	16
755	Scientific Opinion on the safety and efficacy of concentrated liquid L-lysine (base), concentrated liquid L-lysine monohydrochloride and L-lysine monohydrochloride technically pure produced using <i>Escherichia coli</i> (FERM BP-11355) for all animal species based on a dossier submitted by Ajinomoto SAS. <i>EFSA Journal</i> , 2013 , 11, 3365	2.3	15
754	Scientific Opinion on the safety and efficacy of L-lysine monohydrochloride, technically pure, produced with <i>Escherichia coli</i> CGMCC 3705 and L-lysine sulphate produced with <i>Corynebacterium glutamicum</i> CGMCC 3704 for all animal species, based on a dossier submitted by HELM AG. <i>EFSA Journal</i> , 2015 , 13, 4156	2.3	15
753	Scientific opinion on the safety and efficacy of concentrated liquid L-lysine (base), concentrated liquid L-lysine monohydrochloride and L-lysine monohydrochloride produced by <i>Escherichia coli</i> (FERM BP-10941) for all animal species, based on three dossiers submitted by Ajinomoto Eurolysine SAS. <i>EFSA Journal</i> , 2013 , 11, 3365	2.3	15
752	Guidance on technical requirements for regulated food and feed product applications to establish the presence of small particles including nanoparticles. <i>EFSA Journal</i> , 2021 , 19, e06769	2.3	15
751	Effects of dietary pomegranate pulp silage supplementation on milk yield and composition, milk fatty acid profile and blood plasma antioxidant status of lactating dairy cows. <i>Animal Feed Science and Technology</i> , 2017 , 234, 228-236	3	14
750	Safety and efficacy of 26 compounds belonging to chemical group 3 (unsaturated straight-chain and branched-chain aliphatic primary alcohols, aldehydes, acids and esters) when used as flavourings for all animal species and categories. <i>EFSA Journal</i> , 2019 , 17, e05654	2.3	14
749	Safety of concentrated L-lysine (base), L-lysine monohydrochloride and L-lysine sulfate produced using different strains of for all animal species based on a dossier submitted by FEFANA asbl. <i>EFSA Journal</i> , 2019 , 17, e05532	2.3	14
748	Safety and efficacy of secondary alicyclic saturated and unsaturated alcohols, ketones, ketals and esters with ketals containing alicyclic alcohols or ketones and esters containing secondary alicyclic alcohols from chemical group 8 when used as flavourings for all animal species. <i>EFSA Journal</i> , 2016 , 14, e04475	2.3	14
747	Scientific Opinion on the safety and efficacy of fumonisin esterase (FUMzyme) as a technological feed additive for pigs. <i>EFSA Journal</i> , 2014 , 12, 3667	2.3	14
746	Scientific Opinion on the safety and efficacy of copper compounds (E4) as feed additives for all animal species: cupric sulphate pentahydrate based on a dossier submitted by Manica S.p.A.. <i>EFSA Journal</i> , 2012 , 10, 2969	2.3	14
745	Scientific Opinion on the safety and efficacy of L-selenomethionine as feed additive for all animal species. <i>EFSA Journal</i> , 2013 , 11, 3219	2.3	14
744	Safety of L-lysine sulfate produced by fermentation with CGMCC 3705 for all animal species. <i>EFSA Journal</i> , 2017 , 15, e04714	2.3	13
743	Milk fat quality of Greek buffalo (<i>Bubalus bubalis</i>). <i>Journal of Food Composition and Analysis</i> , 2014 , 33, 181-186	4.1	13

742	Scientific Opinion on the safety and efficacy of DL-selenomethionine as a feed additive for all animal species. <i>EFSA Journal</i> , 2014 , 12, 3567	2.3	13
741	Scientific Opinion on the safety and efficacy of astaxanthin (CAROPHYLL [®] Pink 10% CWS) for salmonids and ornamental fish. <i>EFSA Journal</i> , 2014 , 12, 3725	2.3	13
740	Maximum levels of cross-contamination for 24 antimicrobial active substances in non-target feed. Part 5:. <i>EFSA Journal</i> , 2021 , 19, e06856	2.3	13
739	Safety and efficacy of L-lysine monohydrochloride and concentrated liquid L-lysine (base) produced by fermentation using strain NRRL B-50775 for all animal species based on a dossier submitted by ADM. <i>EFSA Journal</i> , 2019 , 17, e05537	2.3	12
738	Safety and efficacy of L-lysine monohydrochloride and concentrated liquid L-lysine (base) produced by fermentation using strain KCCM 10227 for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05697	2.3	12
737	Safety and efficacy of L-lysine monohydrochloride and L-lysine sulfate produced using CCTCC M 2015595 for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05643	2.3	12
736	Effect of dietary field pea (<i>Pisum sativum</i> L.) supplementation on growth performance, and carcass and meat quality of broiler chickens. <i>Livestock Science</i> , 2014 , 164, 135-143	1.7	12
735	Scientific Opinion on the safety and efficacy of vitamin K3 (menadione sodium bisulphite and menadione nicotinamide bisulphite) as a feed additive for all animal species. <i>EFSA Journal</i> , 2014 , 12, 3532-3	2.3	12
734	Nutritional value of fermented olive wastes in growing lamb rations. <i>Animal Feed Science and Technology</i> , 2008 , 141, 375-383	3	12
733	Maximum levels of cross-contamination for 24 antimicrobial active substances in non-target feed. Part 13:. <i>EFSA Journal</i> , 2021 , 19, e06865	2.3	12
732	Maximum levels of cross-contamination for 24 antimicrobial active substances in non-target feed. Part 11:. <i>EFSA Journal</i> , 2021 , 19, e06863	2.3	12
731	Maximum levels of cross-contamination for 24 antimicrobial active substances in non-target feed. Part 3:. <i>EFSA Journal</i> , 2021 , 19, e06854	2.3	12
730	Safety and efficacy of DSM 32962 as a silage additive for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06203	2.3	12
729	Safety and efficacy of iron compounds (E1) as feed additives for all animal species: ferrous carbonate; ferric chloride, hexahydrate; ferrous fumarate; ferrous sulphate, heptahydrate; ferrous sulphate, monohydrate; ferrous chelate of amino acids, hydrate; ferrous chelate of glycine, hydrate, based on a dossier submitted by FERANA s.r.l. <i>EFSA Journal</i> , 2016 , 14, 4396	2.3	12
728	Safety of L-lysine monohydrochloride produced by fermentation with <i>Escherichia coli</i> CGMCC 7.57 for all animal species based on a dossier submitted by Feedway Europe NV. <i>EFSA Journal</i> , 2016 , 14, e04477	2.3	11
727	Effects of dietary orange peel essential oil supplementation on milk yield and composition, and blood and milk antioxidant status of dairy ewes. <i>Animal Feed Science and Technology</i> , 2018 , 245, 20-31	3	11
726	Scientific Opinion on the safety and efficacy of formaldehyde for all animal species based on a dossier submitted by Regal BV. <i>EFSA Journal</i> , 2014 , 12, 3561	2.3	11
725	Scientific Opinion on the safety and efficacy of L-tryptophan technically pure produced by fermentation with <i>Escherichia coli</i> for all animal species, based on a dossier submitted by HELM AG on behalf of Global Bio-Chem Technology. <i>EFSA Journal</i> , 2014 , 12, 3673	2.3	11

724	Scientific Opinion on the safety and efficacy of Toyocerin [®] (<i>Bacillus toyonensis</i>) as a feed additive for chickens for fattening, weaned piglets, pigs for fattening, sows for reproduction, cattle for fattening and calves for rearing and for rabbits for fat. <i>EFSA Journal</i> , 2014 , 12, 3766	2.3	10
723	Scientific Opinion on the safety and efficacy of L-tryptophan produced by <i>Escherichia coli</i> CGMCC 7.59 for all animal species based on a dossier submitted by HELM AG on behalf of Meihua Holdings Co. Ltd. <i>EFSA Journal</i> , 2015 , 13, 4015	2.3	10
722	Scientific Opinion on the safety and efficacy of L-tryptophan, technically pure, produced by <i>Escherichia coli</i> strains DSM 25084, KCCM 11132P or SARI12091203 for all animal species based on a dossier submitted by AMAC EEIG. <i>EFSA Journal</i> , 2015 , 13, 4238	2.3	10
721	Scientific Opinion on the efficacy of Bactocell (<i>Pediococcus acidilactici</i>) when used as a feed additive for fish. <i>EFSA Journal</i> , 2012 , 10, 2886	2.3	10
720	Scientific Opinion on the safety and efficacy of aliphatic and alicyclic ethers (chemical group 16) when used as flavourings for all animal species. <i>EFSA Journal</i> , 2012 , 10, 2967	2.3	10
719	Scientific Opinion on the safety and efficacy of vitamin D3 (cholecalciferol) as a feed additive for chickens for fattening, turkeys, other poultry, pigs, piglets (suckling), calves for rearing, calves for fattening, bovines, ovines, equines, fish and other animal species or categories, based on a dossier submitted by DSM. <i>EFSA Journal</i> , 2012 , 10, 2818	2.3	10
718	Scientific Opinion on the safety and efficacy of clinoptilolite of sedimentary origin for all animal species. <i>EFSA Journal</i> , 2013 , 11, 3039	2.3	10
717	Scientific opinion on the safety and efficacy of L-tryptophan produced by <i>Escherichia coli</i> (FERM BP-11200) for all animal species based on a dossier submitted by Ajinomoto Eurolysine SAS. <i>EFSA Journal</i> , 2013 , 11, 3368	2.3	10
716	Scientific Opinion on the safety and efficacy of L-valine produced by <i>Corynebacterium glutamicum</i> (KCCM 80058) for all animal species, based on a dossier submitted by CJ Europe GmbH. <i>EFSA Journal</i> , 2013 , 11, 3429	2.3	10
715	Rumen fermentation characteristics in pre-weaning calves receiving yeast culture supplements. <i>Czech Journal of Animal Science</i> , 2009 , 54, 435-442	1.1	10
714	Maximum levels of cross-contamination for 24 antimicrobial active substances in non-target feed. Part 1:. <i>EFSA Journal</i> , 2021 , 19, e06852	2.3	10
713	Maximum levels of cross-contamination for 24 antimicrobial active substances in non-target feed.?Part 9:. <i>EFSA Journal</i> , 2021 , 19, e06861	2.3	10
712	Safety and efficacy of l-lysine monohydrochloride and concentrated liquid l-lysine (base) produced by fermentation using strains NRRL-B-67439 or NRRL B-67535 for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05886	2.3	10
711	Scientific opinion on the safety and efficacy of canthaxanthin as a feed additive for poultry and for ornamental birds and ornamental fish. <i>EFSA Journal</i> , 2014 , 12, 3527	2.3	9
710	Scientific Opinion on the safety and efficacy of lignosulphonate as a feed additive for all animal species. <i>EFSA Journal</i> , 2015 , 13, 4160	2.3	9
709	Scientific Opinion on the safety and efficacy of Probiotic LACTINA [®] (<i>Lactobacillus acidophilus</i> , <i>Lactobacillus helveticus</i> , <i>Lactobacillus bulgaricus</i> , <i>Lactobacillus lactis</i> , <i>Streptococcus thermophilus</i> and <i>Enterococcus faecium</i>) for chickens for fattening and piglets. <i>EFSA Journal</i> , 2013 , 11, 3170	2.3	9
708	Scientific Opinion on the safety and efficacy of Lancer (lanthanide citrate) as feed additive for weaned piglets. <i>EFSA Journal</i> , 2013 , 11, 3206	2.3	9
707	Evaluation of Florina (<i>Pelagonia</i>) sheep breed for growth and carcass traits. <i>Small Ruminant Research</i> , 2007 , 70, 239-247	1.7	9

706	Effect of replacing soybean meal by extruded chickpeas in the diets of growing-finishing pigs on meat quality. <i>Meat Science</i> , 2006 , 73, 529-35	6.4	9
705	Scientific Opinion on the safety and efficacy of L-tryptophan produced by <i>Escherichia coli</i> (FERM BP-11354) for all animal species, based on a dossier submitted by Ajinomoto Eurolysine S.A.S.. <i>EFSA Journal</i> , 2014 , 12, 3826	2.3	9
704	Safety and efficacy of l-lysine sulfate produced by fermentation using KFCC 11043 as a feed additive for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06203	2.3	9
703	Safety and efficacy of feed additives consisting of expressed lemon oil and its fractions from (<i>L.</i>) Osbeck and of lime oil from (<i>Christm.</i>) Swingle for use in all animal species (FEFANA asbl). <i>EFSA Journal</i> , 2021 , 19, e06548	2.3	9
702	Safety of L-tryptophan produced by fermentation using <i>Escherichia coli</i> CGMCC 3667, for all animal species based on a dossier submitted by GBT Europe GmbH. <i>EFSA Journal</i> , 2016 , 14, 4343	2.3	9
701	Safety and efficacy of vitamin B (in the form of cyanocobalamin) produced by spp. as a feed additive for all animal species based on a dossier submitted by VITAC EEIG. <i>EFSA Journal</i> , 2018 , 16, e05336	2.3	9
700	Safety and efficacy of l-lysine monohydrochloride and l-lysine sulfate produced using CGMCC 7.266 for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06019	2.3	8
699	Effect of dietary palygorskite on performance and blood parameters of lactating Holstein cows. <i>Applied Clay Science</i> , 2014 , 91-92, 25-29	5.2	8
698	Scientific Opinion on the safety and efficacy of vitamin D3 (cholecalciferol) as a feed additive for all animal species or categories based on a dossier submitted by Lohmann Animal Health GmbH. <i>EFSA Journal</i> , 2014 , 12, 3568	2.3	8
697	Safety and efficacy of Calsporin [®] (<i>Bacillus subtilis</i> DSM 15544) as a feed additive for laying hens and avian species for laying. <i>EFSA Journal</i> , 2015 , 13, 4231	2.3	8
696	Safety and efficacy of Calsporin [®] (<i>Bacillus subtilis</i> DSM 15544) as a feed additive for ornamental fish. <i>EFSA Journal</i> , 2015 , 13, 4274	2.3	8
695	Scientific Opinion on the safety and efficacy of l-threonine produced by <i>Escherichia coli</i> strains NRRL B-30843, DSM 26131, KCCM11133P or DSM 25085 for all animal species based on a dossier submitted by AMAC EEIG. <i>EFSA Journal</i> , 2015 , 13, 4236	2.3	8
694	Scientific Opinion on the safety and efficacy of iodine compounds (E2) as feed additives for all species: calcium iodate anhydrous and potassium iodide, based on a dossier submitted by HELM AG. <i>EFSA Journal</i> , 2013 , 11, 3101	2.3	8
693	Scientific opinion on the safety and efficacy of iron compounds (E1) as feed additives for all species: iron chelate of amino acids, hydrate, based on a dossier submitted by Zinpro Animal Nutrition Inc.. <i>EFSA Journal</i> , 2013 , 11, 3287	2.3	8
692	Scientific Opinion on the safety and efficacy of L-methionine produced by <i>Escherichia coli</i> (KCCM 11252P) and <i>Escherichia coli</i> (KCCM 11340P) for all animal species. <i>EFSA Journal</i> , 2013 , 11, 3428	2.3	8
691	The use of extruded chickpeas in diets of broiler turkeys. <i>Czech Journal of Animal Science</i> , 2011 , 51, 416-423		8
690	Scientific Opinion on the safety and efficacy of micro-organism DSM 11798 when used as a technological feed additive for pigs. <i>EFSA Journal</i> , 2013 , 11, 3203	2.3	8
689	Safety and efficacy of l-lysine monohydrochloride produced by fermentation with DSM 32932 for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06078	2.3	8

688	Maximum levels of cross-contamination for 24 antimicrobial active substances in non-target feed. Part 8:. <i>EFSA Journal</i> , 2021 , 19, e06860	2.3	8
687	Maximum levels of cross-contamination for 24 antimicrobial active substances in non-target feed.?Part 10:. <i>EFSA Journal</i> , 2021 , 19, e06862	2.3	8
686	Maximum levels of cross-contamination for 24 antimicrobial active substances in non-target feed.?Part 6:. <i>EFSA Journal</i> , 2021 , 19, e06858	2.3	8
685	Maximum levels of cross-contamination for 24 antimicrobial active substances in non-target feed.?Part 2:. <i>EFSA Journal</i> , 2021 , 19, e06853	2.3	8
684	Safety and efficacy of guanidinoacetic acid for chickens for fattening, breeder hens and roosters, and pigs. <i>EFSA Journal</i> , 2016 , 14, 4394	2.3	8
683	Safety and efficacy of selenium compounds (E8) as feed additives for all animal species: sodium selenite, based on a dossier submitted by Retorte GmbH Selenium Chemicals and Metals. <i>EFSA Journal</i> , 2016 , 14, 4398	2.3	8
682	Safety and efficacy of l-tryptophan produced with CGMCC 11674 for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05642	2.3	7
681	Safety and efficacy of Monimax (monensin sodium and nicarbazin) for turkeys for fattening. <i>EFSA Journal</i> , 2017 , 15, e05094	2.3	7
680	Safety and efficacy of vitamin B (riboflavin) produced by ????? for all animal species based on a dossier submitted by BASF SE. <i>EFSA Journal</i> , 2018 , 16, e05337	2.3	7
679	Scientific Opinion on the safety and efficacy of L-threonine (ThreAMINO) produced by Escherichia coli (DSM 25086) for all animal species and categories based on a dossier submitted by Evonik Industries A.G.. <i>EFSA Journal</i> , 2014 , 12, 3564	2.3	7
678	Scientific Opinion on the safety and efficacy of L-threonine produced by Escherichia coli for all animal species, based on a dossier submitted by HELM AG on behalf of Global Bio-Chem Technology. <i>EFSA Journal</i> , 2014 , 12, 3674	2.3	7
677	Scientific Opinion on the safety and efficacy of L-threonine produced by Escherichia coli for all animal species, based on a dossier submitted by HELM AG on behalf of Star Lake Bioscience Co.. <i>EFSA Journal</i> , 2014 , 12, 3726	2.3	7
676	Scientific Opinion on the safety and efficacy of L-threonine produced by Escherichia coli (FERM BP-11383) for all animal species, based on a dossier submitted by Ajinomoto Eurolysine S.A.S.. <i>EFSA Journal</i> , 2014 , 12, 3825	2.3	7
675	Safety and efficacy of bentonite as a feed additive for all animal species. <i>EFSA Journal</i> , 2017 , 15, e05096	2.3	7
674	Safety of l-tryptophan technically pure, produced by CGMCC 3667, for all animal species based on a dossier submitted by GBT Europe GmbH. <i>EFSA Journal</i> , 2017 , 15, e04705	2.3	7
673	Scientific Opinion on the safety and efficacy of L-valine produced by Escherichia coli NITE SD 00066 for all animal species. <i>EFSA Journal</i> , 2015 , 13, 3965	2.3	7
672	Scientific Opinion on the safety and efficacy of ammonium formate, calcium formate and sodium formate when used as a technological additive for all animal species. <i>EFSA Journal</i> , 2015 , 13, 4056	2.3	7
671	Scientific Opinion on the safety and efficacy of copper compounds (E4) as feed additives for all animal species (cupric acetate, monohydrate; basic cupric carbonate, monohydrate; cupric chloride, dihydrate; cupric oxide; cupric sulphate, pentahydrate; cupric chelate of amino acids, hydrate; cupric chelate of glycine, hydrate), based on a dossier submitted by FEFANA asbl. <i>EFSA Journal</i> , 2015 , 13, 4057	2.3	7

670	Scientific Opinion on Toyocerin [®] (Bacillus cereus) as a feed additive for sows, piglets, pigs for fattening, cattle for fattening, calves for rearing, chickens for fattening and rabbits for fattening. <i>EFSA Journal</i> , 2012 , 10, 2924	2.3	7
669	Scientific Opinion on the safety and efficacy of iodine compounds (E2) as feed additives for all animal species: calcium iodate anhydrous and potassium iodide, based on a dossier submitted by Ajay Europe SARL. <i>EFSA Journal</i> , 2013 , 11, 3099	2.3	7
668	Scientific Opinion on the safety and efficacy of betaine (betaine anhydrous and betaine hydrochloride) as a feed additive for all animal species based on a dossier submitted by VITAC EEIG. <i>EFSA Journal</i> , 2013 , 11, 3210	2.3	7
667	Scientific opinion on the safety and efficacy of L-threonine produced by Escherichia coli (FERM BP-10942) for all animal species based on a dossier submitted by Ajinomoto Eurolysine SAS. <i>EFSA Journal</i> , 2013 , 11, 3319	2.3	7
666	Effects of dietary pomegranate seed cake supplementation on performance, carcass characteristics and meat quality of growing lambs. <i>Animal Feed Science and Technology</i> , 2021 , 273, 114815	3	7
665	Safety and efficacy of unsaturated straight-chain and branched-chain aliphatic primary alcohols, aldehydes, acids and esters belonging to chemical group 3 when used as flavourings for all animal species. <i>EFSA Journal</i> , 2016 , 14, e04512	2.3	7
664	Safety and efficacy of fumonisin esterase (FUMzyme [®]) as a technological feed additive for all avian species. <i>EFSA Journal</i> , 2016 , 14, e04617	2.3	7
663	Safety and efficacy of manganese compounds (E5) as feed additives for all animal species: manganous carbonate; manganous chloride, tetrahydrate; manganous oxide; manganous sulphate, monohydrate; manganese chelate of amino acids, hydrate; manganese chelate of glycine, hydrate, based on a dossier submitted by FEFANA Asbl. <i>EFSA Journal</i> , 2016 , 14, 4395	2.3	7
662	Safety and efficacy of Monimax (monensin sodium and nicarbazin) for chickens for fattening and chickens reared for laying. <i>EFSA Journal</i> , 2018 , 16, e05459	2.3	7
661	Safety of l-tryptophan technically pure, produced by fermentation with DSM 25084, KCCM 11132P and SARI12091203 for all animal species based on a dossier submitted by FEFANA Asbl. <i>EFSA Journal</i> , 2017 , 15, e04712	2.3	6
660	Safety and efficacy of concentrated liquid l-lysine (base) and l-lysine monohydrochloride produced by fermentation with KCCM 80190 as feed additives for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06285	2.3	6
659	Safety and efficacy of non-conjugated and accumulated unsaturated straight-chain and branched-chain, aliphatic primary alcohols, aldehydes, acids, acetals and esters belonging to chemical group 4 when used as flavourings for all animal species. <i>EFSA Journal</i> , 2016 , 14, e04559	2.3	6
658	Safety of vitamin B (80%) as riboflavin produced by KCCM-10445 for all animal species. <i>EFSA Journal</i> , 2018 , 16, e05223	2.3	6
657	Safety and efficacy of l-tryptophan produced by fermentation with KCCM 80176 for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05729	2.3	6
656	Scientific Opinion on the safety and efficacy of inositol as a feed additive for fish, dogs and cats. <i>EFSA Journal</i> , 2014 , 12, 3671	2.3	6
655	Scientific Opinion on the safety and efficacy of iron compounds (E1) as feed additives for all species: ferrous sulphate heptahydrate based on a dossier submitted by Kronos International, Inc.. <i>EFSA Journal</i> , 2014 , 12, 3566	2.3	6
654	Scientific Opinion on the safety and efficacy of iron compounds (E1) as feed additives for all species: Ferrous sulphate monohydrate based on a dossier submitted by Kronos International, Inc.. <i>EFSA Journal</i> , 2014 , 12, 3607	2.3	6
653	Safety and efficacy of Natuphos E (6-phytase) as a feed additive for avian and porcine species. <i>EFSA Journal</i> , 2017 , 15, e05024	2.3	6

652	Scientific Opinion on the safety and efficacy of branched-chain primary aliphatic alcohols/aldehydes/acids, acetals and esters with esters containing branched-chain alcohols and acetals containing branched-chain aldehydes (chemical group 2) when used as flavourings for all animal species. <i>EFSA Journal</i> , 2012 , 10, 2927	2.3	6
651	Scientific Opinion on the safety and efficacy of iodine compounds (E2) as feed additives for all animal species: calcium iodate anhydrous, based on a dossier submitted by Calibre Europe SPRL/BVBA. <i>EFSA Journal</i> , 2013 , 11, 3100	2.3	6
650	Scientific Opinion on the safety and efficacy of fumaric acid as a feed additive for all animal species. <i>EFSA Journal</i> , 2013 , 11, 3102	2.3	6
649	Scientific Opinion on the safety and efficacy of copper compounds (E4) as feed additives for all species: cupric chelate of amino acids hydrate, based on a dossier submitted by Zinpro Animal Nutrition Inc.. <i>EFSA Journal</i> , 2013 , 11, 3107	2.3	6
648	Scientific Opinion on the safety and efficacy of L-cysteine hydrochloride monohydrate as a flavouring additive for pets. <i>EFSA Journal</i> , 2013 , 11, 3437	2.3	6
647	Prevalence of hydatidosis and fertility of hydatid cysts in food animals in Northern Greece. <i>Veterinaria Italiana</i> , 2016 , 52, 123-7	1	6
646	Scientific Opinion on the safety and efficacy of L-valine (L-valine, feed grade) produced by Escherichia coli NITE BP-01755 for all animal species based on a dossier submitted by Ajinomoto Eurolysine S.A.S.. <i>EFSA Journal</i> , 2015 , 13, 4110	2.3	6
645	Risk assessment of nitrate and nitrite in feed. <i>EFSA Journal</i> , 2020 , 18, e06290	2.3	6
644	Assessment of a feed additive consisting of all-rac-alpha-tocopheryl acetate (vitamin E) for all animal species for the renewal of its authorisation (NHU Europe GmbH). <i>EFSA Journal</i> , 2021 , 19, e06533	2.3	6
643	Safety and efficacy of a feed additive consisting of a tincture derived from roots of L. (gentian tincture) for use in all animal species (FEFANA asbl). <i>EFSA Journal</i> , 2021 , 19, e06547	2.3	6
642	Safety and efficacy of a natural mixture of illite, montmorillonite and kaolinite (Argile Verte du Velay) as a feed additive for all animal species. <i>EFSA Journal</i> , 2016 , 14, 4342	2.3	6
641	Safety and efficacy of L arginine produced by Corynebacterium glutamicum KCTC 10423BP for all animal species. <i>EFSA Journal</i> , 2016 , 14, 4345	2.3	6
640	Safety and efficacy of fumonisin esterase from DSM 32159 as a technological feed additive for pigs and poultry. <i>EFSA Journal</i> , 2018 , 16, e05269	2.3	6
639	Assessment of the application for renewal of authorisation of selenomethionine produced by ' CNM I-3060 (selenised yeast inactivated) for all animal species. <i>EFSA Journal</i> , 2018 , 16, e05386	2.3	6
638	Safety and efficacy of l-threonine produced by fermentation using CGMCC 7.232 for all animal species. <i>EFSA Journal</i> , 2018 , 16, e05458	2.3	6
637	Guidance on aneugenicity assessment. <i>EFSA Journal</i> , 2021 , 19, e06770	2.3	6
636	Guidance Document on Scientific criteria for grouping chemicals into assessment groups for human risk assessment of combined exposure to multiple chemicals.. <i>EFSA Journal</i> , 2021 , 19, e07033	2.3	6
635	Safety and efficacy of l-tryptophan produced by fermentation with KCCM 80135 for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05694	2.3	5

634	Safety and efficacy of l-tryptophan produced by fermentation with KCCM 80152 for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05695	2.3	5
633	Safety and efficacy of l-tryptophan produced by fermentation with CGMCC 7.248 for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05601	2.3	5
632	Safety and efficacy of l-valine produced by fermentation using 'KCCM'11201P for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05538	2.3	5
631	Assessment of the application for renewal of the authorisation of DSM 16244 as a feed additive for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06166	2.3	5
630	Safety of lactic acid and calcium lactate when used as technological additives for all animal species. <i>EFSA Journal</i> , 2017 , 15, e04938	2.3	5
629	Safety and efficacy of vitamin B2 (riboflavin and riboflavin 5-phosphate ester monosodium salt) produced by <i>Bacillus subtilis</i> for all animal species based on a dossier submitted by DSM. <i>EFSA Journal</i> , 2016 , 14, 4349	2.3	5
628	Safety and efficacy of selenium compounds (E8) as feed additives for all animal species: Sodium selenite, based on a dossier submitted by Todini and Co SpA. <i>EFSA Journal</i> , 2016 , 14, 4442	2.3	5
627	Safety and efficacy of muramidase from DSM 32338 as a feed additive for chickens for fattening and minor poultry species. <i>EFSA Journal</i> , 2018 , 16, e05342	2.3	5
626	Scientific Opinion on the safety and efficacy of Bonvital (<i>Enterococcus faecium</i>) as a feed additive for sows. <i>EFSA Journal</i> , 2014 , 12, 3565	2.3	5
625	Scientific Opinion on the safety and efficacy of calcium formate when used as a technological additive for all animal species. <i>EFSA Journal</i> , 2014 , 12, 3898	2.3	5
624	Safety of vitamin D addition to feedingstuffs for fish. <i>EFSA Journal</i> , 2017 , 15, e04713	2.3	5
623	Scientific Opinion on the safety of Hostazym X as a feed additive for poultry and pigs. <i>EFSA Journal</i> , 2015 , 13, 3969	2.3	5
622	Scientific Opinion on the safety and efficacy of VevoVital [®] (benzoic acid) as a feed additive for pigs for reproduction (gestating and lactating sows, boars and gilts). <i>EFSA Journal</i> , 2015 , 13, 4157	2.3	5
621	Scientific Opinion on the safety and efficacy of Biosprint [®] (<i>Saccharomyces cerevisiae</i> MUCL 39885) for minor ruminant species for meat and milk production. <i>EFSA Journal</i> , 2015 , 13, 4199	2.3	5
620	Safety and efficacy of saturated and unsaturated aliphatic secondary alcohols, ketones and esters with esters containing secondary alcohols belonging to chemical group 5 when used as flavourings for all animal species. <i>EFSA Journal</i> , 2015 , 13, 4268	2.3	5
619	Safety and efficacy of lactic acid and calcium lactate when used as technological additives for all animal species. <i>EFSA Journal</i> , 2015 , 13, 4198	2.3	5
618	Scientific Opinion on the safety and efficacy of L-threonine produced by <i>Escherichia coli</i> for all animal species based on a dossier submitted by HELM AG on behalf of Meihua Holdings Group Co. Ltd. <i>EFSA Journal</i> , 2015 , 13, 4051	2.3	5
617	Scientific Opinion on the safety and efficacy of Friedland clay (montmorillonite-illite mixed layer clay) when used as technological additive for all animal species. <i>EFSA Journal</i> , 2014 , 12, 3904	2.3	5

616	Scientific Opinion on the safety and efficacy of formic acid when used as a technological additive for all animal species. <i>EFSA Journal</i> , 2014 , 12, 3827	2.3	5
615	Scientific Opinion on the safety and efficacy of Bonvital (<i>Enterococcus faecium</i>) for chickens reared for laying and minor avian species. <i>EFSA Journal</i> , 2013 , 11, 3167	2.3	5
614	Scientific Opinion on the safety and efficacy of <i>Bacillus subtilis</i> PB6 (<i>Bacillus subtilis</i>) as a feed additive for turkeys for fattening and turkeys reared for breeding. <i>EFSA Journal</i> , 2013 , 11, 3176	2.3	5
613	Safety and efficacy of sodium carboxymethyl cellulose for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06211	2.3	5
612	Draft for internal testing Scientific Committee guidance on appraising and integrating evidence from epidemiological studies for use in EFSA's scientific assessments. <i>EFSA Journal</i> , 2020 , 18, e06221	2.3	5
611	Statement on the safety and efficacy of the feed additive consisting on tragacanth gum for all animal species (Association for International Promotion of Gums). <i>EFSA Journal</i> , 2021 , 19, e06447	2.3	5
610	Statement on the derivation of Health-Based Guidance Values (HBGVs) for regulated products that are also nutrients. <i>EFSA Journal</i> , 2021 , 19, e06479	2.3	5
609	Safety and efficacy of a feed additive consisting of zinc chelate of ethylenediamine for all animal species (Zinpro Animal Nutrition (Europe), Inc.). <i>EFSA Journal</i> , 2021 , 19, e06467	2.3	5
608	Safety and efficacy of B-Act [®] (<i>Bacillus licheniformis</i> DSM 28710) for chickens for fattening and chickens reared for laying. <i>EFSA Journal</i> , 2016 , 14, e04615	2.3	5
607	Safety and efficacy of iron oxide black, red and yellow for all animal species. <i>EFSA Journal</i> , 2016 , 14, e04482	2.3	5
606	Safety of L-threonine produced by fermentation using <i>Escherichia coli</i> CGMCC 3703, for all animal species based on a dossier submitted by GBT Europe GmbH. <i>EFSA Journal</i> , 2016 , 14, 4344	2.3	5
605	Safety and efficacy of astaxanthin-dimethyldisuccinate (Carophyll Stay-Pink 10%-CWS) for salmonids, crustaceans and other fish. <i>EFSA Journal</i> , 2019 , 17, e05920	2.3	5
604	Safety and efficacy of an essential oil from ssp. (Link) letsw. for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05909	2.3	5
603	Scientific Opinion on the safety and efficacy of Aviax 5% (semduramicin sodium) for chickens for fattening. <i>EFSA Journal</i> , 2018 , 16, e05341	2.3	5
602	Safety and efficacy of APSA PHYTAFEED 20,000 GR/L (6-phytase) as a feed additive for chickens for fattening, chickens reared for laying and minor growing poultry species. <i>EFSA Journal</i> , 2019 , 17, e05692	2.3	4
601	Safety and efficacy of l-valine produced using CGMCC 11675 for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05611	2.3	4
600	Safety and efficacy of an essential oil of ssp. (Link) leetsw. for all poultry species. <i>EFSA Journal</i> , 2019 , 17, e05653	2.3	4
599	Safety and efficacy of dicopper oxide as feed additive for all animal species. <i>EFSA Journal</i> , 2016 , 14, e04509	2.3	4

598	Safety and efficacy of dry grape extract when used as a feed flavouring for all animal species and categories. <i>EFSA Journal</i> , 2016 , 14, e04476	2.3	4
597	Evaluation of existing guidelines for their adequacy for the microbial characterisation and environmental risk assessment of microorganisms obtained through synthetic biology. <i>EFSA Journal</i> , 2020 , 18, e06263	2.3	4
596	Safety and efficacy of hydroxy analogue of methionine and its calcium salt (ADRY+) for all animal species. <i>EFSA Journal</i> , 2018 , 16, e05198	2.3	4
595	Safety and efficacy of l-histidine monohydrochloride monohydrate produced using KCCM 80172 for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05783	2.3	4
594	Modification of the terms of authorisation regarding the maximum inclusion level of Maxiban G160 (narasin and nicarbazin) for chickens for fattening. <i>EFSA Journal</i> , 2019 , 17, e05786	2.3	4
593	Scientific Opinion on the safety and efficacy of Coxiril [®] (diclazuril) as a feed additive for chickens for fattening. <i>EFSA Journal</i> , 2014 , 12, 3728	2.3	4
592	Scientific Opinion on the safety and efficacy of formaldehyde as a feed hygiene substance in feed for pigs and poultry. <i>EFSA Journal</i> , 2014 , 12, 3790	2.3	4
591	Scientific Opinion on the safety and efficacy of sorbic acid and potassium sorbate when used as technological additives for all animal species. <i>EFSA Journal</i> , 2014 , 12, 3792	2.3	4
590	Scientific Opinion on the safety and efficacy of cassia gum for dogs and cats based on a dossier submitted by Intercolloid (UK) Ltd. <i>EFSA Journal</i> , 2014 , 12, 3901	2.3	4
589	Safety and efficacy of l-threonine produced by fermentation with CGMCC 11473 for all animal species. <i>EFSA Journal</i> , 2017 , 15, e04939	2.3	4
588	Safety and efficacy of Beltherm MP/ML (endo-1,4-beta-xylanase) as a feed additive for chickens for fattening, chickens reared for laying, turkeys for fattening, turkeys reared for breeding, turkeys for breeding purposes and minor poultry species. <i>EFSA Journal</i> , 2017 , 15, e04941	2.3	4
587	Scientific Opinion on the safety and efficacy of Coxiril [®] (diclazuril) for rabbits for fattening and breeding. <i>EFSA Journal</i> , 2015 , 13, 3968	2.3	4
586	Scientific Opinion on the safety and efficacy of Bacillus subtilis PB6 (Bacillus subtilis) as a feed additive for laying hens and minor poultry species for laying. <i>EFSA Journal</i> , 2015 , 13, 3970	2.3	4
585	Scientific Opinion on the safety and efficacy of iron compounds (E1) as feed additives for all animal species: ferrous carbonate based on a dossier submitted by Ankerpoort N.V.. <i>EFSA Journal</i> , 2015 , 13, 4109	2.3	4
584	Scientific Opinion on the safety and efficacy of zinc compounds (E6) as feed additives for all animal species (zinc acetate, dihydrate; zinc chloride, anhydrous; zinc oxide; zinc sulphate, heptahydrate; zinc sulphate, monohydrate; zinc chelate of amino acids, hydrate; zinc chelate of glycine, hydrate), based on a dossier submitted by PEFANA asbl. <i>EFSA Journal</i> , 2015 , 13, 4058	2.3	4
583	Scientific Opinion on the safety and efficacy of Axtra [®] PHY 15 000 L (6-phytase) as a feed additive for poultry and porcine species. <i>EFSA Journal</i> , 2015 , 13, 4275	2.3	4
582	Scientific Opinion on the safety and efficacy of vitamin D3 (cholecalciferol) as a feed additive for pigs, piglets, bovines, ovines, calves, equines, chickens for fattening, turkeys, other poultry, fish and other animal species or categories, based on a dossier submitted by Fermenta Biotech Ltd. <i>EFSA Journal</i> , 2013 , 11, 3289	2.3	4
581	Scientific Opinion on the safety and efficacy of Rovabio [®] Spiky (endo-1, 4-beta-xylanase and endo-1, 3(4)-beta-glucanase) as a feed additive for chickens for fattening, chickens reared for laying and other minor poultry species (for fattening and reared f. <i>EFSA Journal</i> , 2014 , 12, 3793	2.3	4

580	Scientific Opinion on the safety and efficacy of Coxiril [®] (diclazuril) as a feed additive for turkeys for fattening. <i>EFSA Journal</i> , 2014 , 12, 3729	2.3	4
579	Scientific Opinion on the safety and efficacy of primary aliphatic saturated or unsaturated alcohols/aldehydes/acids/acetals/esters with a second primary, secondary or tertiary oxygenated functional group including aliphatic lactones (chemical group 9) when used as flavourings for all animal species. <i>EFSA Journal</i> , 2012 , 10, 2928	2.3	4
578	Scientific Opinion on the safety and efficacy of Prostora Max (Bifidobacterium animalis) as a feed additive for dogs. <i>EFSA Journal</i> , 2012 , 10, 2964	2.3	4
577	Scientific Opinion on the safety and efficacy of methionine-zinc, technically pure as amino acid for ruminants, and as compound of trace element for all species. <i>EFSA Journal</i> , 2013 , 11, 3038	2.3	4
576	Scientific Opinion on the safety and efficacy of Bacillus amyloliquefaciens (NCIMB 30229) as a silage feed additive for all species. <i>EFSA Journal</i> , 2013 , 11, 3042	2.3	4
575	Scientific Opinion on the safety and efficacy of diclazuril (Clinacox [®] 0.5 %) as feed additive for chickens reared for laying. <i>EFSA Journal</i> , 2013 , 11, 3106	2.3	4
574	Scientific opinion on the characterisation of zinc compound Zinc chelate of amino acids, hydrate (Availa [®] Zinc) as a feed additive for all animal species. <i>EFSA Journal</i> , 2013 , 11, 3369	2.3	4
573	Nutritional and net energy value of fermented olive wastes in rations of lactating ewes. <i>Czech Journal of Animal Science</i> , 2008 , 52, 456-462	1.1	4
572	Maximum levels of cross-contamination for 24 antimicrobial active substances in non-target feed. Part 7.: <i>EFSA Journal</i> , 2021 , 19, e06859	2.3	4
571	Maximum levels of cross-contamination for 24 antimicrobial active substances in non-target feed. Part 12.: <i>EFSA Journal</i> , 2021 , 19, e06864	2.3	4
570	Safety and efficacy of monosodium l-glutamate monohydrate produced by KCCM 80188 as a feed additive for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06085	2.3	4
569	Safety of l-tryptophan produced by fermentation with Escherichia coli CGMCC 7.59 for all animal species based on a dossier submitted by Feedway Europe NV. <i>EFSA Journal</i> , 2016 , 14, e04444	2.3	4
568	Assessment of the feed additive consisting of endo-1,4- α -xylanase produced by CBS 114044 (ECONASEXT) for piglets (weaned), chickens reared for laying, chickens for fattening, turkeys for fattening and turkeys reared for breeding for the renewal of its authorisation (Roal Oy). <i>EFSA Journal</i> , 2021 , 19, e06458	2.3	4
567	Safety and efficacy of Calsporin (DSM 15544) as a feed additive for pigs for fattening. <i>EFSA Journal</i> , 2018 , 16, e05219	2.3	4
566	Safety and efficacy of vitamin B (riboflavin 5'-phosphate ester monosodium salt) for all animal species when used in water for drinking. <i>EFSA Journal</i> , 2018 , 16, e05531	2.3	4
565	Assessment of the application for renewal of authorisation of Calsporin (DSM 15544) for chickens for fattening. <i>EFSA Journal</i> , 2018 , 16, e05340	2.3	4
564	Safety and efficacy of butylated hydroxyanisole (BHA) as a feed additive for all animal species. <i>EFSA Journal</i> , 2018 , 16, e05215	2.3	4
563	Safety and efficacy of Sacox microGranulate (salinomycin sodium) for chickens for fattening and chickens reared for laying. <i>EFSA Journal</i> , 2017 , 15, e04670	2.3	3

562	Physicochemical, textural and sensory properties of white soft cheese made from buffalo and cow milk mixtures. <i>International Journal of Dairy Technology</i> , 2017 , 70, 506-513	3-7	3
561	Safety and efficacy of Calsporin (DSM 15544) as a feed additive for dogs. <i>EFSA Journal</i> , 2017 , 15, e04760	2.3	3
560	Safety and efficacy of PB6 (ATCC PTA-6737) as a feed additive for sows. <i>EFSA Journal</i> , 2017 , 15, e04855	2.3	3
559	Effect of dietary palygorskite on performance of lactating ewes. <i>Applied Clay Science</i> , 2017 , 143, 76-79	5.2	3
558	Assessment of the application for renewal of authorisation of Biosprint (MUCL 39885) for sows. <i>EFSA Journal</i> , 2019 , 17, e05719	2.3	3
557	Safety and efficacy of an essential oil from (L.) Maton when used as a sensory additive in feed for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05721	2.3	3
556	Safety and efficacy of BiominDC-C as a zootechnical feed additive for weaned piglets. <i>EFSA Journal</i> , 2019 , 17, e05688	2.3	3
555	Safety and efficacy of sorbitan monolaurate as a feed additive for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05651	2.3	3
554	Efficacy of sodium formate as a technological feed additive (hygiene condition enhancer) for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05645	2.3	3
553	Assessment of the application for renewal of authorisation of Bonvital (DSM 7134) as a feed additive for weaned piglets and pigs for fattening. <i>EFSA Journal</i> , 2019 , 17, e05650	2.3	3
552	Safety and efficacy of Calsporin (DSM 15544) for all poultry species. <i>EFSA Journal</i> , 2019 , 17, e05605	2.3	3
551	Safety and efficacy of B-Act (DSM 28710) as a feed additive for turkeys for fattening, turkeys reared for breeding and minor poultry species for fattening or raised for laying. <i>EFSA Journal</i> , 2019 , 17, e05536	2.3	3
550	Safety and efficacy of Probiotic Lactina (NBIMCC 8270 NBIMCC 8242 NBIMCC 8269 ssp. NBIMCC 8250 ssp. NBIMCC 8244 and NBIMCC 8253) as a feed additive for chickens for fattening and suckling and weaned rabbits. <i>EFSA Journal</i> , 2019 , 17, e05646	2.3	3
549	Assessment of the application for renewal of authorisation of selenomethionine produced by NCYC R397 for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05539	2.3	3
548	Safety and efficacy of GalliPro Fit (DSM 32324, DSM 32325 and DSM 25840) for all poultry species for fattening or reared for laying/breeding. <i>EFSA Journal</i> , 2020 , 18, e06094	2.3	3
547	Safety and efficacy of CNCM I-3698 and CNCM I-3699 as a feed additive for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06082	2.3	3
546	Safety and efficacy of propyl gallate for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06069	2.3	3
545	Safety and efficacy of l-valine produced by fermentation using KCCM 80159 for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06074	2.3	3

544	Safety and efficacy of l-isoleucine produced by fermentation with KCCM 80189 for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06021	2.3	3
543	Assessment of the application for renewal of the authorisation of Amaferm (fermentation product of NRRL 458) as a feed additive for dairy cows. <i>EFSA Journal</i> , 2020 , 18, e06011	2.3	3
542	Assessment of the application for renewal of authorisation of Ecobiol (CECT 5940) as a feed additive for chickens for fattening and its extension of use for chickens reared for laying. <i>EFSA Journal</i> , 2020 , 18, e06014	2.3	3
541	Safety and efficacy of Calsporin (DSM 15544) for sows and suckling piglets. <i>EFSA Journal</i> , 2017 , 15, e047661	2.3	3
540	Safety and efficacy of sodium saccharin when used as a feed flavour for piglets, pigs for fattening, calves for rearing and calves for fattening. <i>EFSA Journal</i> , 2018 , 16, e05208	2.3	3
539	Safety and efficacy of furfuryl and furan derivatives belonging to chemical group 14 when used as flavourings for all animal species and categories. <i>EFSA Journal</i> , 2016 , 14, 4389	2.3	3
538	Safety and efficacy of RONOZYME [®] WX (endo-1,4-beta-xylanase) as a feed additive for chickens and turkeys for fattening, minor poultry species for fattening, weaned piglets and pigs for fattening. <i>EFSA Journal</i> , 2016 , 14, e04564	2.3	3
537	Safety and efficacy of a preparation of algae interspaced bentonite as a feed additive for all animal species. <i>EFSA Journal</i> , 2016 , 14, e04623	2.3	3
536	Safety and efficacy of Biomin DC-P as a zootechnical feed additive for chickens for fattening, chickens reared for laying and minor avian species to the point of lay. <i>EFSA Journal</i> , 2019 , 17, e05724	2.3	3
535	Scientific Opinion on the safety and efficacy of Yea-Sacc [®] (Saccharomyces cerevisiae) as a feed additive for cattle for fattening, goats for fattening, dairy cows, dairy sheep, dairy goats and buffaloes. <i>EFSA Journal</i> , 2014 , 12, 3666	2.3	3
534	Scientific Opinion on the efficacy of Natugrain [®] TS/TS L (endo-1, 4-beta-xylanase and endo-1, 4-beta-glucanase) as a feed additive for laying hens. <i>EFSA Journal</i> , 2014 , 12, 3723	2.3	3
533	Scientific Opinion on the safety and efficacy of Coxiril [®] (diclazuril) as a feed additive for guinea fowl. <i>EFSA Journal</i> , 2014 , 12, 3730	2.3	3
532	Scientific Opinion on the safety and efficacy of cassia gum for dogs and cats based on a dossier submitted by Glycomer GmbH. <i>EFSA Journal</i> , 2014 , 12, 3899	2.3	3
531	Scientific Opinion on the safety and efficacy of cassia gum (Diagum CS) for dogs and cats based on a dossier submitted by Lubrizol Advance Materials Europe B.V.B.A. <i>EFSA Journal</i> , 2014 , 12, 3902	2.3	3
530	Safety and efficacy of aryl-substituted primary alcohol, aldehyde, acid, ester and acetal derivatives belonging to chemical group 22 when used as flavourings for all animal species. <i>EFSA Journal</i> , 2017 , 15, e04672	2.3	3
529	Safety and efficacy of sodium and potassium alginate for 'pets, other non food-producing animals and fish. <i>EFSA Journal</i> , 2017 , 15, e04945	2.3	3
528	Safety and efficacy of pyrazine derivatives including saturated ones belonging to chemical group 24 when used as flavourings for all animal species. <i>EFSA Journal</i> , 2017 , 15, e04671	2.3	3
527	Safety and efficacy of an essential oil from subsp. (Link) letsw. var. Vulkan when used as a sensory additive in feed for all animal species. <i>EFSA Journal</i> , 2017 , 15, e05095	2.3	3

526	Safety and efficacy of ENZY CARBOPLUS (endo-1,4-beta-xylanase and endo-1,3(4)-beta-glucanase) as a feed additive for avian species, weaned piglets and minor weaned porcine species. <i>EFSA Journal</i> , 2017 , 15, e05097	2.3	3
525	Scientific Opinion on the safety and efficacy of citric acid when used as a technological additive (preservative) for all animal species. <i>EFSA Journal</i> , 2015 , 13, 4009	2.3	3
524	Scientific Opinion on the safety and efficacy of XTRACT [®] Evolution-B, Code X60-6930 (carvacrol, cinnamaldehyde and capsicum oleoresin), as a feed additive for chickens for fattening. <i>EFSA Journal</i> , 2015 , 13, 4011	2.3	3
523	Scientific Opinion on the safety and efficacy of DL-methionyl-DL-methionine for all aquatic animal species. <i>EFSA Journal</i> , 2015 , 13, 4012	2.3	3
522	Scientific Opinion on the safety and efficacy of hexamethylene tetramine as a silage additive for pigs, poultry, bovines, sheep, goats, rabbits and horses. <i>EFSA Journal</i> , 2015 , 13, 4014	2.3	3
521	Scientific Opinion on the safety and efficacy of selenium compounds (E8) as feed additives for all animal species: sodium selenite (coated granulated preparation), based on a dossier submitted by Doxal Italia S.p.A. <i>EFSA Journal</i> , 2015 , 13, 4271	2.3	3
520	Scientific Opinion on the safety and efficacy of citric acid when used as a technological additive (acidity regulator) for all animal species. <i>EFSA Journal</i> , 2015 , 13, 4010	2.3	3
519	Scientific Opinion on the safety and efficacy of Lactobacillus acidophilus D2/CSL (Lactobacillus acidophilus) for laying hens. <i>EFSA Journal</i> , 2014 , 12, 3789	2.3	3
518	Scientific Opinion on the safety and efficacy of cassia gum (Galactogum) for dogs and cats based on a dossier submitted by Galacto Naturstoffe GmbH. <i>EFSA Journal</i> , 2014 , 12, 3900	2.3	3
517	Scientific Opinion on the safety and efficacy of vitamin A (retinyl acetate, retinyl palmitate and retinyl propionate) as a feed additive for all animal species and categories. <i>EFSA Journal</i> , 2013 , 11, 3037	2.3	3
516	Scientific Opinion on the safety and efficacy of Miya-Gold (Clostridium butyricum) for chickens for fattening, chickens reared for laying and minor avian species. <i>EFSA Journal</i> , 2013 , 11, 3040	2.3	3
515	Scientific Opinion on the safety and efficacy of Cylactin [®] (Enterococcus faecium) as a feed additive for cats and dogs. <i>EFSA Journal</i> , 2013 , 11, 3098	2.3	3
514	Scientific Opinion on the safety and efficacy of aliphatic and aromatic mono- and di-thiols and mono-, di-, tri-, and polysulphides with or without additional oxygenated functional groups (chemical group 20) when used as flavourings for all animal species. <i>EFSA Journal</i> , 2013 , 11, 3208	2.3	3
513	Scientific Opinion on the safety and efficacy of betaine anhydrous as a feed additive for all animal species based on a dossier submitted by Danisco Animal Nutrition. <i>EFSA Journal</i> , 2013 , 11, 3209	2.3	3
512	Scientific opinion on the safety and efficacy of L-tyrosine for all animal species. <i>EFSA Journal</i> , 2013 , 11, 3310	2.3	3
511	Scientific Opinion on the safety and efficacy of manganese compounds (E5) as feed additives for all species: manganese chelate of amino acids, hydrate, based on a dossier submitted by Zinpro Animal Nutrition Inc.. <i>EFSA Journal</i> , 2013 , 11, 3324	2.3	3
510	Scientific Opinion on the safety and efficacy of manganese compounds (E5) as feed additives for all animal species: manganous oxide, based on a dossier submitted by Poortershaven Industriële Mineralen B.V.. <i>EFSA Journal</i> , 2013 , 11, 3325	2.3	3
509	Impacts of supplemental dietary biotin on lameness in sheep. <i>Animal Feed Science and Technology</i> , 2007 , 134, 162-169	3	3

508	Assessment of the application for renewal of the authorisation of Calsporin (DSM 15544) as a feed additive for weaned piglets. <i>EFSA Journal</i> , 2020 , 18, e06283	2.3	3
507	Maximum levels of cross-contamination for 24 antimicrobial active substances in non-target feed. Part 4. <i>EFSA Journal</i> , 2021 , 19, e06855	2.3	3
506	Safety and efficacy of OptiPhosPLUS for suckling and weaned piglets, pigs for fattening, sows, other minor pig species for fattening and other minor reproductive pig species. <i>EFSA Journal</i> , 2020 , 18, e06204	2.3	3
505	Safety and efficacy of fumonisin esterase from DSM 32159 as a feed additive for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06207	2.3	3
504	A systems-based approach to the environmental risk assessment of multiple stressors in honey bees. <i>EFSA Journal</i> , 2021 , 19, e06607	2.3	3
503	Assessment of the feed additive consisting of (formerly) DSM 21762 for all animal species for the renewal of its authorisation (Lactosan GmbH & Co KG). <i>EFSA Journal</i> , 2021 , 19, e06613	2.3	3
502	Safety and efficacy of a feed additive consisting of l-lysine sulfate produced by KCCM 80227 for all animal species (Daesang Europe BV). <i>EFSA Journal</i> , 2021 , 19, e06706	2.3	3
501	Safety of l-threonine, technically pure, produced by fermentation with <i>Escherichia coli</i> CGMCC 7.58 for all animal species based on a dossier submitted by Feedway Europe NV. <i>EFSA Journal</i> , 2016 , 14, e04470	2.3	3
500	Safety and efficacy of iron compounds (E1) as feed additives for all species: ferric oxide based on a dossier submitted by Poortershaven Industriële Mineralen B.V.. <i>EFSA Journal</i> , 2016 , 14, e04508	2.3	3
499	Safety and efficacy of Levucell [®] SB (<i>Saccharomyces cerevisiae</i> CNCM 1-1079) as a feed additive for weaned piglets and sows. <i>EFSA Journal</i> , 2016 , 14, e04478	2.3	3
498	Safety and efficacy of APSA PHYTAFEED 20,000 GR/L (6-phytase) as a feed additive for piglets (suckling and weaned) and growing minor porcine species. <i>EFSA Journal</i> , 2019 , 17, e05894	2.3	3
497	Safety and efficacy of l-methionine produced by fermentation with KCCM 80184 and KCCM 80096 for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05917	2.3	3
496	Assessment of the application for renewal of authorisation of Biosprint (MUCL 39885) for dairy cows and horses. <i>EFSA Journal</i> , 2019 , 17, e05915	2.3	3
495	Safety and efficacy of CI-FER [®] (ferric citrate chelate) as a zootechnical feed additive for suckling and weaned piglets and minor porcine species. <i>EFSA Journal</i> , 2019 , 17, e05916	2.3	3
494	Safety and efficacy of oct-1-en-3-ol, pent-1-en-3-ol, oct-1-en-3-one, oct-1-en-3-yl acetate, isopulegol and 5-methylhept-2-en-4-one, belonging to chemical group 5 and of isopulegone and flam amascone belonging to chemical group 8 when used as flavourings for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06002	2.3	3
493	Safety and efficacy of a feed additive consisting on ssp. ATCC PTA-6752 for all animal species (Chr. Hansen A/S). <i>EFSA Journal</i> , 2021 , 19, e06470	2.3	3
492	Assessment of the feed additive consisting of DSM 7134 (Bonvital) for chickens for fattening for the renewal of its authorisation (Lactosan GmbH & Co. KG). <i>EFSA Journal</i> , 2021 , 19, e06451	2.3	3
491	Safety and efficacy of l-arginine produced by fermentation with NITE BP-02186 for all animal species. <i>EFSA Journal</i> , 2018 , 16, e05276	2.3	3

490	Safety and efficacy of Monteban G100 (narasin) for chickens for fattening. <i>EFSA Journal</i> , 2018 , 16, e054603	2.3	3
489	Safety and efficacy of COXAM (amprolium hydrochloride) for chickens for fattening and chickens reared for laying. <i>EFSA Journal</i> , 2018 , 16, e05338	2.3	3
488	Safety and efficacy of 3-phytase FLF1000 as a feed additive for chickens reared for laying and minor poultry species. <i>EFSA Journal</i> , 2018 , 16, e05203	2.3	3
487	Safety and efficacy of HemicellHT (endo-1,4- α -mannanase) as a feed additive for chickens for fattening, chickens reared for laying, turkey for fattening, turkeys reared for breeding, weaned piglets, pigs for fattening and minor poultry and porcine species. <i>EFSA Journal</i> , 2017 , 15, e04677	2.3	2
486	Safety and efficacy of D2/CSL (CECT 4529) as a feed additive for chickens for fattening. <i>EFSA Journal</i> , 2017 , 15, e04762	2.3	2
485	Safety and efficacy of Beltherm MP/ML (endo-1,4-beta-xylanase) as a feed additive for chickens for fattening, chickens reared for laying, turkeys for fattening, turkeys reared for breeding, turkeys for breeding purposes and minor poultry species. <i>EFSA Journal</i> , 2019 , 17, e05609	2.3	2
484	Safety and efficacy of Robenz 66G (robenidine hydrochloride) for chickens for fattening and turkeys for fattening. <i>EFSA Journal</i> , 2019 , 17, e05613	2.3	2
483	Safety and efficacy of muramidase from DSM 32338 as a feed additive for turkeys for fattening, turkeys reared for breeding, chickens reared for breeding and other poultry species reared for breeding. <i>EFSA Journal</i> , 2019 , 17, e05686	2.3	2
482	Assessment of the application for renewal of authorisation of Bactocell (CNCM I-4622) as a feed additive for weaned piglets, pigs for fattening, minor porcine species (weaned and for fattening), chickens for fattening, laying hens and minor avian species for fattening and for laying and its extension of use to all growing pigs and all avian species. <i>EFSA Journal</i> , 2019 , 17, e05690	2.3	2
481	Safety and efficacy of lutein and lutein/zeaxanthin extracts from for poultry for fattening and laying (except turkeys). <i>EFSA Journal</i> , 2019 , 17, e05698	2.3	2
480	Assessment of the application for renewal of authorisation of Natugrain Wheat TS and TS L (endo-1,4-beta-xylanase) as a feed additive for chickens for fattening, ducks, turkeys for fattening, turkeys reared for breeding, minor avian species (except ducks and laying birds) and ornamental birds. <i>EFSA Journal</i> , 2019 , 17, e05652	2.3	2
479	Safety and efficacy of 3-phytase FSF10000 as a feed additive for chickens for fattening or reared for laying, laying hens and minor poultry species. <i>EFSA Journal</i> , 2019 , 17, e05543	2.3	2
478	Safety and efficacy of a molybdenum compound (E7) sodium molybdate dihydrate as feed additive for sheep based on a dossier submitted by Trouw Nutrition International B.V. <i>EFSA Journal</i> , 2019 , 17, e05606	2.3	2
477	Safety and efficacy of Deccox (decoquinate) for chickens for fattening. <i>EFSA Journal</i> , 2019 , 17, e05541	2.3	2
476	Safety and efficacy of 8-mercapto--menthan-3-one and -menth-1-ene-8-thiol belonging to chemical group 20 when used as flavourings for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05530	2.3	2
475	Safety and efficacy of Actisaf Sc47 (CNCM I-4407) as a feed additive for cattle for fattening, dairy cows, weaned piglets and sows. <i>EFSA Journal</i> , 2019 , 17, e05600	2.3	2
474	Safety and efficacy of l-threonine produced by fermentation with ????? for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05603	2.3	2
473	Safety and efficacy of Bonvital (, DSM 7134) as an additive in water for drinking for sows. <i>EFSA Journal</i> , 2019 , 17, e05612	2.3	2

472	Safety and efficacy of thiazoles, thiophene and thiazoline belonging to chemical group 29 when used as flavourings for all animal species. <i>EFSA Journal</i> , 2016 , 14, e04441	2.3	2
471	Safety and efficacy of aromatic ketones, secondary alcohols and related esters belonging to chemical group 21 when used as flavourings for all animal species. <i>EFSA Journal</i> , 2016 , 14, e04557	2.3	2
470	Modification of the terms of the authorisation regarding the formulation of Maxiban [®] G160 (narasin and nicarbazin) for chickens for fattening. <i>EFSA Journal</i> , 2016 , 14, e04614	2.3	2
469	Safety and efficacy of Biacton (CNCM I-3740) as a feed additive for chickens for fattening, turkeys for fattening and laying hens. <i>EFSA Journal</i> , 2020 , 18, e06083	2.3	2
468	Safety and efficacy of OptiPhos PLUS for poultry species for fattening, minor poultry species reared for breeding and ornamental birds. <i>EFSA Journal</i> , 2020 , 18, e06141	2.3	2
467	Safety and efficacy of a dried aqueous ethanol extract of L. leaves when used as a sensory additive for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06016	2.3	2
466	Safety and efficacy of 4-phenylbut-3-en-2-one and benzophenone belonging to chemical group 21 when used as flavouring compounds for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06017	2.3	2
465	Safety and efficacy of IMP (disodium 5?-inosinate) produced by fermentation with <i>Corynebacterium stationis</i> KCCM 80161 for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06140	2.3	2
464	Safety and efficacy of AvailaCr (chromium chelate of DL-methionine) as a feed additive for dairy cows. <i>EFSA Journal</i> , 2020 , 18, e06026	2.3	2
463	Safety and efficacy of APSA PHYTAFEED 20,000 GR/L (6-phytase) as a feed additive for pigs for fattening. <i>EFSA Journal</i> , 2020 , 18, e05979	2.3	2
462	Safety and efficacy of l-glutamine produced using NITE BP-02524 for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06075	2.3	2
461	Safety and efficacy of Avatec 150G (lasalocid A sodium) for chickens for fattening and chickens reared for laying, and modification of the terms of authorisation for chickens for fattening, chickens reared for laying, turkeys for fattening, minor avian species (pheasants, guinea fowl, quails and guinea pig). <i>EFSA Journal</i> , 2017 , 15, e04857	2.3	2
460	Safety and efficacy of HOSTAZYM X (endo-1,4- α -xylanase) as a feed additive for carps. <i>EFSA Journal</i> , 2017 , 15, e04942	2.3	2
459	Safety and efficacy of AviMatrix (benzoic acid, calcium formate and fumaric acid) for chickens for fattening, chickens reared for laying, minor avian species for fattening and minor avian species reared to point of lay. <i>EFSA Journal</i> , 2017 , 15, e05025	2.3	2
458	Fatty acid profile, somatic cell count and microbiological quality of total machine milk and hand stripped milk of Chios ewes. <i>Mljekarstvo</i> , 2017 , 146-154	0.5	2
457	Safety and efficacy of BIOSTRONG [®] 510 (essential oil of thyme and star anise) for chickens and minor avian species for fattening and rearing to point of lay. <i>EFSA Journal</i> , 2016 , 14, e04351	2.3	2
456	Safety and efficacy of manganese hydroxychloride as feed additive for all animal species. <i>EFSA Journal</i> , 2016 , 14, e04474	2.3	2
455	Safety and efficacy of 3-phytase FLF1000 as a feed additive for chickens for fattening and laying hens. <i>EFSA Journal</i> , 2016 , 14, e04622	2.3	2

454	Safety and efficacy of KCCM 10673P and KCTC 10258BP when used as a technological feed additive for all animal species. <i>EFSA Journal</i> , 2018 , 16, e05275	2.3	2
453	Safety and efficacy of l-histidine monohydrochloride monohydrate produced using KCCM 80179 for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05784	2.3	2
452	Safety of an essential oil from subsp. (Link) letsw. var. Vulkan when used as a sensory additive in feed for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05794	2.3	2
451	Safety and efficacy of copper chelates of lysine and glutamic acid as a feed additive for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05728	2.3	2
450	Safety and efficacy of l-histidine monohydrochloride monohydrate produced by fermentation with (NITE BP-02526) for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05785	2.3	2
449	Safety and efficacy of 3-phytase FLF1000 as a feed additive for pigs for fattening and minor porcine species for growing. <i>EFSA Journal</i> , 2019 , 17, e05791	2.3	2
448	Safety and efficacy of a tincture derived from L. (Mugwort tincture) when used as a sensory additive in feed for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05879	2.3	2
447	Scientific Opinion on the safety and efficacy of copper chelate of L-lysinate-HCl as feed additive for all animal species. <i>EFSA Journal</i> , 2014 , 12, 3796	2.3	2
446	Scientific Opinion on the safety and efficacy of CRINA [®] Poultry Plus (benzoic acid, thymol, eugenol and piperine) as a feed additive for chickens for fattening, chickens reared for laying and minor poultry species for fattening and reared for laying. <i>EFSA Journal</i> , 2014 , 12, 3896	2.3	2
445	Scientific Opinion on the safety and efficacy of disodium 5'-ribonucleotides, disodium 5'-guanylate, disodium 5'-inosinate for all animal species and categories. <i>EFSA Journal</i> , 2014 , 12, 3606	2.3	2
444	Safety and efficacy of microorganism DSM 11798 as a technological additive for all avian species. <i>EFSA Journal</i> , 2017 , 15, e04676	2.3	2
443	Safety and efficacy of RONOZYMEWX (endo-1,4-β-xylanase) as a feed additive for laying hens. <i>EFSA Journal</i> , 2017 , 15, e05020	2.3	2
442	Safety and efficacy of l-arginine produced by KCCM 80099 for all animal species. <i>EFSA Journal</i> , 2017 , 15, e04858	2.3	2
441	Safety and efficacy of LevucellSB (CNCM 1-1079) as a feed additive for chickens for fattening and minor poultry species. <i>EFSA Journal</i> , 2017 , 15, e04674	2.3	2
440	Scientific Opinion on the safety and efficacy of Rovabio [®] Spiky (endo-1,4-beta-xylanase and endo-1,3(4)-beta-glucanase) as a feed additive for turkeys and minor poultry species for fattening or reared for laying or breeding. <i>EFSA Journal</i> , 2015 , 13, 4106	2.3	2
439	Scientific Opinion on the modification of the terms of the authorisation of OPTIPHOS [®] (6-phytase) as a feed additive for pigs for fattening. <i>EFSA Journal</i> , 2015 , 13, 4200	2.3	2
438	Scientific Opinion on the safety and efficacy of zinc chelate of L-lysinate-HCl as feed additive for all animal species. <i>EFSA Journal</i> , 2015 , 13, 4267	2.3	2
437	Scientific Opinion on the safety and efficacy of sorbic acid and potassium sorbate when used as technological additives for all animal species based on two dossiers from Nutrinova Nutrition Specialties & Food Ingredients GmbH. <i>EFSA Journal</i> , 2015 , 13, 4239	2.3	2

436	Safety of Allura Red AC in feed for cats and dogs. <i>EFSA Journal</i> , 2015 , 13, 4270	2.3	2
435	Scientific Opinion on the safety and efficacy of AviMatrix [®] (benzoic acid, calcium formate and fumaric acid) for chickens for fattening, chickens reared for laying, minor avian species for fattening and minor avian species reared to point of lay. <i>EFSA Journal</i> , 2015 , 13, 3794	2.3	2
434	Scientific Opinion on the safety and efficacy of Provita LE (Enterococcus faecium and Lactobacillus rhamnosus) as a feed additive for calves for rearing. <i>EFSA Journal</i> , 2013 , 11, 3175	2.3	2
433	Scientific Opinion on the safety and efficacy of Amylofeed [®] (endo-1, 3(4)-beta-glucanase, endo-1, 4-beta-xylanase and alpha-amylase) as a feed additive for piglets and young minor porcine species. <i>EFSA Journal</i> , 2013 , 11, 3430	2.3	2
432	Scientific Opinion on the safety and efficacy of orthophosphoric acid for all animal species. <i>EFSA Journal</i> , 2013 , 11, 3043	2.3	2
431	Scientific Opinion on the safety and efficacy of betaine anhydrous as a feed additive for all animal species based on a dossier submitted by Trouw Nutritional International B.V.. <i>EFSA Journal</i> , 2013 , 11, 3211	2.3	2
430	Scientific Opinion on the safety and efficacy of Saccharomyces cerevisiae (NBRC 0203), Lactobacillus plantarum (NBRC 3070) and Lactobacillus casei (NBRC 3425) as a silage additive for all species. <i>EFSA Journal</i> , 2013 , 11, 3362	2.3	2
429	Scientific Opinion on Rovabio [®] Excel (endo-1, 3(4)-beta-glucanase and endo-1, 4-beta-xylanase) as a feed additive for chickens and turkeys for fattening, laying hens, piglets (weaned) and pigs for fattening, ducks, guinea fowls, quails, geese, pheasants and pigeons. <i>EFSA Journal</i> , 2013 , 11, 3321	2.3	2
428	The use of extruded chickpeas in diets for growing-finishing pigs. <i>Czech Journal of Animal Science</i> , 2011 , 51, 334-342	1.1	2
427	Effect of supplemental dietary biotin on performance of lactating ewes. <i>Animal Feed Science and Technology</i> , 2006 , 130, 268-276	3	2
426	Presence of endoparasites in the Greek buffalo (Bubalus bubalis) from Northern Greece. <i>Journal of the Hellenic Veterinary Medical Society</i> , 2018 , 69, 999	1.6	2
425	Safety and efficacy of a feed additive consisting of 3-nitrooxypropanol (Bovaer 10) for ruminants for milk production and reproduction (DSM Nutritional Products Ltd). <i>EFSA Journal</i> , 2021 , 19, e06905	2.3	2
424	Assessment of a feed additive consisting of all-rac-alpha-tocopheryl acetate (vitamin E) for all animal species for the renewal of its authorisation (Jilin Beisha Pharmaceutical Co., Ltd).. <i>EFSA Journal</i> , 2021 , 19, e06974	2.3	2
423	Scientific Opinion on the safety and efficacy of vitamin C (ascorbic acid and sodium calcium ascorbyl phosphate) as a feed additive for all animal species based on a dossier submitted by VITAC EEIG. <i>EFSA Journal</i> , 2013 , 11, 3103	2.3	2
422	Safety and efficacy of L-lysine monohydrochloride and concentrated liquid L-lysine (base) produced by fermentation with KCTC 12307BP as feed additives for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06333	2.3	2
421	Safety of potassium diformate (FormiLHS) as a feed additive for sows, from ADDCON EUROPE GmbH. <i>EFSA Journal</i> , 2020 , 18, e06339	2.3	2
420	Opinion on the impact of non-monotonic dose responses on EFSA's human health risk assessments. <i>EFSA Journal</i> , 2021 , 19, e06877	2.3	2
419	Safety and efficacy of Sorbiflore [®] ADVANCE (Lactobacillus rhamnosus CNCM I-3698 and Lactobacillus farciminis CNCM I-3699) as a feed additive for chickens for fattening. <i>EFSA Journal</i> , 2020 , 18, e06080	2.3	2

418	Safety and efficacy of PB6 (ATCC PTA-6737) as a feed additive for chickens for fattening, chickens reared for laying, minor poultry species (except for laying purposes), ornamental, sporting and game birds. <i>EFSA Journal</i> , 2020 , 18, e06280	2.3	2
417	Assessment of the application for renewal of authorisation of Biosprint (MUCL 39885) as a feed additive for weaned piglets. <i>EFSA Journal</i> , 2020 , 18, e06284	2.3	2
416	Statement on the safety and efficacy of phosphoric acid 60% on silica carrier (UD60) for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06064	2.3	2
415	Safety and efficacy of BioWorma (NCIMB 30336) as a feed additive for all grazing animals. <i>EFSA Journal</i> , 2020 , 18, e06208	2.3	2
414	Safety and efficacy of Avatec 150G (lasalocid A sodium) as a feed additive for chickens for fattening and chickens reared for laying. <i>EFSA Journal</i> , 2020 , 18, e06202	2.3	2
413	Safety of 3-phytase FLF1000 and FSF10000 as a feed additive for pigs for fattening and minor growing porcine species. <i>EFSA Journal</i> , 2020 , 18, e06205	2.3	2
412	Safety and efficacy of microcrystalline cellulose for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06209	2.3	2
411	Safety and efficacy of methyl cellulose for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06212	2.3	2
410	Assessment of the application for renewal of authorisation of l-histidine monohydrochloride monohydrate produced with NITE SD 00268 for salmonids and its extension of use to other fin fish. <i>EFSA Journal</i> , 2020 , 18, e06072	2.3	2
409	Safety and efficacy of Sorbiflore [®] ADVANCE (Lactobacillus rhamnosus CNCM I-3698 and Lactobacillus farciminis CNCM I-3699) as a feed additive for weaned piglets. <i>EFSA Journal</i> , 2020 , 18, e06081	2.3	2
408	Safety and efficacy of l-valine produced by fermentation using CGMCC 7.358 as a feed additive for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06286	2.3	2
407	Safety and efficacy of the feed additive consisting of Vitamin B/Riboflavin produced by CCTCCM 2019833 for all animal species (Hubei Guangji Pharmaceutical Co., Ltd). <i>EFSA Journal</i> , 2021 , 19, e06462	2.3	2
406	Safety of the feed additive consisting of manganese chelates of lysine and glutamic acid for all animal species (Zinpro Animal Nutrition). <i>EFSA Journal</i> , 2021 , 19, e06454	2.3	2
405	Safety and efficacy of a feed additive consisting of a dried extract from (L.) Roxb. for use in cats and dogs (C.I.A.M.). <i>EFSA Journal</i> , 2021 , 19, e06444	2.3	2
404	Safety of the feed additives consisting of l-lysine monohydrochloride and l-lysine sulfate produced by CCTCC M 2015595 for all animal species (Kempex Holland B. V.). <i>EFSA Journal</i> , 2021 , 19, e06520	2.3	2
403	Safety and efficacy of the feed additives concentrated liquid l-lysine (base) and l-lysine monohydrochloride produced by KCCM 80183 for all animal species (CJ Europe GmbH). <i>EFSA Journal</i> , 2021 , 19, e06537	2.3	2
402	Safety and efficacy of a feed additive consisting of titanium dioxide for all animal species (Titanium Dioxide Manufacturers Association). <i>EFSA Journal</i> , 2021 , 19, e06630	2.3	2
401	Safety and efficacy of Belfeed B MP/ML (endo-1,4-beta-xylanase) as feed additive for poultry, piglets (weaned) and pigs for fattening. <i>EFSA Journal</i> , 2016 , 14, e04562	2.3	2

400	Safety and efficacy of Enviva [®] PRO 202 GT (<i>Bacillus amyloliquefaciens</i> PTA-6507, <i>Bacillus amyloliquefaciens</i> NRRL B-50013 and <i>Bacillus amyloliquefaciens</i> NRRL B-50104) for chickens for fattening, chickens reared for laying and minor poultry species for fattening and to point of lay. <i>EFSA Journal</i> , 2016 , 14, e04505	2.3	2
399	Safety and efficacy of <i>Lactobacillus diolivorans</i> DSM 32074 as a silage additive for all animal species. <i>EFSA Journal</i> , 2016 , 14, e04556	2.3	2
398	Safety of Lancer (lanthanide citrate) as a zootechnical additive for weaned piglets. <i>EFSA Journal</i> , 2016 , 14, e04477	2.3	2
397	Safety and efficacy of inositol as nutritional additive for dogs and cats. <i>EFSA Journal</i> , 2016 , 14, e04511	2.3	2
396	Safety and efficacy of Diarr-Stop S Plus [®] (Na ₂ EDTA, tannin-rich extract of <i>Castanea sativa</i> , thyme oil and oregano oil) as a feed additive for pigs for fattening. <i>EFSA Journal</i> , 2016 , 14, e04472	2.3	2
395	Safety and efficacy of tartrazine (E102) for cats and dogs, ornamental fish, grain-eating ornamental birds and small rodents. <i>EFSA Journal</i> , 2016 , 14, e04613	2.3	2
394	Safety and efficacy of BioPlus 2B [®] (<i>Bacillus subtilis</i> DSM 5750 and <i>Bacillus licheniformis</i> DSM 5749) as a feed additive for sows, piglets, pigs for fattening, turkeys for fattening and calves. <i>EFSA Journal</i> , 2016 , 14, e04558	2.3	2
393	Safety and efficacy of a natural mixture of dolomite plus magnesite and magnesium-phyllosilicates (Fluidol) as feed additive for all animal species. <i>EFSA Journal</i> , 2016 , 14, 4341	2.3	2
392	Safety and efficacy of Natugrain [®] TS (endo-1,4- α -xylanase and endo-1,4- β -glucanase) for chickens for fattening. <i>EFSA Journal</i> , 2016 , 14, 4347	2.3	2
391	Safety and efficacy of methylester of conjugated linoleic acid (t10,c12 isomer) for pigs for fattening, sows and cows. <i>EFSA Journal</i> , 2016 , 14, 4348	2.3	2
390	Safety and efficacy of APSA PHYTAFEED 20,000 GR/L (6-phytase) as a feed additive for turkeys for fattening, turkeys reared for breeding and minor poultry species. <i>EFSA Journal</i> , 2019 , 17, e05893	2.3	2
389	Assessment of the application for renewal of authorisation of ECONASEXT (endo-1,4- α -xylanase) as a feed additive for piglets (weaned), chickens for fattening, chickens reared for laying, turkeys for fattening and turkeys reared for breeding. <i>EFSA Journal</i> , 2019 , 17, e05880	2.3	2
388	Safety for the environment of Monimax (monensin sodium and nicarbazin) for chickens for fattening, chickens reared for laying and for turkeys for fattening. <i>EFSA Journal</i> , 2019 , 17, e05888	2.3	2
387	Assessment of the application for renewal of authorisation of FormiLHS (potassium diformate) for sows. <i>EFSA Journal</i> , 2020 , 18, e06024	2.3	2
386	Safety and efficacy of ponceau 4R for cats, dogs and ornamental fish. <i>EFSA Journal</i> , 2018 , 16, e05222	2.3	2
385	Safety and efficacy of ECONASE XT (endo-1,4- α -xylanase) as a feed additive for laying hens. <i>EFSA Journal</i> , 2018 , 16, e05216	2.3	2
384	Safety and efficacy of Hemicell HT (endo-1,4- β -mannanase) as a feed additive for chickens for fattening, chickens reared for laying, turkey for fattening, turkeys reared for breeding, weaned piglets, pigs for fattening and minor poultry and porcine species. <i>EFSA Journal</i> , 2018 , 16, e05270	2.3	2
383	Safety and efficacy of ECONASE XT (endo-1,4- α -xylanase) as a feed additive for pigs for fattening. <i>EFSA Journal</i> , 2018 , 16, e05217	2.3	2

382	Safety and efficacy of D2/CSL (CECT 4529) as a feed additive for cats and dogs. <i>EFSA Journal</i> , 2018 , 16, e05278	2.3	2
381	Safety and efficacy of Taminizer D (dimethylglycine sodium salt) as a feed additive for chickens for fattening. <i>EFSA Journal</i> , 2018 , 16, e05268	2.3	2
380	Efficacy of (NBRC 0203), (NBRC 3070) and (NBRC 3425) as a silage additive for all species. <i>EFSA Journal</i> , 2017 , 15, e04704	2.3	1
379	Safety and efficacy of CNCM I-4785 as a silage additive for all animal species. <i>EFSA Journal</i> , 2017 , 15, e04758	2.3	1
378	Safety and efficacy of HOSTAZYM X (endo-1,4-xylanase) as a feed additive for chickens reared for laying and minor poultry species reared for laying. <i>EFSA Journal</i> , 2017 , 15, e04708	2.3	1
377	Safety and efficacy of OPTIPHOS (6-phytase) as a feed additive for finfish. <i>EFSA Journal</i> , 2017 , 15, e04763	2.3	1
376	Assessment of the application for renewal of authorisation of Lantharenol (lanthanum carbonate octahydrate) for cats. <i>EFSA Journal</i> , 2019 , 17, e05542	2.3	1
375	Assessment of the application for renewal of authorisation of PHYZYMEXP 5000 G/L (6-phytase) for chickens for fattening, laying hens, turkeys for fattening, ducks for fattening, weaned piglets, pigs for fattening and sows for reproduction. <i>EFSA Journal</i> , 2019 , 17, e05701	2.3	1
374	Assessment of the application for renewal of the authorisation of PHYZYMEXP 10000 TPT/L (6-phytase) as a feed additive for all avian species and all swine species. <i>EFSA Journal</i> , 2019 , 17, e05702	2.3	1
373	Safety and efficacy of benzoic acid as a technological feed additive for weaned piglets and pigs for fattening. <i>EFSA Journal</i> , 2019 , 17, e05527	2.3	1
372	Efficacy of a preparation of algae interspaced bentonite as a feed additive for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05604	2.3	1
371	Safety and efficacy of l-leucine produced by fermentation with NITE BP-02351 for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05689	2.3	1
370	Efficacy of NBRC 0203, NBRC 3070 and NBRC 3425 as a technological additive (silage additive) for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05700	2.3	1
369	Safety and efficacy of l-threonine produced by fermentation with ????? for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05602	2.3	1
368	Assessment of the application for renewal of the authorisation of Natuphos (3-phytase) as a feed additive for poultry and pigs. <i>EFSA Journal</i> , 2019 , 17, e05640	2.3	1
367	Modification of the terms of the authorisation of Natuphos E as a feed additive for chickens for fattening or reared for laying/breeding. <i>EFSA Journal</i> , 2019 , 17, e05607	2.3	1
366	Safety and efficacy of Beltherm MP/ML (endo-1,4-beta-xylanase) as a feed additive for piglets, pigs for fattening and other porcine species. <i>EFSA Journal</i> , 2019 , 17, e05610	2.3	1
365	Safety and efficacy of Cinergy Life B3 HiCon (NRRL B-50508, NRRL B-50509 and B-50510) as a feed additive for pigs for fattening and minor porcine species. <i>EFSA Journal</i> , 2019 , 17, e05647	2.3	1

364	Safety and efficacy of Bonvital (DSM 7134) as a feed additive for laying hens. <i>EFSA Journal</i> , 2020 , 18, e06277	2.3	1
363	Safety and Efficacy of l-histidine monohydrochloride monohydrate produced by fermentation using KCCM 80212 as a feed additive for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06287	2.3	1
362	Safety and efficacy of Nimicoat (carvacrol) as a zootechnical additive for weaned piglets. <i>EFSA Journal</i> , 2020 , 18, e06070	2.3	1
361	Safety and efficacy of Capsozyme SB Plus (β-galactosidase and endo-1,4-β-xylanase) as a feed additive for poultry species for fattening or reared for laying and ornamental birds. <i>EFSA Journal</i> , 2020 , 18, e06086	2.3	1
360	Safety and efficacy of Manganese chelates of lysine and glutamic acid as feed additive for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06001	2.3	1
359	Safety and efficacy of l-tryptophan produced by fermentation using CGMCC 7.267 for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06013	2.3	1
358	Safety and efficacy of turmeric extract, turmeric oil, turmeric oleoresin and turmeric tincture from L. rhizome when used as sensory additives in feed for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06146	2.3	1
357	Safety and efficacy of TechnoSpore (DSM 32016) for piglets, other growing Suidae, chickens for fattening, other poultry for fattening and ornamental birds. <i>EFSA Journal</i> , 2020 , 18, e06158	2.3	1
356	Safety and efficacy of OptiPhosPLUS (6 phytase) for laying hens, turkeys for breeding, chickens for breeding, minor poultry species for egg production purposes and breeding. <i>EFSA Journal</i> , 2020 , 18, e06163	2.3	1
355	Safety of l-tryptophan produced using CGMCC 11674 for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06168	2.3	1
354	Safety and efficacy of FSF10000 and FLF1000 (3-phytase) as a feed additive for turkeys for fattening or reared for breeding, pigs for fattening and minor porcine species. <i>EFSA Journal</i> , 2020 , 18, e06015	2.3	1
353	Safety and efficacy of l-cysteine hydrochloride monohydrate produced by fermentation using KCCM 80180 and KCCM 80181 as a flavouring additive for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06003	2.3	1
352	Efficacy of Liderfeed (eugenol) for chickens for fattening. <i>EFSA Journal</i> , 2017 , 15, e04931	2.3	1
351	Safety and efficacy of NRRL B-50733 as a silage additive for all animal species. <i>EFSA Journal</i> , 2017 , 15, e04934	2.3	1
350	Safety and efficacy of Alterion NE (DSM 29784) as a feed additive for chickens for fattening and chickens reared for laying. <i>EFSA Journal</i> , 2017 , 15, e04933	2.3	1
349	Safety and efficacy of Amylofeed (endo-1,3(4)-β-glucanase and endo-1,4-β-xylanase and α-amylase) as a feed additive for piglets and minor porcine species. <i>EFSA Journal</i> , 2017 , 15, e04856	2.3	1
348	Safety and efficacy of (NCIMB 30229) as a silage additive for all animal species. <i>EFSA Journal</i> , 2017 , 15, e04860	2.3	1
347	Safety and efficacy of VevoVital (benzoic acid) as feed additive for minor porcine species. <i>EFSA Journal</i> , 2017 , 15, e05026	2.3	1

346	Safety and efficacy of 'DSM'28872 as a silage additive for all animal species. <i>EFSA Journal</i> , 2017 , 15, e04703	2.3	1
345	Safety of cassia gum as a feed additive for dogs and cats based on a dossier submitted by Intercolloid (UK) Ltd. <i>EFSA Journal</i> , 2017 , 15, e04709	2.3	1
344	Safety and efficacy of benzoic acid for pigs and poultry. <i>EFSA Journal</i> , 2018 , 16, e05210	2.3	1
343	Safety and efficacy of DSM 32291 as a silage additive for all animal species. <i>EFSA Journal</i> , 2018 , 16, e05203	2.3	1
342	Safety and efficacy of lecithins for all animal species. <i>EFSA Journal</i> , 2016 , 14, e04561	2.3	1
341	Safety and efficacy of Bactocell PA (<i>Pediococcus acidilactici</i> CNCM MA'18/5M) for pigs for fattening, minor porcine species, chickens for fattening and minor avian species. <i>EFSA Journal</i> , 2016 , 14, e04483	2.3	1
340	Safety and efficacy of zinc chelates of lysine and glutamic acid as feed additive for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05782	2.3	1
339	Safety and efficacy of Natuphos E (6-phytase) as a feed additive for laying hens, minor poultry and other avian species for laying. <i>EFSA Journal</i> , 2019 , 17, e05789	2.3	1
338	Safety and efficacy of AviPlus as a feed additive for turkeys for fattening, turkeys reared for breeding and suckling piglets. <i>EFSA Journal</i> , 2019 , 17, e05795	2.3	1
337	Assessment of the application for renewal of authorisation of l-arginine produced by fermentation using NITE SD 00285 for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05720	2.3	1
336	Safety and efficacy of FRA Octazyme C Dry (endo-1,4- α -xylanase, mannan-endo-1,4- α -mannosidase, α -amylase, endo-1,3(4)- α -glucanase, pectinase, endo-1,4- α -glucanase, protease, β -galactosidase) as a feed additive for weaned piglets and chickens for fattening. <i>EFSA Journal</i> , 2019 , 17, e05730	2.3	1
335	Safety and efficacy of iron chelates of lysine and glutamic acid as feed additive for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05792	2.3	1
334	Scientific Opinion on the safety and efficacy of <i>Pediococcus pentosaceus</i> (NCIMB 30068) as a silage additive for all animal species. <i>EFSA Journal</i> , 2014 , 12, 3609	2.3	1
333	Scientific Opinion on the safety and efficacy of Miya-Gold [®] (<i>Clostridium butyricum</i>) for turkeys for fattening and turkeys reared for breeding. <i>EFSA Journal</i> , 2014 , 12, 3603	2.3	1
332	Scientific Opinion on the safety and efficacy of <i>Pediococcus pentosaceus</i> (NCIMB 30044) as a silage additive for all animal species. <i>EFSA Journal</i> , 2014 , 12, 3610	2.3	1
331	Scientific Opinion on the safety and efficacy of <i>Lactobacillus paracasei</i> (NCIMB 30151) as a silage additive for all animal species. <i>EFSA Journal</i> , 2014 , 12, 3611	2.3	1
330	Scientific Opinion on the safety and efficacy of <i>Lactobacillus plantarum</i> (DSMZ 16627) as a silage additive for all animal species. <i>EFSA Journal</i> , 2014 , 12, 3612	2.3	1
329	Scientific Opinion on the safety and efficacy of Oralin [®] (<i>Enterococcus faecium</i>) as a feed additive for calves for rearing, piglets, chickens for fattening, turkeys for fattening and dogs. <i>EFSA Journal</i> , 2014 , 12, 3727	2.3	1

328	Scientific Opinion on the safety for the target animals and for the users of selenium in the form of organic compounds produced by the selenium-enriched yeast <i>Saccharomyces cerevisiae</i> NCYC R645 (SelenoSource AF 2000) for all animal species. <i>EFSA Journal</i> , 2014 , 12, 3797	2.3	1
327	Scientific Opinion on the modification of the terms of authorisation of Avi-Deccox [®] 60G (decoquinatate) for chickens for fattening. <i>EFSA Journal</i> , 2014 , 12, 3905	2.3	1
326	Scientific Opinion on the safety and efficacy of sodium bisulphate (SBS) for all species as preservative and silage additive. <i>EFSA Journal</i> , 2014 , 12, 3731	2.3	1
325	Safety and efficacy of natural mixture of illite, montmorillonite and kaolinite for all animal species. <i>EFSA Journal</i> , 2017 , 15, e04940	2.3	1
324	Safety and nutritional value of a dried killed bacterial biomass from (FERM BP-10941) (PL73 (LM)) as a feed material for pigs, ruminants and salmonids. <i>EFSA Journal</i> , 2017 , 15, e04935	2.3	1
323	Safety and efficacy of selenium-enriched yeast (CNCM I-3399) for all animal species. <i>EFSA Journal</i> , 2017 , 15, e04937	2.3	1
322	Safety and efficacy of zinc chelate of methionine sulfate for all animal species. <i>EFSA Journal</i> , 2017 , 15, e04859	2.3	1
321	Safety of natural mixture of dolomite plus magnesite and magnesium-phyllsilicates (Fluidol) for all animal species. <i>EFSA Journal</i> , 2017 , 15, e04711	2.3	1
320	Safety and efficacy of LevucellSC (CNCM I-1077) as a feed additive for dairy cows, cattle for fattening, minor ruminant species and camelids. <i>EFSA Journal</i> , 2017 , 15, e04944	2.3	1
319	Safety of cassia gum as a feed additive for dogs and cats based on a dossier submitted by Glycomer GmbH. <i>EFSA Journal</i> , 2017 , 15, e04710	2.3	1
318	Assessment of the application for renewal of authorisation of VevoVitall (benzoic acid) as feed additive for weaned piglets and pigs for fattening. <i>EFSA Journal</i> , 2017 , 15, e05093	2.3	1
317	Scientific Opinion on the safety and efficacy of Suilectin [®] (Phaseolus vulgaris lectins) as a zootechnical additive for suckling piglets (performance enhancer). <i>EFSA Journal</i> , 2015 , 13, 3903	2.3	1
316	Scientific Opinion on the safety and efficacy of Biomin [®] C3 (Bifidobacterium animalis ssp. animalis, Lactobacillus salivarius ssp. salivarius and Enterococcus faecium) as feed additive for chickens for fattening, chickens reared for laying and minor avian. <i>EFSA Journal</i> , 2015 , 13, 3966	2.3	1
315	Scientific Opinion on the safety of Solanum glaucophyllum standardised leaves as feed material. <i>EFSA Journal</i> , 2015 , 13, 3967	2.3	1
314	Scientific Opinion on the safety and efficacy of Cygro [®] 10G (maduramicin ammonium) for turkeys. <i>EFSA Journal</i> , 2015 , 13, 4013	2.3	1
313	Scientific Opinion on the safety and efficacy of Cibenza [®] EP150 (a preparation of Bacillus licheniformis (ATCC 53757) and its protease (EC 3.4.21.19)) as a feed additive for chickens for fattening, chickens reared for laying and minor avian species for fa. <i>EFSA Journal</i> , 2015 , 13, 4055	2.3	1
312	Scientific Opinion on complexation products of sodium tartrates with iron(III) chloride for all animal species and categories. <i>EFSA Journal</i> , 2015 , 13, 4114	2.3	1
311	Scientific Opinion on the safety and efficacy of Cylactin [®] (Enterococcus faecium NCIMB 10415) as a feed additive for pigs for fattening, piglets and sows. <i>EFSA Journal</i> , 2015 , 13, 4158	2.3	1

310	Update of the Scientific Opinion on the safety and efficacy of erythrosine in feed for cats, dogs, reptiles and ornamental fish. <i>EFSA Journal</i> , 2015 , 13, 4233	2.3	1
309	Scientific Opinion on the efficacy of Suilectin TM (Phaseolus vulgaris lectins) as a zootechnical additive for suckling piglets (performance enhancer). <i>EFSA Journal</i> , 2015 , 13, 4276	2.3	1
308	Efficacy of Friedland clay (montmorillonite–lite mixed layer clay) when used as a technological additive for all animal species. <i>EFSA Journal</i> , 2015 , 13, 4237	2.3	1
307	Scientific Opinion on the safety and efficacy of Bacillus subtilis KCCM 10673P and Aspergillus oryzae KCTC 10258BP as feed additives for all animal species. <i>EFSA Journal</i> , 2015 , 13, 4230	2.3	1
306	Scientific Opinion on the safety and efficacy of thiazoles, thiophene, thiazoline and thienyl derivatives (chemical group 29): 3-acetyl-2, 5-dimethylthiophene when used as a flavouring for all animal species. <i>EFSA Journal</i> , 2013 , 11, 3323	2.3	1
305	Scientific Opinion on the safety and efficacy of Lactobacillus brevis (DSM 23231), Lactobacillus buchneri (DSM 22501), Lactobacillus buchneri (NCIMB 40788) (NCM I-4323), Lactobacillus buchneri (ATCC PTA-6138) and Lactobacillus buchneri (ATCC PTA-2494) as silage additives for all species. <i>EFSA Journal</i> , 2013 , 11, 3168	2.3	1
304	Scientific Opinion on the safety of neohesperidine dihydrochalcone as a sensory additive for fish. <i>EFSA Journal</i> , 2014 , 12, 3669	2.3	1
303	Scientific Opinion on the safety and efficacy of Feedlyve AXC (endo-1, 4-beta-xylanase) as a feed additive for turkeys. <i>EFSA Journal</i> , 2012 , 10, 2843	2.3	1
302	Scientific Opinion on the safety and efficacy of Lactobacillus salivarius (CNCM I-3238) and Lactobacillus casei (ATCC PTA-6135) as silage additives for all species. <i>EFSA Journal</i> , 2012 , 10, 2884	2.3	1
301	Scientific Opinion on the safety and efficacy of Roxazyme G2 G/L (endo-1, 4-beta-xylanase, endo-1, 4-beta-glucanase and endo-1, (3)4-beta-glucanase) as a feed additive for poultry and piglets. <i>EFSA Journal</i> , 2012 , 10, 2930	2.3	1
300	Scientific Opinion on the safety and efficacy of AveMix XG 10 (endo-1, 4-beta-xylanase and endo-1, 3(4)-beta-glucanase) as a feed additive for turkeys for fattening. <i>EFSA Journal</i> , 2013 , 11, 3172	2.3	1
299	Scientific Opinion on the safety and efficacy of L-cystine for all animal species. <i>EFSA Journal</i> , 2013 , 11, 3173	2.3	1
298	Scientific Opinion on the safety and efficacy of Endofeed DC (endo-1, 3(4)-beta-glucanase and endo-1, 4-beta-xylanase) as a feed additive for chickens for fattening, laying hens, pigs for fattening and minor poultry and porcine species. <i>EFSA Journal</i> , 2013 , 11, 3322	2.3	1
297	Scientific Opinion on the safety and efficacy of Enterococcus faecium (NCIMB 10415, DSM 22502, ATCC 53519 and ATCC 55593) as silage additives for all animal species. <i>EFSA Journal</i> , 2013 , 11, 3363	2.3	1
296	Scientific opinion on the modification of authorisation of DeccoX (decoquinat) as feed additive for chickens for fattening. <i>EFSA Journal</i> , 2013 , 11, 3370	2.3	1
295	Scientific opinion on the safety and efficacy of manganese compounds (E5) as feed additives for all species: manganous oxide and manganous sulphate monohydrate, based on a dossier submitted by Eramet & Comilog Chemicals S.A. <i>EFSA Journal</i> , 2013 , 11, 3435	2.3	1
294	Scientific opinion on the safety and efficacy of AGal-Pro (alpha-galactosidase and endo-1, 4-beta-glucanase) as a feed additive for chickens reared for laying and minor poultry species for fattening. <i>EFSA Journal</i> , 2013 , 11, 3286	2.3	1
293	Effect of the dietary inclusion of the growth promoter avoparcin on the performance and carcass characteristics of growing quail. <i>Animal Feed Science and Technology</i> , 1997 , 65, 287-292	3	1

292	Efficacy of Cygro 10G (maduramicin ammonium) for turkeys. <i>EFSA Journal</i> , 2020 , 18, e06079	2.3	1
291	Safety and efficacy of l-cysteine monohydrochloride monohydrate produced by fermentation using KCCM 80109 and KCCM 80197 for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06101	2.3	1
290	Safety and efficacy of a feed additive consisting of DSM 15544 (Calsporin) for piglets (suckling and weaned), pigs for fattening, sows in order to have benefit in piglets, ornamental fish, dogs and all avian species (Asahi Biocycle Co.). <i>EFSA Journal</i> , 2021 , 19, e06903	2.3	1
289	Safety and efficacy of a feed additive consisting of (formerly) NCIMB 30121 for all animal species for the renewal of its authorisation (Lactosan GmbH & Co. KG). <i>EFSA Journal</i> , 2021 , 19, e06901	2.3	1
288	Safety and efficacy of a feed additive consisting of an aqueous extract of (L.) Osbeck (lemon extract) for use in all animal species (Nor-Feed SAS). <i>EFSA Journal</i> , 2021 , 19, e06893	2.3	1
287	Assessment of the application for renewal of authorisation of manganese chelate of hydroxy analogue of methionine for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06281	2.3	1
286	Efficacy of Levucell SB (CNCM I-1079) as a feed additive for weaned piglets. <i>EFSA Journal</i> , 2017 , 15, e04932	2.3	1
285	Safety of Lancer (lanthanide citrate) as a zootechnical additive for weaned piglets. <i>EFSA Journal</i> , 2019 , 17, e05912	2.3	1
284	Assessment of the application for renewal of the authorisation of Actisaf Sc 47 (CNCM I-4407) as a feed additive for calves for rearing. <i>EFSA Journal</i> , 2020 , 18, e06167	2.3	1
283	Safety and efficacy of l-lysine monohydrochloride and concentrated liquid l-lysine (base) produced by fermentation with KCCM 80216 as feed additive for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06334	2.3	1
282	Safety of 31 flavouring compounds belonging to different chemical groups when used as feed additives for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06338	2.3	1
281	Safety and efficacy of Correlink ABS747 (NRRL B-67257) as a feed additive for all growing poultry species. <i>EFSA Journal</i> , 2020 , 18, e06278	2.3	1
280	Assessment of the application for renewal of authorisation of pyridoxine hydrochloride (vitamin B) as a feed additive for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06289	2.3	1
279	Safety and efficacy of vermiculite as a feed additive for pigs, poultry, bovines, sheep, goats, rabbits and horses. <i>EFSA Journal</i> , 2020 , 18, e06160	2.3	1
278	Safety and efficacy of hydroxypropyl methyl cellulose for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06214	2.3	1
277	Safety and efficacy of ethyl cellulose for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06210	2.3	1
276	Safety and efficacy of hydroxypropyl cellulose for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06213	2.3	1
275	Safety and efficacy of l-tryptophan produced by fermentation with KCCM 10534 for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06071	2.3	1

274	Safety and efficacy of the feed additive consisting of DSM 28710 (B-Act) for laying hens, minor poultry species for laying, poultry species for breeding purposes and ornamental birds (HuvePharma N.V.). <i>EFSA Journal</i> , 2021 , 19, e06449	2.3	1
273	Safety and efficacy of a feed additive consisting of serine protease produced by DSM 19670 (Ronozyme ProAct) for chickens for fattening (DSM Nutritional Products Ltd.). <i>EFSA Journal</i> , 2021 , 19, e06448	2.3	1
272	Safety and efficacy of a feed additive consisting of manganese chelate of ethylenediamine for all animal species (Zinpro Animal Nutrition (Europe), Inc.). <i>EFSA Journal</i> , 2021 , 19, e06468	2.3	1
271	Safety and efficacy of a feed additive consisting of endo-1,4- α -xylanase produced by LMG S-15136 (Belfeed B MP/ML) for sows in order to have benefits in piglets and for all porcine species (Beldem, a division of Puratos NV). <i>EFSA Journal</i> , 2021 , 19, e06456	2.3	1
270	Safety and efficacy of a feed additive consisting of lasalocid A sodium and nicarbazin (Nilablend \square 200G) for chickens for fattening (Zoetis Belgium SA). <i>EFSA Journal</i> , 2021 , 19, e06466	2.3	1
269	Efficacy of the feed additive consisting of decoquinatate (Deccox) for use in chickens for fattening (Zoetis Belgium SA). <i>EFSA Journal</i> , 2021 , 19, e06453	2.3	1
268	Efficacy of the feed additive consisting of amprolium hydrochloride (COXAM) for use in chickens for fattening and chickens reared for laying (Huvepharma N.V.). <i>EFSA Journal</i> , 2021 , 19, e06457	2.3	1
267	Safety and efficacy of the feed additive consisting of l-tryptophan produced by KCCM 80210 for all animal species (Daesang Europe BV). <i>EFSA Journal</i> , 2021 , 19, e06425	2.3	1
266	Safety and efficacy of a feed additive consisting of l-valine produced by CGMCC 7.366 for all animal species (Ningxia Eppen Biotech Co., Ltd.). <i>EFSA Journal</i> , 2021 , 19, e06521	2.3	1
265	Safety and efficacy of a feed additive consisting of a preparation of benzoic acid, calcium formate and fumaric acid (AviMatrix Z) for all avian species other than laying birds (Novus Europe S.A. / N.V.). <i>EFSA Journal</i> , 2021 , 19, e06528	2.3	1
264	Safety and efficacy of a feed additive consisting of a dried extract from the roots of L. (dry extract) for use in cats and dogs (C.I.A.M.). <i>EFSA Journal</i> , 2021 , 19, e06527	2.3	1
263	Safety and efficacy of a feed additive consisting of copper chelate of ethylenediamine for all animal species (Zinpro Animal Nutrition (Europe), Inc.). <i>EFSA Journal</i> , 2021 , 19, e06541	2.3	1
262	Safety and efficacy of a feed additive consisting of endo-1,4- α -xylanase (ECONASEXT) produced by CBS 140027 as a feed additive for piglets (weaned), pigs for fattening, chickens for fattening, chickens reared for laying, laying hens, turkeys for fattening, turkeys reared for breeding and minor poultry species (Roal Oy). <i>EFSA Journal</i> , 2021 , 19, e06536	2.3	1
261	Assessment of a feed additive consisting of all-rac-alpha tocopheryl acetate (vitamin E) for all animal species for the renewal of its authorisation (DSM). <i>EFSA Journal</i> , 2021 , 19, e06529	2.3	1
260	Assessment of a feed additive consisting of all-rac-alpha tocopheryl acetate (vitamin E) for all animal species for the renewal of its authorisation (BASF SE). <i>EFSA Journal</i> , 2021 , 19, e06531	2.3	1
259	Assessment of a feed additive consisting of all-rac-alpha tocopheryl acetate (vitamin E) for all animal species for the renewal of its authorisation (EUROPE-ASIA Import Export GmbH). <i>EFSA Journal</i> , 2021 , 19, e06530	2.3	1
258	Safety and efficacy of a feed additive consisting of iron chelate of ethylenediamine for all animal species (Zinpro Animal Nutrition (Europe), Inc.). <i>EFSA Journal</i> , 2021 , 19, e06540	2.3	1
257	Assessment of a feed additive consisting of RRR-alpha-tocopheryl acetate (vitamin E) for all animal species for the renewal of its authorisation (Specialty Ingredients (Europe) B.V. and Vitae Caps S.A.). <i>EFSA Journal</i> , 2021 , 19, e06532	2.3	1

256	Safety and efficacy of a feed additive consisting on the bacteriophages PCM F/00069, PCM F/00070, PCM F/00071 and PCM F/00097 infecting Gallinarum B/00111 (Bafasal) for all avian species (Proteon Pharmaceuticals S.A.). <i>EFSA Journal</i> , 2021 , 19, e06534	2.3	1
255	Safety and efficacy of a feed additive consisting of l-histidine monohydrochloride monohydrate produced using NITE SD 00268 for all animal species (Kyowa Hakko Europe GmbH). <i>EFSA Journal</i> , 2021 , 19, e06622	2.3	1
254	Safety and efficacy of a feed additive consisting of an essential oil from the leaves of <i>L.</i> (petitgrain bigarade oil) for use in all animal species (FEFANA asbl). <i>EFSA Journal</i> , 2021 , 19, e06624	2.3	1
253	Safety and efficacy of an additive consisting of potassium diformate (FormiLHS) for piglets (weaned) and pigs for fattening (Addcon GmbH). <i>EFSA Journal</i> , 2021 , 19, e06617	2.3	1
252	Safety and efficacy of a feed additive consisting of acetic acid for all animal species. <i>EFSA Journal</i> , 2021 , 19, e06615	2.3	1
251	Safety and efficacy of a feed additive consisting of an essential oil from the fruits of (<i>Lour.</i>) Pers. (litsea berry oil) for use in all animal species (FEFANA asbl). <i>EFSA Journal</i> , 2021 , 19, e06623	2.3	1
250	Safety and efficacy of a feed additive consisting of disodium 5'-guanylate produced with KCCM 10530 and K-12 KFCC 11067 for all animal species (CJ Europe GmbH). <i>EFSA Journal</i> , 2021 , 19, e06619	2.3	1
249	Safety and efficacy of a feed additive consisting of expressed mandarin oil from the fruit peels of Blanco for use in all animal species (FEFANA asbl). <i>EFSA Journal</i> , 2021 , 19, e06625	2.3	1
248	Safety and efficacy of a feed additive consisting of (formerly) IMI 507026 for all animal species (ALL-TECHNOLOGY (IRELAND) LIMITED [Alltech Ireland]). <i>EFSA Journal</i> , 2021 , 19, e06703	2.3	1
247	Safety and efficacy of ROVABIO [®] SPIKY (endo-1,4-beta-xylanase and endo-1,3(4)-beta-glucanase) as a feed additive for all major and minor poultry species. <i>EFSA Journal</i> , 2016 , 14, e04510	2.3	1
246	Safety and efficacy of Axtra [®] PHY 20000 TPT2 (6-phytase) as a feed additive for poultry and porcine species. <i>EFSA Journal</i> , 2016 , 14, e04625	2.3	1
245	Safety and efficacy of dry grape extract when used as flavouring in water for drinking for all animal species and categories. <i>EFSA Journal</i> , 2016 , 14, e04627	2.3	1
244	Safety and efficacy of <i>Lactobacillus brevis</i> NCIMB 42149 as a silage additive for all animal species. <i>EFSA Journal</i> , 2016 , 14, e04616	2.3	1
243	Safety and efficacy of selenium-enriched yeast (<i>Saccharomyces cerevisiae</i> NCYC R397) for all animal species. <i>EFSA Journal</i> , 2016 , 14, e04624	2.3	1
242	Safety and efficacy of lecithins (Lipidol) for all animal species. <i>EFSA Journal</i> , 2016 , 14, e04560	2.3	1
241	Safety and efficacy of <i>Bacillus subtilis</i> DSM 28343 as a feed additive for chickens for fattening. <i>EFSA Journal</i> , 2016 , 14, e04507	2.3	1
240	Safety and efficacy of Amoklor (ammonium chloride) as a zootechnical additive for ruminants, cats and dogs. <i>EFSA Journal</i> , 2016 , 14, 4352	2.3	1
239	Safety and efficacy of pyridine and pyrrole derivatives belonging to chemical group 28 when used as flavourings for all animal species. <i>EFSA Journal</i> , 2016 , 14, 4390	2.3	1

238	Safety and efficacy of RONOZYME [®] HiPhos (6-phytase) as a feed additive for sows and fish. <i>EFSA Journal</i> , 2016 , 14, 4393	2.3	1
237	Safety and efficacy of a tincture derived from L. when used as a sensory additive in feed for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05910	2.3	1
236	Safety and efficacy of Belfeed B MP/ML (endo-1,4- α -xylanase) as a feed additive for sows, in order to have benefits in piglets, and for all porcine species. <i>EFSA Journal</i> , 2019 , 17, e05892	2.3	1
235	Safety of ethyl ester of β -apo-8'-carotenoic acid as a feed additive for poultry for fattening and poultry for laying. <i>EFSA Journal</i> , 2019 , 17, e05911	2.3	1
234	Efficacy of ZM16 10 (DSM 25840) as a feed additive for weaned piglets and minor porcine species. <i>EFSA Journal</i> , 2019 , 17, e05881	2.3	1
233	Safety of butylated hydroxy anisole (BHA) for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05913	2.3	1
232	Safety of l-threonine produced by fermentation with CGMCC 11473 as a feed additive for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05885	2.3	1
231	Safety of lactic acid and calcium lactate when used as technological additives for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05914	2.3	1
230	Safety and efficacy of NatugrainTS/TS L (endo-1,4-beta-xylanase and endo-1,4-beta-glucanase) as a feed additive for sows. <i>EFSA Journal</i> , 2020 , 18, e06025	2.3	1
229	Safety for the user of the feed additive consisting of ferric citrate chelate (CI-FER [®]) for suckling and weaned piglets and minor porcine species (Akeso Biomedical, Inc.). <i>EFSA Journal</i> , 2021 , 19, e06455	2.3	1
228	Safety and efficacy of DSM 28343 as a feed additive for piglets. <i>EFSA Journal</i> , 2018 , 16, e05221	2.3	1
227	Safety and efficacy of EB15 10 (DSM 25841) as a feed additive for weaned piglets and minor porcine species. <i>EFSA Journal</i> , 2018 , 16, e05199	2.3	1
226	Safety and efficacy of ZM16 10 (DSM 25840) as a feed additive for weaned piglets and minor porcine species. <i>EFSA Journal</i> , 2018 , 16, e05200	2.3	1
225	Safety and efficacy of l-arginine produced by fermentation using KCCM 10741P for all animal species. <i>EFSA Journal</i> , 2018 , 16, e05277	2.3	1
224	Safety and efficacy of Kelforce (l-glutamic acid, γ -diacetic acid, tetrasodium salt (GLDA-Na)) as a feed additive for chickens for fattening. <i>EFSA Journal</i> , 2018 , 16, e05279	2.3	1
223	Safety and efficacy of NCIMB 30160 as a feed additive for all animal species. <i>EFSA Journal</i> , 2018 , 16, e05218	2.3	1
222	Safety of natural mixture of dolomite plus magnesite and magnesium-phyllsilicates (Fluidol) for all animal species. <i>EFSA Journal</i> , 2018 , 16, e05272	2.3	1
221	Safety and efficacy of Zinc-l-Selenomethionine as feed additive for all animal species. <i>EFSA Journal</i> , 2018 , 16, e05197	2.3	1

220	Safety and efficacy of Hostazym X (endo-1,4-beta-xylanase) as a feed additive for sows in order to have benefit in piglets. <i>EFSA Journal</i> , 2018 , 16, e05456	2.3	1
219	Safety and efficacy of DSM 28343 as a feed additive for calves for rearing. <i>EFSA Journal</i> , 2018 , 16, e052203	2.3	1
218	Safety and efficacy of a super critical carbon dioxide extract of <i>L. flos</i> when used as a feed flavouring for all animal species. <i>EFSA Journal</i> , 2018 , 16, e05462	2.3	1
217	Safety and efficacy of cumin tincture (<i>L.</i>) when used as a sensory additive for all animal species. <i>EFSA Journal</i> , 2018 , 16, e05273	2.3	1
216	Safety and efficacy of Coxar (nicarbazin) for turkeys for fattening. <i>EFSA Journal</i> , 2018 , 16, e05214	2.3	1
215	Safety and efficacy of Amylofeed (endo-1,3(4)- β -glucanase and endo-1,4- β -xylanase and β -amylase) as a feed additive for piglets and minor growing porcine species. <i>EFSA Journal</i> , 2018 , 16, e05271	2.3	1
214	Assessment of the application for renewal of authorisation of Actisaf Sc47 (CNCM I-4407) for lambs for fattening, minor dairy ruminants, horses and pigs for fattening. <i>EFSA Journal</i> , 2018 , 16, e05339	2.3	1
213	Safety and efficacy of a feed additive consisting of a flavonoid-rich dried extract of <i>U.</i> fruit (bitter orange extract) for use in all animal species (FEFANA asbl). <i>EFSA Journal</i> , 2021 , 19, e06709	2.3	1
212	Safety and efficacy of an additive consisting of xanthan gum produced by strains ?????, ????? for all animal species (Biopolymer International). <i>EFSA Journal</i> , 2021 , 19, e06710	2.3	1
211	Safety for the environment of a feed additive consisting of nicarbazin (Coxar) for use in turkeys for fattening (Huvepharma N.V.). <i>EFSA Journal</i> , 2021 , 19, e06715	2.3	1
210	Safety and efficacy of a feed additive consisting of a tincture from the bark of <i>J. Presl</i> (cinnamon tincture) for use in all animal species (FEFANA asbl).. <i>EFSA Journal</i> , 2021 , 19, e06986	2.3	1
209	Safety and efficacy of a feed additive consisting of ATCC PTA-6737 (PB6) for turkeys for fattening, turkeys reared for breeding, laying hens, minor poultry species for laying, piglets (weaned), weaned minor porcine species and sows (Kemin Europe N.V.).. <i>EFSA Journal</i> , 2022 , 20, e07244	2.3	1
208	Safety and efficacy of a feed additive consisting of butylated hydroxytoluene (BHT) for all animal species (Lanxess Deutschland GmbH).. <i>EFSA Journal</i> , 2022 , 20, e07286	2.3	1
207	Safety and efficacy of DSM 29024 as a silage additive for all animal species. <i>EFSA Journal</i> , 2017 , 15, e04675	2.3	0
206	Safety and efficacy of TYFER (ferric tyrosine chelate) as a zootechnical feed additive for chickens, turkeys and minor poultry species for fattening or reared for laying/breeding. <i>EFSA Journal</i> , 2019 , 17, e05608	2.3	0
205	Safety and efficacy of eight compounds belonging to different chemical groups when used as flavourings for cats and dogs. <i>EFSA Journal</i> , 2019 , 17, e05649	2.3	0
204	Safety and efficacy of saponified paprika extract, containing capsanthin as main carotenoid source, for poultry for fattening and laying (except turkeys). <i>EFSA Journal</i> , 2020 , 18, e06023	2.3	0
203	Efficacy of calcium formate as a technological feed additive (preservative) for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06077	2.3	0

202	Efficacy of iron chelates of lysine and glutamic acid as feed additive for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06164	2.3	0
201	Safety and efficacy of essential oil, oleoresin and tincture from Roscoe when used as sensory additives in feed for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06147	2.3	0
200	Safety and efficacy of Alterion NE (´ DSM 29784) as a feed additive for minor poultry species for fattening and reared for laying. <i>EFSA Journal</i> , 2018 , 16, e05204	2.3	0
199	Safety and efficacy of sodium selenate as feed additive for ruminants. <i>EFSA Journal</i> , 2019 , 17, e05788	2.3	0
198	Safety and efficacy of DSM 32457 as a silage additive for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05787	2.3	0
197	Scientific Opinion on the safety and efficacy of Fecinor [®] and Fecinor [®] plus (Enterococcus faecium) as a feed additive for piglets. <i>EFSA Journal</i> , 2014 , 12, 3672	2.3	0
196	Safety of EndofeedDC (endo-1,3(4)- β -glucanase and endo-1,4- β -xylanase) as a feed additive for chickens for fattening, laying hens, pigs for fattening and minor poultry and porcine species. <i>EFSA Journal</i> , 2017 , 15, e04706	2.3	0
195	Scientific Opinion on the safety and efficacy of AGal-Pro BL-L (alpha-galactosidase and endo-1,4-beta-glucanase) as a feed additive for chickens for fattening. <i>EFSA Journal</i> , 2014 , 12, 3897	2.3	0
194	Safety and efficacy of a feed additive consisting of an essential oil from (L.) J. Presl (camphor white oil) for use in all animal species (FEFANA asbl).. <i>EFSA Journal</i> , 2022 , 20, e06985	2.3	0
193	Assessment of the application for renewal of authorisation of AviPlus as a feed additive for all porcine species (weaned), chickens for fattening, chickens reared for laying, minor poultry species for fattening, minor poultry species reared for laying. <i>EFSA Journal</i> , 2020 , 18, e06063	2.3	0
192	Assessment of the feed additive consisting of (formerly) DSM 12835 EU for all animal species for the renewal of its authorisation (Lactosan GmbH & Co KG). <i>EFSA Journal</i> , 2021 , 19, e06900	2.3	0
191	Safety and efficacy of Nutrase P (6-phytase) for chickens for fattening, other poultry for fattening, reared for laying and ornamental birds. <i>EFSA Journal</i> , 2020 , 18, e06282	2.3	0
190	Safety and efficacy of a feed additive consisting of strains CNCM I-4606, CNCM I-5043 and CNCM I-4607 and ´CNCM I-4609 for all animal species (Nolivade). <i>EFSA Journal</i> , 2021 , 19, e06907	2.3	0
189	Safety and efficacy of feed additives consisting of expressed sweet orange peel oil and its fractions from (L.) Osbeck for use in all animal species (FEFANA asbl). <i>EFSA Journal</i> , 2021 , 19, e06891	2.3	0
188	Safety and efficacy of STENOROL (halofuginone hydrobromide) as a feed additive for chickens for fattening and turkeys. <i>EFSA Journal</i> , 2020 , 18, e06169	2.3	0
187	Safety and efficacy of a feed additive consisting of PTA-6507, NRRL B-50013 and NRRL B-50104 (Enviva PRO 202 GT) for turkeys for fattening (Danisco Animal Nutrition). <i>EFSA Journal</i> , 2021 , 19, e06535 ^{2.3}	2.3	0
186	Safety and efficacy of a feed additive consisting of a dried extract from the leaves of L. (dry extract) for use in cats and dogs (C.I.A.M.). <i>EFSA Journal</i> , 2021 , 19, e06525	2.3	0
185	Safety and efficacy of a feed additive consisting on (formerly) CECT 8350 and (formerly) CECT 8700 (AQ02) for suckling piglets (AQUILON CYL S.L.). <i>EFSA Journal</i> , 2021 , 19, e06631	2.3	0

184	Assessment of the feed additive consisting of 'DSM 12834 for all animal species for the renewal of its authorisation (Lactosan GmbH & Co KG). <i>EFSA Journal</i> , 2021 , 19, e06713	2.3	0
183	Safety and efficacy of a feed additive consisting of (formerly) IMI 507027 for all animal species (ALL-TECHNOLOGY (IRELAND) LIMITED [Alltech Ireland]). <i>EFSA Journal</i> , 2021 , 19, e06704	2.3	0
182	Safety and efficacy of a feed additive consisting of (formerly) IMI 507023 for all animal species (ALL-TECHNOLOGY (IRELAND) LIMITED [Alltech Ireland]). <i>EFSA Journal</i> , 2021 , 19, e06700	2.3	0
181	Assessment of the feed additive consisting of 'DSM 16243 for all animal species for the renewal of its authorisation (Lactosan GmbH & Co.KG). <i>EFSA Journal</i> , 2021 , 19, e06697	2.3	0
180	Safety and efficacy of a feed additive consisting of IMI 507024 for all animal species (ALL-TECHNOLOGY (IRELAND) LIMITED [Alltech Ireland]). <i>EFSA Journal</i> , 2021 , 19, e06701	2.3	0
179	Safety and efficacy of 'NBF-1 (DSM 32203) as a feed additive for dogs. <i>EFSA Journal</i> , 2019 , 17, e05524	2.3	0
178	Safety and efficacy of betaine anhydrous for food-producing animal species based on a dossier submitted by AB Vista. <i>EFSA Journal</i> , 2018 , 16, e05335	2.3	0
177	Safety and efficacy of alpha-amylase from DSM'9553, NCIMB'30251, CBS'585.94 and ATCC SD-5374, endo-1,4-beta-glucanase from ATCC PTA-10001, ATCC SD-6331 and CBS'120604, endo-1,4-beta-xylanase from MUCL'39203 and CBS'614.94 and endo-1,3(4)-beta-glucanase from MUCL'39199 as silage additives for all animal species. <i>EFSA Journal</i> , 2018 , 16, e05224	2.3	0
176	Modification of the terms of authorisation of lecithins as a feed additive for all animal species. <i>EFSA Journal</i> , 2018 , 16, e05334	2.3	0
175	Safety and efficacy of a feed additive consisting of (formerly) IMI 507028 for all animal species (ALL-TECHNOLOGY (IRELAND) LIMITED [Alltech Ireland]). <i>EFSA Journal</i> , 2021 , 19, e06705	2.3	0
174	Safety and efficacy of a feed additive consisting of IMI 507025 for all animal species (ALL-TECHNOLOGY (IRELAND) LIMITED [Alltech Ireland]). <i>EFSA Journal</i> , 2021 , 19, e06702	2.3	0
173	Safety and efficacy of a feed additive consisting of an essential oil from the flowers of (Lam.) Hook.f. & Thomson (ylang ylang oil) for use in all animal species (FEFANA asbl).. <i>EFSA Journal</i> , 2022 , 20, e07159	2.3	0
172	Safety and efficacy of a feed additive consisting of zearalenone hydrolase produced by DSM 32731 for all terrestrial animal species (Biomim GmbH).. <i>EFSA Journal</i> , 2022 , 20, e07157	2.3	0
171	Safety and efficacy of a feed additive consisting of ethoxyquin (6-ethoxy-1,2-dihydro-2,2,4-trimethylquinoline) for all animal species (FEFANA asbl).. <i>EFSA Journal</i> , 2022 , 20, e07166	2.3	0
170	Safety and efficacy of a feed additive consisting of an essential oil from the leaves of (P.J. Bergius) Pillans (buchu leaf oil) for use in all animal species (FEFANA asbl).. <i>EFSA Journal</i> , 2022 , 20, e07160	2.3	0
169	Safety and efficacy of a feed additive consisting of an extract of olibanum from Roxb. ex Colebr. for use in dogs and horses (FEFANA asbl).. <i>EFSA Journal</i> , 2022 , 20, e07158	2.3	0
168	Safety and efficacy of a feed additive consisting of disodium 5'-inosinate (IMP) produced by KCCM 80235 for all animal species (CJ Europe GmbH).. <i>EFSA Journal</i> , 2022 , 20, e07153	2.3	0
167	Safety and efficacy of a feed additive consisting of sodium aluminosilicate, synthetic, for all animal species (European Zeolites Producers Association (EUZEPa) & Association of Synthetic Amorphous Silica Producers (ASASP)).. <i>EFSA Journal</i> , 2021 , 19, e06976	2.3	0

166	Safety and efficacy of a feed additive consisting of sepiolite for all animal species (Sepiol S.A and Tolsa, S.A).. <i>EFSA Journal</i> , 2022 , 20, e07250	2.3	0
165	Safety and efficacy of a feed additive consisting of lactic acid produced by (synonym) DSM 32789 for all animal species except for fish (Jungbunzlauer SA).. <i>EFSA Journal</i> , 2022 , 20, e07268	2.3	0
164	Safety and efficacy of a feed additive consisting of guanidinoacetic acid for all animal species (Alzchem Trostberg GmbH).. <i>EFSA Journal</i> , 2022 , 20, e07269	2.3	0
163	Safety and efficacy of Probion Forte (KCCM 10941P and KCCM 11093P) as a feed additive for chickens for fattening. <i>EFSA Journal</i> , 2017 , 15, e04759	2.3	
162	Safety and efficacy of 'DSM'29226 as a silage additive for all animal species. <i>EFSA Journal</i> , 2017 , 15, e04673	2.3	
161	Safety and efficacy of iron dextran as a feed additive for piglets. <i>EFSA Journal</i> , 2017 , 15, e04701	2.3	
160	Safety and efficacy of Hemicell-L (endo-1,4-βmannanase) as a feed additive for chickens for fattening or reared for laying, turkeys for fattening or reared for breeding and minor poultry species. <i>EFSA Journal</i> , 2019 , 17, e05641	2.3	
159	Safety and efficacy of LevucellSB (CNCM I-1079) as a feed additive for turkeys for fattening. <i>EFSA Journal</i> , 2019 , 17, e05693	2.3	
158	Safety and efficacy of Levucell SC (CNCM I-1077) as a feed additive for calves and minor ruminant species and camelids at the same developmental stage. <i>EFSA Journal</i> , 2019 , 17, e05723	2.3	
157	Safety and efficacy of VevoVital (benzoic acid) as feed additive for pigs for fattening. <i>EFSA Journal</i> , 2019 , 17, e05727	2.3	
156	Safety and efficacy of 'DSM 28343 for pigs for fattening. <i>EFSA Journal</i> , 2019 , 17, e05725	2.3	
155	Safety and efficacy of Probion forte (' KCCM 10941P and ' KCCM 11093P) for chickens for fattening. <i>EFSA Journal</i> , 2019 , 17, e05644	2.3	
154	Safety and efficacy of NBF-2 (DSM 32264) as a feed additive for cats. <i>EFSA Journal</i> , 2019 , 17, e05526	2.3	
153	Safety and efficacy of LevucellSB (CNCM I-1079) as a feed additive for all pigs. <i>EFSA Journal</i> , 2019 , 17, e05535	2.3	
152	Safety and efficacy of l-arginine produced by fermentation with KCCM 80182 for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05696	2.3	
151	Safety of erythrosine for ornamental fish. <i>EFSA Journal</i> , 2019 , 17, e05699	2.3	
150	Assessment of the application for renewal of authorisation of GalliPro (DSM 17299) for chickens for fattening. <i>EFSA Journal</i> , 2019 , 17, e05687	2.3	
149	Safety and efficacy of HOSTAZYM X (endo-1,4-beta-xylanase) as a feed additive for rabbits for fattening. <i>EFSA Journal</i> , 2019 , 17, e05529	2.3	

148	Efficacy of methyl ester of conjugated linoleic acid (t10,c12 isomer) for sows and cows for reproduction. <i>EFSA Journal</i> , 2019 , 17, e05614	2.3
147	Assessment of the application for renewal of authorisation of Levucell SC (CNCM I-1077) as a feed additive for lambs and horses. <i>EFSA Journal</i> , 2019 , 17, e05639	2.3
146	Safety of cassia gum as a feed additive for cats and dogs based on a dossier submitted by Glycomer GmbH. <i>EFSA Journal</i> , 2019 , 17, e05528	2.3
145	Safety for the environment of vitamin D for salmonids. <i>EFSA Journal</i> , 2019 , 17, e05540	2.3
144	Safety of methanethiol [12.003] when used as a feed additive for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06288	2.3
143	Safety and efficacy of Correlink [®] ABS1781 (NRRL B-67259) as a feed additive for all growing poultry species. <i>EFSA Journal</i> , 2020 , 18, e06279	2.3
142	Efficacy of calcium formate as a technological feed additive (preservative) for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06137	2.3
141	Safety and efficacy of 'dry grape extract 60-20' when used as feed flavouring for dogs. <i>EFSA Journal</i> , 2020 , 18, e06067	2.3
140	Safety and efficacy of Biacton [®] (Lactobacillus farciminis CNCM I-3740) as a feed additive for weaned piglets. <i>EFSA Journal</i> , 2020 , 18, e06084	2.3
139	Safety of lignosulphonate for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06000	2.3
138	Safety and efficacy of l-cystine produced using strain NITE BP-02525 for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06020	2.3
137	Assessment of the application for renewal of authorisation of l-isoleucine produced by FERM ABP-10641 as a nutritional additive, its extension of use in water for drinking and a new use as flavouring additive for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06022	2.3
136	Safety and efficacy of ProEquo [®] (Lactobacillus plantarum DSM 11520) as a feed additive for horses. <i>EFSA Journal</i> , 2020 , 18, e06143	2.3
135	Safety and efficacy of STABILFLOR as a zootechnical feed additive for pigs for fattening. <i>EFSA Journal</i> , 2020 , 18, e06145	2.3
134	Safety and efficacy of APSA PHYTAFEED [®] (6-phytase) as a feed additive for laying hens and other laying birds. <i>EFSA Journal</i> , 2020 , 18, e06142	2.3
133	Efficacy of sodium formate as a technological feed additive (preservative) for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06139	2.3
132	Assessment of the application for renewal of authorisation of selenium-enriched yeast produced by Saccharomyces cerevisiae CNCM I-3399 for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06144	2.3
131	Safety and efficacy of DSP (NaEDTA, tannin-rich extract of , thyme oil and origanum oil) for pigs for fattening. <i>EFSA Journal</i> , 2020 , 18, e06163	2.3

130	Safety and efficacy of a dried aqueous ethanol extract of leaves from L. when used as a sensory additive in feed for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06018	2.3
129	Safety of hexamethylene tetramine for pigs, poultry, bovines, sheep, goats, rabbits and horses. <i>EFSA Journal</i> , 2020 , 18, e06012	2.3
128	Statement on the safety and efficacy of Shellac for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06065	2.3
127	Safety and nutritional value of a dried killed bacterial biomass from (FERM BP-10942) (PT73 (TM)) as a feed material for pigs, ruminants and salmonids. <i>EFSA Journal</i> , 2017 , 15, e04936	2.3
126	Safety and efficacy of -norbixin di-potassium salt (annatto F) for cats and dogs. <i>EFSA Journal</i> , 2017 , 15, e04764	2.3
125	Safety and efficacy of Sacox microGranulate (salinomycin sodium) for rabbits for fattening. <i>EFSA Journal</i> , 2018 , 16, e05209	2.3
124	Assessment of the application for renewal of authorisation of LevucellSC (CNCM I-1077) as a feed additive for dairy ewes and dairy goats. <i>EFSA Journal</i> , 2018 , 16, e05385	2.3
123	Safety and efficacy of Bergazym P100 (endo-1,4- β -xylanase) as a feed additive for other birds for fattening, ornamental birds and other growing Suidae. <i>EFSA Journal</i> , 2019 , 17, e05781	2.3
122	Efficacy of DSM 28343 as a zootechnical additive (gut flora stabiliser) for calves for rearing. <i>EFSA Journal</i> , 2019 , 17, e05793	2.3
121	Safety and efficacy of aluminosilicate of sodium, potassium, calcium and magnesium as a feed additive for pigs. <i>EFSA Journal</i> , 2019 , 17, e05722	2.3
120	Modification of the conditions of the authorisation of BioPlus 2B (DSM 5749 and DSM 5750) for turkeys for fattening. <i>EFSA Journal</i> , 2019 , 17, e05726	2.3
119	Safety and efficacy of RONOZYMEWX CT/L (endo-1,4- β -xylanase) as a feed additive for sows for reproduction. <i>EFSA Journal</i> , 2019 , 17, e05790	2.3
118	Safety and efficacy of Bergazym P100 (endo-1,4- β -xylanase) as a feed additive for chickens for fattening, weaned piglets and pigs for fattening. <i>EFSA Journal</i> , 2017 , 15, e04707	2.3
117	Safety and efficacy of DSM 28875 as a silage additive for all animal species. <i>EFSA Journal</i> , 2017 , 15, e04703	2.3
116	Safety and efficacy of FRA Octazyme C Dry (β -galactosidase, β -amylase, endo-1,3(4)- β -glucanase, endo-1,4- β -glucanase, mannan-endo-1,4- β -mannosidase, pectinase, protease, endo-1,4- β -xylanase) for chickens for fattening and weaned piglets. <i>EFSA Journal</i> , 2017 , 15, e04943	2.3
115	Serum enzyme status of Chios ewes fed increasing amounts of copper from copper sulfate. <i>Research in Veterinary Science</i> , 2010 , 88, 456-7	2.5
114	Assessment of the feed additive consisting of NCIMB 30160 for all animal species for the renewal of its authorisation (Lactosan GmbH & Co KG).. <i>EFSA Journal</i> , 2022 , 20, e06975	2.3
113	Safety and efficacy of two solvent extracts of rosemary (L.) when used as feed additive for cats and dogs (Kemin Nutrisurance Europe SRL).. <i>EFSA Journal</i> , 2022 , 20, e06978	2.3

112	Safety and efficacy of a feed additive consisting of DSM 15544 (Calsporin) for dairy cows and other dairy ruminants (Asahi Biocycle Co. Ltd.).. <i>EFSA Journal</i> , 2022 , 20, e06984	2.3
111	Safety of the fermentation product of NRRL 458 (Amaferm) as a feed additive for dairy cows (Biozyme Inc.).. <i>EFSA Journal</i> , 2022 , 20, e06983	2.3
110	Statement on the safety and efficacy of lignosulphonate of magnesium (Caimabond) for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06066	2.3
109	Safety and efficacy of Panavital feed (d-glyceric acid) for chickens for fattening. <i>EFSA Journal</i> , 2020 , 18, e06068	2.3
108	Safety and efficacy of a feed additive consisting of endo-1,4- β -xylanase produced by LMG S-27588 (Beltherm MP/ML) for laying hens, minor poultry species and all avian species (Puratos NV). <i>EFSA Journal</i> , 2021 , 19, e06906	2.3
107	Assessment of the feed additive consisting of sodium benzoate (Protural) for weaned piglets for the renewal of its authorisation and the extension of use to other growing Suidae (Taminco Finland Oy). <i>EFSA Journal</i> , 2021 , 19, e06899	2.3
106	Safety and efficacy of a feed additive consisting of iron (II) chelate of amino acids hydrate for all animal species. <i>EFSA Journal</i> , 2021 , 19, e06894	2.3
105	Assessment of the feed additive consisting of (formerly DSM 16245 for all animal species for the renewal of its authorisation (Lactosan GmbH & Co KG). <i>EFSA Journal</i> , 2021 , 19, e06902	2.3
104	Assessment of the application for renewal of authorisation of Yea-Sacc () for horses. <i>EFSA Journal</i> , 2019 , 17, e05918	2.3
103	Assessment of the application for renewal of authorisation of AveMixXG 10 (endo-1,4-beta-xylanase and endo-1,3(4)-beta-glucanase) for chickens for fattening. <i>EFSA Journal</i> , 2020 , 18, e06062	2.3
102	Safety and efficacy of DSM 29026 as a silage additive for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06159	2.3
101	Safety of a feed additive consisting of a dried aqueous ethanol extract from the leaves of L. for all animal species (Nor-Feed SAS). <i>EFSA Journal</i> , 2021 , 19, e06904	2.3
100	Safety and efficacy of a feed additive consisting of (formerly) DSM 26571 for all animal species (Chr. Hansen A/S). <i>EFSA Journal</i> , 2021 , 19, e06898	2.3
99	Safety and efficacy of a feed additive consisting of copper (II) chelate of amino acids hydrate for all animal species (Zinpro Animal Nutrition (Europe) Inc.). <i>EFSA Journal</i> , 2021 , 19, e06896	2.3
98	Safety and efficacy of a feed additive consisting of zinc chelate of amino acids hydrate for all animal species (Zinpro Animal Nutrition (Europe) Inc.). <i>EFSA Journal</i> , 2021 , 19, e06897	2.3
97	Safety and efficacy of a feed additive consisting of cashew nutshell liquid for all animal species (Oligobasic Europe). <i>EFSA Journal</i> , 2021 , 19, e06892	2.3
96	Safety and efficacy of a feed additive consisting of manganese chelate of amino acids hydrate for all animal species (Zinpro Animal Nutrition (Europe) Inc.). <i>EFSA Journal</i> , 2021 , 19, e06895	2.3
95	Safety of vitamin B (in the form of cyanocobalamin) produced by CNCM-I 5541 for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06335	2.3

94	Safety and efficacy of l-threonine produced using CGMCC 13325 as a feed additive for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06332	2.3
93	Assessment of the application for renewal of authorisation of zinc chelate of hydroxy analogue of methionine for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06337	2.3
92	Assessment of the application for renewal of authorisation of endo-1,4-xylanase produced by CBS 109.713 and endo-1,4-β-glucanase produced by DSM 18404 for poultry species, ornamental birds and weaned piglets, from BASF SE. <i>EFSA Journal</i> , 2020 , 18, e06331	2.3
91	Assessment of the application for renewal of authorisation of 6-phytase produced by CBS 122001 as a feed additive for pigs and poultry, from Roal Oy. <i>EFSA Journal</i> , 2020 , 18, e06336	2.3
90	Safety of a tincture derived from L. (Mugwort tincture) when used as a sensory additive in feed for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06206	2.3
89	Safety and efficacy of AxtraXAP 104 TPT (endo-1,4-xylanase, protease and alpha-amylase) as a feed additive for chickens for fattening, laying hens and minor poultry species. <i>EFSA Journal</i> , 2020 , 18, e06165	2.3
88	Safety and efficacy of montmorillonite-illite (FIMIX 1g557) for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06095	2.3
87	Safety of ammonium formate (E295) for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06076	2.3
86	Safety for the environment of sorbitan monolaurate as a feed additive for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06162	2.3
85	Safety and efficacy of the additive consisting of muramidase produced by DSM 32338 (Balancius) for use in weaned piglets (DSM Nutritional products Ltd). <i>EFSA Journal</i> , 2021 , 19, e06452	2.3
84	Safety and efficacy of a feed additive consisting on 'ATCC PTA-6750 (formerly) for all animal species (Chr. Hansen A/S). <i>EFSA Journal</i> , 2021 , 19, e06469	2.3
83	Safety and efficacy of a feed additive consisting of the seed husk of Forssk. for use in cats and dogs (C.I.A.M.). <i>EFSA Journal</i> , 2021 , 19, e06445	2.3
82	Safety and efficacy of the feed additive consisting of FERM BP-2789 (Miya-Gold S) for chickens for fattening, chickens reared for laying, turkeys for fattening, turkeys reared for breeding, minor avian species (excluding laying birds), piglets (suckling and weaned) and minor porcine species (Miyarisan Pharmaceutical Co. Ltd.). <i>EFSA Journal</i> , 2021 , 19, e06450	2.3
81	Safety and efficacy of feed additives consisting of dried extracts from DC. or (L.) Moench for use in cats and dogs (C.I.A.M.). <i>EFSA Journal</i> , 2021 , 19, e06446	2.3
80	Safety and efficacy of an additive consisting of 'DSM 32324 for all animal species (Chr. Hansen A/S). <i>EFSA Journal</i> , 2021 , 19, e06523	2.3
79	Safety and efficacy of an additive consisting of 'DSM 32325 for all animal species (Chr. Hansen A/S). <i>EFSA Journal</i> , 2021 , 19, e06524	2.3
78	Safety and efficacy of an additive consisting of synthetic vitamin K (phytomenadione) for horses (JARAZ Enterprises GmbH & Co. KG). <i>EFSA Journal</i> , 2021 , 19, e06538	2.3
77	Safety and efficacy of a feed additive consisting of ferrous lysinate sulfate for all animal species (Phytobiotics Futterzusatzstoffe GmbH). <i>EFSA Journal</i> , 2021 , 19, e06545	2.3

76	Safety and efficacy of the feed additive consisting of endo-1,4-beta-xylanase produced by CBS 143953 (Danisco Xylanase 40000 G/L) for poultry and porcine species (Danisco Animal Nutrition). <i>EFSA Journal</i> , 2021 , 19, e06539	2.3
75	Safety and efficacy of a feed additive consisting of a dried extract from the roots of C.A. Meyer (dry extract) for use in cats and dogs (C.I.A.M.). <i>EFSA Journal</i> , 2021 , 19, e06526	2.3
74	Safety and efficacy of a feed additive consisting of chromium propionate (KemTRACE[Chromium]) for all growing poultry species (Kemin Europa NV). <i>EFSA Journal</i> , 2021 , 19, e06546	2.3
73	Safety and efficacy of an additive consisting of DSM 25840 for all animal species (Chr. Hansen A/S). <i>EFSA Journal</i> , 2021 , 19, e06522	2.3
72	Assessment of the feed additive consisting of dimethylglycine sodium salt (Taminizer D) for chickens for fattening for the renewal of its authorisation (Taminco N.V.). <i>EFSA Journal</i> , 2021 , 19, e06621 ^{2,3}	2.3
71	Assessment of the feed additive consisting of copper chelate of hydroxy analogue of methionine for all animal species for the renewal of its authorisation (Novus Europe S.A./N.V.). <i>EFSA Journal</i> , 2021 , 19, e06618	2.3
70	Efficacy of the feed additive containing (formerly) CNCM I-3740 (Biacton) for chickens for fattening, turkeys for fattening and laying hens (ChemVet dk A/S). <i>EFSA Journal</i> , 2021 , 19, e06627	2.3
69	Assessment of the feed additive consisting of (formerly) DSM 12836 for all animal species for the renewal of its authorisation (Lactosan GmbH & Co KG). <i>EFSA Journal</i> , 2021 , 19, e06626	2.3
68	Safety and efficacy of an additive consisting of phyllite, natural mixture of minerals of metamorphic origin, as a feed additive for all animal species (Marmorkalkwerk Troesch GmbH & Co. KG). <i>EFSA Journal</i> , 2021 , 19, e06616	2.3
67	Assessment of the feed additive consisting of (formerly) DSM 12837 for all animal species for the renewal of its authorisation (Lactosan GmbH & Co KG). <i>EFSA Journal</i> , 2021 , 19, e06614	2.3
66	Safety and efficacy of a feed additive consisting of ferric (III) ammonium hexacyanoferrate (II) for ruminants (domestic and wild), calves prior the start of rumination, lambs prior the start of rumination, kids prior the start of rumination and pigs (domestic and wild) (Honeywell Specialty Chemicals Seelze GmbH). <i>EFSA Journal</i> , 2021 , 19, e06628	2.3
65	Safety and efficacy of the feed additive consisting of CECT 5940 (Ecobiol) for turkeys for fattening, turkeys reared for breeding, minor poultry species for fattening and reared for laying and ornamental birds (Evonik Operations GmbH). <i>EFSA Journal</i> , 2021 , 19, e06620	2.3
64	Safety and efficacy of feed additives consisting of Vitamin B (98%) and Vitamin B (80%) as riboflavin produced by KCCM 10445 for all animal species (Hubei Guangji Pharmaceutical Co. Ltd.). <i>EFSA Journal</i> , 2021 , 19, e06629	2.3
63	Assessment of a feed additive consisting of vitamin B (pyridoxine hydrochloride) for all animal species for the renewal of its authorisation (Kaesler Nutrition GmbH). <i>EFSA Journal</i> , 2021 , 19, e06612	2.3
62	Safety of a feed additive consisting of a tincture derived from L. (great mullein tincture) for use in all animal species (MANGHEBATI SAS). <i>EFSA Journal</i> , 2021 , 19, e06711	2.3
61	Safety and efficacy of Feedlyve AGL (endo-1,3(4)-β-glucanase) as a feed additive for chickens for fattening. <i>EFSA Journal</i> , 2016 , 14, e04620	2.3
60	Safety and efficacy of Feedlyve AXC (endo-1,4-β-xylanase) as a feed additive for chickens for fattening. <i>EFSA Journal</i> , 2016 , 14, e04621	2.3
59	Safety and efficacy of Natugrain TS/TS L (endo-1,4-β-xylanase and endo-1,4-β-glucanase) as a feed additive for chickens reared for laying and minor poultry species for laying. <i>EFSA Journal</i> , 2016 , 14, e04626	2.3

58	Safety and efficacy of secondary aliphatic saturated or unsaturated alcohols, ketones, ketals and esters with a second secondary or tertiary oxygenated functional group belonging to chemical group 10 when used as flavourings for all animal species. <i>EFSA Journal</i> , 2016 , 14, e04618	2.3
57	Safety and efficacy of maltol belonging to chemical group 12 when used as flavouring for all animal species. <i>EFSA Journal</i> , 2016 , 14, e04619	2.3
56	Safety and efficacy of ZM16 10 (DSM 25840) as a feed additive for sows in order to have benefits in piglets, sows for reproduction, piglets (suckling and weaned), pigs for fattening and minor porcine species. <i>EFSA Journal</i> , 2019 , 17, e05883	2.3
55	Safety of NCIMB 30160 as a feed additive for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05890	2.3
54	Safety and efficacy of Elancoban G200 (monensin sodium) for chickens for fattening, chickens reared for laying and turkeys. <i>EFSA Journal</i> , 2019 , 17, e05891	2.3
53	Safety and efficacy of EB15 10 (DSM 25841) as a feed additive for piglets (suckling and weaned), pigs for fattening, sows in order to have benefits in piglets, sows for reproduction and minor porcine species. <i>EFSA Journal</i> , 2019 , 17, e05884	2.3
52	Efficacy of EB15 10 (DSM 25841) as a feed additive for weaned piglets and weaned minor porcine species. <i>EFSA Journal</i> , 2019 , 17, e05882	2.3
51	Efficacy of RONOZYMEWX (endo-1,4- β -xylanase) as a feed additive for laying hens. <i>EFSA Journal</i> , 2019 , 17, e05919	2.3
50	Safety and efficacy of Avizyme 1505 (endo-1,4-beta-xylanase, subtilisin and alpha-amylase) for all poultry species. <i>EFSA Journal</i> , 2020 , 18, e06027	2.3
49	Safety and efficacy of Monteban G100 (narasin) for ducks for fattening. <i>EFSA Journal</i> , 2018 , 16, e05461	2.3
48	Safety and efficacy of Coxiril (diclazuril) for pheasants. <i>EFSA Journal</i> , 2018 , 16, e05196	2.3
47	Safety and efficacy of natural mixtures of talc (steatite) and chlorite (E 560) as a feed additive for all animal species. <i>EFSA Journal</i> , 2018 , 16, e05205	2.3
46	Safety and efficacy of Coxiril (diclazuril) for chickens reared for laying. <i>EFSA Journal</i> , 2018 , 16, e05195	2.3
45	Efficacy of Cylactin (NCIMB 10415) as a feed additive for pigs for fattening. <i>EFSA Journal</i> , 2018 , 16, e05204	2.3
44	Safety and efficacy of 'CNCM I-4785 and 'CNCM I-4323NCIMB 40788 as a silage additive for all animal species. <i>EFSA Journal</i> , 2018 , 16, e05455	2.3
43	Efficacy of Bergazym P100 (endo-1,4- β -xylanase) as a feed additive for chickens for fattening and weaned piglets. <i>EFSA Journal</i> , 2018 , 16, e05457	2.3
42	Safety of zinc chelate of methionine sulfate for the target species. <i>EFSA Journal</i> , 2018 , 16, e05463	2.3
41	Safety of natural mixture of illite, montmorillonite and kaolinite (Argile Verte du Velay) for all animal species. <i>EFSA Journal</i> , 2018 , 16, e05387	2.3

40	Safety and efficacy of a feed additive consisting of MUCL 39885 (Biosprint) for all pigs (other than sows and weaned piglets) and other minor porcine species (Prosol S.p.A.). <i>EFSA Journal</i> , 2021 , 19, e06698 ^{2,3}	
39	Safety and efficacy of a feed additive consisting of butylated hydroxyanisole (BHA) for use in cats (FEDIAF). <i>EFSA Journal</i> , 2021 , 19, e06714	2.3
38	Safety and efficacy of a feed additive consisting of MUCL 39885 (Biosprint) for cats and dogs (Prosol S.p.A.). <i>EFSA Journal</i> , 2021 , 19, e06699	2.3
37	Efficacy of a feed additive consisting of nicarbazin (Coxar) for use in turkeys for fattening (Huvepharma N.V.).. <i>EFSA Journal</i> , 2022 , 20, e07162	2.3
36	Safety and efficacy of a feed additive consisting of ferric citrate chelate (CI-FER) for poultry species for fattening or reared up to the point of lay (Akeso Biomedical, Inc.).. <i>EFSA Journal</i> , 2022 , 20, e07155	2.3
35	Safety and efficacy of a feed additive consisting of DSM 33189 and (formerly) DSM 12856 for all animal species (Lactosan GmbH & Co.KG.).. <i>EFSA Journal</i> , 2022 , 20, e07151	2.3
34	Assessment of the feed additive consisting of (formerly) DSM 12856 for all animal species for the renewal of its authorisation (Lactosan GmbH & Co KG.).. <i>EFSA Journal</i> , 2022 , 20, e07148	2.3
33	Safety and efficacy of a feed additive consisting of lanthanum carbonate octahydrate (Lanthan One) for cats (Porus GmbH).. <i>EFSA Journal</i> , 2022 , 20, e07168	2.3
32	Safety and efficacy of a feed additive consisting of l-valine produced by CCTCC M2020321 for all animal species (Kempex Holland BV).. <i>EFSA Journal</i> , 2022 , 20, e07163	2.3
31	Safety and efficacy of a feed additive consisting of NITE BP-01844 (BA-KING) for chickens for fattening, chickens reared for laying, turkeys for fattening, turkeys reared for breeding and all avian species for fattening, or rearing to slaughter or point of lay including non-food producing species (Tos Biopharma Co., Ltd.).. <i>EFSA Journal</i> , 2022 , 20, e07152	2.3
30	Safety and efficacy of a feed additive consisting of astaxanthin-rich for salmon and trout (Igene Biotechnology, Inc.).. <i>EFSA Journal</i> , 2022 , 20, e07161	2.3
29	Safety and efficacy of the feed additive consisting of CECT 4529 (D2/CSL) for all poultry species and categories and all ornamental birds (Centro Sperimentale del Latte S.r.l.).. <i>EFSA Journal</i> , 2022 , 20, e07150	2.3
28	Assessment of the feed additive consisting of potassium diformate for all animal species for the renewal of its authorisation (Addcon GmbH).. <i>EFSA Journal</i> , 2022 , 20, e07167	2.3
27	Safety and efficacy of a feed additive consisting of sodium alginate for all animal species (ALGAIA).. <i>EFSA Journal</i> , 2022 , 20, e07164	2.3
26	Efficacy of a feed additive consisting of endo-1,4-beta-xylanase produced by (IMI SD 135) (HOSTAZYM X) for sows in order to have benefits in piglets (Huvepharma NV).. <i>EFSA Journal</i> , 2022 , 20, e07154	2.3
25	Safety and efficacy of a feed additive consisting of manganous lysinate sulfate for all animal species (Phytobiotics Futterzusatzstoffe GmbH).. <i>EFSA Journal</i> , 2022 , 20, e07165	2.3
24	Safety and efficacy of the feed additives consisting of l-glutamic acid and monosodium l-glutamate monohydrate produced by NITE BP-01681 for all animal species (METEX NOOVISTAGO).. <i>EFSA Journal</i> , 2022 , 20, e07156	2.3
23	Assessment of the feed additive consisting of (formerly) NCIMB 30236 for all animal species for the renewal of its authorisation (BioCC OJ).. <i>EFSA Journal</i> , 2022 , 20, e07149	2.3

22	Safety and efficacy of a feed additive consisting of Allura Red AC for small non-food-producing mammals and ornamental birds (Versele-Laga).. <i>EFSA Journal</i> , 2021 , 19, e06987	2.3
21	Safety and efficacy of a feed additive consisting of β -galactosidase (produced by ATCC SD6740) and endo-1,4- β -xylanase (produced by CBS 139997) (Capsozyme SB Plus) for chickens for fattening, chickens reared for laying and minor poultry species (for fattening and reared for laying) (Industrial Técnica Pecuaria S.A.).. <i>EFSA Journal</i> , 2021 , 19, e06981	2.3
20	Safety and efficacy of a feed additive consisting of l-isoleucine produced by KCCM 80185 for all animal species (CJ Europe GmbH).. <i>EFSA Journal</i> , 2021 , 19, e06977	2.3
19	Safety and efficacy of a feed additive consisting of l-lysine monohydrochloride and l-lysine sulfate produced by CGMCC 14498 for all animal species (Kempex Holland BV).. <i>EFSA Journal</i> , 2021 , 19, e06980	2.3
18	Safety and efficacy of the feed additive consisting of selenium-enriched yeast (CNCM I-3060) for all animal species (Alltech Ireland).. <i>EFSA Journal</i> , 2021 , 19, e06979	2.3
17	Safety and efficacy of a feed additive consisting of monosodium l-glutamate produced by fermentation with KCCM 80187 for all animal species (CJ Europe GmbH).. <i>EFSA Journal</i> , 2021 , 19, e06982 ^{2.3}	2.3
16	Assessment of the feed additive consisting of DSM 11037 for all animal species for the renewal of its authorisation (Chr. Hansen A/S).. <i>EFSA Journal</i> , 2022 , 20, e07241	2.3
15	Safety of feed additives consisting of β -damascone [07.083] and (E)- β -damascone [07.224] belonging to chemical group 8 for use in all animal species (FEFANA asbl).. <i>EFSA Journal</i> , 2022 , 20, e07248 ^{2.3}	2.3
14	Safety and efficacy of a feed additive consisting of l-methionine produced by the combined activities of KCCM 80245 and KCCM 80246 for all animal species (CJ Europe GmbH).. <i>EFSA Journal</i> , 2022 , 20, e07247	2.3
13	Safety and efficacy of a feed additive consisting of l-lysine sulfate produced by CGMCC 7.398 for all animal species (Kempex Holland B.V.).. <i>EFSA Journal</i> , 2022 , 20, e07246	2.3
12	Assessment of the feed additive consisting of NCIMB 30117 for all animal species for the renewal of its authorisation (Chr. Hansen A/S).. <i>EFSA Journal</i> , 2022 , 20, e07243	2.3
11	Safety of 37 feed additives consisting of flavouring compounds belonging to different chemical groups for use in all animal species (FEFANA asbl).. <i>EFSA Journal</i> , 2022 , 20, e07249	2.3
10	Safety and efficacy of a feed additive consisting of agar for pets and non-food-producing animals (Hispanagar).. <i>EFSA Journal</i> , 2022 , 20, e07284	2.3
9	Safety and efficacy of a feed additive consisting of carrageenan for pets and other non-food-producing animals (Marinalg International).. <i>EFSA Journal</i> , 2022 , 20, e07285	2.3
8	Safety and efficacy of a feed additive consisting of NBIMCC 8270, NBIMCC 8242, NBIMCC 8269, ssp. NBIMCC 8250, NBIMCC 8244 and NBIMCC 8253 (Probiotic Lactina) for chickens for fattening and suckling and weaned rabbits (Lactina Ltd.).. <i>EFSA Journal</i> , 2022 , 20, e07245	2.3
7	Safety and efficacy of the feed additive consisting of ammonium chloride (Ammonium Chloride AF) for all ruminants, dogs and cats for the renewal of its authorisation (BASF SE).. <i>EFSA Journal</i> , 2022 , 20, e07255	2.3
6	Safety and efficacy of a feed additive consisting of acacia gum (gum Arabic) for all animal species (A.I.P.G. Association for International Promotion of Gums).. <i>EFSA Journal</i> , 2022 , 20, e07252	2.3
5	Safety and efficacy of a feed additive consisting of guar gum for all animal species (A.I.P.G. Association for International Promotion of Gums).. <i>EFSA Journal</i> , 2022 , 20, e07253	2.3

4	Safety and efficacy of a feed additive consisting of 6-phytase (produced by DSM 23036) (OptiPhos) for poultry for fattening, chickens reared for laying, laying hens, turkeys reared for breeding, weaned piglets, pigs for fattening and sows for the renewal of their authorisation and for the new use in breeding hens and turkeys, ornamental birds, suckling piglets and minor pig species for	2.3
3	Safety and efficacy of a feed additive consisting of butylated hydroxytoluene (BHT) for all animal species (Katyon Technologies Limited).. <i>EFSA Journal</i> , 2022 , 20, e07287	2.3
2	Safety and efficacy of a feed additive consisting of Sunset Yellow FCF for cats and dogs, ornamental fish, grain-eating ornamental birds and small rodents (Sensient Colours Europe GmbH).. <i>EFSA Journal</i> , 2022 , 20, e07266	2.3
1	Safety and efficacy of a feed additive consisting of endo-1,4-beta-xylanase and endo-1,3(4)-beta-glucanase produced with IMI 378536 and DSM 26702 (ROVABIO ADVANCE) for weaned piglets and pigs for fattening (ADISSEO France S.A.S).. <i>EFSA Journal</i> , 2022 , 20, e07251	2.3