

Vasileios A Bampidis

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1832127/vasileios-a-bampidis-publications-by-year.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

795
papers

4,524
citations

23
h-index

52
g-index

856
ext. papers

5,302
ext. citations

2.2
avg, IF

6.43
L-index

#	Paper	IF	Citations
795	Safety and efficacy of a feed additive consisting of an essential oil from (<i>L.</i>) <i>J. Presl</i> (camphor white oil) for use in all animal species (FEFANA asbl).. <i>EFSA Journal</i> , 2022 , 20, e06985	2.3	0
794	Assessment of the feed additive consisting of NCIMB 30160 for all animal species for the renewal of its authorisation (Lactosan GmbH & Co KG).. <i>EFSA Journal</i> , 2022 , 20, e06975	2.3	
793	Safety and efficacy of two solvent extracts of rosemary (<i>L.</i>) when used as feed additive for cats and dogs (Kemin Nutrisurance Europe SRL).. <i>EFSA Journal</i> , 2022 , 20, e06978	2.3	
792	Safety and efficacy of a feed additive consisting of DSM 15544 (Calsporin) for dairy cows and other dairy ruminants (Asahi Biocycle Co. Ltd.).. <i>EFSA Journal</i> , 2022 , 20, e06984	2.3	
791	Safety of the fermentation product of NRRL 458 (Amaferm) as a feed additive for dairy cows (Biozyme Inc.).. <i>EFSA Journal</i> , 2022 , 20, e06983	2.3	
790	Efficacy of a feed additive consisting of nicarbazin (Coxar) for use in turkeys for fattening (Huvepharma N.V.).. <i>EFSA Journal</i> , 2022 , 20, e07162	2.3	
789	Safety and efficacy of a feed additive consisting of an essential oil from the flowers of (<i>Lam.</i>) <i>Hook.f. & Thomson</i> (ylang ylang oil) for use in all animal species (FEFANA asbl).. <i>EFSA Journal</i> , 2022 , 20, e07159	2.3	0
788	Safety and efficacy of a feed additive consisting of ferric citrate chelate (CI-FER) for poultry species for fattening or reared up to the point of lay (Akeso Biomedical, Inc.).. <i>EFSA Journal</i> , 2022 , 20, e07155	2.3	
787	Safety and efficacy of a feed additive consisting of zearalenone hydrolase produced by DSM 32731 for all terrestrial animal species (Biomim GmbH).. <i>EFSA Journal</i> , 2022 , 20, e07157	2.3	0
786	Safety and efficacy of a feed additive consisting of DSM 33189 and (formerly) DSM 12856 for all animal species (Lactosan GmbH & Co.KG.).. <i>EFSA Journal</i> , 2022 , 20, e07151	2.3	
785	Assessment of the feed additive consisting of (formerly) DSM 12856 for all animal species for the renewal of its authorisation (Lactosan GmbH & Co KG.).. <i>EFSA Journal</i> , 2022 , 20, e07148	2.3	
784	Safety and efficacy of a feed additive consisting of lanthanum carbonate octahydrate (Lanthan One) for cats (Porus GmbH).. <i>EFSA Journal</i> , 2022 , 20, e07168	2.3	
783	Safety and efficacy of a feed additive consisting of l-valine produced by CCTCC M2020321 for all animal species (Kempex Holland BV).. <i>EFSA Journal</i> , 2022 , 20, e07163	2.3	
782	Safety and efficacy of a feed additive consisting of NITE BP-01844 (BA-KING) for chickens for fattening, chickens reared for laying, turkeys for fattening, turkeys reared for breeding and all avian species for fattening, or rearing to slaughter or point of lay including non-food producing species (Toa Biopharma Co., Ltd.).. <i>EFSA Journal</i> , 2022 , 20, e07152	2.3	
781	Safety and efficacy of a feed additive consisting of astaxanthin-rich for salmon and trout (Igene Biotechnology, Inc.).. <i>EFSA Journal</i> , 2022 , 20, e07161	2.3	
780	Safety and efficacy of the feed additive consisting of CECT 4529 (D2/CSL) for all poultry species and categories and all ornamental birds (Centro Sperimentale del Latte S.r.l.).. <i>EFSA Journal</i> , 2022 , 20, e07150	2.3	
779	Assessment of the feed additive consisting of potassium diformate for all animal species for the renewal of its authorisation (Addcon GmbH).. <i>EFSA Journal</i> , 2022 , 20, e07167	2.3	

778	Safety and efficacy of a feed additive consisting of sodium alginate for all animal species (ALGAIA).. <i>EFSA Journal</i> , 2022 , 20, e07164	2.3	
777	Safety and efficacy of a feed additive consisting of ethoxyquin (6-ethoxy-1,2-dihydro-2,2,4-trimethylquinoline) for all animal species (FEFANA asbl).. <i>EFSA Journal</i> , 2022 , 20, e07166	2.3	0
776	Safety and efficacy of a feed additive consisting of an essential oil from the leaves of (P.J. Bergius) Pillans (buchu leaf oil) for use in all animal species (FEFANA asbl).. <i>EFSA Journal</i> , 2022 , 20, e07160	2.3	0
775	Efficacy of a feed additive consisting of endo-1,4-beta-xylanase produced by (IMI SD 135) (HOSTAZYM X) for sows in order to have benefits in piglets (Huvepharma NV).. <i>EFSA Journal</i> , 2022 , 20, e07154	2.3	
774	Safety and efficacy of a feed additive consisting of manganous lysinate sulfate for all animal species (Phytobiotics Futterzusatzstoffe GmbH).. <i>EFSA Journal</i> , 2022 , 20, e07165	2.3	
773	Safety and efficacy of the feed additives consisting of l-glutamic acid and monosodium l-glutamate monohydrate produced by NITE BP-01681 for all animal species (METEX NOOVISTAGO).. <i>EFSA Journal</i> , 2022 , 20, e07156	2.3	
772	Safety and efficacy of a feed additive consisting of an extract of olibanum from Roxb. ex Colebr. for use in dogs and horses (FEFANA asbl).. <i>EFSA Journal</i> , 2022 , 20, e07158	2.3	0
771	Safety and efficacy of a feed additive consisting of disodium 5'-inosinate (IMP) produced by KCCM 80235 for all animal species (CJ Europe GmbH).. <i>EFSA Journal</i> , 2022 , 20, e07153	2.3	0
770	Assessment of the feed additive consisting of (formerly) NCIMB 30236 for all animal species for the renewal of its authorisation (BioCC OJ).. <i>EFSA Journal</i> , 2022 , 20, e07149	2.3	
769	Safety and efficacy of a feed additive consisting of sepiolite for all animal species (Sepiol S.A and Tolsa, S.A).. <i>EFSA Journal</i> , 2022 , 20, e07250	2.3	0
768	Assessment of the feed additive consisting of DSM 11037 for all animal species for the renewal of its authorisation (Chr. Hansen A/S).. <i>EFSA Journal</i> , 2022 , 20, e07241	2.3	
767	Safety and efficacy of a feed additive consisting of ATCC PTA-6737 (PB6) for turkeys for fattening, turkeys reared for breeding, laying hens, minor poultry species for laying, piglets (weaned), weaned minor porcine species and sows (Kemin Europe N.V.).. <i>EFSA Journal</i> , 2022 , 20, e07244	2.3	1
766	Safety of feed additives consisting of Edamascone [07.083] and (E)-Edamascone [07.224] belonging to chemical group 8 for use in all animal species (FEFANA asbl).. <i>EFSA Journal</i> , 2022 , 20, e07248 ^{2,3}	2.3	
765	Safety and efficacy of a feed additive consisting of l-methionine produced by the combined activities of KCCM 80245 and KCCM 80246 for all animal species (CJ Europe GmbH).. <i>EFSA Journal</i> , 2022 , 20, e07247	2.3	
764	Safety and efficacy of a feed additive consisting of l-lysine sulfate produced by CGMCC 7.398 for all animal species (Kempex Holland B.V.).. <i>EFSA Journal</i> , 2022 , 20, e07246	2.3	
763	Assessment of the feed additive consisting of NCIMB 30117 for all animal species for the renewal of its authorisation (Chr. Hansen A/S).. <i>EFSA Journal</i> , 2022 , 20, e07243	2.3	
762	Safety of 37 feed additives consisting of flavouring compounds belonging to different chemical groups for use in all animal species (FEFANA asbl).. <i>EFSA Journal</i> , 2022 , 20, e07249	2.3	
761	Safety and efficacy of a feed additive consisting of agar for pets and non-food-producing animals (Hispanagar).. <i>EFSA Journal</i> , 2022 , 20, e07284	2.3	

760	Safety and efficacy of a feed additive consisting of carrageenan for pets and other non-food-producing animals (Marinalg International).. <i>EFSA Journal</i> , 2022 , 20, e07285	2.3	
759	Safety and efficacy of a feed additive consisting of NBIMCC 8270, NBIMCC 8242, NBIMCC 8269, ssp. NBIMCC 8250, NBIMCC 8244 and NBIMCC 8253 (Probiotic Lactina) for chickens for fattening and suckling and weaned rabbits (Lactina Ltd.).. <i>EFSA Journal</i> , 2022 , 20, e07245	2.3	
758	Safety and efficacy of the feed additive consisting of ammonium chloride (Ammonium Chloride AF) for all ruminants, dogs and cats for the renewal of its authorisation (BASF SE).. <i>EFSA Journal</i> , 2022 , 20, e07255	2.3	
757	Safety and efficacy of a feed additive consisting of lactic acid produced by (synonym) DSM 32789 for all animal species except for fish (Jungbunzlauer SA).. <i>EFSA Journal</i> , 2022 , 20, e07268	2.3	0
756	Safety and efficacy of a feed additive consisting of acacia gum (gum Arabic) for all animal species (A.I.P.G. Association for International Promotion of Gums).. <i>EFSA Journal</i> , 2022 , 20, e07252	2.3	
755	Safety and efficacy of a feed additive consisting of guar gum for all animal species (A.I.P.G. Association for International Promotion of Gums).. <i>EFSA Journal</i> , 2022 , 20, e07253	2.3	
754	Safety and efficacy of a feed additive consisting of butylated hydroxytoluene (BHT) for all animal species (Lanxess Deutschland GmbH).. <i>EFSA Journal</i> , 2022 , 20, e07286	2.3	1
753	Safety and efficacy of a feed additive consisting of 6-phytase (produced by DSM 23036) (OptiPhos) for poultry for fattening, chickens reared for laying, laying hens, turkeys reared for breeding, weaned piglets, pigs for fattening and sows for the renewal of their authorisation and for the new use in breeding hens and turkeys, ornamental birds, suckling piglets and minor pig species for	2.3	
752	Safety and efficacy of a feed additive consisting of butylated hydroxytoluene (BHT) for all animal species (Katyon Technologies Limited).. <i>EFSA Journal</i> , 2022 , 20, e07287	2.3	
751	Safety and efficacy of a feed additive consisting of Sunset Yellow FCF for cats and dogs, ornamental fish, grain-eating ornamental birds and small rodents (Sensient Colours Europe GmbH).. <i>EFSA Journal</i> , 2022 , 20, e07266	2.3	
750	Safety and efficacy of a feed additive consisting of guanidinoacetic acid for all animal species (Alzchem Trostberg GmbH).. <i>EFSA Journal</i> , 2022 , 20, e07269	2.3	0
749	Safety and efficacy of a feed additive consisting of endo-1,4-beta-xylanase and endo-1,3(4)-beta-glucanase produced with IMI 378536 and DSM 26702 (ROVABIO ADVANCE) for weaned piglets and pigs for fattening (ADISSEO France S.A.S).. <i>EFSA Journal</i> , 2022 , 20, e07251	2.3	
748	Safety and efficacy of a feed additive consisting of endo-1,4-xylanase produced by LMG S-27588 (Beltherm MP/ML) for laying hens, minor poultry species and all avian species (Puratos NV). <i>EFSA Journal</i> , 2021 , 19, e06906	2.3	
747	Safety and efficacy of a feed additive consisting of DSM 15544 (Calsporin) for piglets (suckling and weaned), pigs for fattening, sows in order to have benefit in piglets, ornamental fish, dogs and all avian species (Asahi Biocycle Co.). <i>EFSA Journal</i> , 2021 , 19, e06903	2.3	1
746	Assessment of the feed additive consisting of sodium benzoate (Protural) for weaned piglets for the renewal of its authorisation and the extension of use to other growing Suidae (Taminco Finland Oy). <i>EFSA Journal</i> , 2021 , 19, e06899	2.3	
745	Assessment of the feed additive consisting of (formerly) DSM 12835 EU for all animal species for the renewal of its authorisation (Lactosan GmbH & Co KG). <i>EFSA Journal</i> , 2021 , 19, e06900	2.3	0
744	Safety and efficacy of a feed additive consisting of (formerly) NCIMB 30121 for all animal species for the renewal of its authorisation (Lactosan GmbH & Co. KG). <i>EFSA Journal</i> , 2021 , 19, e06901	2.3	1
743	Safety and efficacy of a feed additive consisting of iron (II) chelate of amino acids hydrate for all animal species. <i>EFSA Journal</i> , 2021 , 19, e06894	2.3	

742	Safety and efficacy of a feed additive consisting of an aqueous extract of (L.) Osbeck (lemon extract) for use in all animal species (Nor-Feed SAS). <i>EFSA Journal</i> , 2021 , 19, e06893	2.3	1
741	Assessment of the feed additive consisting of (formerly DSM 16245 for all animal species for the renewal of its authorisation (Lactosan GmbH & Co KG). <i>EFSA Journal</i> , 2021 , 19, e06902	2.3	
740	Safety and efficacy of a feed additive consisting of strains CNCM I-4606, CNCM I-5043 and CNCM I-4607 and CNCM I-4609 for all animal species (Nolivade). <i>EFSA Journal</i> , 2021 , 19, e06907	2.3	0
739	Safety and efficacy of feed additives consisting of expressed sweet orange peel oil and its fractions from (L.) Osbeck for use in all animal species (FEFANA asbl). <i>EFSA Journal</i> , 2021 , 19, e06891	2.3	0
738	Safety and efficacy of a feed additive consisting of 3-nitrooxypropanol (Bovaer 10) for ruminants for milk production and reproduction (DSM Nutritional Products Ltd). <i>EFSA Journal</i> , 2021 , 19, e06905	2.3	2
737	Assessment of a feed additive consisting of all-rac-alpha-tocopheryl acetate (vitamin E) for all animal species for the renewal of its authorisation (Jilin Beisha Pharmaceutical Co., Ltd).. <i>EFSA Journal</i> , 2021 , 19, e06974	2.3	2
736	Opinion on the impact of non-monotonic dose responses on EFSA's human health risk assessments. <i>EFSA Journal</i> , 2021 , 19, e06877	2.3	2
735	Maximum levels of cross-contamination for 24 antimicrobial active substances in non-target feed. Part 8:. <i>EFSA Journal</i> , 2021 , 19, e06860	2.3	8
734	Maximum levels of cross-contamination for 24 antimicrobial active substances in non-target feed.?Part 10:. <i>EFSA Journal</i> , 2021 , 19, e06862	2.3	8
733	Maximum levels of cross-contamination for 24 antimicrobial active substances in non-target feed. Part 1:. <i>EFSA Journal</i> , 2021 , 19, e06852	2.3	10
732	Maximum levels of cross-contamination for 24 antimicrobial active substances in non-target feed. Part 13:. <i>EFSA Journal</i> , 2021 , 19, e06865	2.3	12
731	Maximum levels of cross-contamination for 24 antimicrobial active substances in non-target feed.?Part 9:. <i>EFSA Journal</i> , 2021 , 19, e06861	2.3	10
730	Maximum levels of cross-contamination for 24 antimicrobial active substances in non-target feed. Part 7:. <i>EFSA Journal</i> , 2021 , 19, e06859	2.3	4
729	Maximum levels of cross-contamination for 24 antimicrobial active substances in non-target feed. Part 11:. <i>EFSA Journal</i> , 2021 , 19, e06863	2.3	12
728	Maximum levels of cross-contamination for 24 antimicrobial active substances in non-target feed.?Part 3:. <i>EFSA Journal</i> , 2021 , 19, e06854	2.3	12
727	Maximum levels of cross-contamination for 24 antimicrobial active substances in non-target feed. Part 12:. <i>EFSA Journal</i> , 2021 , 19, e06864	2.3	4
726	Maximum levels of cross-contamination for 24 antimicrobial active substances in non-target feed.?Part 6:. <i>EFSA Journal</i> , 2021 , 19, e06858	2.3	8
725	Maximum levels of cross-contamination for 24 antimicrobial active substances in non-target feed.?Part 2:. <i>EFSA Journal</i> , 2021 , 19, e06853	2.3	8

724	Maximum levels of cross-contamination for 24 antimicrobial active substances in non-target feed.?Part 4:. <i>EFSA Journal</i> , 2021 , 19, e06855	2.3	3
723	Maximum levels of cross-contamination for 24 antimicrobial active substances in non-target feed. Part 5:. <i>EFSA Journal</i> , 2021 , 19, e06856	2.3	13
722	Safety of a feed additive consisting of a dried aqueous ethanol extract from the leaves of L. for all animal species (Nor-Feed SAS). <i>EFSA Journal</i> , 2021 , 19, e06904	2.3	
721	Safety and efficacy of a feed additive consisting of (formerly) DSM 26571 for all animal species (Chr. Hansen A/S). <i>EFSA Journal</i> , 2021 , 19, e06898	2.3	
720	Safety and efficacy of a feed additive consisting of copper (II) chelate of amino acids hydrate for all animal species (Zinpro Animal Nutrition (Europe) Inc.). <i>EFSA Journal</i> , 2021 , 19, e06896	2.3	
719	Safety and efficacy of a feed additive consisting of zinc chelate of amino acids hydrate for all animal species (Zinpro Animal Nutrition (Europe) Inc.). <i>EFSA Journal</i> , 2021 , 19, e06897	2.3	
718	Safety and efficacy of a feed additive consisting of cashew nutshell liquid for all animal species (Oligobasic Europe). <i>EFSA Journal</i> , 2021 , 19, e06892	2.3	
717	Safety and efficacy of a feed additive consisting of manganese chelate of amino acids hydrate for all animal species (Zinpro Animal Nutrition (Europe) Inc.). <i>EFSA Journal</i> , 2021 , 19, e06895	2.3	
716	Safety and efficacy of the feed additive consisting of Vitamin B/Riboflavin produced by CCTCCM 2019833 for all animal species (Hubei Guangji Pharmaceutical Co., Ltd). <i>EFSA Journal</i> , 2021 , 19, e06462	2.3	2
715	Safety and efficacy of the feed additive consisting of DSM 28710 (B-Act) for laying hens, minor poultry species for laying, poultry species for breeding purposes and ornamental birds (HuvePharma N.V.). <i>EFSA Journal</i> , 2021 , 19, e06449	2.3	1
714	Safety and efficacy of a feed additive consisting of serine protease produced by DSM 19670 (Ronozyme ProAct) for chickens for fattening (DSM Nutritional Products Ltd.). <i>EFSA Journal</i> , 2021 , 19, e06448	2.3	1
713	Safety and efficacy of a feed additive consisting of manganese chelate of ethylenediamine for all animal species (Zinpro Animal Nutrition (Europe), Inc.). <i>EFSA Journal</i> , 2021 , 19, e06468	2.3	1
712	Statement on the safety and efficacy of the feed additive consisting on tragacanth gum for all animal species (Association for International Promotion of Gums). <i>EFSA Journal</i> , 2021 , 19, e06447	2.3	5
711	Safety and efficacy of a feed additive consisting of endo-1,4- β -xylanase produced by LMG S-15136 (Belfeed B MP/ML) for sows in order to have benefits in piglets and for all porcine species (Beldem, a division of Puratos NV). <i>EFSA Journal</i> , 2021 , 19, e06456	2.3	1
710	Safety of the feed additive consisting of manganese chelates of lysine and glutamic acid for all animal species (Zinpro Animal Nutrition). <i>EFSA Journal</i> , 2021 , 19, e06454	2.3	2
709	Safety and efficacy of a feed additive consisting of lasalocid A sodium and nicarbazin (Nilablend [®] 200G) for chickens for fattening (Zoetis Belgium SA). <i>EFSA Journal</i> , 2021 , 19, e06466	2.3	1
708	Safety and efficacy of the additive consisting of muramidase produced by DSM 32338 (Balancius [®]) for use in weaned piglets (DSM Nutritional products Ltd). <i>EFSA Journal</i> , 2021 , 19, e06452	2.3	
707	Statement on the derivation of Health-Based Guidance Values (HBGVs) for regulated products that are also nutrients. <i>EFSA Journal</i> , 2021 , 19, e06479	2.3	5

706	Safety and efficacy of a feed additive consisting of zinc chelate of ethylenediamine for all animal species (Zinpro Animal Nutrition (Europe), Inc.). <i>EFSA Journal</i> , 2021 , 19, e06467	2.3	5
705	Safety and efficacy of a feed additive consisting on 'ATCC PTA-6750 (formerly) for all animal species (Chr. Hansen A/S). <i>EFSA Journal</i> , 2021 , 19, e06469	2.3	
704	Safety and efficacy of a feed additive consisting of a dried extract from (L.) Roxb. for use in cats and dogs (C.I.A.M.). <i>EFSA Journal</i> , 2021 , 19, e06444	2.3	2
703	Efficacy of the feed additive consisting of decoquinate (Deccox) for use in chickens for fattening (Zoetis Belgium SA). <i>EFSA Journal</i> , 2021 , 19, e06453	2.3	1
702	Safety and efficacy of a feed additive consisting of the seed husk of Forssk. for use in cats and dogs (C.I.A.M.). <i>EFSA Journal</i> , 2021 , 19, e06445	2.3	
701	Effects of dietary pomegranate seed cake supplementation on performance, carcass characteristics and meat quality of growing lambs. <i>Animal Feed Science and Technology</i> , 2021 , 273, 114815	3	7
700	Safety and efficacy of the feed additive consisting of FERM BP-2789 (Miya-Gold S) for chickens for fattening, chickens reared for laying, turkeys for fattening, turkeys reared for breeding, minor avian species (excluding laying birds), piglets (suckling and weaned) and minor porcine species (Miyarisan Pharmaceutical Co. Ltd.). <i>EFSA Journal</i> , 2021 , 19, e06450	2.3	
699	Efficacy of the feed additive consisting of amprolium hydrochloride (COXAM) for use in chickens for fattening and chickens reared for laying (Huvepharma N.V.). <i>EFSA Journal</i> , 2021 , 19, e06457	2.3	1
698	Safety and efficacy of feed additives consisting of dried extracts from DC. or (L.) Moench for use in cats and dogs (C.I.A.M.). <i>EFSA Journal</i> , 2021 , 19, e06446	2.3	
697	Safety and efficacy of the feed additive consisting of l-tryptophan produced by KCCM 80210 for all animal species (Daesang Europe BV). <i>EFSA Journal</i> , 2021 , 19, e06425	2.3	1
696	Safety and efficacy of an additive consisting of 'DSM 32324 for all animal species (Chr. Hansen A/S). <i>EFSA Journal</i> , 2021 , 19, e06523	2.3	
695	Safety and efficacy of a feed additive consisting of l-valine produced by 'CGMCC 7.366 for all animal species (Ningxia Eppen Biotech Co., Ltd.). <i>EFSA Journal</i> , 2021 , 19, e06521	2.3	1
694	Safety and efficacy of an additive consisting of 'DSM 32325 for all animal species (Chr. Hansen A/S). <i>EFSA Journal</i> , 2021 , 19, e06524	2.3	
693	Safety and efficacy of a feed additive consisting of a preparation of benzoic acid, calcium formate and fumaric acid (AviMatrix Z) for all avian species other than laying birds (Novus Europe S.A. / N.V). <i>EFSA Journal</i> , 2021 , 19, e06528	2.3	1
692	Safety and efficacy of a feed additive consisting of a dried extract from the roots of L. (dry extract) for use in cats and dogs (C.I.A.M.). <i>EFSA Journal</i> , 2021 , 19, e06527	2.3	1
691	Safety and efficacy of a feed additive consisting of PTA-6507, NRRL B-50013 and NRRL B-50104 (Enviva PRO 202 GT) for turkeys for fattening (Danisco Animal Nutrition). <i>EFSA Journal</i> , 2021 , 19, e06535 ^{2,3}		0
690	Safety and efficacy of a feed additive consisting of copper chelate of ethylenediamine for all animal species (Zinpro Animal Nutrition (Europe), Inc.). <i>EFSA Journal</i> , 2021 , 19, e06541	2.3	1
689	Safety and efficacy of a feed additive consisting of endo-1,4-Exylanase (ECONASEXT) produced by CBS 140027 as a feed additive for piglets (weaned), pigs for fattening, chickens for fattening, chickens reared for laying, laying hens, turkeys for fattening, turkeys reared for breeding and minor poultry species (Boal Co). <i>EFSA Journal</i> , 2021 , 19, e06536	2.3	1

688	Assessment of a feed additive consisting of all-rac-alpha-tocopheryl acetate (vitamin E) for all animal species for the renewal of its authorisation (NHU Europe GmbH). <i>EFSA Journal</i> , 2021 , 19, e06533	2.3	6
687	Assessment of a feed additive consisting of all-rac-alpha tocopheryl acetate (vitamin E) for all animal species for the renewal of its authorisation (DSM). <i>EFSA Journal</i> , 2021 , 19, e06529	2.3	1
686	Safety and efficacy of feed additives consisting of expressed lemon oil and its fractions from (L.) Osbeck and of lime oil from (Christm.) Swingle for use in all animal species (FEFANA asbl). <i>EFSA Journal</i> , 2021 , 19, e06548	2.3	9
685	Safety and efficacy of a feed additive consisting of a tincture derived from roots of L. (gentian tincture) for use in all animal species (FEFANA asbl). <i>EFSA Journal</i> , 2021 , 19, e06547	2.3	6
684	Safety and efficacy of an additive consisting of synthetic vitamin K (phytomenadione) for horses (JARAZ Enterprises GmbH & Co. KG). <i>EFSA Journal</i> , 2021 , 19, e06538	2.3	
683	Assessment of a feed additive consisting of all-rac-alpha tocopheryl acetate (vitamin E) for all animal species for the renewal of its authorisation (BASF SE). <i>EFSA Journal</i> , 2021 , 19, e06531	2.3	1
682	Assessment of a feed additive consisting of all-rac-alpha tocopheryl acetate (vitamin E) for all animal species for the renewal of its authorisation (EUROPE-ASIA Import Export GmbH). <i>EFSA Journal</i> , 2021 , 19, e06530	2.3	1
681	Safety and efficacy of a feed additive consisting of ferrous lysinate sulfate for all animal species (Phytobiotics Futterzusatzstoffe GmbH). <i>EFSA Journal</i> , 2021 , 19, e06545	2.3	
680	Safety and efficacy of the feed additive consisting of endo-1,4-beta-xylanase produced by CBS 143953 (Danisco Xylanase 40000 G/L) for poultry and porcine species (Danisco Animal Nutrition). <i>EFSA Journal</i> , 2021 , 19, e06539	2.3	
679	Safety and efficacy of a feed additive consisting of a dried extract from the roots of C.A. Meyer (dry extract) for use in cats and dogs (C.I.A.M.). <i>EFSA Journal</i> , 2021 , 19, e06526	2.3	
678	Safety and efficacy of a feed additive consisting of a dried extract from the leaves of L. (dry extract) for use in cats and dogs (C.I.A.M.). <i>EFSA Journal</i> , 2021 , 19, e06525	2.3	0
677	Safety and efficacy of a feed additive consisting of chromium propionate (KemTRACE[Chromium) for all growing poultry species (Kemin Europa NV). <i>EFSA Journal</i> , 2021 , 19, e06546	2.3	
676	Safety and efficacy of a feed additive consisting of iron chelate of ethylenediamine for all animal species (Zinpro Animal Nutrition (Europe), Inc.). <i>EFSA Journal</i> , 2021 , 19, e06540	2.3	1
675	Safety of the feed additives consisting of l-lysine monohydrochloride and l-lysine sulfate produced by CCTCC M 2015595 for all animal species (Kempex Holland B. V.). <i>EFSA Journal</i> , 2021 , 19, e06520	2.3	2
674	Assessment of a feed additive consisting of RRR-alpha-tocopheryl acetate (vitamin E) for all animal species for the renewal of its authorisation (Specialty Ingredients (Europe) B.V. and Vitae Caps S.A.). <i>EFSA Journal</i> , 2021 , 19, e06532	2.3	1
673	Safety and efficacy of an additive consisting of DSM 25840 for all animal species (Chr. Hansen A/S). <i>EFSA Journal</i> , 2021 , 19, e06522	2.3	
672	Safety and efficacy of the feed additives concentrated liquid l-lysine (base) and l-lysine monohydrochloride produced by KCCM 80183 for all animal species (CJ Europe GmbH). <i>EFSA Journal</i> , 2021 , 19, e06537	2.3	2
671	A systems-based approach to the environmental risk assessment of multiple stressors in honey bees. <i>EFSA Journal</i> , 2021 , 19, e06607	2.3	3

670	Assessment of the feed additive consisting of dimethylglycine sodium salt (Taminizer D) for chickens for fattening for the renewal of its authorisation (Taminco N.V.). <i>EFSA Journal</i> , 2021 , 19, e06621-3		
669	Safety and efficacy of a feed additive consisting on the bacteriophages PCM F/00069, PCM F/00070, PCM F/00071 and PCM F/00097 infecting Gallinarum B/00111 (Bafasal) for all avian species (Proteon Pharmaceuticals S.A.). <i>EFSA Journal</i> , 2021 , 19, e06534	2.3	1
668	Assessment of the feed additive consisting of copper chelate of hydroxy analogue of methionine for all animal species for the renewal of its authorisation (Novus Europe S.A./N.V.). <i>EFSA Journal</i> , 2021 , 19, e06618	2.3	
667	Efficacy of the feed additive containing (formerly) CNCM I-3740 (Biacton) for chickens for fattening, turkeys for fattening and laying hens (ChemVet dk A/S). <i>EFSA Journal</i> , 2021 , 19, e06627	2.3	
666	Assessment of the feed additive consisting of (formerly) DSM 21762 for all animal species for the renewal of its authorisation (Lactosan GmbH & Co KG). <i>EFSA Journal</i> , 2021 , 19, e06613	2.3	3
665	Safety and efficacy of a feed additive consisting of l-histidine monohydrochloride monohydrate produced using NITE SD 00268 for all animal species (Kyowa Hakko Europe GmbH). <i>EFSA Journal</i> , 2021 , 19, e06622	2.3	1
664	Safety and efficacy of a feed additive consisting of an essential oil from the leaves of <i>L. petitgrain bigarade</i> oil) for use in all animal species (FEFANA asbl). <i>EFSA Journal</i> , 2021 , 19, e06624	2.3	1
663	Assessment of the feed additive consisting of (formerly) DSM 12836 for all animal species for the renewal of its authorisation (Lactosan GmbH & Co KG). <i>EFSA Journal</i> , 2021 , 19, e06626	2.3	
662	Safety and efficacy of a feed additive consisting of titanium dioxide for all animal species (Titanium Dioxide Manufacturers Association). <i>EFSA Journal</i> , 2021 , 19, e06630	2.3	2
661	Safety and efficacy of an additive consisting of phyllite, natural mixture of minerals of metamorphic origin, as a feed additive for all animal species (Marmorkalkwerk Troesch GmbH & Co. KG). <i>EFSA Journal</i> , 2021 , 19, e06616	2.3	
660	Safety and efficacy of an additive consisting of potassium diformate (FormiLHS) for piglets (weaned) and pigs for fattening (Addcon GmbH). <i>EFSA Journal</i> , 2021 , 19, e06617	2.3	1
659	Safety and efficacy of a feed additive consisting of acetic acid for all animal species. <i>EFSA Journal</i> , 2021 , 19, e06615	2.3	1
658	Safety and efficacy of a feed additive consisting of an essential oil from the fruits of (<i>Lour.</i>) <i>Pers.</i> (litsea berry oil) for use in all animal species (FEFANA asbl). <i>EFSA Journal</i> , 2021 , 19, e06623	2.3	1
657	Safety and efficacy of a feed additive consisting of disodium 5'-guanylate produced with KCCM 10530 and K-12 KFCC 11067 for all animal species (CJ Europe GmbH). <i>EFSA Journal</i> , 2021 , 19, e06619	2.3	1
656	Assessment of the feed additive consisting of (formerly) DSM 12837 for all animal species for the renewal of its authorisation (Lactosan GmbH & Co KG). <i>EFSA Journal</i> , 2021 , 19, e06614	2.3	
655	Safety and efficacy of a feed additive consisting on (formerly) CECT 8350 and (formerly) CECT 8700 (AQ02) for suckling piglets (AQUILON CYL S.L.). <i>EFSA Journal</i> , 2021 , 19, e06631	2.3	0
654	Safety and efficacy of a feed additive consisting of expressed mandarin oil from the fruit peels of Blanco for use in all animal species (FEFANA asbl). <i>EFSA Journal</i> , 2021 , 19, e06625	2.3	1
653	Safety and efficacy of a feed additive consisting of ferric (III) ammonium hexacyanoferrate (II) for ruminants (domestic and wild), calves prior the start of rumination, lambs prior the start of rumination, kids prior the start of rumination and pigs (domestic and wild) (Honeywell Specialty Chemicals Seelze GmbH). <i>EFSA Journal</i> , 2021 , 19, e06628	2.3	

652	Safety and efficacy of the feed additive consisting of 'CECT 5940 (Ecobiol) for turkeys for fattening, turkeys reared for breeding, minor poultry species for fattening and reared for laying and ornamental birds (Evonik Operations GmbH). <i>EFSA Journal</i> , 2021 , 19, e06620	2.3	
651	Safety and efficacy of feed additives consisting of Vitamin B (98%) and Vitamin B (80%) as riboflavin produced by KCCM 10445 for all animal species (Hubei Guangji Pharmaceutical Co. Ltd.). <i>EFSA Journal</i> , 2021 , 19, e06629	2.3	
650	Assessment of a feed additive consisting of vitamin B (pyridoxine hydrochloride) for all animal species for the renewal of its authorisation (Kaesler Nutrition GmbH). <i>EFSA Journal</i> , 2021 , 19, e06612	2.3	
649	Safety of a feed additive consisting of a tincture derived from L. (great mullein tincture) for use in all animal species (MANGHEBATI SAS). <i>EFSA Journal</i> , 2021 , 19, e06711	2.3	
648	Safety and efficacy of a feed additive consisting of l-lysine sulfate produced by KCCM 80227 for all animal species (Daesang Europe BV). <i>EFSA Journal</i> , 2021 , 19, e06706	2.3	3
647	Assessment of the feed additive consisting of 'DSM 12834 for all animal species for the renewal of its authorisation (Lactosan GmbH & Co KG). <i>EFSA Journal</i> , 2021 , 19, e06713	2.3	0
646	Safety and efficacy of a feed additive consisting of (formerly) IMI 507027 for all animal species (ALL-TECHNOLOGY (IRELAND) LIMITED [Alltech Ireland]). <i>EFSA Journal</i> , 2021 , 19, e06704	2.3	0
645	Safety and efficacy of a feed additive consisting of (formerly) IMI 507026 for all animal species (ALL-TECHNOLOGY (IRELAND) LIMITED [Alltech Ireland]). <i>EFSA Journal</i> , 2021 , 19, e06703	2.3	1
644	Assessment of the feed additive consisting of (formerly) DSM 16774 for all animal species for the renewal of its authorisation (Lactosan GmbH & Co.KG). <i>EFSA Journal</i> , 2021 , 19, e06696	2.3	19
643	Safety and efficacy of a feed additive consisting of (formerly) IMI 507023 for all animal species (ALL-TECHNOLOGY (IRELAND) LIMITED [Alltech Ireland]). <i>EFSA Journal</i> , 2021 , 19, e06700	2.3	0
642	Assessment of the feed additive consisting of 'DSM 16243 for all animal species for the renewal of its authorisation (Lactosan GmbH & Co.KG). <i>EFSA Journal</i> , 2021 , 19, e06697	2.3	0
641	Safety and efficacy of a feed additive consisting of IMI 507024 for all animal species (ALL-TECHNOLOGY (IRELAND) LIMITED [Alltech Ireland]). <i>EFSA Journal</i> , 2021 , 19, e06701	2.3	0
640	Assessment of the feed additive consisting of endo-1,4- α -xylanase produced by CBS 114044 (ECONASEXT) for piglets (weaned), chickens reared for laying, chickens for fattening, turkeys for fattening and turkeys reared for breeding for the renewal of its authorisation (Roal Oy). <i>EFSA Journal</i> , 2021 , 19, e06458	2.3	4
639	Safety and efficacy of a feed additive consisting on ssp. ATCC PTA-6752 for all animal species (Chr. Hansen A/S). <i>EFSA Journal</i> , 2021 , 19, e06470	2.3	3
638	Safety for the user of the feed additive consisting of ferric citrate chelate (CI-FER) for suckling and weaned piglets and minor porcine species (Akeso Biomedical, Inc.). <i>EFSA Journal</i> , 2021 , 19, e06455	2.3	1
637	Assessment of the feed additive consisting of DSM 7134 (Bonvital) for chickens for fattening for the renewal of its authorisation (Lactosan GmbH & Co. KG). <i>EFSA Journal</i> , 2021 , 19, e06451	2.3	3
636	Safety and efficacy of a feed additive consisting of a flavonoid-rich dried extract of β L. fruit (bitter orange extract) for use in all animal species (FEFANA asbl). <i>EFSA Journal</i> , 2021 , 19, e06709	2.3	1
635	Safety and efficacy of a feed additive consisting of MUCL 39885 (Biosprint) for all pigs (other than sows and weaned piglets) and other minor porcine species (Prosol S.p.A.). <i>EFSA Journal</i> , 2021 , 19, e06698	2.3	3

634	Safety and efficacy of a feed additive consisting of butylated hydroxyanisole (BHA) for use in cats (FEDIAF). <i>EFSA Journal</i> , 2021 , 19, e06714	2.3	
633	Safety and efficacy of an additive consisting of xanthan gum produced by strains ?????, ????? for all animal species (Biopolymer International). <i>EFSA Journal</i> , 2021 , 19, e06710	2.3	1
632	Safety and efficacy of a feed additive consisting of MUCL 39885 (Biosprint) for cats and dogs (Prosol S.p.A.). <i>EFSA Journal</i> , 2021 , 19, e06699	2.3	
631	Safety for the environment of a feed additive consisting of nicarbazin (Coxar) for use in turkeys for fattening (Huvepharma N.V.). <i>EFSA Journal</i> , 2021 , 19, e06715	2.3	1
630	Safety and efficacy of a feed additive consisting of (formerly) IMI 507028 for all animal species (ALL-TECHNOLOGY (IRELAND) LIMITED [Alltech Ireland]). <i>EFSA Journal</i> , 2021 , 19, e06705	2.3	0
629	Safety and efficacy of a feed additive consisting of IMI 507025 for all animal species (ALL-TECHNOLOGY (IRELAND) LIMITED [Alltech Ireland]). <i>EFSA Journal</i> , 2021 , 19, e06702	2.3	0
628	Guidance on risk assessment of nanomaterials to be applied in the food and feed chain: human and animal health. <i>EFSA Journal</i> , 2021 , 19, e06768	2.3	20
627	Guidance on technical requirements for regulated food and feed product applications to establish the presence of small particles including nanoparticles. <i>EFSA Journal</i> , 2021 , 19, e06769	2.3	15
626	Guidance on aneugenicity assessment. <i>EFSA Journal</i> , 2021 , 19, e06770	2.3	6
625	Guidance on the renewal of the authorisation of feed additives. <i>EFSA Journal</i> , 2021 , 19, e06340	2.3	27
624	Safety and efficacy of a feed additive consisting of Allura Red AC for small non-food-producing mammals and ornamental birds (Versele-Laga).. <i>EFSA Journal</i> , 2021 , 19, e06987	2.3	
623	Safety and efficacy of a feed additive consisting of β -galactosidase (produced by ATCC SD6740) and endo-1,4- β -xyylanase (produced by CBS 139997) (Capsozyme SB Plus) for chickens for fattening, chickens reared for laying and minor poultry species (for fattening and reared for laying) (Industrial Fermentation Services S.A.). <i>EFSA Journal</i> , 2021 , 19, e06984	2.3	
622	Safety and efficacy of a feed additive consisting of l-isoleucine produced by KCCM 80185 for all animal species (CJ Europe GmbH).. <i>EFSA Journal</i> , 2021 , 19, e06977	2.3	
621	Safety and efficacy of a feed additive consisting of l-lysine monohydrochloride and l-lysine sulfate produced by CGMCC 14498 for all animal species (Kempex Holland BV).. <i>EFSA Journal</i> , 2021 , 19, e06980	2.3	
620	Safety and efficacy of the feed additive consisting of selenium-enriched yeast (CNCM I-3060) for all animal species (Alltech Ireland).. <i>EFSA Journal</i> , 2021 , 19, e06979	2.3	
619	Guidance Document on Scientific criteria for grouping chemicals into assessment groups for human risk assessment of combined exposure to multiple chemicals.. <i>EFSA Journal</i> , 2021 , 19, e07033	2.3	6
618	Safety and efficacy of a feed additive consisting of monosodium l-glutamate produced by fermentation with KCCM 80187 for all animal species (CJ Europe GmbH).. <i>EFSA Journal</i> , 2021 , 19, e06982	2.3	
617	Safety and efficacy of a feed additive consisting of sodium aluminosilicate, synthetic, for all animal species (European Zeolites Producers Association (EUZEPA) & Association of Synthetic Amorphous Silica Producers (ASASP)).. <i>EFSA Journal</i> , 2021 , 19, e06976	2.3	0

616	Safety and efficacy of a feed additive consisting of a tincture from the bark of J. Presl (cinnamon tincture) for use in all animal species (FEFANA asbl).. <i>EFSA Journal</i> , 2021 , 19, e06986	2.3	1
615	Safety and efficacy of Bonvital (DSM 7134) as a feed additive for laying hens. <i>EFSA Journal</i> , 2020 , 18, e06277	2.3	1
614	Safety and efficacy of concentrated liquid l-lysine (base) and l-lysine monohydrochloride produced by fermentation with KCCM 80190 as feed additives for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06285 ³	2.3	6
613	Safety of methanethiol [12.003] when used as a feed additive for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06288	2.3	
612	Safety and efficacy of Correlink ABS1781 (NRRL B-67259) as a feed additive for all growing poultry species. <i>EFSA Journal</i> , 2020 , 18, e06279	2.3	
611	Safety and Efficacy of l-histidine monohydrochloride monohydrate produced by fermentation using KCCM 80212 as a feed additive for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06287	2.3	1
610	Evaluation of existing guidelines for their adequacy for the microbial characterisation and environmental risk assessment of microorganisms obtained through synthetic biology. <i>EFSA Journal</i> , 2020 , 18, e06263	2.3	4
609	Safety and efficacy of Nimicoat (carvacrol) as a zootechnical additive for weaned piglets. <i>EFSA Journal</i> , 2020 , 18, e06070	2.3	1
608	Safety and efficacy of GalliPro Fit (DSM 32324, DSM 32325 and DSM 25840) for all poultry species for fattening or reared for laying/breeding. <i>EFSA Journal</i> , 2020 , 18, e06094	2.3	3
607	Safety and efficacy of CNCM I-3698 and CNCM I-3699 as a feed additive for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06082	2.3	3
606	Safety and efficacy of Biacton (CNCM I-3740) as a feed additive for chickens for fattening, turkeys for fattening and laying hens. <i>EFSA Journal</i> , 2020 , 18, e06083	2.3	2
605	Safety and efficacy of propyl gallate for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06069	2.3	3
604	Safety and efficacy of l-valine produced by fermentation using KCCM 80159 for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06074	2.3	3
603	Efficacy of calcium formate as a technological feed additive (preservative) for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06137	2.3	
602	Safety and efficacy of OptiPhos PLUS for poultry species for fattening, minor poultry species reared for breeding and ornamental birds. <i>EFSA Journal</i> , 2020 , 18, e06141	2.3	2
601	Safety and efficacy of 'dry grape extract 60-20' when used as feed flavouring for dogs. <i>EFSA Journal</i> , 2020 , 18, e06067	2.3	
600	Safety and efficacy of Capsozyme SB Plus (β-galactosidase and endo-1,4-β-xylanase) as a feed additive for poultry species for fattening or reared for laying and ornamental birds. <i>EFSA Journal</i> , 2020 , 18, e06086	2.3	1
599	Safety and efficacy of Biacton (Lactobacillus farciminis CNCM I-3740) as a feed additive for weaned piglets. <i>EFSA Journal</i> , 2020 , 18, e06084	2.3	

598	Safety and efficacy of a dried aqueous ethanol extract of <i>L.</i> leaves when used as a sensory additive for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06016	2.3	2
597	Safety and efficacy of l-lysine monohydrochloride and l-lysine sulfate produced using CGMCC 7.266 for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06019	2.3	8
596	Safety and efficacy of l-isoleucine produced by fermentation with KCCM 80189 for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06021	2.3	3
595	Safety and efficacy of Manganese chelates of lysine and glutamic acid as feed additive for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06001	2.3	1
594	Safety and efficacy of 4-phenylbut-3-en-2-one and benzophenone belonging to chemical group 21 when used as flavouring compounds for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06017	2.3	2
593	Safety of lignosulphonate for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06000	2.3	
592	Safety and efficacy of l-tryptophan produced by fermentation using CGMCC 7.267 for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06013	2.3	1
591	Safety and efficacy of l-cystine produced using strain NITE BP-02525 for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06020	2.3	
590	Assessment of the application for renewal of authorisation of l-isoleucine produced by FERM ABP-10641 as a nutritional additive, its extension of use in water for drinking and a new use as flavouring additive for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06022	2.3	
589	Safety and efficacy of saponified paprika extract, containing capsanthin as main carotenoid source, for poultry for fattening and laying (except turkeys). <i>EFSA Journal</i> , 2020 , 18, e06023	2.3	0
588	Safety and efficacy of ProEquo [®] (Lactobacillus plantarum DSM 11520) as a feed additive for horses. <i>EFSA Journal</i> , 2020 , 18, e06143	2.3	
587	Safety and efficacy of STABILFLOR as a zootechnical feed additive for pigs for fattening. <i>EFSA Journal</i> , 2020 , 18, e06145	2.3	
586	Safety and efficacy of turmeric extract, turmeric oil, turmeric oleoresin and turmeric tincture from <i>L. rhizome</i> when used as sensory additives in feed for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06146	2.3	1
585	Safety and efficacy of TechnoSpore (DSM 32016) for piglets, other growing Suidae, chickens for fattening, other poultry for fattening and ornamental birds. <i>EFSA Journal</i> , 2020 , 18, e06158	2.3	1
584	Safety and efficacy of OptiPhosPLUS (6 phytase) for laying hens, turkeys for breeding, chickens for breeding, minor poultry species for egg production purposes and breeding. <i>EFSA Journal</i> , 2020 , 18, e06161	2.3	1
583	Safety of l-tryptophan produced using CGMCC 11674 for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06163	2.3	1
582	Efficacy of calcium formate as a technological feed additive (preservative) for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06077	2.3	0
581	Safety and efficacy of APSA PHYTAFEED [®] (6-phytase) as a feed additive for laying hens and other laying birds. <i>EFSA Journal</i> , 2020 , 18, e06142	2.3	

580	Efficacy of iron chelates of lysine and glutamic acid as feed additive for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06164	2.3	0
579	Safety and efficacy of FSF10000 and FLF1000 (3-phytase) as a feed additive for turkeys for fattening or reared for breeding, pigs for fattening and minor porcine species. <i>EFSA Journal</i> , 2020 , 18, e06015	2.3	1
578	Efficacy of sodium formate as a technological feed additive (preservative) for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06139	2.3	
577	Safety and efficacy of IMP (disodium 5?-inosinate) produced by fermentation with <i>Corynebacterium stationis</i> KCCM 80161 for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06140	2.3	2
576	Safety and efficacy of essential oil, oleoresin and tincture from Roscoe when used as sensory additives in feed for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06147	2.3	0
575	Assessment of the application for renewal of authorisation of selenium-enriched yeast produced by <i>Saccharomyces cerevisiae</i> CNCM I-3399 for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06144	2.3	
574	Safety and efficacy of DSP (NaEDTA, tannin-rich extract of , thyme oil and origanum oil) for pigs for fattening. <i>EFSA Journal</i> , 2020 , 18, e06163	2.3	
573	Assessment of the application for renewal of the authorisation of DSM 16244 as a feed additive for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06166	2.3	5
572	Safety and efficacy of a dried aqueous ethanol extract of leaves from L. when used as a sensory additive in feed for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06018	2.3	
571	Safety and efficacy of AvailaCr (chromium chelate of DL-methionine) as a feed additive for dairy cows. <i>EFSA Journal</i> , 2020 , 18, e06026	2.3	2
570	Safety of hexamethylene tetramine for pigs, poultry, bovines, sheep, goats, rabbits and horses. <i>EFSA Journal</i> , 2020 , 18, e06012	2.3	
569	Safety and efficacy of APSA PHYTAFEED 20,000 GR/L (6-phytase) as a feed additive for pigs for fattening. <i>EFSA Journal</i> , 2020 , 18, e05979	2.3	2
568	Statement on the safety and efficacy of Shellac for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06065	2.3	
567	Safety and efficacy of l-glutamine produced using NITE BP-02524 for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06075	2.3	2
566	Safety and efficacy of l-cysteine hydrochloride monohydrate produced by fermentation using KCCM 80180 and KCCM 80181 as a flavouring additive for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06003	2.3	1
565	Assessment of the application for renewal of the authorisation of Amaferm (fermentation product of NRRL 458) as a feed additive for dairy cows. <i>EFSA Journal</i> , 2020 , 18, e06011	2.3	3
564	Assessment of the application for renewal of authorisation of Ecobiol (CECT 5940) as a feed additive for chickens for fattening and its extension of use for chickens reared for laying. <i>EFSA Journal</i> , 2020 , 18, e06014	2.3	3
563	Efficacy of Cygro 10G (maduramicin ammonium- β) for turkeys. <i>EFSA Journal</i> , 2020 , 18, e06079	2.3	1

562	Safety and efficacy of l-cysteine monohydrochloride monohydrate produced by fermentation using KCCM 80109 and KCCM 80197 for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06101	2.3	1
561	Statement on the safety and efficacy of lignosulphonate of magnesium (Caimabond) for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06066	2.3	
560	Assessment of the application for renewal of authorisation of AviPlus as a feed additive for all porcine species (weaned), chickens for fattening, chickens reared for laying, minor poultry species for fattening, minor poultry species reared for laying. <i>EFSA Journal</i> , 2020 , 18, e06063	2.3	0
559	Safety and efficacy of Panavital feed (d-glyceric acid) for chickens for fattening. <i>EFSA Journal</i> , 2020 , 18, e06068	2.3	
558	Assessment of the application for renewal of authorisation of manganese chelate of hydroxy analogue of methionine for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06281	2.3	1
557	Safety and efficacy of Nutrase P (6-phytase) for chickens for fattening, other poultry for fattening, reared for laying and ornamental birds. <i>EFSA Journal</i> , 2020 , 18, e06282	2.3	0
556	Safety and efficacy of l-lysine monohydrochloride produced by fermentation with DSM 32932 for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06078	2.3	8
555	Assessment of the application for renewal of the authorisation of Calsporin (DSM 15544) as a feed additive for weaned piglets. <i>EFSA Journal</i> , 2020 , 18, e06283	2.3	3
554	Safety and efficacy of l-lysine monohydrochloride and concentrated liquid l-lysine (base) produced by fermentation with KCTC 12307BP as feed additives for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06333	2.3	2
553	Safety of potassium diformate (FormiLHS) as a feed additive for sows, from ADDCON EUROPE GmbH. <i>EFSA Journal</i> , 2020 , 18, e06339	2.3	2
552	Assessment of the application for renewal of authorisation of AveMixXG 10 (endo-1,4-beta-xylanase and endo-1,3(4)-beta-glucanase) for chickens for fattening. <i>EFSA Journal</i> , 2020 , 18, e06062	2.3	
551	Assessment of the application for renewal of the authorisation of Actisaf Sc 47 (CNM I-4407) as a feed additive for calves for rearing. <i>EFSA Journal</i> , 2020 , 18, e06167	2.3	1
550	Safety and efficacy of DSM 29026 as a silage additive for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06159		
549	Safety and efficacy of l-lysine monohydrochloride and concentrated liquid l-lysine (base) produced by fermentation with KCCM 80216 as feed additive for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06334	2.3	1
548	Safety of vitamin B (in the form of cyanocobalamin) produced by CNM-I 5541 for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06335	2.3	
547	Safety and efficacy of l-threonine produced using CGMCC 13325 as a feed additive for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06332	2.3	
546	Assessment of the application for renewal of authorisation of zinc chelate of hydroxy analogue of methionine for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06337	2.3	
545	Safety of 31 flavouring compounds belonging to different chemical groups when used as feed additives for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06338	2.3	1

544	Assessment of the application for renewal of authorisation of endo-1,4-xylanase produced by CBS 109.713 and endo-1,4-β-glucanase produced by DSM 18404 for poultry species, ornamental birds and weaned piglets, from BASF SE. <i>EFSA Journal</i> , 2020 , 18, e06331	2.3	
543	Assessment of the application for renewal of authorisation of 6-phytase produced by CBS 122001 as a feed additive for pigs and poultry, from Roal Oy. <i>EFSA Journal</i> , 2020 , 18, e06336	2.3	
542	Safety and efficacy of monosodium l-glutamate monohydrate produced by KCCM 80188 as a feed additive for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06085	2.3	4
541	Safety and efficacy of STENOROL (halofuginone hydrobromide) as a feed additive for chickens for fattening and turkeys. <i>EFSA Journal</i> , 2020 , 18, e06169	2.3	0
540	Safety and efficacy of Sorbiflore [®] ADVANCE (Lactobacillus rhamnosus CNCM I-3698 and Lactobacillus farciminis CNCM I-3699) as a feed additive for chickens for fattening. <i>EFSA Journal</i> , 2020 , 18, e06080	2.3	2
539	Safety and efficacy of Correlink [®] ABS747 (NRRL B-67257) as a feed additive for all growing poultry species. <i>EFSA Journal</i> , 2020 , 18, e06278	2.3	1
538	Risk assessment of nitrate and nitrite in feed. <i>EFSA Journal</i> , 2020 , 18, e06290	2.3	6
537	Safety and efficacy of PB6 (ATCC PTA-6737) as a feed additive for chickens for fattening, chickens reared for laying, minor poultry species (except for laying purposes), ornamental, sporting and game birds. <i>EFSA Journal</i> , 2020 , 18, e06280	2.3	2
536	Assessment of the application for renewal of authorisation of Biosprint (MUCL 39885) as a feed additive for weaned piglets. <i>EFSA Journal</i> , 2020 , 18, e06284	2.3	2
535	Statement on the safety and efficacy of phosphoric acid 60% on silica carrier (UD60) for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06064	2.3	2
534	Assessment of the application for renewal of authorisation of pyridoxine hydrochloride (vitamin B) as a feed additive for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06289	2.3	1
533	Safety and efficacy of vermiculite as a feed additive for pigs, poultry, bovines, sheep, goats, rabbits and horses. <i>EFSA Journal</i> , 2020 , 18, e06160	2.3	1
532	Safety of a tincture derived from L. (Mugwort tincture) when used as a sensory additive in feed for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06206	2.3	
531	Safety and efficacy of AxtraXAP 104 TPT (endo-1,4-xylanase, protease and alpha-amylase) as a feed additive for chickens for fattening, laying hens and minor poultry species. <i>EFSA Journal</i> , 2020 , 18, e06165	2.3	3
530	Safety and efficacy of l-lysine sulfate produced by fermentation using KFCC 11043 as a feed additive for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06203	2.3	9
529	Safety and efficacy of DSM 32962 as a silage additive for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06203	2.3	12
528	Safety and efficacy of BioWorma (NCIMB 30336) as a feed additive for all grazing animals. <i>EFSA Journal</i> , 2020 , 18, e06208	2.3	2
527	Safety and efficacy of sodium carboxymethyl cellulose for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06211	2.3	5

526	Safety and efficacy of hydroxypropyl methyl cellulose for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06214		1
525	Safety and efficacy of ethyl cellulose for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06210	2.3	1
524	Safety and efficacy of montmorillonite-illite (FIMIX 1g557) for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06095	2.3	
523	Safety and efficacy of Avatec 150G (lasalocid A sodium) as a feed additive for chickens for fattening and chickens reared for laying. <i>EFSA Journal</i> , 2020 , 18, e06202	2.3	2
522	Safety of 3-phytase FLF1000 and FSF10000 as a feed additive for pigs for fattening and minor growing porcine species. <i>EFSA Journal</i> , 2020 , 18, e06205	2.3	2
521	Safety and efficacy of hydroxypropyl cellulose for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06213	2.3	1
520	Safety and efficacy of OptiPhosPLUS for suckling and weaned piglets, pigs for fattening, sows, other minor pig species for fattening and other minor reproductive pig species. <i>EFSA Journal</i> , 2020 , 18, e06204	2.3	3
519	Safety and efficacy of microcrystalline cellulose for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06209	2.3	2
518	Safety and efficacy of methyl cellulose for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06212	2.3	2
517	Safety of ammonium formate (E 295) for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06076	2.3	
516	Safety and efficacy of l-tryptophan produced by fermentation with KCCM 10534 for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06071	2.3	1
515	Assessment of the application for renewal of authorisation of l-histidine monohydrochloride monohydrate produced with NITE SD 00268 for salmonids and its extension of use to other fin fish. <i>EFSA Journal</i> , 2020 , 18, e06072	2.3	2
514	Draft for internal testing Scientific Committee guidance on appraising and integrating evidence from epidemiological studies for use in EFSA's scientific assessments. <i>EFSA Journal</i> , 2020 , 18, e06221	2.3	5
513	Safety for the environment of sorbitan monolaurate as a feed additive for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06162	2.3	
512	Safety and efficacy of fumonisin esterase from DSM 32159 as a feed additive for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06207	2.3	3
511	Safety and efficacy of Sorbiflore [®] ADVANCE (Lactobacillus rhamnosus CNCM I-3698 and Lactobacillus farciminis CNCM I-3699) as a feed additive for weaned piglets. <i>EFSA Journal</i> , 2020 , 18, e06081	2.3	2
510	Safety and efficacy of l-valine produced by fermentation using CGMCC 7.358 as a feed additive for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06286	2.3	2
509	Safety and efficacy of oct-1-en-3-ol, pent-1-en-3-ol, oct-1-en-3-one, oct-1-en-3-yl acetate, isopulegol and 5-methylhept-2-en-4-one, belonging to chemical group 5 and of isopulegone and Damascone belonging to chemical group 8 when used as flavourings for all animal species. <i>EFSA Journal</i> , 2020 , 18, e06002	2.3	3

508	Assessment of the application for renewal of authorisation of FormiLHS (potassium diformate) for sows. <i>EFSA Journal</i> , 2020 , 18, e06024	2.3	2
507	Safety and efficacy of NatugrainTS/TS L (endo-1,4-beta-xylanase and endo-1,4-beta-glucanase) as a feed additive for sows. <i>EFSA Journal</i> , 2020 , 18, e06025	2.3	1
506	Safety and efficacy of Avizyme 1505 (endo-1,4-beta-xylanase, subtilisin and alpha-amylase) for all poultry species. <i>EFSA Journal</i> , 2020 , 18, e06027	2.3	
505	Safety and efficacy of Beltherm MP/ML (endo-1,4-beta-xylanase) as a feed additive for chickens for fattening, chickens reared for laying, turkeys for fattening, turkeys reared for breeding, turkeys for breeding purposes and minor poultry species. <i>EFSA Journal</i> , 2019 , 17, e05609	2.3	2
504	Safety and efficacy of Robenz 66G (robenidine hydrochloride) for chickens for fattening and turkeys for fattening. <i>EFSA Journal</i> , 2019 , 17, e05613	2.3	2
503	Safety and efficacy of l-tryptophan produced by fermentation with KCCM 80135 for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05694	2.3	5
502	Safety and efficacy of l-tryptophan produced by fermentation with KCCM 80152 for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05695	2.3	5
501	Assessment of the application for renewal of authorisation of Lantharenol (lanthanum carbonate octahydrate) for cats. <i>EFSA Journal</i> , 2019 , 17, e05542	2.3	1
500	Safety and efficacy of Hemicell-L (endo-1,4-βmannanase) as a feed additive for chickens for fattening or reared for laying, turkeys for fattening or reared for breeding and minor poultry species. <i>EFSA Journal</i> , 2019 , 17, e05641	2.3	
499	Safety and efficacy of muramidase from DSM 32338 as a feed additive for turkeys for fattening, turkeys reared for breeding, chickens reared for breeding and other poultry species reared for breeding. <i>EFSA Journal</i> , 2019 , 17, e05686	2.3	2
498	Assessment of the application for renewal of authorisation of Bactocell (CNCM I-4622) as a feed additive for weaned piglets, pigs for fattening, minor porcine species (weaned and for fattening), chickens for fattening, laying hens and minor avian species for fattening and for laying and its extension of use to all growing pigs and all avian species. <i>EFSA Journal</i> , 2019 , 17, e05690	2.3	2
497	Safety and efficacy of APSA PHYTA FEED 20,000 GR/L (6-phytase) as a feed additive for chickens for fattening, chickens reared for laying and minor growing poultry species. <i>EFSA Journal</i> , 2019 , 17, e05692	2.3	4
496	Safety and efficacy of LevucellSB (CNCM I-1079) as a feed additive for turkeys for fattening. <i>EFSA Journal</i> , 2019 , 17, e05693	2.3	
495	Assessment of the application for renewal of authorisation of PHYZYMEXP 5000 G/L (6-phytase) for chickens for fattening, laying hens, turkeys for fattening, ducks for fattening, weaned piglets, pigs for fattening and sows for reproduction. <i>EFSA Journal</i> , 2019 , 17, e05701	2.3	1
494	Assessment of the application for renewal of the authorisation of PHYZYMEXP 10000 TPT/L (6-phytase) as a feed additive for all avian species and all swine species. <i>EFSA Journal</i> , 2019 , 17, e05702	2.3	1
493	Guidance on the use of the Threshold of Toxicological Concern approach in food safety assessment. <i>EFSA Journal</i> , 2019 , 17, e05708	2.3	56
492	Assessment of the application for renewal of authorisation of Biosprint (MUCL 39885) for sows. <i>EFSA Journal</i> , 2019 , 17, e05719	2.3	3
491	Safety and efficacy of an essential oil from (L.) Maton when used as a sensory additive in feed for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05721	2.3	3

490	Safety and efficacy of Levucell SC (CNCM I-1077) as a feed additive for calves and minor ruminant species and camelids at the same developmental stage. <i>EFSA Journal</i> , 2019 , 17, e05723	2.3	
489	Safety and efficacy of VevoVital (benzoic acid) as feed additive for pigs for fattening. <i>EFSA Journal</i> , 2019 , 17, e05727	2.3	
488	Safety and efficacy of 'DSM 28343 for pigs for fattening. <i>EFSA Journal</i> , 2019 , 17, e05725	2.3	
487	Safety and efficacy of lutein and lutein/zeaxanthin extracts from for poultry for fattening and laying (except turkeys). <i>EFSA Journal</i> , 2019 , 17, e05698	2.3	2
486	Safety and efficacy of l-lysine monohydrochloride and concentrated liquid l-lysine (base) produced by fermentation using strain NRRL B-50775 for all animal species based on a dossier submitted by ADM. <i>EFSA Journal</i> , 2019 , 17, e05537	2.3	12
485	Safety and efficacy of Probiom forte ('KCCM 10941P and 'KCCM 11093P) for chickens for fattening. <i>EFSA Journal</i> , 2019 , 17, e05644	2.3	
484	Safety and efficacy of NBF-2 (DSM 32264) as a feed additive for cats. <i>EFSA Journal</i> , 2019 , 17, e05526	2.3	
483	Safety and efficacy of benzoic acid as a technological feed additive for weaned piglets and pigs for fattening. <i>EFSA Journal</i> , 2019 , 17, e05527	2.3	1
482	Safety and efficacy of LevucellSB (CNCM I-1079) as a feed additive for all pigs. <i>EFSA Journal</i> , 2019 , 17, e05535	2.3	
481	Efficacy of a preparation of algae interspaced bentonite as a feed additive for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05604	2.3	1
480	Safety and efficacy of l-valine produced using CGMCC 11675 for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05611	2.3	4
479	Guidance on harmonised methodologies for human health, animal health and ecological risk assessment of combined exposure to multiple chemicals. <i>EFSA Journal</i> , 2019 , 17, e05634	2.3	100
478	Guidance on the assessment of the safety of feed additives for the environment. <i>EFSA Journal</i> , 2019 , 17, e05648	2.3	127
477	Assessment of the application for renewal of authorisation of Natugrain Wheat TS and TS L (endo-1,4-beta-xylanase) as a feed additive for chickens for fattening, ducks, turkeys for fattening, turkeys reared for breeding, minor avian species (except ducks and laying birds) and ornamental birds. <i>EFSA Journal</i> , 2019 , 17, e05652	2.3	2
476	Safety and efficacy of an essential oil of ssp. (Link) leetsw. for all poultry species. <i>EFSA Journal</i> , 2019 , 17, e05653	2.3	4
475	Safety and efficacy of BiominDC-C as a zootechnical feed additive for weaned piglets. <i>EFSA Journal</i> , 2019 , 17, e05688	2.3	3
474	Safety and efficacy of l-leucine produced by fermentation with NITE BP-02351 for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05689	2.3	1
473	Safety and efficacy of l-arginine produced by fermentation with KCCM 80182 for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05696	2.3	

472	Safety and efficacy of l-lysine monohydrochloride and concentrated liquid l-lysine (base) produced by fermentation using strain KCCM 10227 for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05697	2.3	12
471	Safety of erythrosine for ornamental fish. <i>EFSA Journal</i> , 2019 , 17, e05699	2.3	
470	Efficacy of NBRC 0203, NBRC 3070 and NBRC 3425 as a technological additive (silage additive) for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05700	2.3	1
469	Safety and efficacy of sorbitan monolaurate as a feed additive for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05651	2.3	3
468	Safety and efficacy of l-tryptophan produced by fermentation with CGMCC 7.248 for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05601	2.3	5
467	Safety and efficacy of l-threonine produced by fermentation with ????? for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05602	2.3	1
466	Safety and efficacy of l-lysine monohydrochloride and l-lysine sulfate produced using CCTCC M 2015595 for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05643	2.3	12
465	Efficacy of sodium formate as a technological feed additive (hygiene condition enhancer) for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05645	2.3	3
464	Assessment of the application for renewal of authorisation of Bonvital (DSM 7134) as a feed additive for weaned piglets and pigs for fattening. <i>EFSA Journal</i> , 2019 , 17, e05650	2.3	3
463	Safety and efficacy of 26 compounds belonging to chemical group 3 (unsaturated straight-chain and branched-chain aliphatic primary alcohols, aldehydes, acids and esters) when used as flavourings for all animal species and categories. <i>EFSA Journal</i> , 2019 , 17, e05654	2.3	14
462	Safety and efficacy of TYFER (ferric tyrosine chelate) as a zootechnical feed additive for chickens, turkeys and minor poultry species for fattening or reared for laying/breeding. <i>EFSA Journal</i> , 2019 , 17, e05608	2.3	0
461	Assessment of the application for renewal of authorisation of GalliPro (DSM 17299) for chickens for fattening. <i>EFSA Journal</i> , 2019 , 17, e05687	2.3	
460	Safety and efficacy of 3-phytase FSF10000 as a feed additive for chickens for fattening or reared for laying, laying hens and minor poultry species. <i>EFSA Journal</i> , 2019 , 17, e05543	2.3	2
459	Safety and efficacy of a molybdenum compound (E7) sodium molybdate dihydrate as feed additive for sheep based on a dossier submitted by Trouw Nutrition International B.V. <i>EFSA Journal</i> , 2019 , 17, e05606	2.3	2
458	Assessment of the application for renewal of the authorisation of Natuphos (3-phytase) as a feed additive for poultry and pigs. <i>EFSA Journal</i> , 2019 , 17, e05640	2.3	1
457	Genotoxicity assessment of chemical mixtures. <i>EFSA Journal</i> , 2019 , 17, e05519	2.3	45
456	Safety and efficacy of HOSTAZYM X (endo-1,4-beta-xylanase) as a feed additive for rabbits for fattening. <i>EFSA Journal</i> , 2019 , 17, e05529	2.3	
455	Safety and efficacy of l-valine produced by fermentation using 'KCCM'11201P for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05538	2.3	5

454	Safety and efficacy of Deccox (decoquinatone) for chickens for fattening. <i>EFSA Journal</i> , 2019 , 17, e05541	2.3	2
453	Safety and efficacy of Calsporin (‘ DSM 15544) for all poultry species. <i>EFSA Journal</i> , 2019 , 17, e05605	2.3	3
452	Efficacy of methyl ester of conjugated linoleic acid (t10,c12 isomer) for sows and cows for reproduction. <i>EFSA Journal</i> , 2019 , 17, e05614	2.3	
451	Assessment of the application for renewal of authorisation of Levucell SC (CNCM I-1077) as a feed additive for lambs and horses. <i>EFSA Journal</i> , 2019 , 17, e05639	2.3	
450	Safety and efficacy of l-tryptophan produced with CGMCC 11674 for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05642	2.3	7
449	Safety of cassia gum as a feed additive for cats and dogs based on a dossier submitted by Glycomer GmbH. <i>EFSA Journal</i> , 2019 , 17, e05528	2.3	
448	Safety and efficacy of 8-mercapto--menthan-3-one and -menth-1-ene-8-thiol belonging to chemical group 20 when used as flavourings for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05530	2.3	2
447	Safety of concentrated l-lysine (base), l-lysine monohydrochloride and l-lysine sulfate produced using different strains of for all animal species based on a dossier submitted by FEFANA asbl. <i>EFSA Journal</i> , 2019 , 17, e05532	2.3	14
446	Safety and efficacy of B-Act (DSM 28710) as a feed additive for turkeys for fattening, turkeys reared for breeding and minor poultry species for fattening or raised for laying. <i>EFSA Journal</i> , 2019 , 17, e05536	2.3	3
445	Safety for the environment of vitamin D for salmonids. <i>EFSA Journal</i> , 2019 , 17, e05540	2.3	
444	Safety and efficacy of Actisaf Sc47 (CNCM I-4407) as a feed additive for cattle for fattening, dairy cows, weaned piglets and sows. <i>EFSA Journal</i> , 2019 , 17, e05600	2.3	2
443	Safety and efficacy of l-threonine produced by fermentation with ????? for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05603	2.3	2
442	Modification of the terms of the authorisation of Natuphos E as a feed additive for chickens for fattening or reared for laying/breeding. <i>EFSA Journal</i> , 2019 , 17, e05607	2.3	1
441	Safety and efficacy of Beltherm MP/ML (endo-1,4-beta-xylanase) as a feed additive for piglets, pigs for fattening and other porcine species. <i>EFSA Journal</i> , 2019 , 17, e05610	2.3	1
440	Safety and efficacy of Bonvital (‘, DSM 7134) as an additive in water for drinking for sows. <i>EFSA Journal</i> , 2019 , 17, e05612	2.3	2
439	Safety and efficacy of Probiotic Lactina (NBIMCC 8270 NBIMCC 8242 NBIMCC 8269 ssp. NBIMCC 8250 ssp. NBIMCC 8244 and NBIMCC 8253) as a feed additive for chickens for fattening and suckling and weaned rabbits. <i>EFSA Journal</i> , 2019 , 17, e05646	2.3	3
438	Safety and efficacy of Cinergy Life B3 HiCon (NRRL B-50508, ‘ NRRL B-50509 and B-50510) as a feed additive for pigs for fattening and minor porcine species. <i>EFSA Journal</i> , 2019 , 17, e05647	2.3	1
437	Safety and efficacy of eight compounds belonging to different chemical groups when used as flavourings for cats and dogs. <i>EFSA Journal</i> , 2019 , 17, e05649	2.3	0

436	Assessment of the application for renewal of authorisation of selenomethionine produced by NCYC R397 for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05539	2.3	3
435	Safety and efficacy of sodium selenate as feed additive for ruminants. <i>EFSA Journal</i> , 2019 , 17, e05788	2.3	0
434	Safety and efficacy of Bergazym P100 (endo-1,4- α -xylanase) as a feed additive for other birds for fattening, ornamental birds and other growing Suidae. <i>EFSA Journal</i> , 2019 , 17, e05781	2.3	
433	Safety and efficacy of zinc chelates of lysine and glutamic acid as feed additive for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05782	2.3	1
432	Safety and efficacy of l-histidine monohydrochloride monohydrate produced using KCCM 80172 for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05783	2.3	4
431	Safety and efficacy of l-histidine monohydrochloride monohydrate produced using KCCM 80179 for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05784	2.3	2
430	Safety and efficacy of Natuphos E (6-phytase) as a feed additive for laying hens, minor poultry and other avian species for laying. <i>EFSA Journal</i> , 2019 , 17, e05789	2.3	1
429	Efficacy of DSM 28343 as a zootechnical additive (gut flora stabiliser) for calves for rearing. <i>EFSA Journal</i> , 2019 , 17, e05793	2.3	
428	Safety of an essential oil from subsp. (Link) letsw. var. Vulkan when used as a sensory additive in feed for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05794	2.3	2
427	Safety and efficacy of AviPlus as a feed additive for turkeys for fattening, turkeys reared for breeding and suckling piglets. <i>EFSA Journal</i> , 2019 , 17, e05795	2.3	1
426	Assessment of the application for renewal of authorisation of l-arginine produced by fermentation using NITE SD 00285 for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05720	2.3	1
425	Safety and efficacy of aluminosilicate of sodium, potassium, calcium and magnesium as a feed additive for pigs. <i>EFSA Journal</i> , 2019 , 17, e05722	2.3	
424	Modification of the conditions of the authorisation of BioPlus 2B (‘DSM 5749 and ‘DSM 5750) for turkeys for fattening. <i>EFSA Journal</i> , 2019 , 17, e05726	2.3	
423	Safety and efficacy of copper chelates of lysine and glutamic acid as a feed additive for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05728	2.3	2
422	Safety and efficacy of l-tryptophan produced by fermentation with KCCM 80176 for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05729	2.3	6
421	Safety and efficacy of FRA Octazyme C Dry (endo-1,4- α -xylanase, mannan-endo-1,4- β -mannosidase, α -amylase, endo-1,3(4)- β -glucanase, pectinase, endo-1,4- β -glucanase, protease, β -galactosidase) as a feed additive for weaned piglets and chickens for fattening. <i>EFSA Journal</i> , 2019 , 17, e05730	2.3	1
420	Safety and efficacy of iron chelates of lysine and glutamic acid as feed additive for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05792	2.3	1
419	Safety and efficacy of Biomin DC-P as a zootechnical feed additive for chickens for fattening, chickens reared for laying and minor avian species to the point of lay. <i>EFSA Journal</i> , 2019 , 17, e05724	2.3	3

418	Safety and efficacy of l-histidine monohydrochloride monohydrate produced by fermentation with (NITE BP-02526) for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05785	2.3	2
417	Safety and efficacy of DSM 32457 as a silage additive for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05787	2.3	0
416	Safety and efficacy of 3-phytase FLF1000 as a feed additive for pigs for fattening and minor porcine species for growing. <i>EFSA Journal</i> , 2019 , 17, e05791	2.3	2
415	Safety and efficacy of a tincture derived from L. (Mugwort tincture) when used as a sensory additive in feed for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05879	2.3	2
414	Modification of the terms of authorisation regarding the maximum inclusion level of Maxiban G160 (narsin and nicarbazin) for chickens for fattening. <i>EFSA Journal</i> , 2019 , 17, e05786	2.3	4
413	Safety and efficacy of RONOZYMEWX CT/L (endo-1,4- β -xylanase) as a feed additive for sows for reproduction. <i>EFSA Journal</i> , 2019 , 17, e05790	2.3	
412	Safety of Lancer (lanthanide citrate) as a zootechnical additive for weaned piglets. <i>EFSA Journal</i> , 2019 , 17, e05912	2.3	1
411	Assessment of the application for renewal of authorisation of Yea-Sacc () for horses. <i>EFSA Journal</i> , 2019 , 17, e05918	2.3	
410	Safety and efficacy of ZM16 10 (DSM 25840) as a feed additive for sows in order to have benefits in piglets, sows for reproduction, piglets (suckling and weaned), pigs for fattening and minor porcine species. <i>EFSA Journal</i> , 2019 , 17, e05883	2.3	
409	Safety and efficacy of APSA PHYTAFEED 20,000 GR/L (6-phytase) as a feed additive for piglets (suckling and weaned) and growing minor porcine species. <i>EFSA Journal</i> , 2019 , 17, e05894	2.3	3
408	Safety and efficacy of APSA PHYTAFEED 20,000 GR/L (6-phytase) as a feed additive for turkeys for fattening, turkeys reared for breeding and minor poultry species. <i>EFSA Journal</i> , 2019 , 17, e05893	2.3	2
407	Safety and efficacy of a tincture derived from L. when used as a sensory additive in feed for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05910	2.3	1
406	Safety and efficacy of l-methionine produced by fermentation with KCCM 80184 and KCCM 80096 for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05917	2.3	3
405	Safety and efficacy of Belfeed B MP/ML (endo-1,4- β -xylanase) as a feed additive for sows, in order to have benefits in piglets, and for all porcine species. <i>EFSA Journal</i> , 2019 , 17, e05892	2.3	1
404	Safety of ethyl ester of lipo-8'-carotenoic acid as a feed additive for poultry for fattening and poultry for laying. <i>EFSA Journal</i> , 2019 , 17, e05911	2.3	1
403	Safety of NCIMB 30160 as a feed additive for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05890	2.3	
402	Safety and efficacy of Elancoban G200 (monensin sodium) for chickens for fattening, chickens reared for laying and turkeys. <i>EFSA Journal</i> , 2019 , 17, e05891	2.3	
401	Assessment of the application for renewal of authorisation of ECONASEXT (endo-1,4- β -xylanase) as a feed additive for piglets (weaned), chickens for fattening, chickens reared for laying, turkeys for fattening and turkeys reared for breeding. <i>EFSA Journal</i> , 2019 , 17, e05880	2.3	2

400	Safety and efficacy of astaxanthin-dimethyldisuccinate (Carophyll Stay-Pink 10%-CWS) for salmonids, crustaceans and other fish. <i>EFSA Journal</i> , 2019 , 17, e05920	2.3	5
399	Efficacy of ZM16 10 (DSM 25840) as a feed additive for weaned piglets and minor porcine species. <i>EFSA Journal</i> , 2019 , 17, e05881	2.3	1
398	Safety and efficacy of L-lysine monohydrochloride and concentrated liquid L-lysine (base) produced by fermentation using strains NRRL-B-67439 or NRRL B-67535 for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05886	2.3	10
397	Safety and efficacy of an essential oil from ssp. (Link) letsw. for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05909	2.3	5
396	Safety and efficacy of EB15 10 (DSM 25841) as a feed additive for piglets (suckling and weaned), pigs for fattening, sows in order to have benefits in piglets, sows for reproduction and minor porcine species. <i>EFSA Journal</i> , 2019 , 17, e05884	2.3	
395	Assessment of the application for renewal of authorisation of Biosprint (MUCL 39885) for dairy cows and horses. <i>EFSA Journal</i> , 2019 , 17, e05915	2.3	3
394	Safety of butylated hydroxy anisole (BHA) for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05913	2.3	1
393	Efficacy of EB15 10 (DSM 25841) as a feed additive for weaned piglets and weaned minor porcine species. <i>EFSA Journal</i> , 2019 , 17, e05882	2.3	
392	Safety of L-threonine produced by fermentation with CGMCC 11473 as a feed additive for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05885	2.3	1
391	Safety for the environment of Monimax (monensin sodium and nicarbazin) for chickens for fattening, chickens reared for laying and for turkeys for fattening. <i>EFSA Journal</i> , 2019 , 17, e05888	2.3	2
390	Efficacy of RONOZYMEWX (endo-1,4- α -xylanase) as a feed additive for laying hens. <i>EFSA Journal</i> , 2019 , 17, e05919	2.3	
389	Safety and efficacy of CI-FER (ferric citrate chelate) as a zootechnical feed additive for suckling and weaned piglets and minor porcine species. <i>EFSA Journal</i> , 2019 , 17, e05916	2.3	3
388	Safety of lactic acid and calcium lactate when used as technological additives for all animal species. <i>EFSA Journal</i> , 2019 , 17, e05914	2.3	1
387	Safety and efficacy of 'NBF-1 (DSM 32203) as a feed additive for dogs. <i>EFSA Journal</i> , 2019 , 17, e05524	2.3	0
386	Safety and efficacy of Alterion NE ('DSM 29784) as a feed additive for minor poultry species for fattening and reared for laying. <i>EFSA Journal</i> , 2018 , 16, e05204	2.3	0
385	Safety and efficacy of benzoic acid for pigs and poultry. <i>EFSA Journal</i> , 2018 , 16, e05210	2.3	1
384	Safety and efficacy of DSM 32291 as a silage additive for all animal species. <i>EFSA Journal</i> , 2018 , 16, e05202		1
383	Safety and efficacy of sodium saccharin when used as a feed flavour for piglets, pigs for fattening, calves for rearing and calves for fattening. <i>EFSA Journal</i> , 2018 , 16, e05208	2.3	3

382	Safety of vitamin B (80%) as riboflavin produced by KCCM-10445 for all animal species. <i>EFSA Journal</i> , 2018 , 16, e05223	2.3	6
381	Safety and efficacy of vitamin B (riboflavin) produced by ????? for all animal species based on a dossier submitted by BASF SE. <i>EFSA Journal</i> , 2018 , 16, e05337	2.3	7
380	Safety and efficacy of KCCM 10673P and KCTC 10258BP when used as a technological feed additive for all animal species. <i>EFSA Journal</i> , 2018 , 16, e05275	2.3	2
379	Safety and efficacy of hydroxy analogue of methionine and its calcium salt (ADRY+) for all animal species. <i>EFSA Journal</i> , 2018 , 16, e05198	2.3	4
378	Safety and efficacy of muramidase from DSM 32338 as a feed additive for chickens for fattening and minor poultry species. <i>EFSA Journal</i> , 2018 , 16, e05342	2.3	5
377	Effects of dietary orange peel essential oil supplementation on milk yield and composition, and blood and milk antioxidant status of dairy ewes. <i>Animal Feed Science and Technology</i> , 2018 , 245, 20-31	3	11
376	Safety and efficacy of Sacox microGranulate (salinomycin sodium) for rabbits for fattening. <i>EFSA Journal</i> , 2018 , 16, e05209	2.3	
375	Assessment of the application for renewal of authorisation of LevucellSC (CNCM I-1077) as a feed additive for dairy ewes and dairy goats. <i>EFSA Journal</i> , 2018 , 16, e05385	2.3	
374	Presence of endoparasites in the Greek buffalo (<i>Bubalus bubalis</i>) from Northern Greece. <i>Journal of the Hellenic Veterinary Medical Society</i> , 2018 , 69, 999	1.6	2
373	Safety and efficacy of Monteban G100 (narasin) for ducks for fattening. <i>EFSA Journal</i> , 2018 , 16, e05461	2.3	
372	Safety and efficacy of DSM 28343 as a feed additive for piglets. <i>EFSA Journal</i> , 2018 , 16, e05221	2.3	1
371	Safety and efficacy of ponceau 4R for cats, dogs and ornamental fish. <i>EFSA Journal</i> , 2018 , 16, e05222	2.3	2
370	Safety and efficacy of Coxiril (diclazuril) for pheasants. <i>EFSA Journal</i> , 2018 , 16, e05196	2.3	
369	Safety and efficacy of EB15 10 (DSM 25841) as a feed additive for weaned piglets and minor porcine species. <i>EFSA Journal</i> , 2018 , 16, e05199	2.3	1
368	Safety and efficacy of ZM16 10 (DSM 25840) as a feed additive for weaned piglets and minor porcine species. <i>EFSA Journal</i> , 2018 , 16, e05200	2.3	1
367	Safety and efficacy of natural mixtures of talc (steatite) and chlorite (E 560) as a feed additive for all animal species. <i>EFSA Journal</i> , 2018 , 16, e05205	2.3	
366	Safety and efficacy of fumonisin esterase from DSM 32159 as a technological feed additive for pigs and poultry. <i>EFSA Journal</i> , 2018 , 16, e05269	2.3	6
365	Safety and efficacy of l-arginine produced by fermentation using KCCM 10741P for all animal species. <i>EFSA Journal</i> , 2018 , 16, e05277	2.3	1

364	Safety and efficacy of Kelforce (l-glutamic acid, γ -diacetic acid, tetrasodium salt (GLDA-Na)) as a feed additive for chickens for fattening. <i>EFSA Journal</i> , 2018 , 16, e05279	2.3	1
363	Safety and efficacy of ECONASE XT (endo-1,4- β -xylanase) as a feed additive for laying hens. <i>EFSA Journal</i> , 2018 , 16, e05216	2.3	2
362	Safety and efficacy of Calsporin (DSM 15544) as a feed additive for pigs for fattening. <i>EFSA Journal</i> , 2018 , 16, e05219	2.3	4
361	Safety and efficacy of Hemicell HT (endo-1,4- β -mannanase) as a feed additive for chickens for fattening, chickens reared for laying, turkey for fattening, turkeys reared for breeding, weaned piglets, pigs for fattening and minor poultry and porcine species. <i>EFSA Journal</i> , 2018 , 16, e05270	2.3	2
360	Safety and efficacy of Coxiril (diclazuril) for chickens reared for laying. <i>EFSA Journal</i> , 2018 , 16, e05195	2.3	
359	Safety and efficacy of NCIMB 30160 as a feed additive for all animal species. <i>EFSA Journal</i> , 2018 , 16, e05218	2.3	1
358	Safety of natural mixture of dolomite plus magnesite and magnesium-phyllsilicates (Fluidol) for all animal species. <i>EFSA Journal</i> , 2018 , 16, e05272	2.3	1
357	Scientific Opinion on the safety and efficacy of Aviax 5% (semduramicin sodium) for chickens for fattening. <i>EFSA Journal</i> , 2018 , 16, e05341	2.3	5
356	Assessment of the application for renewal of authorisation of selenomethionine produced by 'CNCM I-3060 (selenised yeast inactivated) for all animal species. <i>EFSA Journal</i> , 2018 , 16, e05386	2.3	6
355	Safety and efficacy of ECONASE XT (endo-1,4- β -xylanase) as a feed additive for pigs for fattening. <i>EFSA Journal</i> , 2018 , 16, e05217	2.3	2
354	Efficacy of Cylactin (NCIMB 10415) as a feed additive for pigs for fattening. <i>EFSA Journal</i> , 2018 , 16, e05204	2.3	1
353	Safety and efficacy of l-threonine produced by fermentation using CGMCC 7.232 for all animal species. <i>EFSA Journal</i> , 2018 , 16, e05458	2.3	6
352	Safety and efficacy of Zinc-l-Selenomethionine as feed additive for all animal species. <i>EFSA Journal</i> , 2018 , 16, e05197	2.3	1
351	Safety and efficacy of Hostazym X (endo-1,4-beta-xylanase) as a feed additive for sows in order to have benefit in piglets. <i>EFSA Journal</i> , 2018 , 16, e05456	2.3	1
350	Safety and efficacy of DSM 28343 as a feed additive for calves for rearing. <i>EFSA Journal</i> , 2018 , 16, e05220	2.3	1
349	Safety and efficacy of l-arginine produced by fermentation with NITE BP-02186 for all animal species. <i>EFSA Journal</i> , 2018 , 16, e05276	2.3	3
348	Safety and efficacy of 'CNCM I-4785 and 'CNCM I-4323NCIMB 40788 as a silage additive for all animal species. <i>EFSA Journal</i> , 2018 , 16, e05455	2.3	
347	Efficacy of Bergazym P100 (endo-1,4- β -xylanase) as a feed additive for chickens for fattening and weaned piglets. <i>EFSA Journal</i> , 2018 , 16, e05457	2.3	

346	Safety and efficacy of Monimax (monensin sodium and nicarbazin) for chickens for fattening and chickens reared for laying. <i>EFSA Journal</i> , 2018 , 16, e05459	2.3	7
345	Safety and efficacy of Monteban G100 (narasin) for chickens for fattening. <i>EFSA Journal</i> , 2018 , 16, e05460	2.3	3
344	Safety and efficacy of a super critical carbon dioxide extract of <i>L. flos</i> when used as a feed flavouring for all animal species. <i>EFSA Journal</i> , 2018 , 16, e05462	2.3	1
343	Safety of zinc chelate of methionine sulfate for the target species. <i>EFSA Journal</i> , 2018 , 16, e05463	2.3	
342	Safety and efficacy of cumin tincture (L.) when used as a sensory additive for all animal species. <i>EFSA Journal</i> , 2018 , 16, e05273	2.3	1
341	Safety and efficacy of vitamin B (riboflavin 5'-phosphate ester monosodium salt) for all animal species when used in water for drinking. <i>EFSA Journal</i> , 2018 , 16, e05531	2.3	4
340	Safety of natural mixture of illite, montmorillonite and kaolinite (Argile Verte du Velay) for all animal species. <i>EFSA Journal</i> , 2018 , 16, e05387	2.3	
339	Safety and efficacy of Coxar (nicarbazin) for turkeys for fattening. <i>EFSA Journal</i> , 2018 , 16, e05214	2.3	1
338	Safety and efficacy of Amylofeed (endo-1,3(4)- β -glucanase and endo-1,4- β -xylanase and β -amylase) as a feed additive for piglets and minor growing porcine species. <i>EFSA Journal</i> , 2018 , 16, e05271	2.3	1
337	Safety and efficacy of betaine anhydrous for food-producing animal species based on a dossier submitted by AB Vista. <i>EFSA Journal</i> , 2018 , 16, e05335	2.3	0
336	Safety and efficacy of COXAM (amprolium hydrochloride) for chickens for fattening and chickens reared for laying. <i>EFSA Journal</i> , 2018 , 16, e05338	2.3	3
335	Safety and efficacy of vitamin B (in the form of cyanocobalamin) produced by spp. as a feed additive for all animal species based on a dossier submitted by VITAC EEIG. <i>EFSA Journal</i> , 2018 , 16, e05336	2.3	9
334	Assessment of the application for renewal of authorisation of Actisaf Sc47 (CNCM I-4407) for lambs for fattening, minor dairy ruminants, horses and pigs for fattening. <i>EFSA Journal</i> , 2018 , 16, e05339	2.3	1
333	Assessment of the application for renewal of authorisation of Calsporin (DSM 15544) for chickens for fattening. <i>EFSA Journal</i> , 2018 , 16, e05340	2.3	4
332	Safety and efficacy of 3-phytase FLF1000 as a feed additive for chickens reared for laying and minor poultry species. <i>EFSA Journal</i> , 2018 , 16, e05203	2.3	3
331	Guidance on the assessment of the efficacy of feed additives. <i>EFSA Journal</i> , 2018 , 16, e05274	2.3	172
330	Safety and efficacy of D2/CSL (CECT 4529) as a feed additive for cats and dogs. <i>EFSA Journal</i> , 2018 , 16, e05278	2.3	2
329	Guidance on the characterisation of microorganisms used as feed additives or as production organisms. <i>EFSA Journal</i> , 2018 , 16, e05206	2.3	262

328	Safety and efficacy of butylated hydroxyanisole (BHA) as a feed additive for all animal species. <i>EFSA Journal</i> , 2018 , 16, e05215	2.3	4
327	Safety and efficacy of alpha-amylase from DSM '9553, NCIMB '30251, CBS '585.94 and ATCC SD-5374, endo-1,4-beta-glucanase from ATCC PTA-10001, ATCC SD-6331 and CBS '120604, endo-1,4-beta-xylanase from MUCL '39203 and CBS '614.94 and endo-1,3(4)-beta-glucanase from MUCL '39199 as silage additives for all animal species. <i>EFSA Journal</i> , 2018 , 16, e05224	2.3	0
326	Modification of the terms of authorisation of lecithins as a feed additive for all animal species. <i>EFSA Journal</i> , 2018 , 16, e05334	2.3	0
325	Safety and efficacy of Taminizer D (dimethylglycine sodium salt) as a feed additive for chickens for fattening. <i>EFSA Journal</i> , 2018 , 16, e05268	2.3	2
324	Safety and efficacy of Sacox microGranulate (salinomycin sodium) for chickens for fattening and chickens reared for laying. <i>EFSA Journal</i> , 2017 , 15, e04670	2.3	3
323	Safety and efficacy of DSM '29024 as a silage additive for all animal species. <i>EFSA Journal</i> , 2017 , 15, e04675	2.3	0
322	Safety and efficacy of HemicellHT (endo-1,4- β -mannanase) as a feed additive for chickens for fattening, chickens reared for laying, turkey for fattening, turkeys reared for breeding, weaned piglets, pigs for fattening and minor poultry and porcine species. <i>EFSA Journal</i> , 2017 , 15, e04677	2.3	2
321	Physicochemical, textural and sensory properties of white soft cheese made from buffalo and cow milk mixtures. <i>International Journal of Dairy Technology</i> , 2017 , 70, 506-513	3.7	3
320	Safety of l-lysine sulfate produced by fermentation with CGMCC '3705 for all animal species. <i>EFSA Journal</i> , 2017 , 15, e04714	2.3	13
319	Efficacy of (NBRC '0203), ' (NBRC '3070) and ' (NBRC '3425) as a silage additive for all species. <i>EFSA Journal</i> , 2017 , 15, e04704	2.3	1
318	Safety and efficacy of CNCM I-4785 as a silage additive for all animal species. <i>EFSA Journal</i> , 2017 , 15, e04758	2.3	1
317	Safety of l-tryptophan technically pure, produced by fermentation with DSM 25084, KCCM 11132P and SARI12091203 for all animal species based on a dossier submitted by FEFANA Asbl. <i>EFSA Journal</i> , 2017 , 15, e04712	2.3	6
316	Safety and efficacy of Probiom Forte (KCCM 10941P and KCCM 11093P) as a feed additive for chickens for fattening. <i>EFSA Journal</i> , 2017 , 15, e04759	2.3	
315	Safety and efficacy of HOSTAZYM X (endo-1,4- β -xylanase) as a feed additive for chickens reared for laying and minor poultry species reared for laying. <i>EFSA Journal</i> , 2017 , 15, e04708	2.3	1
314	Safety and efficacy of Calsporin (DSM '15544) as a feed additive for dogs. <i>EFSA Journal</i> , 2017 , 15, e04760.	2.3	3
313	Safety and efficacy of D2/CSL (CECT '4529) as a feed additive for chickens for fattening. <i>EFSA Journal</i> , 2017 , 15, e04762	2.3	2
312	Safety and efficacy of PB6 (ATCC PTA-6737) as a feed additive for sows. <i>EFSA Journal</i> , 2017 , 15, e04855.	2.3	3
311	Safety and efficacy of OPTIPHOS (6-phytase) as a feed additive for finfish. <i>EFSA Journal</i> , 2017 , 15, e04763.	2.3	1

310	Effect of dietary palygorskite on performance of lactating ewes. <i>Applied Clay Science</i> , 2017 , 143, 76-79	5.2	3
309	Safety and efficacy of 'DSM'29226 as a silage additive for all animal species. <i>EFSA Journal</i> , 2017 , 15, e04673		
308	Safety and efficacy of iron dextran as a feed additive for piglets. <i>EFSA Journal</i> , 2017 , 15, e04701	2.3	
307	Effects of dietary pomegranate pulp silage supplementation on milk yield and composition, milk fatty acid profile and blood plasma antioxidant status of lactating dairy cows. <i>Animal Feed Science and Technology</i> , 2017 , 234, 228-236	3	14
306	Efficacy of Liderfeed (eugenol) for chickens for fattening. <i>EFSA Journal</i> , 2017 , 15, e04931	2.3	1
305	Safety of lactic acid and calcium lactate when used as technological additives for all animal species. <i>EFSA Journal</i> , 2017 , 15, e04938	2.3	5
304	Safety and efficacy of Monimax (monensin sodium and nicarbazin) for turkeys for fattening. <i>EFSA Journal</i> , 2017 , 15, e05094	2.3	7
303	Safety and efficacy of Avatec 150G (lasalocid A sodium) for chickens for fattening and chickens reared for laying, and modification of the terms of authorisation for chickens for fattening, chickens reared for laying, turkeys for fattening, minor avian species (pheasants, guinea fowl, quails and partridges) except laying birds. <i>EFSA Journal</i> , 2017 , 15, e04857	2.3	2
302	Safety and efficacy of NRRL B-50733 as a silage additive for all animal species. <i>EFSA Journal</i> , 2017 , 15, e04934	2.3	1
301	Safety and efficacy of HOSTAZYM X (endo-1,4- β -xylanase) as a feed additive for carps. <i>EFSA Journal</i> , 2017 , 15, e04942	2.3	2
300	Safety and efficacy of Alterion NE (DSM 29784) as a feed additive for chickens for fattening and chickens reared for laying. <i>EFSA Journal</i> , 2017 , 15, e04933	2.3	1
299	Safety and efficacy of Amylofeed (endo-1,3(4)- β -glucanase and endo-1,4- β -xylanase and α -amylase) as a feed additive for piglets and minor porcine species. <i>EFSA Journal</i> , 2017 , 15, e04856	2.3	1
298	Safety and efficacy of (NCIMB'30229) as a silage additive for all animal species. <i>EFSA Journal</i> , 2017 , 15, e04860	2.3	1
297	Safety and nutritional value of a dried killed bacterial biomass from (FERM BP-10942) (PT73 (TM)) as a feed material for pigs, ruminants and salmonids. <i>EFSA Journal</i> , 2017 , 15, e04936	2.3	
296	Safety and efficacy of AviMatrix (benzoic acid, calcium formate and fumaric acid) for chickens for fattening, chickens reared for laying, minor avian species for fattening and minor avian species reared to point of lay. <i>EFSA Journal</i> , 2017 , 15, e05025	2.3	2
295	Safety and efficacy of VevoVital (benzoic acid) as feed additive for minor porcine species. <i>EFSA Journal</i> , 2017 , 15, e05026	2.3	1
294	Safety and efficacy of 'DSM'28872 as a silage additive for all animal species. <i>EFSA Journal</i> , 2017 , 15, e04703		1
293	Fatty acid profile, somatic cell count and microbiological quality of total machine milk and hand stripped milk of Chios ewes. <i>Mljekarstvo</i> , 2017 , 146-154	0.5	2

292	Safety and efficacy of -norbixin di-potassium salt (annatto F) for cats and dogs. <i>EFSA Journal</i> , 2017 , 15, e04764	2.3	
291	Safety and efficacy of Calsporin (DSM 15544) for sows and suckling piglets. <i>EFSA Journal</i> , 2017 , 15, e04764	3	
290	Safety of cassia gum as a feed additive for dogs and cats based on a dossier submitted by Intercolloid (UK) Ltd. <i>EFSA Journal</i> , 2017 , 15, e04709	2.3	1
289	Safety and efficacy of natural mixture of illite, montmorillonite and kaolinite for all animal species. <i>EFSA Journal</i> , 2017 , 15, e04940	2.3	1
288	Safety and efficacy of Bergazym P100 (endo-1,4-xylanase) as a feed additive for chickens for fattening, weaned piglets and pigs for fattening. <i>EFSA Journal</i> , 2017 , 15, e04707	2.3	
287	Safety and efficacy of microorganism DSM 11798 as a technological additive for all avian species. <i>EFSA Journal</i> , 2017 , 15, e04676	2.3	2
286	Effects of dietary partly destoned exhausted olive cake supplementation on performance, carcass characteristics and meat quality of growing lambs. <i>Small Ruminant Research</i> , 2017 , 156, 33-41	1.7	16
285	Safety and efficacy of l-threonine produced by fermentation with CGMCC 11473 for all animal species. <i>EFSA Journal</i> , 2017 , 15, e04939	2.3	4
284	Safety and nutritional value of a dried killed bacterial biomass from (FERM BP-10941) (PL73 (LM)) as a feed material for pigs, ruminants and salmonids. <i>EFSA Journal</i> , 2017 , 15, e04935	2.3	1
283	Safety and efficacy of aryl-substituted primary alcohol, aldehyde, acid, ester and acetal derivatives belonging to chemical group 22 when used as flavourings for all animal species. <i>EFSA Journal</i> , 2017 , 15, e04672	2.3	3
282	Safety and efficacy of selenium-enriched yeast (CNCM I-3399) for all animal species. <i>EFSA Journal</i> , 2017 , 15, e04937	2.3	1
281	Safety and efficacy of zinc chelate of methionine sulfate for all animal species. <i>EFSA Journal</i> , 2017 , 15, e04859	2.3	1
280	Safety of vitamin D addition to feedingstuffs for fish. <i>EFSA Journal</i> , 2017 , 15, e04713	2.3	5
279	Safety and efficacy of Beltherm MP/ML (endo-1,4-beta-xylanase) as a feed additive for chickens for fattening, chickens reared for laying, turkeys for fattening, turkeys reared for breeding, turkeys for breeding purposes and minor poultry species. <i>EFSA Journal</i> , 2017 , 15, e04941	2.3	4
278	Safety and efficacy of sodium and potassium alginate for pets, other non food-producing animals and fish. <i>EFSA Journal</i> , 2017 , 15, e04945	2.3	3
277	Safety and efficacy of DSM 28875 as a silage additive for all animal species. <i>EFSA Journal</i> , 2017 , 15, e04703	2.3	1
276	Guidance on the identity, characterisation and conditions of use of feed additives. <i>EFSA Journal</i> , 2017 , 15, e05023	2.3	167
275	Safety and efficacy of Natuphos E (6-phytase) as a feed additive for avian and porcine species. <i>EFSA Journal</i> , 2017 , 15, e05024	2.3	6

274	Safety and efficacy of pyrazine derivatives including saturated ones belonging to chemical group 24 when used as flavourings for all animal species. <i>EFSA Journal</i> , 2017 , 15, e04671	2.3	3
273	Safety and efficacy of RONOZYMEWX (endo-1,4- β -xylanase) as a feed additive for laying hens. <i>EFSA Journal</i> , 2017 , 15, e05020	2.3	2
272	Guidance on the assessment of the safety of feed additives for the consumer. <i>EFSA Journal</i> , 2017 , 15, e05022	2.3	176
271	Safety of natural mixture of dolomite plus magnesite and magnesium-phyllsilicates (Fluidol) for all animal species. <i>EFSA Journal</i> , 2017 , 15, e04711	2.3	1
270	Safety and efficacy of an essential oil from subsp. (Link) letsw. var. Vulkan when used as a sensory additive in feed for all animal species. <i>EFSA Journal</i> , 2017 , 15, e05095	2.3	3
269	Guidance on the assessment of the safety of feed additives for the target species. <i>EFSA Journal</i> , 2017 , 15, e05021	2.3	214
268	Safety of EndofeedDC (endo-1,3(4)- β -glucanase and endo-1,4- β -xylanase) as a feed additive for chickens for fattening, laying hens, pigs for fattening and minor poultry and porcine species. <i>EFSA Journal</i> , 2017 , 15, e04706	2.3	0
267	Safety and efficacy of bentonite as a feed additive for all animal species. <i>EFSA Journal</i> , 2017 , 15, e05096	2.3	7
266	Safety and efficacy of l-arginine produced by KCCM '80099 for all animal species. <i>EFSA Journal</i> , 2017 , 15, e04858	2.3	2
265	Safety and efficacy of ENZY CARBOPLUS (endo-1,4- β -xylanase and endo-1,3(4)- β -glucanase) as a feed additive for avian species, weaned piglets and minor weaned porcine species. <i>EFSA Journal</i> , 2017 , 15, e05097	2.3	3
264	Safety and efficacy of LevucellSC (CNCM I-1077) as a feed additive for dairy cows, cattle for fattening, minor ruminant species and camelids. <i>EFSA Journal</i> , 2017 , 15, e04944	2.3	1
263	Safety of l-tryptophan technically pure, produced by CGMCC '3667, for all animal species based on a dossier submitted by GBT Europe GmbH. <i>EFSA Journal</i> , 2017 , 15, e04705	2.3	7
262	Safety of cassia gum as a feed additive for dogs and cats based on a dossier submitted by Glycomer GmbH. <i>EFSA Journal</i> , 2017 , 15, e04710	2.3	1
261	Assessment of the application for renewal of authorisation of VevoVitall (benzoic acid) as feed additive for weaned piglets and pigs for fattening. <i>EFSA Journal</i> , 2017 , 15, e05093	2.3	1
260	Safety and efficacy of LevucellSB (CNCM I-1079) as a feed additive for chickens for fattening and minor poultry species. <i>EFSA Journal</i> , 2017 , 15, e04674	2.3	2
259	Safety and efficacy of FRA Octazyme C Dry (β -galactosidase, β -amylase, endo-1,3(4)- β -glucanase, endo-1,4- β -glucanase, mannan-endo-1,4- β -mannosidase, pectinase, protease, endo-1,4- β -xylanase) for chickens for fattening and weaned piglets. <i>EFSA Journal</i> , 2017 , 15, e04943	2.3	
258	Efficacy of Levucell SB (CNCM I-1079) as a feed additive for weaned piglets. <i>EFSA Journal</i> , 2017 , 15, e04932		1
257	Safety and efficacy of dicopper oxide as feed additive for all animal species. <i>EFSA Journal</i> , 2016 , 14, e04509		4

256	Safety and efficacy of thiazoles, thiophene and thiazoline belonging to chemical group 29 when used as flavourings for all animal species. <i>EFSA Journal</i> , 2016 , 14, e04441	2.3	2
255	Safety and efficacy of aromatic ketones, secondary alcohols and related esters belonging to chemical group 21 when used as flavourings for all animal species. <i>EFSA Journal</i> , 2016 , 14, e04557	2.3	2
254	Modification of the terms of the authorisation regarding the formulation of Maxiban [®] G160 (narsin and nicarbazin) for chickens for fattening. <i>EFSA Journal</i> , 2016 , 14, e04614	2.3	2
253	Safety and efficacy of dry grape extract when used as a feed flavouring for all animal species and categories. <i>EFSA Journal</i> , 2016 , 14, e04476	2.3	4
252	Safety and efficacy of vitamin B2 (riboflavin and riboflavin 5-phosphate ester monosodium salt) produced by <i>Bacillus subtilis</i> for all animal species based on a dossier submitted by DSM. <i>EFSA Journal</i> , 2016 , 14, 4349	2.3	5
251	Safety and efficacy of furfuryl and furan derivatives belonging to chemical group 14 when used as flavourings for all animal species and categories. <i>EFSA Journal</i> , 2016 , 14, 4389	2.3	3
250	Safety and efficacy of secondary alicyclic saturated and unsaturated alcohols, ketones, ketals and esters with ketals containing alicyclic alcohols or ketones and esters containing secondary alicyclic alcohols from chemical group 8 when used as flavourings for all animal species. <i>EFSA Journal</i> , 2016 , 14, e04475	2.3	14
249	Safety and efficacy of BIOSTRONG [®] 510 (essential oil of thyme and star anise) for chickens and minor avian species for fattening and rearing to point of lay. <i>EFSA Journal</i> , 2016 , 14, e04351	2.3	2
248	Safety and efficacy of lecithins for all animal species. <i>EFSA Journal</i> , 2016 , 14, e04561	2.3	1
247	Safety and efficacy of RONOZYME [®] WX (endo-1,4-beta-xylanase) as a feed additive for chickens and turkeys for fattening, minor poultry species for fattening, weaned piglets and pigs for fattening. <i>EFSA Journal</i> , 2016 , 14, e04564	2.3	3
246	Safety and efficacy of manganese hydroxychloride as feed additive for all animal species. <i>EFSA Journal</i> , 2016 , 14, e04474	2.3	2
245	Safety and efficacy of Bactocell PA (<i>Pediococcus acidilactici</i> CNCM MA 18/5M) for pigs for fattening, minor porcine species, chickens for fattening and minor avian species. <i>EFSA Journal</i> , 2016 , 14, e04483	2.3	1
244	Safety and efficacy of 3-phytase FLF1000 as a feed additive for chickens for fattening and laying hens. <i>EFSA Journal</i> , 2016 , 14, e04622	2.3	2
243	Safety and efficacy of a preparation of algae interspaced bentonite as a feed additive for all animal species. <i>EFSA Journal</i> , 2016 , 14, e04623	2.3	3
242	Safety and efficacy of concentrated liquid L-lysine (base), L-lysine monohydrochloride and L-lysine sulphate produced using different strains of <i>Corynebacterium glutamicum</i> for all animal species based on a dossier submitted by AMAC/EEIG. <i>EFSA Journal</i> , 2016 , 14, 4346	2.3	16
241	Safety and efficacy of selenium compounds (E8) as feed additives for all animal species: Sodium selenite, based on a dossier submitted by Todini and Co SpA. <i>EFSA Journal</i> , 2016 , 14, 4442	2.3	5
240	Safety of L-lysine monohydrochloride produced by fermentation with <i>Escherichia coli</i> CGMCC 7.57 for all animal species based on a dossier submitted by Feedway Europe NV. <i>EFSA Journal</i> , 2016 , 14, e04477	2.3	11
239	Safety and efficacy of non-conjugated and accumulated unsaturated straight-chain and branched-chain, aliphatic primary alcohols, aldehydes, acids, acetals and esters belonging to chemical group 4 when used as flavourings for all animal species. <i>EFSA Journal</i> , 2016 , 14, e04559	2.3	6

238	Risks associated with endotoxins in feed additives produced by fermentation. <i>Environmental Health</i> , 2016 , 15, 5	6	23
237	Prevalence of hydatidosis and fertility of hydatid cysts in food animals in Northern Greece. <i>Veterinaria Italiana</i> , 2016 , 52, 123-7	1	6
236	Safety and efficacy of Feedlyve AGL (endo-1,3(4)-β-glucanase) as a feed additive for chickens for fattening. <i>EFSA Journal</i> , 2016 , 14, e04620	2.3	
235	Safety of l-threonine, technically pure, produced by fermentation with <i>Escherichia coli</i> CGMCC 7.58 for all animal species based on a dossier submitted by Feedway Europe NV. <i>EFSA Journal</i> , 2016 , 14, e04470	2.3	3
234	Safety and efficacy of ROVABIO [®] SPIKY (endo-1,4-beta-xylanase and endo-1,3(4)-beta-glucanase) as a feed additive for all major and minor poultry species. <i>EFSA Journal</i> , 2016 , 14, e04510	2.3	1
233	Safety and efficacy of Belfeed B MP/ML (endo-1,4-beta-xylanase) as feed additive for poultry, piglets (weaned) and pigs for fattening. <i>EFSA Journal</i> , 2016 , 14, e04562	2.3	2
232	Safety and efficacy of unsaturated straight-chain and branched-chain aliphatic primary alcohols, aldehydes, acids and esters belonging to chemical group 3 when used as flavourings for all animal species. <i>EFSA Journal</i> , 2016 , 14, e04512	2.3	7
231	Safety and efficacy of iron compounds (E1) as feed additives for all species: ferric oxide based on a dossier submitted by Poortershaven Industriële Mineralen B.V.. <i>EFSA Journal</i> , 2016 , 14, e04508	2.3	3
230	Safety and efficacy of Feedlyve AXC (endo-1,4-β-xylanase) as a feed additive for chickens for fattening. <i>EFSA Journal</i> , 2016 , 14, e04621	2.3	
229	Safety and efficacy of Axtra [®] PHY 20000 TPT2 (6-phytase) as a feed additive for poultry and porcine species. <i>EFSA Journal</i> , 2016 , 14, e04625	2.3	1
228	Safety and efficacy of dry grape extract when used as flavouring in water for drinking for all animal species and categories. <i>EFSA Journal</i> , 2016 , 14, e04627	2.3	1
227	Safety and efficacy of B-Act [®] (<i>Bacillus licheniformis</i> DSM 28710) for chickens for fattening and chickens reared for laying. <i>EFSA Journal</i> , 2016 , 14, e04615	2.3	5
226	Safety and efficacy of iron oxide black, red and yellow for all animal species. <i>EFSA Journal</i> , 2016 , 14, e04482	2.3	5
225	Safety and efficacy of <i>Lactobacillus brevis</i> NCIMB 42149 as a silage additive for all animal species. <i>EFSA Journal</i> , 2016 , 14, e04616	2.3	1
224	Safety and efficacy of Enviva [®] PRO 202 GT (<i>Bacillus amyloliquefaciens</i> PTA-6507, <i>Bacillus amyloliquefaciens</i> NRRL B-50013 and <i>Bacillus amyloliquefaciens</i> NRRL B-50104) for chickens for fattening, chickens reared for laying and minor poultry species for fattening and to point of lay. <i>EFSA Journal</i> , 2016 , 14, e04505	2.3	2
223	Safety and efficacy of <i>Lactobacillus diolivorans</i> DSM 32074 as a silage additive for all animal species. <i>EFSA Journal</i> , 2016 , 14, e04556	2.3	2
222	Safety and efficacy of Natugrain [®] TS/TS L (endo-1,4-β-xylanase and endo-1,4-β-glucanase) as a feed additive for chickens reared for laying and minor poultry species for laying. <i>EFSA Journal</i> , 2016 , 14, e04626	2.3	
221	Safety of Lancer (lanthanide citrate) as a zootechnical additive for weaned piglets. <i>EFSA Journal</i> , 2016 , 14, e04477	2.3	2

220	Safety and efficacy of selenium-enriched yeast (<i>Saccharomyces cerevisiae</i> NCYC R397) for all animal species. <i>EFSA Journal</i> , 2016 , 14, e04624	2.3	1
219	Safety and efficacy of inositol as nutritional additive for dogs and cats. <i>EFSA Journal</i> , 2016 , 14, e04511	2.3	2
218	Safety and efficacy of lecithins (Lipidol) for all animal species. <i>EFSA Journal</i> , 2016 , 14, e04560	2.3	1
217	Safety and efficacy of <i>Bacillus subtilis</i> DSM 28343 as a feed additive for chickens for fattening. <i>EFSA Journal</i> , 2016 , 14, e04507	2.3	1
216	Safety of l-tryptophan produced by fermentation with <i>Escherichia coli</i> CGMCC 7.59 for all animal species based on a dossier submitted by Feedway Europe NV. <i>EFSA Journal</i> , 2016 , 14, e04444	2.3	4
215	Safety and efficacy of Diarr-Stop S Plus (Na2EDTA, tannin-rich extract of <i>Castanea sativa</i> , thyme oil and oregano oil) as a feed additive for pigs for fattening. <i>EFSA Journal</i> , 2016 , 14, e04472	2.3	2
214	Revision of the currently authorised maximum copper content in complete feed. <i>EFSA Journal</i> , 2016 , 14, e04563	2.3	34
213	Safety and efficacy of secondary aliphatic saturated or unsaturated alcohols, ketones, ketals and esters with a second secondary or tertiary oxygenated functional group belonging to chemical group 10 when used as flavourings for all animal species. <i>EFSA Journal</i> , 2016 , 14, e04618	2.3	
212	Safety and efficacy of fumonisin esterase (FUMzyme) as a technological feed additive for all avian species. <i>EFSA Journal</i> , 2016 , 14, e04617	2.3	7
211	Safety and efficacy of tartrazine (E 102) for cats and dogs, ornamental fish, grain-eating ornamental birds and small rodents. <i>EFSA Journal</i> , 2016 , 14, e04613	2.3	2
210	Safety and efficacy of maltol belonging to chemical group 12 when used as flavouring for all animal species. <i>EFSA Journal</i> , 2016 , 14, e04619	2.3	
209	Safety and efficacy of BioPlus 2B (Bacillus subtilis DSM 5750 and Bacillus licheniformis DSM 5749) as a feed additive for sows, piglets, pigs for fattening, turkeys for fattening and calves. <i>EFSA Journal</i> , 2016 , 14, e04558	2.3	2
208	Safety and efficacy of eight compounds belonging to chemical group 31 (aliphatic and aromatic hydrocarbons) when used as flavourings for all animal species and categories. <i>EFSA Journal</i> , 2016 , 14, 4339	2.3	19
207	Safety and efficacy of a natural mixture of dolomite plus magnesite and magnesium-phyllsilicates (Fluidol) as feed additive for all animal species. <i>EFSA Journal</i> , 2016 , 14, 4341	2.3	2
206	Safety and efficacy of a natural mixture of illite, montmorillonite and kaolinite (Argile Verte du Velay) as a feed additive for all animal species. <i>EFSA Journal</i> , 2016 , 14, 4342	2.3	6
205	Safety of L-tryptophan produced by fermentation using <i>Escherichia coli</i> CGMCC 3667, for all animal species based on a dossier submitted by GBT Europe GmbH. <i>EFSA Journal</i> , 2016 , 14, 4343	2.3	9
204	Safety of L-threonine produced by fermentation using <i>Escherichia coli</i> CGMCC 3703, for all animal species based on a dossier submitted by GBT Europe GmbH. <i>EFSA Journal</i> , 2016 , 14, 4344	2.3	5
203	Safety and efficacy of L arginine produced by <i>Corynebacterium glutamicum</i> KCTC 10423BP for all animal species. <i>EFSA Journal</i> , 2016 , 14, 4345	2.3	6

202	Safety and efficacy of Natugrain [®] TS (endo-1,4- α -xylanase and endo-1,4- β -glucanase) for chickens for fattening. <i>EFSA Journal</i> , 2016 , 14, 4347	2.3	2
201	Safety and efficacy of methylester of conjugated linoleic acid (t10,c12 isomer) for pigs for fattening, sows and cows. <i>EFSA Journal</i> , 2016 , 14, 4348	2.3	2
200	Safety and efficacy of Amoklor (ammonium chloride) as a zootechnical additive for ruminants, cats and dogs. <i>EFSA Journal</i> , 2016 , 14, 4352	2.3	1
199	Safety and efficacy of pyridine and pyrrole derivatives belonging to chemical group 28 when used as flavourings for all animal species. <i>EFSA Journal</i> , 2016 , 14, 4390	2.3	1
198	Safety and efficacy of RONOZYME [®] HiPhos (6-phytase) as a feed additive for sows and fish. <i>EFSA Journal</i> , 2016 , 14, 4393	2.3	1
197	Safety and efficacy of guanidinoacetic acid for chickens for fattening, breeder hens and roosters, and pigs. <i>EFSA Journal</i> , 2016 , 14, 4394	2.3	8
196	Safety and efficacy of manganese compounds (E5) as feed additives for all animal species: manganous carbonate; manganous chloride, tetrahydrate; manganous oxide; manganous sulphate, monohydrate; manganese chelate of amino acids, hydrate; manganese chelate of glycine, hydrate, based on a dossier submitted by ERFANA s.r.l. <i>EFSA Journal</i> , 2016 , 14, 4395	2.3	7
195	Safety and efficacy of iron compounds (E1) as feed additives for all animal species: ferrous carbonate; ferric chloride, hexahydrate; ferrous fumarate; ferrous sulphate, heptahydrate; ferrous sulphate, monohydrate; ferrous chelate of amino acids, hydrate; ferrous chelate of glycine, hydrate, based on a dossier submitted by ERFANA s.r.l. <i>EFSA Journal</i> , 2016 , 14, 4395	2.3	12
194	Safety and efficacy of selenium compounds (E8) as feed additives for all animal species: sodium selenite, based on a dossier submitted by Retorte GmbH Selenium Chemicals and Metals. <i>EFSA Journal</i> , 2016 , 14, 4398	2.3	8
193	Safety and efficacy of Levucell [®] SB (<i>Saccharomyces cerevisiae</i> CNCM [®] 1-1079) as a feed additive for weaned piglets and sows. <i>EFSA Journal</i> , 2016 , 14, e04478	2.3	3
192	Scientific Opinion on the safety and efficacy of Suilectin [®] (Phaseolus vulgarislectins) as a zootechnical additive for suckling piglets (performance enhancer). <i>EFSA Journal</i> , 2015 , 13, 3903	2.3	1
191	Scientific Opinion on the safety and efficacy of L-valine produced by <i>Escherichia coli</i> NITE SD 00066 for all animal species. <i>EFSA Journal</i> , 2015 , 13, 3965	2.3	7
190	Scientific Opinion on the safety and efficacy of Biomin [®] C3 (<i>Bifidobacterium animalis</i> ssp. <i>animalis</i> , <i>Lactobacillus salivarius</i> ssp. <i>salivarius</i> and <i>Enterococcus faecium</i>) as feed additive for chickens for fattening, chickens reared for laying and minor avian. <i>EFSA Journal</i> , 2015 , 13, 3966	2.3	1
189	Scientific Opinion on the safety of <i>Solanum glaucophyllum</i> standardised leaves as feed material. <i>EFSA Journal</i> , 2015 , 13, 3967	2.3	1
188	Scientific Opinion on the safety and efficacy of Coxiril [®] (diclazuril) for rabbits for fattening and breeding. <i>EFSA Journal</i> , 2015 , 13, 3968	2.3	4
187	Scientific Opinion on the safety of Hostazym X as a feed additive for poultry and pigs. <i>EFSA Journal</i> , 2015 , 13, 3969	2.3	5
186	Scientific Opinion on the safety and efficacy of Bacillus subtilis PB6 (<i>Bacillus subtilis</i>) as a feed additive for laying hens and minor poultry species for laying. <i>EFSA Journal</i> , 2015 , 13, 3970	2.3	4
185	Scientific Opinion on the safety and efficacy of citric acid when used as a technological additive (preservative) for all animal species. <i>EFSA Journal</i> , 2015 , 13, 4009	2.3	3

184	Scientific Opinion on the safety and efficacy of XTRACT [®] Evolution-B, Code X60-6930 (carvacrol, cinnamaldehyde and capsicum oleoresin), as a feed additive for chickens for fattening. <i>EFSA Journal</i> , 2015 , 13, 4011	2.3	3
183	Scientific Opinion on the safety and efficacy of DL-methionyl-DL-methionine for all aquatic animal species. <i>EFSA Journal</i> , 2015 , 13, 4012	2.3	3
182	Scientific Opinion on the safety and efficacy of Cygro [®] 10G (maduramicin ammonium) for turkeys. <i>EFSA Journal</i> , 2015 , 13, 4013	2.3	1
181	Scientific Opinion on the safety and efficacy of hexamethylene tetramine as a silage additive for pigs, poultry, bovines, sheep, goats, rabbits and horses. <i>EFSA Journal</i> , 2015 , 13, 4014	2.3	3
180	Scientific Opinion on the safety and efficacy of L-tryptophan produced by <i>Escherichia coli</i> CGMCC 7.59 for all animal species based on a dossier submitted by HELM AG on behalf of Meihua Holdings Co. Ltd. <i>EFSA Journal</i> , 2015 , 13, 4015	2.3	10
179	Scientific Opinion on the safety and efficacy of L-lysine monohydrochloride produced by fermentation with <i>Escherichia coli</i> for all animal species based on a dossier submitted by HELM AG on behalf of Meihua Holdings Group Co. Ltd. <i>EFSA Journal</i> , 2015 , 13, 4052	2.3	17
178	Scientific Opinion on the safety and efficacy of aliphatic and aromatic hydrocarbons (chemical group 31) when used as flavourings for all animal species. <i>EFSA Journal</i> , 2015 , 13, 4053	2.3	16
177	Scientific Opinion on the safety and efficacy of Cibenza [®] EP150 (a preparation of <i>Bacillus licheniformis</i> (ATCC 53757) and its protease (EC 3.4.21.19)) as a feed additive for chickens for fattening, chickens reared for laying and minor avian species for fa. <i>EFSA Journal</i> , 2015 , 13, 4055	2.3	1
176	Scientific Opinion on the safety and efficacy of ammonium formate, calcium formate and sodium formate when used as a technological additive for all animal species. <i>EFSA Journal</i> , 2015 , 13, 4056	2.3	7
175	Scientific Opinion on the safety and efficacy of copper compounds (E4) as feed additives for all animal species (cupric acetate, monohydrate; basic cupric carbonate, monohydrate; cupric chloride, dihydrate; cupric oxide; cupric sulphate, pentahydrate; cupric chelate of amino acids, hydrate; cupric chelate of amino acids, pentahydrate). <i>EFSA Journal</i> , 2015 , 13, 4106	2.3	7
174	Scientific Opinion on the safety and efficacy of Rovabio [®] Spiky (endo-1,4-beta-xylanase and endo-1,3(4)-beta-glucanase) as a feed additive for turkeys and minor poultry species for fattening or reared for laying or breeding. <i>EFSA Journal</i> , 2015 , 13, 4106	2.3	2
173	Scientific Opinion on the safety and efficacy of iron compounds (E1) as feed additives for all animal species: ferrous carbonate based on a dossier submitted by Ankerpoort N.V.. <i>EFSA Journal</i> , 2015 , 13, 4109	2.3	4
172	Scientific Opinion on complexation products of sodium tartrates with iron(III) chloride for all animal species and categories. <i>EFSA Journal</i> , 2015 , 13, 4114	2.3	1
171	Scientific Opinion on the safety and efficacy of L-lysine sulphate produced by fermentation with <i>Escherichia coli</i> CGMCC 3705 for all animal species. <i>EFSA Journal</i> , 2015 , 13, 4155	2.3	20
170	Scientific Opinion on the safety and efficacy of L-lysine monohydrochloride, technically pure, produced with <i>Escherichia coli</i> CGMCC 3705 and L-lysine sulphate produced with <i>Corynebacterium glutamicum</i> CGMCC 3704 for all animal species, based on a dossier submitted by HELM AG. <i>EFSA Journal</i> , 2015 , 13, 4156	2.3	15
169	Scientific Opinion on the safety and efficacy of VevoVital [®] (benzoic acid) as a feed additive for pigs for reproduction (gestating and lactating sows, boars and gilts). <i>EFSA Journal</i> , 2015 , 13, 4157	2.3	5
168	Scientific Opinion on the safety and efficacy of Cylactin [®] (<i>Enterococcus faecium</i> NCIMB 10415) as a feed additive for pigs for fattening, piglets and sows. <i>EFSA Journal</i> , 2015 , 13, 4158	2.3	1
167	Scientific Opinion on the safety and efficacy of lignosulphonate as a feed additive for all animal species. <i>EFSA Journal</i> , 2015 , 13, 4160	2.3	9

166	Scientific Opinion on the safety and efficacy of Biosprint [®] (<i>Saccharomyces cerevisiae</i> MUCL 39885) for minor ruminant species for meat and milk production. <i>EFSA Journal</i> , 2015 , 13, 4199	2.3	5
165	Scientific Opinion on the modification of the terms of the authorisation of OPTIPHOS [®] (6-phytase) as a feed additive for pigs for fattening. <i>EFSA Journal</i> , 2015 , 13, 4200	2.3	2
164	Safety and efficacy of Calsporin [®] (<i>Bacillus subtilis</i> DSM 15544) as a feed additive for laying hens and avian species for laying. <i>EFSA Journal</i> , 2015 , 13, 4231	2.3	8
163	Update of the Scientific Opinion on the safety and efficacy of erythrosine in feed for cats, dogs, reptiles and ornamental fish. <i>EFSA Journal</i> , 2015 , 13, 4233	2.3	1
162	Scientific Opinion on the safety and efficacy of zinc chelate of L-lysinate-HCl as feed additive for all animal species. <i>EFSA Journal</i> , 2015 , 13, 4267	2.3	2
161	Safety and efficacy of saturated and unsaturated aliphatic secondary alcohols, ketones and esters with esters containing secondary alcohols belonging to chemical group 5 when used as flavourings for all animal species. <i>EFSA Journal</i> , 2015 , 13, 4268	2.3	5
160	Scientific Opinion on the safety and efficacy of selenium compounds (E8) as feed additives for all animal species: sodium selenite (coated granulated preparation), based on a dossier submitted by Doxal Italia S.p.A. <i>EFSA Journal</i> , 2015 , 13, 4271	2.3	3
159	Safety and efficacy of ethoxyquin (6-ethoxy-1,2-dihydro-2,2,4-trimethylquinoline) for all animal species. <i>EFSA Journal</i> , 2015 , 13, 4272	2.3	18
158	Safety and efficacy of Calsporin [®] (<i>Bacillus subtilis</i> DSM 15544) as a feed additive for ornamental fish. <i>EFSA Journal</i> , 2015 , 13, 4274	2.3	8
157	Scientific Opinion on the safety and efficacy of zinc compounds (E6) as feed additives for all animal species (zinc acetate, dihydrate; zinc chloride, anhydrous; zinc oxide; zinc sulphate, heptahydrate; zinc sulphate, monohydrate; zinc chelate of amino acids, hydrate; zinc chelate of glycine, hydrate), based on a dossier submitted by FEFANA asbl. <i>EFSA Journal</i> , 2015 , 13, 4058	2.3	4
156	Safety and efficacy of lactic acid and calcium lactate when used as technological additives for all animal species. <i>EFSA Journal</i> , 2015 , 13, 4198	2.3	5
155	Scientific Opinion on the safety and efficacy of sorbic acid and potassium sorbate when used as technological additives for all animal species based on two dossiers from Nutrinova Nutrition Specialties & Food Ingredients GmbH. <i>EFSA Journal</i> , 2015 , 13, 4239	2.3	2
154	Safety of Allura Red AC in feed for cats and dogs. <i>EFSA Journal</i> , 2015 , 13, 4270	2.3	2
153	Scientific Opinion on the safety and efficacy of Axtra [®] PHY 15 000 L (6-phytase) as a feed additive for poultry and porcine species. <i>EFSA Journal</i> , 2015 , 13, 4275	2.3	4
152	Scientific Opinion on the safety and efficacy of L-threonine produced by <i>Escherichia coli</i> for all animal species based on a dossier submitted by HELM AG on behalf of Meihua Holdings Group Co. Ltd. <i>EFSA Journal</i> , 2015 , 13, 4051	2.3	5
151	Scientific Opinion on the safety and efficacy of L-threonine produced by <i>Escherichia coli</i> strains NRRL B-30843, DSM 26131, KCCM11133P or DSM 25085 for all animal species based on a dossier submitted by AMAC EEIG. <i>EFSA Journal</i> , 2015 , 13, 4236	2.3	8
150	Scientific Opinion on the efficacy of Suilectin TM (<i>Phaseolus vulgaris</i> lectins) as a zootechnical additive for suckling piglets (performance enhancer). <i>EFSA Journal</i> , 2015 , 13, 4276	2.3	1
149	Scientific Opinion on the safety and efficacy of L-tryptophan, technically pure, produced by <i>Escherichia coli</i> strains DSM 25084, KCCM 11132P or SARI12091203 for all animal species based on a dossier submitted by AMAC EEIG. <i>EFSA Journal</i> , 2015 , 13, 4238	2.3	10

148	Efficacy of Friedland clay (montmorillonite/illite mixed layer clay) when used as a technological additive for all animal species. <i>EFSA Journal</i> , 2015 , 13, 4237	2.3	1
147	Scientific Opinion on the safety and efficacy of <i>Bacillus subtilis</i> KCCM 10673P and <i>Aspergillus oryzae</i> KCTC 10258BP as feed additives for all animal species. <i>EFSA Journal</i> , 2015 , 13, 4230	2.3	1
146	Scientific Opinion on the safety and efficacy of citric acid when used as a technological additive (acidity regulator) for all animal species. <i>EFSA Journal</i> , 2015 , 13, 4010	2.3	3
145	Scientific Opinion on the safety and efficacy of AviMatrix [®] (benzoic acid, calcium formate and fumaric acid) for chickens for fattening, chickens reared for laying, minor avian species for fattening and minor avian species reared to point of lay. <i>EFSA Journal</i> , 2015 , 13, 3794	2.3	2
144	Scientific Opinion on the safety and efficacy of L-valine (L-valine, feed grade) produced by <i>Escherichia coli</i> NITE BP-01755 for all animal species based on a dossier submitted by Ajinomoto Eurolysine S.A.S.. <i>EFSA Journal</i> , 2015 , 13, 4110	2.3	6
143	Effects of dietary pomegranate byproduct silage supplementation on performance, carcass characteristics and meat quality of growing lambs. <i>Animal Feed Science and Technology</i> , 2014 , 197, 92-102	3	36
142	Effect of dietary field pea (<i>Pisum sativum</i> L.) supplementation on growth performance, and carcass and meat quality of broiler chickens. <i>Livestock Science</i> , 2014 , 164, 135-143	1.7	12
141	Effect of dietary palygorskite on performance and blood parameters of lactating Holstein cows. <i>Applied Clay Science</i> , 2014 , 91-92, 25-29	5.2	8
140	Milk fat quality of Greek buffalo (<i>Bubalus bubalis</i>). <i>Journal of Food Composition and Analysis</i> , 2014 , 33, 181-186	4.1	13
139	Scientific Opinion on the safety and efficacy of <i>Pediococcus pentosaceus</i> (NCIMB 30068) as a silage additive for all animal species. <i>EFSA Journal</i> , 2014 , 12, 3609	2.3	1
138	Scientific Opinion on the safety and efficacy of synthetic astaxanthin as feed additive for salmon and trout, other fish, ornamental fish, crustaceans and ornamental birds. <i>EFSA Journal</i> , 2014 , 12, 3724	2.3	22
137	Scientific Opinion on the safety and efficacy of fumonisin esterase (FUMzyme [®]) as a technological feed additive for pigs. <i>EFSA Journal</i> , 2014 , 12, 3667	2.3	14
136	Scientific Opinion on the safety and efficacy of inositol as a feed additive for fish, dogs and cats. <i>EFSA Journal</i> , 2014 , 12, 3671	2.3	6
135	Scientific Opinion on the safety and efficacy of vitamin K3 (menadione sodium bisulphite and menadione nicotinamide bisulphite) as a feed additive for all animal species. <i>EFSA Journal</i> , 2014 , 12, 3532	3	12
134	Scientific Opinion on the safety and efficacy of formaldehyde for all animal species based on a dossier submitted by Regal BV. <i>EFSA Journal</i> , 2014 , 12, 3561	2.3	11
133	Scientific Opinion on the safety and efficacy of L-threonine (ThreAMINO [®]) produced by <i>Escherichia coli</i> (DSM 25086) for all animal species and categories based on a dossier submitted by Evonik Industries A.G.. <i>EFSA Journal</i> , 2014 , 12, 3564	2.3	7
132	Scientific Opinion on the safety and efficacy of Bonvital (<i>Enterococcus faecium</i>) as a feed additive for sows. <i>EFSA Journal</i> , 2014 , 12, 3565	2.3	5
131	Scientific Opinion on the safety and efficacy of iron compounds (E1) as feed additives for all species: ferrous sulphate heptahydrate based on a dossier submitted by Kronos International, Inc.. <i>EFSA Journal</i> , 2014 , 12, 3566	2.3	6

130	Scientific Opinion on the safety and efficacy of DL-selenomethionine as a feed additive for all animal species. <i>EFSA Journal</i> , 2014 , 12, 3567	2.3	13
129	Scientific Opinion on the safety and efficacy of vitamin D3 (cholecalciferol) as a feed additive for all animal species or categories based on a dossier submitted by Lohmann Animal Health GmbH. <i>EFSA Journal</i> , 2014 , 12, 3568	2.3	8
128	Scientific Opinion on the safety and efficacy of Miya-Gold [®] (Clostridium butyricum) for turkeys for fattening and turkeys reared for breeding. <i>EFSA Journal</i> , 2014 , 12, 3603	2.3	1
127	Scientific Opinion on the safety and efficacy of iron compounds (E1) as feed additives for all species: Ferrous sulphate monohydrate based on a dossier submitted by Kronos International, Inc.. <i>EFSA Journal</i> , 2014 , 12, 3607	2.3	6
126	Scientific Opinion on the safety and efficacy of Pediococcus pentosaceus (NCIMB 30044) as a silage additive for all animal species. <i>EFSA Journal</i> , 2014 , 12, 3610	2.3	1
125	Scientific Opinion on the safety and efficacy of Lactobacillus paracasei (NCIMB 30151) as a silage additive for all animal species. <i>EFSA Journal</i> , 2014 , 12, 3611	2.3	1
124	Scientific Opinion on the safety and efficacy of Lactobacillus plantarum (DSMZ 16627) as a silage additive for all animal species. <i>EFSA Journal</i> , 2014 , 12, 3612	2.3	1
123	Guidance on the assessment of the toxigenic potential of Bacillus species used in animal nutrition. <i>EFSA Journal</i> , 2014 , 12, 3665	2.3	45
122	Scientific Opinion on the safety and efficacy of Yea-Sacc [®] (Saccharomyces cerevisiae) as a feed additive for cattle for fattening, goats for fattening, dairy cows, dairy sheep, dairy goats and buffaloes. <i>EFSA Journal</i> , 2014 , 12, 3666	2.3	3
121	Scientific Opinion on the potential reduction of the currently authorised maximum zinc content in complete feed. <i>EFSA Journal</i> , 2014 , 12, 3668	2.3	51
120	Scientific Opinion on the safety and efficacy of the use of amino acids (chemical group 34) when used as flavourings for all animal species. <i>EFSA Journal</i> , 2014 , 12, 3670	2.3	24
119	Scientific Opinion on the safety and efficacy of Fecinor [®] and Fecinor [®] plus (Enterococcus faecium) as a feed additive for piglets. <i>EFSA Journal</i> , 2014 , 12, 3672	2.3	0
118	Scientific Opinion on the safety and efficacy of L-threonine produced by Escherichia coli for all animal species, based on a dossier submitted by HELM AG on behalf of Global Bio-Chem Technology. <i>EFSA Journal</i> , 2014 , 12, 3674	2.3	7
117	Scientific Opinion on the efficacy of Natugrain [®] TS/TS L (endo-1, 4-beta-xylanase and endo-1, 4-beta-glucanase) as a feed additive for laying hens. <i>EFSA Journal</i> , 2014 , 12, 3723	2.3	3
116	Scientific Opinion on the safety and efficacy of L-threonine produced by Escherichia coli for all animal species, based on a dossier submitted by HELM AG on behalf of Star Lake Bioscience Co.. <i>EFSA Journal</i> , 2014 , 12, 3726	2.3	7
115	Scientific Opinion on the safety and efficacy of Oralin [®] (Enterococcus faecium) as a feed additive for calves for rearing, piglets, chickens for fattening, turkeys for fattening and dogs. <i>EFSA Journal</i> , 2014 , 12, 3727	2.3	1
114	Scientific Opinion on the safety and efficacy of Coxiril [®] (diclazuril) as a feed additive for chickens for fattening. <i>EFSA Journal</i> , 2014 , 12, 3728	2.3	4
113	Scientific Opinion on the safety and efficacy of Coxiril [®] (diclazuril) as a feed additive for guinea fowl. <i>EFSA Journal</i> , 2014 , 12, 3730	2.3	3

112	Scientific Opinion on the safety and efficacy of Toyocerin [®] (<i>Bacillus toyonensis</i>) as a feed additive for chickens for fattening, weaned piglets, pigs for fattening, sows for reproduction, cattle for fattening and calves for rearing and for rabbits for fat. <i>EFSA Journal</i> , 2014 , 12, 3766	2.3	10
111	Scientific Opinion on the safety and efficacy of formaldehyde as a feed hygiene substance in feed for pigs and poultry. <i>EFSA Journal</i> , 2014 , 12, 3790	2.3	4
110	Scientific Opinion on the safety and efficacy of sorbic acid and potassium sorbate when used as technological additives for all animal species. <i>EFSA Journal</i> , 2014 , 12, 3792	2.3	4
109	Scientific Opinion on the safety and efficacy of copper chelate of L-lysinate-HCl as feed additive for all animal species. <i>EFSA Journal</i> , 2014 , 12, 3796	2.3	2
108	Scientific Opinion on the safety for the target animals and for the users of selenium in the form of organic compounds produced by the selenium-enriched yeast <i>Saccharomyces cerevisiae</i> NCYC R645 (SelenoSource AF 2000) for all animal species. <i>EFSA Journal</i> , 2014 , 12, 3797	2.3	1
107	Scientific Opinion on the safety and efficacy of tannic acid when used as feed flavouring for all animal species. <i>EFSA Journal</i> , 2014 , 12, 3828	2.3	18
106	Scientific Opinion on the safety and efficacy of concentrated liquid L-lysine (base), concentrated liquid L-lysine monohydrochloride and L-lysine monohydrochloride technically pure produced using <i>Escherichia coli</i> (FERM BP-11355) for all animal species based on a dossier submitted by Ajinomoto Eurolysine S.A.S. <i>EFSA Journal</i> , 2014 , 12, 3895	2.3	15
105	Scientific Opinion on the safety and efficacy of CRINA [®] Poultry Plus (benzoic acid, thymol, eugenol and piperine) as a feed additive for chickens for fattening, chickens reared for laying and minor poultry species for fattening and reared for laying. <i>EFSA Journal</i> , 2014 , 12, 3896	2.3	2
104	Scientific Opinion on the safety and efficacy of cassia gum for dogs and cats based on a dossier submitted by Glycomer GmbH. <i>EFSA Journal</i> , 2014 , 12, 3899	2.3	3
103	Scientific Opinion on the safety and efficacy of cassia gum for dogs and cats based on a dossier submitted by Intercolloid (UK) Ltd. <i>EFSA Journal</i> , 2014 , 12, 3901	2.3	4
102	Scientific Opinion on the safety and efficacy of cassia gum (Diagum CS) for dogs and cats based on a dossier submitted by Lubrizol Advance Materials Europe B.V.B.A. <i>EFSA Journal</i> , 2014 , 12, 3902	2.3	3
101	Scientific Opinion on the modification of the terms of authorisation of Avi-Deccox [®] 60G (decoquinat) for chickens for fattening. <i>EFSA Journal</i> , 2014 , 12, 3905	2.3	1
100	Scientific Opinion on the safety and efficacy of L-tryptophan technically pure produced by fermentation with <i>Escherichia coli</i> for all animal species, based on a dossier submitted by HELM AG on behalf of Global Bio-Chem Technology. <i>EFSA Journal</i> , 2014 , 12, 3673	2.3	11
99	Scientific Opinion on the safety and efficacy of sodium bisulphate (SBS) for all species as preservative and silage additive. <i>EFSA Journal</i> , 2014 , 12, 3731	2.3	1
98	Scientific opinion on the safety and efficacy of canthaxanthin as a feed additive for poultry and for ornamental birds and ornamental fish. <i>EFSA Journal</i> , 2014 , 12, 3527	2.3	9
97	Scientific Opinion on the safety and efficacy of disodium 5'-ribonucleotides, disodium 5'-guanylate, disodium 5'-inosinate for all animal species and categories. <i>EFSA Journal</i> , 2014 , 12, 3606	2.3	2
96	Scientific Opinion on the safety and efficacy of L-threonine produced by <i>Escherichia coli</i> (FERM BP-11383) for all animal species, based on a dossier submitted by Ajinomoto Eurolysine S.A.S.. <i>EFSA Journal</i> , 2014 , 12, 3825	2.3	7
95	Scientific Opinion on the safety and efficacy of calcium formate when used as a technological additive for all animal species. <i>EFSA Journal</i> , 2014 , 12, 3898	2.3	5

94	Scientific Opinion on the safety and efficacy of Friedland clay (montmorillonite-illite mixed layer clay) when used as technological additive for all animal species. <i>EFSA Journal</i> , 2014 , 12, 3904	2.3	5
93	Scientific Opinion on the safety and efficacy of Lactobacillus acidophilus D2/CSL (Lactobacillus acidophilus) for laying hens. <i>EFSA Journal</i> , 2014 , 12, 3789	2.3	3
92	Scientific Opinion on the safety and efficacy of astaxanthin (CAROPHYLL® Pink 10% CWS) for salmonids and ornamental fish. <i>EFSA Journal</i> , 2014 , 12, 3725	2.3	13
91	Scientific Opinion on the safety and efficacy of formic acid when used as a technological additive for all animal species. <i>EFSA Journal</i> , 2014 , 12, 3827	2.3	5
90	Scientific Opinion on the safety of neohesperidine dihydrochalcone as a sensory additive for fish. <i>EFSA Journal</i> , 2014 , 12, 3669	2.3	1
89	Scientific Opinion on the safety and efficacy of Rovabio® Spiky (endo-1, 4-beta-xylanase and endo-1, 3(4)-beta-glucanase) as a feed additive for chickens for fattening, chickens reared for laying and other minor poultry species (for fattening and reared f. <i>EFSA Journal</i> , 2014 , 12, 3793	2.3	4
88	Scientific Opinion on the safety and efficacy of AGal-Pro BL-L (alpha-galactosidase and endo-1, 4-beta-glucanase) as a feed additive for chickens for fattening. <i>EFSA Journal</i> , 2014 , 12, 3897	2.3	0
87	Scientific Opinion on the safety and efficacy of cassia gum (Galactogum) for dogs and cats based on a dossier submitted by Galacto Naturstoffe GmbH. <i>EFSA Journal</i> , 2014 , 12, 3900	2.3	3
86	Scientific Opinion on the safety and efficacy of Coxiril® (diclazuril) as a feed additive for turkeys for fattening. <i>EFSA Journal</i> , 2014 , 12, 3729	2.3	4
85	Scientific Opinion on the safety and efficacy of L-tryptophan produced by Escherichia coli (FERM BP-11354) for all animal species, based on a dossier submitted by Ajinomoto Eurolysine S.A.S.. <i>EFSA Journal</i> , 2014 , 12, 3826	2.3	9
84	Scientific Opinion on the safety and efficacy of vitamin D3 (cholecalciferol) as a feed additive for pigs, piglets, bovines, ovines, calves, equines, chickens for fattening, turkeys, other poultry, fish and other animal species or categories, based on a dossier submitted by Fermenta Biotech Ltd. <i>EFSA Journal</i> , 2013 , 11, 3289	2.3	4
83	Scientific Opinion on the safety and efficacy of thiazoles, thiophene, thiazoline and thienyl derivatives (chemical group 29): 3-acetyl-2, 5-dimethylthiophene when used as a flavouring for all animal species. <i>EFSA Journal</i> , 2013 , 11, 3323	2.3	1
82	Scientific Opinion on the safety and efficacy of Provita LE (Enterococcus faecium and Lactobacillus rhamnosus) as a feed additive for calves for rearing. <i>EFSA Journal</i> , 2013 , 11, 3175	2.3	2
81	Scientific Opinion on the safety and efficacy of Lactobacillus brevis (DSM 23231), Lactobacillus buchneri (DSM 22501), Lactobacillus buchneri (NCIMB 40788/NCM I-4323), Lactobacillus buchneri (ATCC PTA-6138) and Lactobacillus buchneri (ATCC PTA-2494) as silage additives for all species. <i>EFSA Journal</i> , 2013 , 11, 3166	2.3	1
80	Scientific Opinion on the safety and efficacy of Amylofeed® (endo-1, 3(4)-beta-glucanase, endo-1, 4-beta-xylanase and alpha-amylase) as a feed additive for piglets and young minor porcine species. <i>EFSA Journal</i> , 2013 , 11, 3430	2.3	2
79	Scientific Opinion on the safety and efficacy of iodine compounds (E2) as feed additives for all animal species: calcium iodate anhydrous, based on a dossier submitted by Calibre Europe SPRL/BVBA. <i>EFSA Journal</i> , 2013 , 11, 3100	2.3	6
78	Scientific Opinion on the safety and efficacy of vitamin A (retinyl acetate, retinyl palmitate and retinyl propionate) as a feed additive for all animal species and categories. <i>EFSA Journal</i> , 2013 , 11, 3037	2.3	3
77	Scientific Opinion on the safety and efficacy of methionine-zinc, technically pure as amino acid for ruminants, and as compound of trace element for all species. <i>EFSA Journal</i> , 2013 , 11, 3038	2.3	4

76	Scientific Opinion on the safety and efficacy of clinoptilolite of sedimentary origin for all animal species. <i>EFSA Journal</i> , 2013 , 11, 3039	2.3	10
75	Scientific Opinion on the safety and efficacy of Miya-Gold (<i>Clostridium butyricum</i>) for chickens for fattening, chickens reared for laying and minor avian species. <i>EFSA Journal</i> , 2013 , 11, 3040	2.3	3
74	Scientific Opinion on the safety and efficacy of <i>Bacillus amyloliquefaciens</i> (NCIMB 30229) as a silage feed additive for all species. <i>EFSA Journal</i> , 2013 , 11, 3042	2.3	4
73	Scientific Opinion on the safety and efficacy of orthophosphoric acid for all animal species. <i>EFSA Journal</i> , 2013 , 11, 3043	2.3	2
72	Scientific Opinion on the safety and efficacy of Cylactin [®] (<i>Enterococcus faecium</i>) as a feed additive for cats and dogs. <i>EFSA Journal</i> , 2013 , 11, 3098	2.3	3
71	Scientific Opinion on the safety and efficacy of iodine compounds (E2) as feed additives for all animal species: calcium iodate anhydrous and potassium iodide, based on a dossier submitted by Ajay Europe SARL. <i>EFSA Journal</i> , 2013 , 11, 3099	2.3	7
70	Scientific Opinion on the safety and efficacy of iodine compounds (E2) as feed additives for all species: calcium iodate anhydrous and potassium iodide, based on a dossier submitted by HELM AG. <i>EFSA Journal</i> , 2013 , 11, 3101	2.3	8
69	Scientific Opinion on the safety and efficacy of fumaric acid as a feed additive for all animal species. <i>EFSA Journal</i> , 2013 , 11, 3102	2.3	6
68	Scientific Opinion on the safety and efficacy of diclazuril (Clinacox [®] 0.5 %) as feed additive for chickens reared for laying. <i>EFSA Journal</i> , 2013 , 11, 3106	2.3	4
67	Scientific Opinion on the safety and efficacy of Bonvital (<i>Enterococcus faecium</i>) for chickens reared for laying and minor avian species. <i>EFSA Journal</i> , 2013 , 11, 3167	2.3	5
66	Scientific Opinion on the safety and efficacy of straight-chain primary aliphatic alcohols/aldehydes/acids, acetals and esters with esters containing saturated alcohols and acetals containing saturated aldehydes (chemical group 1) when used as flavourings for all animal species. <i>EFSA Journal</i> , 2013 , 11, 3169	2.3	16
65	Scientific Opinion on the safety and efficacy of Probiotic LACTINA [®] (<i>Lactobacillus acidophilus</i> , <i>Lactobacillus helveticus</i> , <i>Lactobacillus bulgaricus</i> , <i>Lactobacillus lactis</i> , <i>Streptococcus thermophilus</i> and <i>Enterococcus faecium</i>) for chickens for fattening and piglets. <i>EFSA Journal</i> , 2013 , 11, 3170	2.3	9
64	Scientific Opinion on the safety and efficacy of AveMix [®] XG 10 (endo-1, 4-beta-xylanase and endo-1, 3(4)-beta-glucanase) as a feed additive for turkeys for fattening. <i>EFSA Journal</i> , 2013 , 11, 3172	2.3	1
63	Scientific Opinion on the safety and efficacy of L-cystine for all animal species. <i>EFSA Journal</i> , 2013 , 11, 3173	2.3	1
62	Scientific Opinion on the safety and efficacy of a preparation of bentonite-and sepiolite (Toxfin [®] Dry) as feed additive for all species. <i>EFSA Journal</i> , 2013 , 11, 3179	2.3	17
61	Scientific Opinion on the safety and efficacy of Lancer (lanthanide citrate) as feed additive for weaned piglets. <i>EFSA Journal</i> , 2013 , 11, 3206	2.3	9
60	Scientific Opinion on the safety and efficacy of aliphatic and aromatic mono- and di-thiols and mono-, di-, tri-, and polysulphides with or without additional oxygenated functional groups (chemical group 20) when used as flavourings for all animal species. <i>EFSA Journal</i> , 2013 , 11, 3208	2.3	3
59	Scientific Opinion on the safety and efficacy of betaine anhydrous as a feed additive for all animal species based on a dossier submitted by Danisco Animal Nutrition. <i>EFSA Journal</i> , 2013 , 11, 3209	2.3	3

58	Scientific Opinion on the safety and efficacy of betaine (betaine anhydrous and betaine hydrochloride) as a feed additive for all animal species based on a dossier submitted by VITAC EEIG. <i>EFSA Journal</i> , 2013 , 11, 3210	2.3	7
57	Scientific Opinion on the safety and efficacy of betaine anhydrous as a feed additive for all animal species based on a dossier submitted by Trouw Nutritional International B.V.. <i>EFSA Journal</i> , 2013 , 11, 3211	2.3	2
56	Scientific Opinion on the safety and efficacy of L-selenomethionine as feed additive for all animal species. <i>EFSA Journal</i> , 2013 , 11, 3219	2.3	14
55	Scientific opinion on the safety and efficacy of iron compounds (E1) as feed additives for all species: iron chelate of amino acids, hydrate, based on a dossier submitted by Zinpro Animal Nutrition Inc.. <i>EFSA Journal</i> , 2013 , 11, 3287	2.3	8
54	Scientific opinion on the safety and efficacy of L-tyrosine for all animal species. <i>EFSA Journal</i> , 2013 , 11, 3310	2.3	3
53	Scientific opinion on the safety and efficacy of L-threonine produced by Escherichia coli (FERM BP-10942) for all animal species based on a dossier submitted by Ajinomoto Eurolysine SAS. <i>EFSA Journal</i> , 2013 , 11, 3319	2.3	7
52	Scientific Opinion on the safety and efficacy of Endofeed [®] DC (endo-1, 3(4)-beta-glucanase and endo-1, 4-beta-xylanase) as a feed additive for chickens for fattening, laying hens, pigs for fattening and minor poultry and porcine species. <i>EFSA Journal</i> , 2013 , 11, 3322	2.3	1
51	Scientific Opinion on the safety and efficacy of manganese compounds (E5) as feed additives for all species: manganese chelate of amino acids, hydrate, based on a dossier submitted by Zinpro Animal Nutrition Inc.. <i>EFSA Journal</i> , 2013 , 11, 3324	2.3	3
50	Scientific Opinion on the safety and efficacy of manganese compounds (E5) as feed additives for all animal species: manganous oxide, based on a dossier submitted by Poortershaven Industriële Mineralen B.V.. <i>EFSA Journal</i> , 2013 , 11, 3325	2.3	3
49	Scientific Opinion on the safety and efficacy of Saccharomyces cerevisiae (NBRC 0203), Lactobacillus plantarum (NBRC 3070) and Lactobacillus casei (NBRC 3425) as a silage additive for all species. <i>EFSA Journal</i> , 2013 , 11, 3362	2.3	2
48	Scientific Opinion on the safety and efficacy of Enterococcus faecium (NCIMB 10415, DSM 22502, ATCC 53519 and ATCC 55593) as silage additives for all animal species. <i>EFSA Journal</i> , 2013 , 11, 3363	2.3	1
47	Scientific opinion on the characterisation of zinc compound Zinc chelate of amino acids, hydrate (Availa [®] Zinc) as a feed additive for all animal species. <i>EFSA Journal</i> , 2013 , 11, 3369	2.3	4
46	Scientific opinion on the modification of authorisation of DeccoX [®] (decoquinat) as feed additive for chickens for fattening. <i>EFSA Journal</i> , 2013 , 11, 3370	2.3	1
45	Scientific Opinion on the safety and efficacy of L-methionine produced by Escherichia coli (KCCM 11252P) and Escherichia coli (KCCM 11340P) for all animal species. <i>EFSA Journal</i> , 2013 , 11, 3428	2.3	8
44	Guidance on the renewal of the authorisation of feed additives. <i>EFSA Journal</i> , 2013 , 11, 3431	2.3	72
43	Scientific opinion on the safety and efficacy of manganese compounds (E5) as feed additives for all species: manganous oxide and manganous sulphate monohydrate, based on a dossier submitted by Eramet & Comilog Chemicals S.A. <i>EFSA Journal</i> , 2013 , 11, 3435	2.3	1
42	Scientific Opinion on the safety and efficacy of copper compounds (E4) as feed additives for all species: cupric chelate of amino acids hydrate, based on a dossier submitted by Zinpro Animal Nutrition Inc.. <i>EFSA Journal</i> , 2013 , 11, 3107	2.3	6
41	Scientific Opinion on safety and efficacy of hydroxy-analogue of selenomethionine as feed additive for all species. <i>EFSA Journal</i> , 2013 , 11, 3046	2.3	19

40	Scientific Opinion on the safety and efficacy of Bacillus subtilis PB6 (Bacillus subtilis) as a feed additive for turkeys for fattening and turkeys reared for breeding. <i>EFSA Journal</i> , 2013 , 11, 3176	2.3	5
39	Scientific opinion on the safety and efficacy of AGal-Pro (alpha-galactosidase and endo-1, 4-beta-glucanase) as a feed additive for chickens reared for laying and minor poultry species for fattening. <i>EFSA Journal</i> , 2013 , 11, 3286	2.3	1
38	Scientific Opinion on the safety and efficacy of L-cysteine hydrochloride monohydrate as a flavouring additive for pets. <i>EFSA Journal</i> , 2013 , 11, 3437	2.3	6
37	Scientific opinion on the safety and efficacy of L-tryptophan produced by Escherichia coli (FERM BP-11200) for all animal species based on a dossier submitted by Ajinomoto Eurolysine SAS. <i>EFSA Journal</i> , 2013 , 11, 3368	2.3	10
36	Scientific opinion on the safety and efficacy of concentrated liquid L-lysine (base), concentrated liquid L-lysine monohydrochloride and L-lysine monohydrochloride produced by Escherichia coli (FERM BP-10941) for all animal species, based on three dossiers submitted by Ajinomoto Eurolysine SAS. <i>EFSA Journal</i> , 2013 , 11, 3365	2.3	15
35	Scientific Opinion on the safety and efficacy of L-valine produced by Corynebacterium glutamicum (KCCM 80058) for all animal species, based on a dossier submitted by CJ Europe GmbH. <i>EFSA Journal</i> , 2013 , 11, 3429	2.3	10
34	Scientific Opinion on Rovabio [®] Excel (endo-1, 3(4)-beta-glucanase and endo-1, 4-beta-xylanase) as a feed additive for chickens and turkeys for fattening, laying hens, piglets (weaned) and pigs for fattening, ducks, guinea fowls, quails, geese, pheasants and pigeons. <i>EFSA Journal</i> , 2013 , 11, 3321	2.3	2
33	Scientific Opinion on the safety and efficacy of vitamin C (ascorbic acid and sodium calcium ascorbyl phosphate) as a feed additive for all animal species based on a dossier submitted by VITAC EEIG. <i>EFSA Journal</i> , 2013 , 11, 3103	2.3	2
32	Scientific Opinion on the safety and efficacy of micro-organism DSM 11798 when used as a technological feed additive for pigs. <i>EFSA Journal</i> , 2013 , 11, 3203	2.3	8
31	Scientific Opinion on the safety and efficacy of Feedlyve AXC (endo-1, 4-beta-xylanase) as a feed additive for turkeys. <i>EFSA Journal</i> , 2012 , 10, 2843	2.3	1
30	Scientific Opinion on the safety and efficacy of Lactobacillus salivarius (CNCM I-3238) and Lactobacillus casei (ATTC PTA-6135) as silage additives for all species. <i>EFSA Journal</i> , 2012 , 10, 2884	2.3	1
29	Scientific Opinion on the efficacy of Bactocell (Pediococcus acidilactici) when used as a feed additive for fish. <i>EFSA Journal</i> , 2012 , 10, 2886	2.3	10
28	Scientific Opinion on Toyocerin [®] (Bacillus cereus) as a feed additive for sows, piglets, pigs for fattening, cattle for fattening, calves for rearing, chickens for fattening and rabbits for fattening. <i>EFSA Journal</i> , 2012 , 10, 2924	2.3	7
27	Scientific Opinion on the safety and efficacy of branched-chain primary aliphatic alcohols/aldehydes/acids, acetals and esters with esters containing branched-chain alcohols and acetals containing branched-chain aldehydes (chemical group 2) when used as flavourings for all animal species. <i>EFSA Journal</i> , 2012 , 10, 2927	2.3	6
26	Scientific Opinion on the safety and efficacy of primary aliphatic saturated or unsaturated alcohols/aldehydes/acids/acetals/esters with a second primary, secondary or tertiary oxygenated functional group including aliphatic lactones (chemical group 9) when used as flavourings for all animal species. <i>EFSA Journal</i> , 2012 , 10, 2928	2.3	4
25	Scientific Opinion on the safety and efficacy of Roxazyme [®] G2 G/L (endo-1, 4-beta-xylanase, endo-1, 4-beta-glucanase and endo-1,(3)4-beta-glucanase) as a feed additive for poultry and piglets. <i>EFSA Journal</i> , 2012 , 10, 2930	2.3	1
24	Scientific Opinion on the safety and efficacy of Prostora Max (Bifidobacterium animalis) as a feed additive for dogs. <i>EFSA Journal</i> , 2012 , 10, 2964	2.3	4
23	Scientific Opinion on the safety and efficacy of aliphatic, alicyclic and aromatic saturated and unsaturated tertiary alcohols and esters with esters containing tertiary alcohols ethers (chemical group 6) when used as flavourings for all animal species. <i>EFSA Journal</i> , 2012 , 10, 2966	2.3	22

22	Scientific Opinion on the safety and efficacy of aliphatic and alicyclic ethers (chemical group 16) when used as flavourings for all animal species. <i>EFSA Journal</i> , 2012 , 10, 2967	2.3	10
21	Scientific Opinion on the safety and efficacy of vitamin D3 (cholecalciferol) as a feed additive for chickens for fattening, turkeys, other poultry, pigs, piglets (suckling), calves for rearing, calves for fattening, bovines, ovines, equines, fish and other animal species or categories, based on a dossier submitted by EFSA. <i>EFSA Journal</i> , 2012 , 10, 2968	2.3	10
20	Scientific Opinion on the safety and efficacy of copper compounds (E4) as feed additives for all animal species: cupric sulphate pentahydrate based on a dossier submitted by Manica S.p.A.. <i>EFSA Journal</i> , 2012 , 10, 2969	2.3	14
19	Chickpeas (<i>Cicer arietinum</i> L.) in animal nutrition: A review. <i>Animal Feed Science and Technology</i> , 2011 , 168, 1-20	3	55
18	The use of extruded chickpeas in diets for growing-finishing pigs. <i>Czech Journal of Animal Science</i> , 2011 , 51, 334-342	1.1	2
17	The use of extruded chickpeas in diets of broiler turkeys. <i>Czech Journal of Animal Science</i> , 2011 , 51, 416-423		8
16	Serum enzyme status of Chios ewes fed increasing amounts of copper from copper sulfate. <i>Research in Veterinary Science</i> , 2010 , 88, 456-7	2.5	
15	Rumen fermentation characteristics in pre-weaning calves receiving yeast culture supplements. <i>Czech Journal of Animal Science</i> , 2009 , 54, 435-442	1.1	10
14	Nutritional value of fermented olive wastes in growing lamb rations. <i>Animal Feed Science and Technology</i> , 2008 , 141, 375-383	3	12
13	Nutritional and net energy value of fermented olive wastes in rations of lactating ewes. <i>Czech Journal of Animal Science</i> , 2008 , 52, 456-462	1.1	4
12	Evaluation of Florina (Pelagonia) sheep breed for growth and carcass traits. <i>Small Ruminant Research</i> , 2007 , 70, 239-247	1.7	9
11	Impacts of supplemental dietary biotin on lameness in sheep. <i>Animal Feed Science and Technology</i> , 2007 , 134, 162-169	3	3
10	Effect of dried oregano leaves versus neomycin in treating newborn calves with colibacillosis. <i>Transboundary and Emerging Diseases</i> , 2006 , 53, 154-6		25
9	Citrus by-products as ruminant feeds: A review. <i>Animal Feed Science and Technology</i> , 2006 , 128, 175-217	3	310
8	Effect of supplemental dietary biotin on performance of lactating ewes. <i>Animal Feed Science and Technology</i> , 2006 , 130, 268-276	3	2
7	Effect of replacing soybean meal by extruded chickpeas in the diets of growing-finishing pigs on meat quality. <i>Meat Science</i> , 2006 , 73, 529-35	6.4	9
6	The Use of Dried Tomato Pulp in Diets of Laying Hens. <i>International Journal of Poultry Science</i> , 2006 , 5, 618-622	0.3	23
5	Nutritional value of chickpeas in rations of lactating ewes and growing lambs. <i>Animal Feed Science and Technology</i> , 2005 , 118, 229-241	3	26

4	Effect of dietary dried oregano leaves supplementation on performance and carcass characteristics of growing lambs. <i>Animal Feed Science and Technology</i> , 2005 , 121, 285-295	3	48
3	Effect of dietary garlic bulb and garlic husk supplementation on performance and carcass characteristics of growing lambs. <i>Animal Feed Science and Technology</i> , 2005 , 121, 273-283	3	33
2	Effect of dietary dried oregano leaves on growth performance, carcass characteristics and serum cholesterol of female early maturing turkeys. <i>British Poultry Science</i> , 2005 , 46, 595-601	1.9	75
1	Effect of the dietary inclusion of the growth promoter avoparcin on the performance and carcass characteristics of growing quail. <i>Animal Feed Science and Technology</i> , 1997 , 65, 287-292	3	1