

Seitaro Fujishima

List of Publications by Citations

Source: <https://exaly.com/author-pdf/1832216/seitaro-fujishima-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

41
papers

12,679
citations

23
h-index

43
g-index

43
ext. papers

14,636
ext. citations

5.3
avg, IF

5.07
L-index

#	Paper	IF	Citations
41	Surviving sepsis campaign: international guidelines for management of severe sepsis and septic shock: 2012. <i>Critical Care Medicine</i> , 2013 , 41, 580-637	1.4	4914
40	Surviving Sepsis Campaign: International Guidelines for Management of Sepsis and Septic Shock: 2016. <i>Intensive Care Medicine</i> , 2017 , 43, 304-377	14.5	3178
39	Surviving Sepsis Campaign: international guidelines for management of severe sepsis and septic shock, 2012. <i>Intensive Care Medicine</i> , 2013 , 39, 165-228	14.5	2975
38	Neutrophil-mediated tissue injury and its modulation. <i>Intensive Care Medicine</i> , 1995 , 21, 277-85	14.5	178
37	Secondary exposure of medical staff to sarin vapor in the emergency room. <i>Intensive Care Medicine</i> , 1995 , 21, 1032-5	14.5	159
36	Role of interleukin-6 in bleomycin-induced lung inflammatory changes in mice. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2008 , 38, 566-71	5.7	140
35	Regulation of neutrophil interleukin 8 gene expression and protein secretion by LPS, TNF-alpha, and IL-1 beta. <i>Journal of Cellular Physiology</i> , 1993 , 154, 478-85	7	126
34	A multicenter, prospective validation study of the Japanese Association for Acute Medicine disseminated intravascular coagulation scoring system in patients with severe sepsis. <i>Critical Care</i> , 2013 , 17, R111	10.8	119
33	Soluble form of P-selectin in plasma is elevated in acute lung injury. <i>American Journal of Respiratory and Critical Care Medicine</i> , 1995 , 151, 1821-6	10.2	88
32	Multicenter prospective study of procalcitonin as an indicator of sepsis. <i>Journal of Infection and Chemotherapy</i> , 2005 , 11, 152-9	2.2	86
31	Genetic variants of NRAMP1 and active tuberculosis in Japanese populations. International Tuberculosis Genetics Team. <i>Clinical Genetics</i> , 2000 , 58, 74-6	4	80
30	Epidemiology of severe sepsis in Japanese intensive care units: a prospective multicenter study. <i>Journal of Infection and Chemotherapy</i> , 2014 , 20, 157-62	2.2	72
29	Clinical aspects of invasive infections with <i>Streptococcus dysgalactiae</i> ssp. <i>equisimilis</i> in Japan: differences with respect to <i>Streptococcus pyogenes</i> and <i>Streptococcus agalactiae</i> infections. <i>Clinical Microbiology and Infection</i> , 2010 , 16, 1097-103	9.5	66
28	Importance of interleukin-8 in the development of reexpansion lung injury in rabbits. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2000 , 161, 1030-6	10.2	61
27	Macrophage derived chemokine (CCL22), thymus and activation-regulated chemokine (CCL17), and CCR4 in idiopathic pulmonary fibrosis. <i>Respiratory Research</i> , 2009 , 10, 80	7.3	50
26	Association of CYP2A6 deletion polymorphism with smoking habit and development of pulmonary emphysema. <i>Thorax</i> , 2003 , 58, 623-8	7.3	47
25	Usefulness of procalcitonin serum level for the discrimination of severe sepsis from sepsis: a multicenter prospective study. <i>Journal of Infection and Chemotherapy</i> , 2008 , 14, 244-9	2.2	36

24	Vascular endothelial growth factor in epithelial lining fluid of patients with acute respiratory distress syndrome. <i>Respirology</i> , 2008 , 13, 281-4	3.6	31
23	Infection site is predictive of outcome in acute lung injury associated with severe sepsis and septic shock. <i>Respirology</i> , 2016 , 21, 898-904	3.6	29
22	Carbon black nanoparticles enhance bleomycin-induced lung inflammatory and fibrotic changes in mice. <i>Experimental Biology and Medicine</i> , 2011 , 236, 315-24	3.7	28
21	Endothelin-1 level in epithelial lining fluid of patients with acute respiratory distress syndrome. <i>Respirology</i> , 2007 , 12, 740-3	3.6	26
20	Protective role of vascular endothelial growth factor in endotoxin-induced acute lung injury in mice. <i>Respiratory Research</i> , 2007 , 8, 60	7.3	25
19	Heat stroke with multiple organ failure treated with cold hemodialysis and cold continuous hemodiafiltration: a case report. <i>Therapeutic Apheresis and Dialysis</i> , 2005 , 9, 423-8	1.9	24
18	Intratracheal synthetic CpG oligodeoxynucleotide causes acute lung injury with systemic inflammatory response. <i>Respiratory Research</i> , 2009 , 10, 84	7.3	23
17	Effects of TNF-alpha-converting enzyme inhibition on acute lung injury induced by endotoxin in the rat. <i>Shock</i> , 2009 , 32, 535-40	3.4	23
16	A case of severe heat stroke with abnormal cardiac findings. <i>International Heart Journal</i> , 2005 , 46, 543-50.8		21
15	Prior burn insult induces lethal acute lung injury in endotoxemic mice: effects of cytokine inhibition. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2003 , 284, L270-8	5.8	17
14	Effects of initial passage of endotoxin through the liver on the extent of acute lung injury in a rat model. <i>Shock</i> , 2006 , 26, 311-5	3.4	13
13	In vivo IL-18 supplementation ameliorates lethal acute lung injury in burn-primed endotoxemic mice: a novel anti-inflammatory role of IL-18. <i>Shock</i> , 2009 , 32, 554-62	3.4	11
12	Early administration of sivelestat, the neutrophil elastase inhibitor, in adults for acute lung injury following gastric aspiration. <i>Shock</i> , 2011 , 36, 223-7	3.4	9
11	Nighttime and non-business days are not associated with increased risk of in-hospital mortality in patients with severe sepsis in intensive care units in Japan: The JAAM FORECAST study. <i>Journal of Critical Care</i> , 2019 , 52, 97-102	4	6
10	Hydrocortisone with fludrocortisone for septic shock: a systematic review and meta-analysis. <i>Acute Medicine & Surgery</i> , 2020 , 7, e563	1.7	3
9	Hyperoxemia during resuscitation of trauma patients and increased intensive care unit length of stay: inverse probability of treatment weighting analysis. <i>World Journal of Emergency Surgery</i> , 2021 , 16, 19	9.2	3
8	Clinical characteristics of patients with severe sepsis and septic shock in relation to bacterial virulence of beta-hemolytic and. <i>Acute Medicine & Surgery</i> , 2020 , 7, e513	1.7	2
7	Clinical efficacy and safety of intravenous itraconazole in the management of invasive candidiasis in patients of surgery and critical care. <i>Journal of Infection and Chemotherapy</i> , 2012 , 18, 515-21	2.2	2

6	Involvement of E-cadherin cleavage in reperfusion injury. <i>European Journal of Cardio-thoracic Surgery</i> , 2010 , 37, 426-31	3	2
5	Cost-minimisation analysis of sivelestat for acute lung injury associated with systemic inflammatory response syndrome. <i>Pharmacoeconomics</i> , 2005 , 23, 169-81	4.4	2
4	Dinucleotide repeat polymorphism in the third intron of the NRAMP2/DMT1 gene. <i>Journal of Human Genetics</i> , 1999 , 44, 425-7	4.3	2
3	Fatal overwhelming postsplenectomy infection caused by <i>Streptococcus pneumoniae</i> in mothers within 1 year after delivery: case report. <i>Journal of Infection and Chemotherapy</i> , 2013 , 19, 1202-5	2.2	1
2	Neuroleptic malignant syndrome-induced massive coagulopathy treated by recombinant human soluble thrombomodulin. <i>American Journal of Emergency Medicine</i> , 2013 , 31, 636.e1-3	2.9	1
1	Trends in sepsis care in Japan: comparison of two sepsis cohort studies conducted by the Japanese Association for Acute Medicine. <i>Acute Medicine & Surgery</i> , 2019 , 6, 425-427	1.7	