Yong Chen

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1832625/publications.pdf

Version: 2024-02-01

218677 189892 2,826 64 26 50 citations h-index g-index papers 71 71 71 3601 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Screening strategies for quorum sensing inhibitors in combating bacterial infections. Journal of Pharmaceutical Analysis, 2022, 12, 1-14.	5.3	38
2	Involvement of Sensory Neurone-TRPV4 in Acute and Chronic Itch Behaviours. Acta Dermato-Venereologica, 2022, 102, adv00651.	1.3	10
3	Hydrogen sulfide: Recent progress and perspectives for the treatment of dermatological diseases. Journal of Advanced Research, 2021, 27, 11-17.	9.5	15
4	Transient Receptor Potential (TRP) Ion Channels in Orofacial Pain. Molecular Neurobiology, 2021, 58, 2836-2850.	4.0	21
5	Inflammatory signaling sensitizes Piezo1 mechanotransduction in articular chondrocytes as a pathogenic feed-forward mechanism in osteoarthritis. Proceedings of the National Academy of Sciences of the United States of America, 2021, 118, .	7.1	99
6	Emerging Role of Transient Receptor Potential Vanilloid 4 (TRPV4) Ion Channel in Acute and Chronic Itch. International Journal of Molecular Sciences, 2021, 22, 7591.	4.1	13
7	Epithelia-Sensory Neuron Cross Talk Underlies Cholestatic Itch Induced by Lysophosphatidylcholine. Gastroenterology, 2021, 161, 301-317.e16.	1.3	57
8	Imaging observation of percutaneous compression plate use in promoting femoral neck fracture healing. Journal of International Medical Research, 2021, 49, 030006052110335.	1.0	4
9	Three new polyketide derivatives of the endophytic fungus Aspergillus cristatus 2H1. Journal of Asian Natural Products Research, 2021, , 1-9.	1.4	1
10	IL-23/IL-17A/TRPV1 axis produces mechanical pain via macrophage-sensory neuron crosstalk in female mice. Neuron, 2021, 109, 2691-2706.e5.	8.1	93
11	Comparative pharmacokinetic study of six lignans in normal and diabetic rats after oral administration of Saururus chinensis extract by LCâ€MS/MS. Biomedical Chromatography, 2021, , e5253.	1.7	1
12	Repurposing cancer drugs identifies kenpaullone which ameliorates pathologic pain in preclinical models via normalization of inhibitory neurotransmission. Nature Communications, 2021, 12, 6208.	12.8	16
13	Using Self-Nanoemulsifying System to Improve Oral Bioavailability of a Pediatric Antiepileptic Agent Stiripentol: Formulation and Pharmacokinetics Studies. AAPS PharmSciTech, 2020, 21, 192.	3.3	5
14	Tissue Levels of Flurbiprofen in the Rat Plantar Heel after Short-Duration Topical Iontophoresis Are Sufficient to Induce Pharmacodynamic Responses to Local Pain Stimuli. Pharmaceutics, 2020, 12, 608.	4.5	5
15	Cytokine activin C ameliorates chronic neuropathic pain in peripheral nerve injury rodents by modulating the TRPV1 channel. British Journal of Pharmacology, 2020, 177, 5642-5657.	5.4	25
16	General anesthetics activate a potent central pain-suppression circuit in the amygdala. Nature Neuroscience, 2020, 23, 854-868.	14.8	96
17	Facile Construction of i-Motif DNA-Conjugated Gold Nanostars as Near-Infrared and pH Dual-Responsive Targeted Drug Delivery Systems for Combined Cancer Therapy. Molecular Pharmaceutics, 2020, 17, 1127-1138.	4.6	28
18	Effective management of acute postoperative pain using intravenous emulsions of novel ketorolac prodrugs: in vitro and in vivo evaluations. European Journal of Pharmaceutical Sciences, 2020, 149, 105344.	4.0	1

#	Article	IF	CITATIONS
19	Effects of autophagy on apoptosis of articular chondrocytes in adjuvant arthritis rats. Journal of Cellular and Molecular Medicine, 2019, 23, 7879-7884.	3.6	17
20	Regulation of Pain and Itch by TRP Channels. Neuroscience Bulletin, 2018, 34, 120-142.	2.9	213
21	Metabolic profiling investigation of Fritillaria thunbergii Miq. by gas chromatography–mass spectrometry. Journal of Food and Drug Analysis, 2018, 26, 337-347.	1.9	26
22	Simultaneous determination of four amides in Saururus chinensis by matrix solid phase dispersion and high-performance liquid chromatography method. Journal of Food and Drug Analysis, 2018, 26, 362-368.	1.9	5
23	Controlled non-invasive iontophoretic delivery of triamcinolone acetonide amino acid ester prodrugs into the posterior segment of the eye. European Journal of Pharmaceutics and Biopharmaceutics, 2018, 132, 157-167.	4.3	9
24	Necrostatin-1 ameliorates adjuvant arthritis rat articular chondrocyte injury via inhibiting ASIC1a-mediated necroptosis. Biochemical and Biophysical Research Communications, 2018, 504, 843-850.	2.1	27
25	Short-duration ocular iontophoresis of ionizable aciclovir prodrugs: A new approach to treat herpes simplex infections in the anterior and posterior segments of the eye. International Journal of Pharmaceutics, 2018, 536, 292-300.	5.2	17
26	Formulation and evaluation of a montelukast sodium orally disintegrating tablet with a similar dissolution profile as the marketed product. Pharmaceutical Development and Technology, 2017, 22, 168-172.	2.4	4
27	Determination of free amino acids and nucleosides and nucleobases in Annona squamosa L. fruitages from different regions in China by LC-QTRAP-MS/MS. Analytical Methods, 2017, 9, 3862-3869.	2.7	1
28	TRPV4 Moves toward Center-Fold inÂRosacea Pathogenesis. Journal of Investigative Dermatology, 2017, 137, 801-804.	0.7	28
29	Studies on anti-hepatoma activity of Annona squamosa L. pericarp extract. Bioorganic and Medicinal Chemistry Letters, 2017, 27, 1907-1910.	2.2	9
30	Anti-arthritic activity of ethanol extract of Claoxylon indicum on Freund's complete adjuvant-induced arthritis in mice. BMC Complementary and Alternative Medicine, 2017, 17, 11.	3.7	15
31	Structure–activity relationships of diverse xanthones against multidrug resistant human tumor cells. Bioorganic and Medicinal Chemistry Letters, 2017, 27, 447-449.	2.2	8
32	A craniofacial-specific monosynaptic circuit enables heightened affective pain. Nature Neuroscience, 2017, 20, 1734-1743.	14.8	146
33	Proximity hybridization-mediated isothermal exponential amplification for ultrasensitive electrochemical protein detection. International Journal of Nanomedicine, 2017, Volume 12, 5903-5914.	6.7	10
34	ASIC1a Promotes Acid-Induced Autophagy in Rat Articular Chondrocytes through the AMPK/FoxO3a Pathway. International Journal of Molecular Sciences, 2017, 18, 2125.	4.1	26
35	TRP Channels and Pain. , 2017, , 125-148.		38
36	Triptolide exerts pro-apoptotic and cell cycle arrest activity on drug-resistant human lung cancer A549/Taxol cells via modulation of MAPK and PI3K/Akt signaling pathways. Oncology Letters, 2016, 12, 3586-3590.	1.8	33

#	Article	IF	CITATIONS
37	Antitumor activity of Annona squamosa seed oil. Journal of Ethnopharmacology, 2016, 193, 362-367.	4.1	41
38	Annosquacin B induces mitochondrial apoptosis in multidrug resistant human breast cancer cell line MCF-7/ADR through selectively modulating MAPKs pathways. Pharmaceutical Biology, 2016, 54, 3040-3045.	2.9	10
39	Small molecule dual-inhibitors of TRPV4 and TRPA1 for attenuation of inflammation and pain. Scientific Reports, 2016, 6, 26894.	3.3	58
40	Cutaneous biodistribution of ionizable, biolabile aciclovir prodrugs after short duration topical iontophoresis: Targeted intraepidermal drug delivery. European Journal of Pharmaceutics and Biopharmaceutics, 2016, 99, 94-102.	4.3	21
41	Transient Receptor Potential Vanilloid 4 Ion Channel Functions as a Pruriceptor in Epidermal Keratinocytes to Evoke Histaminergic Itch. Journal of Biological Chemistry, 2016, 291, 10252-10262.	3.4	107
42	Topical iontophoretic delivery of ionizable, biolabile aciclovir prodrugs: A rational approach to improve cutaneous bioavailability. European Journal of Pharmaceutics and Biopharmaceutics, 2016, 99, 103-113.	4.3	12
43	Pharmacokinetics of isoforskolin after administration via different routes in guinea pigs. Xenobiotica, 2016, 46, 620-626.	1.1	1
44	Structure–activity relationships of diverse ACGs against multidrug resistant human lung cancer cell line A549/Taxol. Bioorganic and Medicinal Chemistry Letters, 2015, 25, 787-790.	2.2	17
45	Lack of Evidence for Ectopic Sprouting of Genetically Labeled AÎ 2 Touch Afferents in Inflammatory and Neuropathic Trigeminal Pain. Molecular Pain, 2015, 11, s12990-015-0017.	2.1	15
46	SARs of ACGs against diverse human tumor cells. Medicinal Chemistry Research, 2015, 24, 3212-3217.	2.4	3
47	Synergy between Piezo1 and Piezo2 channels confers high-strain mechanosensitivity to articular cartilage. Proceedings of the National Academy of Sciences of the United States of America, 2014, 111, E5114-22.	7.1	321
48	TRPV4 is necessary for trigeminal irritant pain and functions as a cellular formalin receptor. Pain, 2014, 155, 2662-2672.	4.2	72
49	Temporomandibular joint pain: A critical role for Trpv4 in the trigeminal ganglion. Pain, 2013, 154, 1295-1304.	4.2	101
50	Antitumor activity and toxicity relationship of annonaceous acetogenins. Food and Chemical Toxicology, 2013, 58, 394-400.	3.6	28
51	UVB radiation generates sunburn pain and affects skin by activating epidermal TRPV4 ion channels and triggering endothelin-1 signaling. Proceedings of the National Academy of Sciences of the United States of America, 2013, 110, E3225-34.	7.1	208
52	Differential Requirement of RasGRP1 for $\hat{I}^3\hat{I}^*T$ Cell Development and Activation. Journal of Immunology, 2012, 189, 61-71.	0.8	24
53	Murine Regulatory T Cells Contain Hyperproliferative and Death-Prone Subsets with Differential ICOS Expression. Journal of Immunology, 2012, 188, 1698-1707.	0.8	56
54	Anti-tumor activity of Annona squamosa seeds extract containing annonaceous acetogenin compounds. Journal of Ethnopharmacology, 2012, 142, 462-466.	4.1	66

YONG CHEN

#	Article	lF	CITATION
55	Six cytotoxic annonaceous acetogenins from Annona squamosa seeds. Food Chemistry, 2012, 135, 960-966.	8.2	55
56	Determination of bullatacin in rat plasma by liquid chromatography–mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2012, 897, 94-97.	2.3	6
57	Antitumor activity of annonaceous acetogenins in HepS and S180 xenografts bearing mice. Bioorganic and Medicinal Chemistry Letters, 2012, 22, 2717-2719.	2.2	28
58	Cytotoxic Bistetrahydrofuran Annonaceous Acetogenins from the Seeds of <i>Annona squamosa</i> Journal of Natural Products, 2011, 74, 2477-2481.	3.0	45
59	5-Hydroxyindolacetic Acid (5-HIAA), a Main Metabolite of Serotonin, is Responsible for Complete Freund's Adjuvant-Induced Thermal Hyperalgesia in Mice. Molecular Pain, 2011, 7, 1744-8069-7-21.	2.1	22
60	Nitric Oxide Synthase Modulates CFA-Induced Thermal Hyperalgesia through Cytokine Regulation in Mice. Molecular Pain, 2010, 6, 1744-8069-6-13.	2.1	71
61	The Role of Mitogen-Activated Protein Kinase (MAPK) in Morphine Tolerance and Dependence. Molecular Neurobiology, 2009, 40, 101-107.	4.0	78
62	Activation of TRPV1 Contributes to Morphine Tolerance: Involvement of the Mitogen-Activated Protein Kinase Signaling Pathway. Journal of Neuroscience, 2008, 28, 5836-5845.	3.6	147
63	Activation of the nociceptin opioid system in rat sensory neurons produces antinociceptive effects in inflammatory pain: Involvement of inflammatory mediators. Journal of Neuroscience Research, 2007, 85, 1478-1488.	2.9	37
64	Functional coupling between TRPV4 channel and TMEM16F modulates human trophoblast fusion. ELife, 0, 11, .	6.0	13