

# Markus Moser

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/1833022/markus-moser-publications-by-year.pdf>

**Version:** 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

62 papers	5,466 citations	32 h-index	67 g-index
67 ext. papers	6,317 ext. citations	11.3 avg, IF	5.28 L-index

#	Paper	IF	Citations
62	The Collagen Receptor Discoidin Domain Receptor 1b Enhances Integrin $\beta$ -Mediated Cell Migration by Interacting With Talin and Promoting Rac1 Activation.. <i>Frontiers in Cell and Developmental Biology</i> , <b>2022</b> , 10, 836797	5.7	0
61	Molecular Mechanisms of Leukocyte $\alpha$ Integrin Activation.. <i>Blood</i> , <b>2022</b> ,	2.2	1
60	Mechanism of integrin activation by talin and its cooperation with kindlin.. <i>Nature Communications</i> , <b>2022</b> , 13, 2362	17.4	2
59	Low kindlin-3 levels in osteoclasts of kindlin-3 hypomorphic mice result in osteopetrosis due to leaky sealing zones. <i>Journal of Cell Science</i> , <b>2021</b> , 134,	5.3	1
58	The voltage-gated potassium channel KV1.3 regulates neutrophil recruitment during inflammation. <i>Cardiovascular Research</i> , <b>2021</b> ,	9.9	3
57	Upregulation of VCAM-1 in lymphatic collectors supports dendritic cell entry and rapid migration to lymph nodes in inflammation. <i>Journal of Experimental Medicine</i> , <b>2021</b> , 218,	16.6	14
56	Binding of Rap1 and Riam to Talin1 Fine-Tune $\alpha$ Integrin Activity During Leukocyte Trafficking. <i>Frontiers in Immunology</i> , <b>2021</b> , 12, 702345	8.4	4
55	cAMP-dependent regulation of HCN4 controls the tonic entrainment process in sinoatrial node pacemaker cells. <i>Nature Communications</i> , <b>2020</b> , 11, 5555	17.4	29
54	$\alpha$ -Class integrin binding to Fibronectin is solely mediated by RGD and unaffected by an RGE mutation. <i>Journal of Cell Biology</i> , <b>2020</b> , 219,	7.3	8
53	The integrin-linked kinase is required for chemokine-triggered high-affinity conformation of the neutrophil $\alpha$ -integrin LFA-1. <i>Blood</i> , <b>2020</b> , 136, 2200-2205	2.2	18
52	2 Integrin Signaling Cascade in Neutrophils: More Than a Single Function. <i>Frontiers in Immunology</i> , <b>2020</b> , 11, 619925	8.4	8
51	A kindlin-3-leupaxin-paxillin signaling pathway regulates podosome stability. <i>Journal of Cell Biology</i> , <b>2019</b> , 218, 3436-3454	7.3	17
50	Rap1 and membrane lipids cooperatively recruit talin to trigger integrin activation. <i>Journal of Cell Science</i> , <b>2019</b> , 132,	5.3	17
49	A $\alpha$ -Integrin/MRTF-A/SRF Pathway Regulates Dendritic Cell Gene Expression, Adhesion, and Traction Force Generation. <i>Frontiers in Immunology</i> , <b>2019</b> , 10, 1138	8.4	12
48	Eosinophil-platelet interactions promote atherosclerosis and stabilize thrombosis with eosinophil extracellular traps. <i>Blood</i> , <b>2019</b> , 134, 1859-1872	2.2	58
47	The alternative cap-binding complex is required for antiviral defense in vivo. <i>PLoS Pathogens</i> , <b>2019</b> , 15, e1008155	7.6	10
46	The alternative cap-binding complex is required for antiviral defense in vivo <b>2019</b> , 15, e1008155		

45	The alternative cap-binding complex is required for antiviral defense in vivo <b>2019</b> , 15, e1008155		
44	The alternative cap-binding complex is required for antiviral defense in vivo <b>2019</b> , 15, e1008155		
43	AP-2 $\delta$ Expression in Developing Retina: Contributing to the Molecular Diversity of Amacrine Cells. <i>Scientific Reports</i> , <b>2018</b> , 8, 3386	4.9	2
42	Pathogenicity of human antibodies against myelin oligodendrocyte glycoprotein. <i>Annals of Neurology</i> , <b>2018</b> , 84, 315-328	9.4	79
41	Microenvironment-derived ADAM28 prevents cancer dissemination. <i>Oncotarget</i> , <b>2018</b> , 9, 37185-37199	3.3	5
40	Differential requirement of kindlin-3 for T cell progenitor homing to the non-vascularized and vascularized thymus. <i>ELife</i> , <b>2018</b> , 7,	8.9	10
39	Direct Rap1/Talin1 interaction regulates platelet and neutrophil integrin activity in mice. <i>Blood</i> , <b>2018</b> , 132, 2754-2762	2.2	35
38	Maturation of Platelet Function During Murine Fetal Development In Vivo. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , <b>2017</b> , 37, 1076-1086	9.4	23
37	Structure of Rap1b bound to talin reveals a pathway for triggering integrin activation. <i>Nature Communications</i> , <b>2017</b> , 8, 1744	17.4	58
36	E-cadherin integrates mechanotransduction and EGFR signaling to control junctional tissue polarization and tight junction positioning. <i>Nature Communications</i> , <b>2017</b> , 8, 1250	17.4	99
35	Diversified actin protrusions promote environmental exploration but are dispensable for locomotion of leukocytes. <i>Nature Cell Biology</i> , <b>2016</b> , 18, 1253-1259	23.4	93
34	Loss of AP-2delta reduces retinal ganglion cell numbers and axonal projections to the superior colliculus. <i>Molecular Brain</i> , <b>2016</b> , 9, 62	4.5	6
33	MST1-dependent vesicle trafficking regulates neutrophil transmigration through the vascular basement membrane. <i>Journal of Clinical Investigation</i> , <b>2016</b> , 126, 4125-4139	15.9	41
32	Kindlin-3-mediated integrin adhesion is dispensable for quiescent but essential for activated hematopoietic stem cells. <i>Journal of Experimental Medicine</i> , <b>2015</b> , 212, 1415-32	16.6	22
31	T-cell receptors from multiple sclerosis brain lesions show MAIT cell-related features. <i>Neurology: Neuroimmunology and NeuroInflammation</i> , <b>2015</b> , 2, e107	9.1	37
30	T-cell receptor repertoire of human peripheral CD161hiTRAV1-2+ MAIT cells revealed by next generation sequencing and single cell analysis. <i>Human Immunology</i> , <b>2015</b> , 76, 607-14	2.3	12
29	Loss of the Rap1 effector RIAM results in leukocyte adhesion deficiency due to impaired $\beta$ integrin function in mice. <i>Blood</i> , <b>2015</b> , 126, 2704-12	2.2	55
28	Minimal amounts of kindlin-3 suffice for basal platelet and leukocyte functions in mice. <i>Blood</i> , <b>2015</b> , 126, 2592-600	2.2	36

27	Embryonic stem cell differentiation requires full length Chd1. <i>Scientific Reports</i> , <b>2015</b> , 5, 8007	4.9	19
26	Cdk5 controls lymphatic vessel development and function by phosphorylation of Foxc2. <i>Nature Communications</i> , <b>2015</b> , 6, 7274	17.4	30
25	Extracellular MRP8/14 is a regulator of $\alpha$ integrin-dependent neutrophil slow rolling and adhesion. <i>Nature Communications</i> , <b>2015</b> , 6, 6915	17.4	104
24	Lysine-specific demethylase 1 regulates differentiation onset and migration of trophoblast stem cells. <i>Nature Communications</i> , <b>2014</b> , 5, 3174	17.4	41
23	Copy number analysis of the murine platelet proteome spanning the complete abundance range. <i>Molecular and Cellular Proteomics</i> , <b>2014</b> , 13, 3435-45	7.6	138
22	The ubiquitin E3 ligase NOSIP modulates protein phosphatase 2A activity in craniofacial development. <i>PLoS ONE</i> , <b>2014</b> , 9, e116150	3.7	13
21	The molecular basis of leukocyte recruitment and its deficiencies. <i>Molecular Immunology</i> , <b>2013</b> , 55, 49-58	4.3	154
20	The mechanism of kindlin-mediated activation of integrin $\alpha$ <sub>5</sub> $\beta$ <sub>3</sub> . <i>Current Biology</i> , <b>2013</b> , 23, 2288-2295	6.3	116
19	Kindlin-3 regulates integrin activation and adhesion reinforcement of effector T cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2013</b> , 110, 17005-10	11.5	40
18	The integrin coactivator Kindlin-3 is not required for lymphocyte diapedesis. <i>Blood</i> , <b>2013</b> , 122, 2609-17	2.2	20
17	$\alpha$ integrin-mediated signals are required for platelet granule secretion and hemostasis in mouse. <i>Blood</i> , <b>2013</b> , 122, 2723-31	2.2	20
16	Kindlin-3-mediated signaling from multiple integrin classes is required for osteoclast-mediated bone resorption. <i>Journal of Cell Biology</i> , <b>2011</b> , 192, 883-97	7.3	147
15	Kindlin-3 is required for beta2 integrin-mediated leukocyte adhesion to endothelial cells. <i>Nature Medicine</i> , <b>2009</b> , 15, 300-5	50.5	286
14	Leukocyte adhesion deficiency-III is caused by mutations in KINDLIN3 affecting integrin activation. <i>Nature Medicine</i> , <b>2009</b> , 15, 306-12	50.5	331
13	The tail of integrins, talin, and kindlins. <i>Science</i> , <b>2009</b> , 324, 895-9	33.3	588
12	LAD-1/variant syndrome is caused by mutations in FERMT3. <i>Blood</i> , <b>2009</b> , 113, 4740-6	2.2	194
11	Loss of Kindlin-3 in LAD-III eliminates LFA-1 but not VLA-4 adhesiveness developed under shear flow conditions. <i>Blood</i> , <b>2009</b> , 114, 2344-53	2.2	80
10	Kindlin-3 is essential for integrin activation and platelet aggregation. <i>Nature Medicine</i> , <b>2008</b> , 14, 325-30	50.5	526

9	SILAC mouse for quantitative proteomics uncovers kindlin-3 as an essential factor for red blood cell function. <i>Cell</i> , <b>2008</b> , 134, 353-64	56.2	557
8	Kindlin-2 controls bidirectional signaling of integrins. <i>Genes and Development</i> , <b>2008</b> , 22, 1325-30	12.6	329
7	Loss of Kindlin-1 causes skin atrophy and lethal neonatal intestinal epithelial dysfunction. <i>PLoS Genetics</i> , <b>2008</b> , 4, e1000289	6	160
6	The RGD motif in fibronectin is essential for development but dispensable for fibril assembly. <i>Journal of Cell Biology</i> , <b>2007</b> , 178, 167-78	7.3	158
5	Loss of talin1 in platelets abrogates integrin activation, platelet aggregation, and thrombus formation in vitro and in vivo. <i>Journal of Experimental Medicine</i> , <b>2007</b> , 204, 3113-8	16.6	197
4	The Kindlins: subcellular localization and expression during murine development. <i>Experimental Cell Research</i> , <b>2006</b> , 312, 3142-51	4.2	196
3	A mouse model for cystic biliary dysgenesis in autosomal recessive polycystic kidney disease (ARPKD). <i>Hepatology</i> , <b>2005</b> , 41, 1113-21	11.2	71
2	Placental failure and impaired vasculogenesis result in embryonic lethality for neuropathy target esterase-deficient mice. <i>Molecular and Cellular Biology</i> , <b>2004</b> , 24, 1667-79	4.8	103
1	Terminal renal failure in mice lacking transcription factor AP-2 beta. <i>Laboratory Investigation</i> , <b>2003</b> , 83, 571-8	5.9	32