Oscar E Liburd

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1834009/publications.pdf

Version: 2024-02-01

567281 552781 45 766 15 26 citations h-index g-index papers 45 45 45 613 all docs docs citations times ranked citing authors

#	Article	IF	CITATIONS
1	Effect of Trap Design, Bait Type, and Age on Captures of <i>Drosophila suzukii</i> (Diptera:) Tj ETQq1	1 0.78431 1.8	.4 _{gg} BT /Over
2	Effects of Living and Synthetic Mulch on the Population Dynamics of Whiteflies and Aphids, Their Associated Natural Enemies, and Insect-Transmitted Plant Diseases in Zucchini. Environmental Entomology, 2005, 34, 857-865.	1.4	70
3	Biological Control of Tephritid Fruit Flies in the Americas and Hawaii: A Review of the Use of Parasitoids and Predators. Insects, 2020, 11, 662.	2.2	63
4	Effect of Trap Color, Bait, Shape, and Orientation in Attraction of Blueberry Maggot (Diptera:) Tj ETQq0 0 0 rgBT /	Overlock 1.8	10 Tf 50 622
5	Evaluation of Predatory Mites and Acramite for Control of Twospotted Spider Mites in Strawberries in North Central Florida. Journal of Economic Entomology, 2006, 99, 1291-1298.	1.8	43
6	Effect of <l>Tetranychus urticae</l> (Acari: Tetranychidae), on Marketable Yields of Field-Grown Strawberries in North-Central Florida. Journal of Economic Entomology, 2013, 106, 1757-1766.	1.8	43
7	Suppression of Whiteflies, Bemisia tabaci (Hemiptera: Aleyrodidae) and Incidence of <i>Cucurbit Leaf Crumple Virus </i> , a Whitefly-transmitted Virus of Zucchini Squash New to Florida, with Mulches and Imidacloprid. Florida Entomologist, 2008, 91, 460-465.	0.5	39
8	Evaluation of organic insecticides for management of spottedâ€wing drosophila (<i>Drosophila) Tj ETQq0 0 0 rgE</i>	3T_/Qverlo	ck ₃₇ 0 Tf 50 4
9	THE RESIDUAL AND DIRECT EFFECTS OF REDUCED-RISK AND CONVENTIONAL MITICIDES ON TWOSPOTTED SPIDER MITES, TETRANYCHUS URTICAE (ACARI: TETRANYCHIDAE) AND PREDATORY MITES (ACARI:) $T_j = T_{qq} = $.7 84 314 r	gBB/Overloc
10	Multistate Comparison of Attractants and the Impact of Fruit Development Stage on Trapping Drosophila suzukii (Diptera: Drosophilidae) in Raspberry and Blueberry. Environmental Entomology, 2018, 47, 935-945.	1.4	28
11	Effects of Soil Moisture and Temperature on Reproduction and Development of Twospotted Spider Mite (Acari: Tetranychidae) in Strawberries. Journal of Economic Entomology, 2005, 98, 154-158.	1.8	25
12	Predation by Neoseiulus cucumeris and Amblyseius swirskii on Thrips palmi and Frankliniella schultzei on cucumber. Biological Control, 2016, 92, 85-91.	3.0	25
13	Performance of Various Trap Types for Monitoring Populations of Cherry Fruit Fly (Diptera:) Tj ETQq1 1 0.784314	rgBT /Ove	erlock 10 Tf 5
14	Impact of phagostimulants on effectiveness of OMRIâ€listed insecticides used for control of spottedâ€wing drosophila (<i>Drosophila suzukii</i> Matsumura). Journal of Applied Entomology, 2019, 143, 609-625.	1.8	22
15	Effect of the Biological Control Agent Neoseiulus californicus (Acari: Phytoseiidae) on Arthropod Community Structure in North Florida Strawberry Fields. Florida Entomologist, 2008, 91, 436-445.	0.5	21
16	Evaluation of Emergence Traps for Monitoring Blueberry Gall Midge (Diptera: Cecidomyiidae) Adults and Within Field Distribution of Midge Infestation. Journal of Economic Entomology, 2010, 103, 1258-1267.	1.8	15
17	Evaluation of nonâ€ŧarget effects of OMRI <i>â€</i> listed insecticides for management of <i>Drosophila suzukii</i> Matsumura in berry crops. Journal of Applied Entomology, 2020, 144, 12-25.	1.8	15
18	Efficacy of biorational insecticides against Bemisia tabaci (Genn.) and their selectivity for its parasitoid Encarsia formosa Gahan on Bt cotton. Scientific Reports, 2021, 11, 2101.	3.3	14

#	Article	IF	Citations
19	Intercropping buckwheat with squash to reduce insect pests and disease incidence and increase yield. Agroecology and Sustainable Food Systems, 2016, 40, 863-891.	1.9	13
20	Evaluation of Bioinsecticides for Management of <i>Bemisia tabaci </i> (Hemiptera: Aleyrodidae) and the Effect on the Whitefly Predator <i> Delphastus catalinae </i> (Coleoptera: Coccinellidae) in Organic Squash. Journal of Economic Entomology, 2016, 109, 1766-1771.	1.8	10
21	Effects of Southern Highbush Blueberry Cultivar and Treatment Threshold on Flower Thrips Populations. Journal of Economic Entomology, 2012, 105, 480-489.	1.8	9
22	Evaluation of Monitoring Traps and Lures for Drosophila suzukii (Diptera: Drosophilidae) in Berry Plantings in Florida. Insects, 2019, 10, 313.	2.2	9
23	The Short-Range Movement of Scirtothrips dorsalis (Thysanoptera: Thripidae) and Rate of Spread of Feeding Injury Among Strawberry Plants. Environmental Entomology, 2021, 50, 12-18.	1.4	7
24	Predatory Mite, Neoseiulus californicus (McGregor) (Arachnida: Acari: Phytoseiidae). Edis, 2005, 2005, .	0.1	7
25	Effect of Cover Crops on Aphids, Whiteflies, and Their Associated Natural Enemies in Organic Squash. Agroecology and Sustainable Food Systems, 2012, 36, 382-403.	0.9	6
26	Effect of Cultural Practices on Neopamera bilobata in Relation to Fruit Injury and Marketable Yields in Organic Strawberries. Insects, 2020, 11, 843.	2.2	6
27	Evaluation of adjuvants to improve control of spottedâ€wing drosophila in organic fruit production. Journal of Applied Entomology, 2019, 143, 706-720.	1.8	5
28	Injury to Southern Highbush Blueberries by Southern Red Mites and Management Using Various Miticides. Insects, 2020, 11, 233.	2.2	5
29	Evaluation of site-specific tactics using bifenazate and Neoseiulus californicus for management of Tetranychus urticae (Acari: Tetranychidae) in strawberries. Experimental and Applied Acarology, 2016, 70, 189-204.	1.6	4
30	Spatio-Temporal Distribution and Fixed-Precision Sampling Plan of Scirtothrips dorsalis (Thysanoptera: Thripidae) in Florida Blueberry. Insects, 2021, 12, 256.	2.2	4
31	Management of Drosophila suzukii in Berry Crops. , 2020, , 241-253.		4
32	Efficacy Test of Various Insecticides to Control Scirtothrips dorsalis in Southern Highbush Blueberries. Arthropod Management Tests, 2020, 45, .	0.1	3
33	Spotted Wing Drosophila: Pest Management Recommendations for Southeastern Blueberries. Edis, 2013, 2013, .	0.1	3
34	Chilli Thrips on Blueberries in Florida. Edis, 2020, 2020, 4.	0.1	2
35	Mite Pests of Southern Highbush Blueberry in Florida. Edis, 2020, 2020, 4.	0.1	2
36	Can the introduction of companion plants increase biological control services of key pests in organic squash?. Entomologia Experimentalis Et Applicata, 2022, 170, 402-418.	1.4	2

#	Article	IF	CITATIONS
37	Pollination of Cucurbita spp. (squash and pumpkin) crops in Florida. Edis, 2021, 2021, 7.	0.1	1
38	Efficacy of Reduced-Risk Insecticides to Control Flower Thrips in Early-Season Blueberries and Their Effect on & t;i>Orius insidiosus& t;/i>, a Natural Enemy of Flower Thrips. Agricultural Sciences, 2017, 08, 356-370.	0.3	1
39	Diaprepes Root Weevil on Southern Highbush Blueberry in Florida. Edis, 2019, 2019, .	0.1	1
40	Grape Root Borer Pest Management in Florida Vineyards. Edis, 2005, 2005, .	0.1	1
41	The Status of Blueberry Gall Midge in the Southeastern United States. Edis, 2002, 2002, .	0.1	1
42	Stakeholder-driven adaptive research (SDAR): better research products. Renewable Agriculture and Food Systems, 0 , , 1 - 10 .	1.8	1
43	Organic Blueberry Production in Florida. Edis, 2021, 2021, .	0.1	0
44	Blueberry Gall Midge on Southern Highbush Blueberry in Florida. Edis, 2019, 2019, .	0.1	0
45	Poinsettia Thrips, Impatiens Thrips (suggested common names) Echinothrips americanus Morgan (Insecta: Thysanoptera: Thripidae). Edis, 2019, 2019, .	0.1	O