

Franz X Krtner

List of Publications by Citations

Source: <https://exaly.com/author-pdf/1834949/franz-x-kartner-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

190
papers

6,721
citations

40
h-index

77
g-index

276
ext. papers

8,943
ext. citations

5.9
avg, IF

5.87
L-index

#	Paper	IF	Citations
190	Ultra-high-resolution ophthalmic optical coherence tomography. <i>Nature Medicine</i> , 2001 , 7, 502-7	50.5	729
189	Polarization-transparent microphotonic devices in the strong confinement limit. <i>Nature Photonics</i> , 2007 , 1, 57-60	33.9	367
188	Generation of 5-fs pulses and octave-spanning spectra directly from a Ti:sapphire laser. <i>Optics Letters</i> , 2001 , 26, 373-5	3	300
187	Terahertz-driven linear electron acceleration. <i>Nature Communications</i> , 2015 , 6, 8486	17.4	280
186	Photonic ADC: overcoming the bottleneck of electronic jitter. <i>Optics Express</i> , 2012 , 20, 4454-69	3.3	258
185	Drift-free femtosecond timing synchronization of remote optical and microwave sources. <i>Nature Photonics</i> , 2008 , 2, 733-736	33.9	232
184	High-energy pulse synthesis with sub-cycle waveform control for strong-field physics. <i>Nature Photonics</i> , 2011 , 5, 475-479	33.9	227
183	Design and fabrication of double-chirped mirrors. <i>Optics Letters</i> , 1997 , 22, 831-3	3	188
182	High conversion efficiency, high energy terahertz pulses by optical rectification in cryogenically cooled lithium niobate. <i>Optics Letters</i> , 2013 , 38, 796-8	3	165
181	Multimode regimes in quantum cascade lasers: From coherent instabilities to spatial hole burning. <i>Physical Review A</i> , 2008 , 77,	2.6	139
180	Coherent pulse synthesis: towards sub-cycle optical waveforms. <i>Laser and Photonics Reviews</i> , 2015 , 9, 129-171	8.3	132
179	Segmented Terahertz Electron Accelerator and Manipulator (STEAM). <i>Nature Photonics</i> , 2018 , 12, 336-342	33.9	128
178	Optical flywheels with attosecond jitter. <i>Nature Photonics</i> , 2012 , 6, 97-100	33.9	92
177	Attosecond-resolution timing jitter characterization of free-running mode-locked lasers. <i>Optics Letters</i> , 2007 , 32, 3519-21	3	90
176	Highly efficient Cherenkov radiation in photonic crystal fibers for broadband visible wavelength generation. <i>Optics Letters</i> , 2010 , 35, 2361-3	3	88
175	Two-dimensional spectral shearing interferometry for few-cycle pulse characterization. <i>Optics Letters</i> , 2006 , 31, 2063-5	3	87
174	High-energy mid-infrared sub-cycle pulse synthesis from a parametric amplifier. <i>Nature Communications</i> , 2017 , 8, 141	17.4	80

173	Octave-spanning coherent supercontinuum generation in silicon on insulator from 1.06 μm to beyond 2.4 μm . <i>Light: Science and Applications</i> , 2018 , 7, 17131	16.7	79
172	Coherent instabilities in a semiconductor laser with fast gain recovery. <i>Physical Review A</i> , 2007 , 75,	2.6	79
171	Compact electron acceleration and bunch compression in THz waveguides. <i>Optics Express</i> , 2013 , 21, 9792-806	3.8	77
170	Optical-field-controlled photoemission from plasmonic nanoparticles. <i>Nature Physics</i> , 2017 , 13, 335-339	16.2	76
169	Highly stable ultrabroadband mid-IR optical parametric chirped-pulse amplifier optimized for superfluorescence suppression. <i>Optics Letters</i> , 2009 , 34, 1639-41	3	71
168	Generation and multi-octave shaping of mid-infrared intense single-cycle pulses. <i>Nature Photonics</i> , 2017 , 11, 222-226	33.9	69
167	Two-photon absorption in semiconductor saturable absorber mirrors. <i>Applied Physics Letters</i> , 1999 , 74, 3927-3929	3.4	66
166	Temporal optimization of ultrabroadband high-energy OPCPA. <i>Optics Express</i> , 2009 , 17, 5540-55	3.3	62
165	Nanostructured ultrafast silicon-tip optical field-emitter arrays. <i>Nano Letters</i> , 2014 , 14, 5035-43	11.5	59
164	Experimental verification of soliton mode locking using only a slow saturable absorber. <i>Optics Letters</i> , 1995 , 20, 1892-4	3	52
163	Pre-chirp managed nonlinear amplification in fibers delivering 100 W, 60 fs pulses. <i>Optics Letters</i> , 2015 , 40, 151-4	3	51
162	Maximizing the Thermo-Optic Tuning Range of Silicon Photonic Structures 2007 ,		51
161	AXSIS: Exploring the frontiers in attosecond X-ray science, imaging and spectroscopy. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2016 , 829, 24-29	1.2	50
160	Direct longitudinal laser acceleration of electrons in free space. <i>Physical Review Accelerators and Beams</i> , 2016 , 19,	1.8	50
159	Temperature dependent refractive index and absorption coefficient of congruent lithium niobate crystals in the terahertz range. <i>Optics Express</i> , 2015 , 23, 29729-37	3.3	47
158	Generation of 287 W, 5.5 ps pulses at 78 MHz repetition rate from a cryogenically cooled Yb:YAG amplifier seeded by a fiber chirped-pulse amplification system. <i>Optics Letters</i> , 2008 , 33, 2473-5	3	45
157	Self-phase modulation enabled, wavelength-tunable ultrafast fiber laser sources: an energy scalable approach. <i>Optics Express</i> , 2016 , 24, 15328-40	3.3	45
156	Mapping Photoemission and Hot-Electron Emission from Plasmonic Nanoantennas. <i>Nano Letters</i> , 2017 , 17, 6069-6076	11.5	44

155	Pulse sequences for efficient multi-cycle terahertz generation in periodically poled lithium niobate. <i>Optics Express</i> , 2016 , 24, 25582-25607	3.3	44
154	. <i>IEEE Journal of Selected Topics in Quantum Electronics</i> , 2015 , 21, 1-12	3.8	43
153	Ultrafast Rabi flopping and coherent pulse propagation in a quantum cascade laser. <i>Nature Photonics</i> , 2010 , 4, 706-710	33.9	43
152	Terahertz-driven, all-optical electron gun. <i>Optica</i> , 2016 , 3, 1209	8.6	42
151	Energetic ultrafast fiber laser sources tunable in 1030-1215 nm for deep tissue multi-photon microscopy. <i>Optics Express</i> , 2017 , 25, 6822-6831	3.3	41
150	Spectral phase control of interfering chirped pulses for high-energy narrowband terahertz generation. <i>Nature Communications</i> , 2019 , 10, 2591	17.4	40
149	Cryogenic Yb:YAG composite-thin-disk for high energy and average power amplifiers. <i>Optics Letters</i> , 2015 , 40, 2610-3	3	40
148	Role of the Coulomb singularity in high-order harmonic generation. <i>Physical Review A</i> , 2005 , 72,	2.6	39
147	Highly efficient terahertz pulse generation by optical rectification in stoichiometric and cryo-cooled congruent lithium niobate. <i>Journal of Modern Optics</i> , 2015 , 62, 1486-1493	1.1	38
146	Turbulence in Mode-Locked Lasers. <i>Physical Review Letters</i> , 1999 , 82, 4428-4431	7.4	38
145	Attosecond precision multi-kilometer laser-microwave network. <i>Light: Science and Applications</i> , 2017 , 6, e16187	16.7	37
144	Narrowband terahertz generation with chirped-and-delayed laser pulses in periodically poled lithium niobate. <i>Optics Letters</i> , 2017 , 42, 2118-2121	3	37
143	Efficient narrowband terahertz generation in cryogenically cooled periodically poled lithium niobate. <i>Optics Letters</i> , 2015 , 40, 5762-5	3	37
142	Optimization of femtosecond Yb-doped fiber amplifiers for high-quality pulse compression. <i>Optics Express</i> , 2012 , 20, 28672-82	3.3	37
141	Water-window soft x-ray high-harmonic generation up to the nitrogen K-edge driven by a kHz, 2.1fs OPCPA source. <i>Journal of Physics B: Atomic, Molecular and Optical Physics</i> , 2016 , 49, 155601	1.3	37
140	Theory of terahertz generation by optical rectification using tilted-pulse-fronts. <i>Optics Express</i> , 2015 , 23, 5253-76	3.3	36
139	Volkov transform generalized projection algorithm for attosecond pulse characterization. <i>New Journal of Physics</i> , 2016 , 18, 073009	2.9	35
138	Carrier-envelope phase dynamics and noise analysis in octave-spanning Ti:sapphire lasers. <i>Optics Express</i> , 2006 , 14, 2497-511	3.3	34

137	Megawatt peak power tunable femtosecond source based on self-phase modulation enabled spectral selection. <i>Optics Express</i> , 2018 , 26, 3684-3695	3-3	33
136	Toward a terahertz-driven electron gun. <i>Scientific Reports</i> , 2015 , 5, 14899	4-9	33
135	One-femtosecond, long-term stable remote laser synchronization over a 3.5-km fiber link. <i>Optics Express</i> , 2014 , 22, 14904-12	3-3	33
134	Short electron bunch generation using single-cycle ultrafast electron guns. <i>Physical Review Accelerators and Beams</i> , 2016 , 19,	1.8	33
133	Supercontinuum generation in varying dispersion and birefringent silicon waveguide. <i>Optics Express</i> , 2019 , 27, 31698-31712	3-3	31
132	250 W average power, 100 kHz repetition rate cryogenic Yb:YAG amplifier for OPCPA pumping. <i>Optics Letters</i> , 2016 , 41, 492-5	3	30
131	Broadband noncollinear optical parametric amplification without angularly dispersed idler. <i>Optics Letters</i> , 2012 , 37, 2796-8	3	30
130	Cascaded parametric amplification for highly efficient terahertz generation. <i>Optics Letters</i> , 2016 , 41, 3806-9	3	30
129	Femtosecond Cr:LiSAF and Cr:LiCAF lasers pumped by tapered diode lasers. <i>Optics Express</i> , 2011 , 19, 20444-61	3-3	29
128	Chirally-coupled-core Yb-fiber laser delivering 80-fs pulses with diffraction-limited beam quality warranted by a high-dispersion mirror based compressor. <i>Optics Express</i> , 2010 , 18, 24699-705	3-3	29
127	Laser-Induced Linear-Field Particle Acceleration in Free Space. <i>Scientific Reports</i> , 2017 , 7, 11159	4-9	28
126	High-energy kHz Yb:KYW dual-crystal regenerative amplifier. <i>Optics Express</i> , 2014 , 22, 24752-62	3-3	28
125	Long-term stable, sub-femtosecond timing distribution via a 1.2-km polarization-maintaining fiber link: approaching 10(-21) link stability. <i>Optics Express</i> , 2013 , 21, 19982-9	3-3	28
124	Strong-field photoemission from silicon field emitter arrays. <i>Annalen Der Physik</i> , 2013 , 525, 144-150	2.6	28
123	Sub-cycle millijoule-level parametric waveform synthesizer for attosecond science. <i>Nature Photonics</i> , 2020 , 14, 629-635	33-9	28
122	Robust 700 MHz mode-locked Yb: fiber laser with a biased nonlinear amplifying loop mirror. <i>Optics Express</i> , 2018 , 26, 26003-26008	3-3	27
121	Low-Drift Optoelectronic Oscillator Based on a Phase Modulator in a Sagnac Loop. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2017 , 65, 2617-2624	4-1	26
120	Integrated Low-Jitter 400-MHz Femtosecond Waveguide Laser. <i>IEEE Photonics Technology Letters</i> , 2009 , 21, 763-765	2.2	26

119	Integrated CMOS-compatible Q-switched mode-locked lasers at 1900nm with an on-chip artificial saturable absorber. <i>Optics Express</i> , 2019 , 27, 3542-3556	3.3	26
118	Femtosecond phase control in high-field terahertz-driven ultrafast electron sources. <i>Optica</i> , 2019 , 6, 872	8.6	26
117	High-energy, kHz, picosecond hybrid Yb-doped chirped-pulse amplifier. <i>Optics Express</i> , 2015 , 23, 10132-443	4.3	23
116	Kagome-fiber-based pulse compression of mid-infrared picosecond pulses from a Ho:YLF amplifier. <i>Optica</i> , 2016 , 3, 816	8.6	22
115	Femtosecond tuning of Cr:colquiriite lasers with AlGaAs-based saturable Bragg reflectors. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2011 , 28, 986	1.7	21
114	Comparative investigation of diode pumping for continuous-wave and mode-locked Cr ³⁺ :LiCAF lasers. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2009 , 26, 64	1.7	20
113	Efficient optimization of multilayer coatings for ultrafast optics using analytic gradients of dispersion. <i>Applied Optics</i> , 2007 , 46, 2656-62	1.7	19
112	40- μ J passively CEP-stable seed source for ytterbium-based high-energy optical waveform synthesizers. <i>Optics Express</i> , 2016 , 24, 25169-25180	3.3	19
111	Intracavity gain shaping in millijoule-level, high gain Ho:YLF regenerative amplifiers. <i>Optics Letters</i> , 2016 , 41, 1114-7	3	18
110	High fluence ultrafast dynamics of semiconductor saturable absorber mirrors. <i>Applied Physics Letters</i> , 1999 , 75, 3841-3843	3.4	18
109	On-chip sampling of optical fields with attosecond resolution. <i>Nature Photonics</i> , 2021 , 15, 456-460	33.9	18
108	Tunable Low-Jitter Low-Drift Spurious-Free Transposed-Frequency Optoelectronic Oscillator. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2017 , 65, 2625-2635	4.1	17
107	Frequency comb based on a narrowband Yb-fiber oscillator: pre-chirp management for self-referenced carrier envelope offset frequency stabilization. <i>Optics Express</i> , 2013 , 21, 4531-8	3.3	16
106	High-power passively mode-locked cryogenic Yb:YLF laser. <i>Optics Letters</i> , 2020 , 45, 2050-2053	3	16
105	Light phase detection with on-chip petahertz electronic networks. <i>Nature Communications</i> , 2020 , 11, 3407	17.4	15
104	Cascaded Multicycle Terahertz-Driven Ultrafast Electron Acceleration and Manipulation. <i>Physical Review X</i> , 2020 , 10,	9.1	14
103	Cascaded interactions mediated by terahertz radiation. <i>Optics Express</i> , 2018 , 26, 12536-12546	3.3	14
102	Ultra-precise timing and synchronization for large-scale scientific instruments. <i>Optica</i> , 2018 , 5, 1564	8.6	14

101	Optical frequency synthesizer with an integrated erbium tunable laser. <i>Light: Science and Applications</i> , 2019 , 8, 122	16.7	14
100	Multimodal imaging platform for optical virtual skin biopsy enabled by a fiber-based two-color ultrafast laser source. <i>Biomedical Optics Express</i> , 2019 , 10, 514-525	3.5	13
99	Laser system design for table-top X-ray light source. <i>High Power Laser Science and Engineering</i> , 2018 , 6,	4.3	13
98	87-W 1018-nm Yb-fiber ultrafast seeding source for cryogenic Yb: yttrium lithium fluoride amplifier. <i>Optics Letters</i> , 2018 , 43, 1686-1689	3	13
97	Accurate resonant frequency spacing of microring filters without postfabrication trimming. <i>Journal of Vacuum Science & Technology B</i> , 2006 , 24, 3244		13
96	Efficient, diode-pumped, high-power (>300W) cryogenic Yb:YLF laser with broad-tunability (995-1020.5 nm): investigation of E//a-axis for lasing. <i>Optics Express</i> , 2019 , 27, 36562-36579	3.3	13
95	20-mJ, sub-ps pulses at up to 70 W average power from a cryogenic Yb:YLF regenerative amplifier. <i>Optics Express</i> , 2020 , 28, 2466-2479	3.3	13
94	Cascaded second-order processes for the efficient generation of narrowband terahertz radiation. <i>Journal of Physics B: Atomic, Molecular and Optical Physics</i> , 2017 , 50, 044002	1.3	12
93	Gain-Matched Output Couplers for Efficient Kerr-Lens Mode-Locking of Low-Cost and High-Peak Power Cr:LiSAF Lasers. <i>IEEE Journal of Selected Topics in Quantum Electronics</i> , 2015 , 21, 94-105	3.8	12
92	Vanishing Carrier-Envelope-Phase-Sensitive Response in Optical-Field Photoemission from Plasmonic Nanoantennas. <i>Nature Physics</i> , 2019 , 15, 1128-1133	16.2	12
91	High-order harmonic generation in Xe, Kr, and Ar driven by a 2.1-fs source: High-order harmonic spectroscopy under macroscopic effects. <i>Physical Review A</i> , 2012 , 86,	2.6	12
90	100-nm tunable femtosecond Cr:LiSAF laser mode locked with a broadband saturable Bragg reflector. <i>Applied Optics</i> , 2017 , 56, 3812-3816	0.2	11
89	Detailed investigation of absorption, emission and gain in Yb:YLF in the 78800 K range. <i>Optical Materials Express</i> , 2021 , 11, 250	2.6	11
88	Silicon Photonics Optical Frequency Synthesizer. <i>Laser and Photonics Reviews</i> , 2020 , 14, 1900449	8.3	10
87	Energy scalable, offset-free ultrafast mid-infrared source harnessing self-phase-modulation-enabled spectral selection. <i>Optics Letters</i> , 2018 , 43, 2953-2956	3	10
86	Recombination-amplitude calculations of noble gases, in both length and acceleration forms, beyond the strong-field approximation. <i>Physical Review A</i> , 2013 , 88,	2.6	10
85	THz cavities and injectors for compact electron acceleration using laser-driven THz sources. <i>Physical Review Accelerators and Beams</i> , 2017 , 20,	1.8	10
84	CEP dependence of signal and idler upon pump-seed synchronization in optical parametric amplifiers. <i>Optics Letters</i> , 2018 , 43, 178-181	3	9

83	Breaking the Femtosecond Barrier in Multi-Kilometer Timing Synchronization Systems. <i>IEEE Journal of Selected Topics in Quantum Electronics</i> , 2017 , 23, 97-108	3.8	9
82	Interplay of multiphoton and tunneling ionization in short-wavelength-driven high-order harmonic generation. <i>Physical Review A</i> , 2011 , 84,	2.6	9
81	Power and energy scaling of rod-type cryogenic Yb:YLF regenerative amplifiers. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2020 , 37, 1865	1.7	9
80	Quantum diffusion of microcavity solitons. <i>Nature Physics</i> , 2021 , 17, 462-466	16.2	9
79	Low-Loss Bloch Waves in Open Structures and Highly Compact, Efficient Si Waveguide-Crossing Arrays. <i>Conference Proceedings - Lasers and Electro-Optics Society Annual Meeting-LEOS</i> , 2007 ,		8
78	Few-cycle, carrier-envelope-phase-stable laser pulses from a compact supercontinuum source. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2019 , 36, A93	1.7	8
77	Timing jitter reduction through relative intensity noise suppression in high-repetition-rate mode-locked fiber lasers. <i>Optics Express</i> , 2019 , 27, 11273-11280	3.3	8
76	Towards high power longwave mid-IR frequency combs: power scalability of high repetition-rate difference-frequency generation. <i>Optics Express</i> , 2020 , 28, 1369-1384	3.3	8
75	190-mJ cryogenically-cooled Yb:YLF amplifier system at 10197 nm. <i>OSA Continuum</i> , 2019 , 2, 3547	1.4	8
74	Pre-chirp managed, core-pumped nonlinear PM fiber amplifier delivering sub-100-fs and high energy (10 nJ) pulses with low noise. <i>Optics Express</i> , 2018 , 26, 6427-6438	3.3	7
73	Performance scaling of high-power picosecond cryogenically cooled rod-type Yb:YAG multipass amplification. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2013 , 30, 2798	1.7	7
72	Full 3D + 1 modeling of tilted-pulse-front setups for single-cycle terahertz generation. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2020 , 37, 1000	1.7	7
71	Frequency-comb-based laser system producing stable optical beat pulses with picosecond durations suitable for high-precision multi-cycle terahertz-wave generation and rapid detection. <i>Optics Express</i> , 2019 , 27, 11037-11056	3.3	7
70	Comparison of different in situ optical temperature probing techniques for cryogenic Yb:YLF. <i>Optical Materials Express</i> , 2020 , 10, 3403	2.6	7
69	Eight-pass Yb:YLF cryogenic amplifier generating 305-mJ pulses. <i>OSA Continuum</i> , 2020 , 3, 2722	1.4	6
68	Nonlinear silicon photonics on CMOS-compatible tellurium oxide. <i>Photonics Research</i> , 2020 , 8, 1904	6	6
67	Temperature dependence of Alexandrite effective emission cross section and small signal gain over the 25-450 °C range. <i>Optical Materials Express</i> , 2019 , 9, 3352	2.6	6
66	Intrinsic amplitude-noise suppression in fiber lasers mode-locked with nonlinear amplifying loop mirrors. <i>Optics Letters</i> , 2021 , 46, 1752-1755	3	6

65	Synchronous multi-color laser network with daily sub-femtosecond timing drift. <i>Scientific Reports</i> , 2018 , 8, 11948	4.9	5
64	Demonstration of a cavity-enhanced optical parametric chirped-pulse amplification system. <i>Optics Letters</i> , 2011 , 36, 1206-8	3	5
63	Phase distortion ratio: alternative to group delay dispersion for analysis and optimization of dispersion compensating optics. <i>Optics Letters</i> , 2010 , 35, 2469-71	3	5
62	A threshold for laser-driven linear particle acceleration in unbounded vacuum. <i>Applied Physics Letters</i> , 2011 , 99, 211101	3.4	5
61	Cavity-enhanced optical parametric chirped-pulse amplification. <i>Optics Letters</i> , 2006 , 31, 637-9	3	5
60	Camouflage third-harmonic generation in the nonperturbative few-cycle regime. <i>Physica Status Solidi (B): Basic Research</i> , 2003 , 238, 561-567	1.3	5
59	Towards CW modelocked laser on chip - a large mode area and NLI for stretched pulse mode locking. <i>Optics Express</i> , 2020 , 28, 22562-22579	3.3	5
58	Femtosecond two-color source synchronized at 100-as-precision based on SPM-enabled spectral selection. <i>Optics Letters</i> , 2020 , 45, 3410-3413	3	5
57	Strong-field coherent control of isolated attosecond pulse generation. <i>Nature Communications</i> , 2021 , 12, 6641	17.4	5
56	Highly efficient cryogenic Yb:YLF regenerative amplifier with 250 W average power. <i>Optics Letters</i> , 2021 , 46, 3865-3868	3	5
55	Remote Laser-Microwave Synchronization Over Kilometer-Scale Fiber Link With Few-Femtosecond Drift. <i>Journal of Lightwave Technology</i> , 2014 , 32, 3742-3748	4	4
54	Performance scaling via passive pulse shaping in cavity-enhanced optical parametric chirped-pulse amplification. <i>Optics Letters</i> , 2010 , 35, 1929-31	3	4
53	Experimental demonstration of loop-coupled microring resonators for optimally sharp optical filters 2008 ,		4
52	High Directivity, Vertical Fiber-to-Chip Coupler with Anisotropically Radiating Grating Teeth 2007 ,		4
51	High Repetition Rate, Low Jitter, Fundamentally Mode-locked Soliton Er-fiber Laser 2007 ,		4
50	Integrated rare-Earth doped mode-locked lasers on a CMOS platform 2018 ,		4
49	High-power pre-chirp managed amplification of circularly polarized pulses using high-dispersion chirped mirrors as a compressor. <i>OSA Continuum</i> , 2020 , 3, 1988	1.4	4
48	High power (>500W) cryogenically cooled Yb:YLF cw-oscillator operating at 995 nm and 1019 nm using E//c axis for lasing. <i>Optics Express</i> , 2021 , 29, 11674-11682	3.3	4

47	Temperature and doping dependence of fluorescence lifetime in Yb:YLF (role of impurities). <i>Optical Materials</i> , 2021 , 112, 110792	3-3	4
46	THz-Enhanced DC Ultrafast Electron Diffractometer. <i>Ultrafast Science</i> , 2021 , 2021, 1-7		4
45	Global design rules for silicon microphotonic waveguides: Sensitivity, polarization and resonance tunability 2006 ,		3
44	Terahertz-induced cascaded interactions between spectra offset by large frequencies. <i>Optics Express</i> , 2019 , 27, 19254-19269	3-3	3
43	On the effect of third-order dispersion on phase-matched terahertz generation via interfering chirped pulses. <i>Optics Express</i> , 2019 , 27, 34769-34787	3-3	3
42	Optically Enabled ADCs and Application to Optical Communications. <i>IEEE Open Journal of the Solid-State Circuits Society</i> , 2021 , 1-1		3
41	Comparative investigation of lasing and amplification performance in cryogenic Yb:YLF systems. <i>Applied Physics B: Lasers and Optics</i> , 2021 , 127, 1	1-9	3
40	Supercontinuum generation in silicon Bragg grating waveguide. <i>Applied Physics Letters</i> , 2021 , 118, 071106	3-4	3
39	Mode-locked Cr:LiSAF laser far off the gain peak: tunable sub-200-fs pulses near 1 μ m. <i>Applied Optics</i> , 2021 , 60, 9054-9061	1-7	3
38	Novel method for the angular chirp compensation of passively CEP-stable few-cycle pulses. <i>Optics Express</i> , 2020 , 28, 3171-3178	3-3	2
37	Optical-to-microwave synchronization with sub-femtosecond daily drift 2016 ,		2
36	Tunable, Ultrafast Fiber-Laser Between 1.15 and 1.35 μ m for Harmonic Generation Microscopy in Human Skin. <i>IEEE Journal of Selected Topics in Quantum Electronics</i> , 2018 , 1-1	3-8	2
35	Femtosecond precision timing distribution for accelerators and Light Sources 2010 ,		2
34	Strong-Confinement Microring Resonator Photonic Circuits. <i>Conference Proceedings - Lasers and Electro-Optics Society Annual Meeting-LEOS</i> , 2007 ,		2
33	Electro-Optic Sampling of Terahertz Pulses in Multilayer Crystals 2019 ,		2
32	Simultaneous generation and compression of broadband terahertz pulses in aperiodically poled crystals. <i>Optics Express</i> , 2019 , 27, 6580-6597	3-3	2
31	Analysis of terahertz generation by beamlet superposition. <i>Optics Express</i> , 2019 , 27, 26547-26568	3-3	2
30	Fiber-amplifier-pumped, 1-MHz, 1- μ J, 2.1- μ m, femtosecond OPA with chirped-pulse DFG front-end. <i>Optics Express</i> , 2019 , 27, 9144-9154	3-3	2

29	Raman Shifting Induced by Cascaded Quadratic Nonlinearities for Terahertz Generation. <i>Laser and Photonics Reviews</i> , 2020 , 14, 2000109	8.3	2
28	Bandwidth extension and conversion efficiency improvements beyond phase matching limitations using cavity-enhanced OPCPA. <i>Optics Express</i> , 2021 , 29, 9907-9926	3.3	2
27	MITHRA 1.0: A Full-wave simulation tool for free electron lasers. <i>Computer Physics Communications</i> , 2018 , 228, 192-208	4.2	1
26	Terahertz driven linear accelerators and photon sources 2016 ,		1
25	Towards a large-scale, optical timing distribution system with sub-femtosecond residual timing jitter 2013 ,		1
24	Accurate photonic analog-to-digital conversion 2011 ,		1
23	Space-time focusing of phase-stabilized nanojoule-level 2.5-cycle pulses to peak intensities $\gg 3 \times 10^{13}$ W/cm ² at 80 MHz 2009 ,		1
22	Integrated, low-jitter, 400 MHz femtosecond waveguide laser 2008 ,		1
21	Sub-femtosecond timing distribution of an ultrafast optical pulse train over multiple fiber links 2008 ,		1
20	Octave Spanning 1 GHz Ti:sapphire Oscillator For HeNe CH ₄ -based Frequency Combs and Clocks 2007 ,		1
19	An Optical-Electrical Sub-Sampling Receiver Employing Continuous-Time Σ Modulation 2006 ,		1
18	Semiconductor saturable absorber mirror mode-locked Yb:YLF laser with pulses of 40 fs.. <i>Optics Letters</i> , 2022 , 47, 933-936	3	1
17	Nonlinear Mach-Zehnder interferometer isolator.. <i>Optics Express</i> , 2022 , 30, 5973-5980	3.3	1
16	Alexandrite: an attractive thin-disk laser material alternative to Yb:YAG?. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2020 , 37, 459	1.7	1
15	Waveform Reproducibility from an OPA-based Parallel Synthesizer 2020 ,		1
14	Amplification of 108 GHz repetition rate femtosecond laser pulses to 97 W average power by a fiber amplifier. <i>OSA Continuum</i> , 2021 , 4, 1571	1.4	1
13	Optically clocked switched-emitter-follower THA in a photonic SiGe BiCMOS technology. <i>Optics Express</i> , 2021 , 29, 16312-16322	3.3	1
12	Error analysis of contactless optical temperature probing methods for cryogenic Yb:YAG. <i>Applied Physics B: Lasers and Optics</i> , 2021 , 127, 1	1.9	1

11	Bulk, cascaded pulse compression scheme and its application to spin emitter characterization. <i>Applied Optics</i> , 2021 , 60, 912-917	1.7	1
10	qJ-level multi-cycle terahertz generation in a periodically poled Rb:KTP crystal. <i>Optics Letters</i> , 2021 , 46, 741-744	3	1
9	Cavity-dumped nanosecond Cr:LiSAF laser in the 985–1030 nm region for versatile seeding of Yb-based amplifiers. <i>Applied Physics B: Lasers and Optics</i> , 2022 , 128, 1	1.9	0
8	Attosecond-precision balanced linear-optics timing detector. <i>Optics Express</i> , 2021 , 29, 38140-38149	3.3	0
7	Terahertz accelerator based electron and x-ray sources. <i>Terahertz Science & Technology</i> , 2020 , 13, 22-31	0.3	0
6	Nonlinear fiber system for shot-noise limited intensity noise suppression and amplification. <i>Optics Letters</i> , 2021 , 46, 3344-3347	3	0
5	Broadly tunable (993–1110 nm) Yb:YLF laser. <i>Applied Optics</i> , 2022 , 61, 3702	1.7	0
4	Segmented Terahertz device for ultrashort electron acceleration, compression, focusing and streaking. <i>EPJ Web of Conferences</i> , 2019 , 205, 01013	0.3	
3	Terahertzstrahlen dirigieren Elektronenpakete. <i>Physik in Unserer Zeit</i> , 2018 , 49, 165-166	0.1	
2	Astro-comb: revolutionizing precision spectroscopy in astrophysics. <i>Proceedings of the International Astronomical Union</i> , 2008 , 4, 499-501	0.1	
1	Full 3D+1 modeling of tilted-pulse-front setups for single-cycle terahertz generation: reply. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2021 , 38, 2590	1.7	