

Csaba Szekely

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1836077/publications.pdf>

Version: 2024-02-01

132
papers

2,555
citations

185998

28
h-index

253896

43
g-index

133
all docs

133
docs citations

133
times ranked

1069
citing authors

#	ARTICLE	IF	CITATIONS
1	Extreme pathological symptom generated by <i>Dermocystidium koi</i> infection of common carp (<i>Cyprinus carpio</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 10	0.9	7
2	Morphological and molecular studies on two myxosporean infections of cyprinid fishes: <i>Thelohanellus pyriformis</i> from tench and <i>thelohanellus</i> cf. <i>fuhrmanni</i> from nase. International Journal for Parasitology: Parasites and Wildlife, 2022, 18, 119-127.	0.6	0
3	<i>Mycoplasma</i> infections in freshwater carnivorous fishes in Hungary. Journal of Fish Diseases, 2021, 44, 297-304.	0.9	10
4	First genetically verified occurrence of <i>Ligula pavlovskii</i> outside its native range and characteristics of its infection in <i>Neogobius fluviatilis</i> . Journal of Great Lakes Research, 2021, 47, 236-241.	0.8	3
5	Digenean trematodes in Hungarian freshwater aquacultures. Food and Waterborne Parasitology, 2021, 22, e00101.	1.1	5
6	An alien parasite affects local fauna – Confirmation of <i>Sinergasilus major</i> (Copepoda: Ergasilidae) switching hosts and infecting native <i>Silurus glanis</i> (Actinopterygii: Siluridae) in Hungary. International Journal for Parasitology: Parasites and Wildlife, 2021, 15, 127-131.	0.6	1
7	New data on <i>Thelohanellus nikolskii</i> Achmerov, 1955 (Myxosporea, Myxobolidae) a parasite of the common carp (<i>Cyprinus carpio</i> , L.): The actinospore stage, intrapiscine tissue preference and molecular sequence. International Journal for Parasitology: Parasites and Wildlife, 2021, 15, 112-119.	0.6	2
8	Evidence of the American <i>Myxobolus dechtiari</i> was introduced along with its host <i>Lepomis gibbosus</i> in Europe: Molecular and histological data. International Journal for Parasitology: Parasites and Wildlife, 2021, 15, 51-57.	0.6	7
9	Viruses Infecting the European Catfish (<i>Silurus glanis</i>). Viruses, 2021, 13, 1865.	1.5	3
10	The occurrence of known <i>Myxobolus</i> and <i>Thelohanellus</i> species (Myxozoa, Myxosporea) from Indian major carps with the description of <i>Myxobolus bandyopadhyayi</i> n. sp. in West Bengal. International Journal for Parasitology: Parasites and Wildlife, 2021, 16, 18-25.	0.6	7
11	<i>Henneguya</i> (Cnidaria: Myxosporea: Myxobolidae) infections of cultured barramundi, <i>Lates calcarifer</i> (Perciformes: Latidae) in an estuarine wetlands system of Malaysia: description of <i>Henneguya setiuensis</i> n. sp., <i>Henneguya voronini</i> n. sp. and <i>Henneguya calcarifer</i> n. sp.. Parasitology Research, 2020, 119, 85-96.	0.6	6
12	Infection of the Carpathian brook lamprey (<i>Eudontomyzon danfordi</i> Regan, 1911) with a dermocystid parasite in the Tisza River Basin, Hungary. Journal of Fish Diseases, 2020, 43, 1571-1577.	0.9	4
13	Description of myxosporeans (Cnidaria: Myxozoa) infecting the popular food fish <i>Notopterus notopterus</i> (Pisces: Notopteridae) in Malaysia and India. Food and Waterborne Parasitology, 2020, 20, e00092.	1.1	2
14	Digenean <i>Holostephanus</i> (Trematoda: Digenea: Cyathocotylidae) metacercariae in common carp (<i>Cyprinus carpio</i> Linnaeus, 1758) muscle: zoonotic potential and sensitivity to physico-chemical treatments. Journal of Helminthology, 2020, 94, e117.	0.4	2
15	New record of metacercariae of the North American <i>Posthodiplostomum centrarchi</i> (Digenea,) Tj ETQq1 1 0.784314 rgBT /Overlock 10	0.2	7
16	Detection of cyprinid herpesvirus 1 (CyHV-1) in barbel (<i>Barbus barbus</i>): First molecular evidence for the presence of CyHV-1 in fish other than carp (<i>Cyprinus carpio</i>). Acta Veterinaria Hungarica, 2020, 68, 112-116.	0.2	2
17	Efficacy of silver nanoparticles to control flavobacteriosis caused by <i>Flavobacterium johnsoniae</i> in common carp <i>Cyprinus carpio</i> . Diseases of Aquatic Organisms, 2020, 137, 175-183.	0.5	18
18	Differential survival of 3rd stage larvae of <i>Contracaecum rudolphii</i> type B infecting common bream (<i>Abramis brama</i>) and common carp (<i>Cyprinus carpio</i>). Parasitology Research, 2019, 118, 2811-2817.	0.6	10

#	ARTICLE	IF	CITATIONS
19	Molecular Genetic Studies on <i>Myxobolus cylindricus</i> and <i>Henneguya mystasi</i> (Myxosporea:) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 7 Parasitologica, 2019, 64, 129-137.	0.4	7
20	Morphological, histological, and molecular description of <i>Myxobolus ompok</i> n. sp. (Myxosporea:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 7 Hungarica, 2018, 66, 426-443.	0.6	11
21	Histopathological changes on the gills of asp (<i>Aspius aspius</i>) and European catfish (<i>Silurus</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 7 Hungarica, 2018, 66, 241-249.	0.9	8
22	Description of <i>Henneguya jacsoi</i> sp. n. (myxosporea, myxobolidae) from <i>Perca fluviatilis</i> (L.) (pisces,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 7 Hungarica, 2018, 66, 426-443.	0.2	5
23	Cross section of gill filaments in histological preparations helps better identification of the location of myxosporean plasmodia in gill tissues. Acta Veterinaria Hungarica, 2018, 66, 241-249.	0.2	6
24	<i>Myxobolus</i> infection in the cornea of the roach (<i>Rutilus rutilus</i>) in Lake Balaton. Acta Veterinaria Hungarica, 2018, 66, 250-257.	0.2	4
25	Redescription of <i>Henneguya chaudhuryi</i> (Bajpai & Haldar, 1982) (Myxosporea: Myxobolidae), infecting the gills of the freshwater fish <i>Channa punctata</i> (Bloch) (Perciformes: Channidae) in India. Systematic Parasitology, 2017, 94, 403-411.	0.5	4
26	Diverse Chlamydia-like agents associated with epitheliocystis infection in two cyprinid fish species, the common carp (<i>Cyprinus carpio</i> L.) and the gibel carp (<i>Carassius auratus gibelio</i> L.). Acta Veterinaria Hungarica, 2017, 65, 29-40.	0.2	11
27	An investigation of the host-specificity of metacercariae of species of <i>Apophallus</i> (Digenea:) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 7 Parasitology Research, 2017, 116, 3065-3076.	0.6	16
28	Molecular biological studies of adult and metacercarial stages of <i>Petasiger exaeretus</i> Dietz, 1909 (Digenea: Echinostomatidae). Acta Veterinaria Hungarica, 2017, 65, 198-207.	0.2	6
29	Molecular detection and genome analysis of circoviruses of European eel (<i>Anguilla anguilla</i>) and sichel (<i>Pelecus cultratus</i>). Acta Veterinaria Hungarica, 2017, 65, 262-277.	0.2	9
30	Observations on non-random distribution of spores of <i>Henneguya</i> spp. (Cnidaria: Myxosporea:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 7 Hungarica, 2018, 66, 426-443.	0.7	3
31	Epicellular coccidiosis in goldfish. Diseases of Aquatic Organisms, 2017, 125, 1-5.	0.5	1
32	Malformations of the gill filaments of the ruffe <i>Gymnocephalus cernuus</i> (L.) (Pisces) caused by echinostomatid metacercariae. Journal of Fish Diseases, 2016, 39, 1357-1367.	0.9	2
33	Isolation and characterisation of flavobacteria from wild and cultured freshwater fish species in Hungary. Acta Veterinaria Hungarica, 2016, 64, 13-25.	0.2	4
34	Histological investigation on <i>Ancyrocephalus paradoxus</i> (Dactylogyridea: Ancyrocephalidae) infection causing mortalities in an intensively cultured pikeperch [<i>Sander lucioperca</i> (L.)] stock. Acta Veterinaria Hungarica, 2016, 64, 201-212.	0.2	1
35	Molecular genetic investigations on <i>Balantidium ctenopharyngodoni</i> Chen, 1955, a parasite of the grass carp (<i>Ctenopharyngodon idella</i>). Acta Veterinaria Hungarica, 2016, 64, 213-221.	0.2	5
36	The life cycle of <i>Thelohanellus kitauei</i> (Myxozoa: Myxosporea) infecting common carp (<i>Cyprinus</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 7 4317-4325.	0.6	13

#	ARTICLE	IF	CITATIONS
37	Description of two new species of <i>Myxobolus</i> Băileșcu, 1892, <i>M. peleci</i> n. sp. and <i>M. cultrati</i> n. sp., detected during an intensive mortality of the sibel, <i>Pelecus cultratus</i> (L.) (Cyprinidae), in Lake Balaton, Hungary. <i>Systematic Parasitology</i> , 2016, 93, 667-677.	0.5	6
38	Description of new types of sphaeractinomyxon actinospores (Myxozoa: Myxosporea) from marine tubificid oligochaetes, with a discussion on the validity of the tetraspora and the endocapsa as actinospore collective group names. <i>Parasitology Research</i> , 2016, 115, 2341-2351.	0.6	7
39	A synopsis of records of myxozoan parasites (Cnidaria: Myxozoa) from shrews, with additional data on <i>Soricimyxum fegati</i> from common shrew <i>Sorex araneus</i> in Hungary and pygmy shrew <i>Sorex minutus</i> in Slovakia. <i>Folia Parasitologica</i> , 2016, 63, .	0.7	6
40	Parasitic infections of two invasive fish species, the Caucasian dwarf goby and the Amur sleeper, in Hungary. <i>Acta Veterinaria Hungarica</i> , 2015, 63, 472-484.	0.2	15
41	Myxozoan infections of the three Indian major carps in fish ponds around Meerut, UP, India, with descriptions of three new species, <i>Myxobolus basuhaldari</i> sp. n., <i>M. kalavatieae</i> sp. n. and <i>M. meerutensis</i> sp. n., and the redescription of <i>M. catlae</i> and <i>M. bhadrensis</i> . <i>Parasitology Research</i> , 2015, 114, 1301-1311.	0.6	29
42	Description of <i>Myxobolus balatonicus</i> n. sp. (Myxozoa: Myxobolidae) from the common carp <i>Cyprinus carpio</i> L. in Lake Balaton. <i>Systematic Parasitology</i> , 2015, 91, 71-79.	0.5	12
43	Three new species of <i>Myxobolus</i> Băileșcu, 1882 (Myxozoa: Myxobolidae) infecting the common nase <i>Chondrostoma nasus</i> (L.) in the River Danube. <i>Systematic Parasitology</i> , 2015, 92, 101-111.	0.5	20
44	Myxozoans Exploiting Homeotherms. , 2015, , 125-135.		11
45	The occurrence of metacercariae of <i>Petasiger</i> (Digenea: Echinostomatidae) in an unusual site, within the lateral line scales of cyprinid fishes. <i>Folia Parasitologica</i> , 2015, 62, .	0.7	5
46	A novel myxozoan parasite of terrestrial mammals: description of <i>Soricimyxum minuti</i> sp. n. (Myxosporea) in pygmy shrew <i>Sorex minutus</i> from Hungary. <i>Folia Parasitologica</i> , 2015, 62, .	0.7	9
47	<i>Myxobolus ophiocarae</i> sp. n. (Myxozoa: Myxosporea: Bivalvulida) infecting the gill of wild goby, <i>Ophiocara porocephala</i> (Perciformes: Gobioidae) in Malaysia. <i>Parasitology Research</i> , 2014, 113, 29-37.	0.6	2
48	Tissue preference of some myxobolids (Myxozoa: Myxosporea) from the musculature of European freshwater fishes. <i>Diseases of Aquatic Organisms</i> , 2014, 107, 191-198.	0.5	15
49	<i>Ortholinea auratae</i> n. sp. (Myxozoa, Ortholineidae) infecting the urinary bladder of the gilthead seabream <i>Sparus aurata</i> (Teleostei, Sparidae), in a Portuguese fish farm. <i>Parasitology Research</i> , 2014, 113, 3427-3437.	0.6	17
50	Life cycles of three <i>Myxobolus</i> spp. from cyprinid fishes of Lake Balaton, Hungary involve triactinomyxon-type actinospores. <i>Parasitology Research</i> , 2014, 113, 2817-2825.	0.6	12
51	Description of raabeia, synactinomyxon and neoactinomyxon developing stages of myxosporeans (Myxozoa) infecting <i>Isochaetides michaelsoni</i> LastoĀkin (Tubificidae) in Lake Balaton and Kis-Balaton Water Reservoir, Hungary. <i>Systematic Parasitology</i> , 2014, 88, 245-259.	0.5	7
52	Integrated circoviral rep-like sequences in the genome of cyprinid fish. <i>Virus Genes</i> , 2013, 47, 374-377.	0.7	13
53	Description of <i>Goussia kuehae</i> n. sp. (Apicomplexa: Eimeriidae) infecting the Asian seabass, <i>Lates calcarifer</i> (Bloch) (Perciformes: Latidae), cultured in Malaysian fish farms. <i>Systematic Parasitology</i> , 2013, 86, 293-299.	0.5	12
54	Comparison of the <i>Myxobolus</i> fauna of common barbel from Hungary and Iberian barbel from Portugal. <i>Diseases of Aquatic Organisms</i> , 2012, 100, 231-248.	0.5	26

#	ARTICLE	IF	CITATIONS
55	Molecular genetic studies on morphologically indistinguishable <i>Myxobolus</i> spp. infecting cyprinid fishes, with the description of three new species, <i>M. alvarezae</i> sp. nov., <i>M. sitjae</i> sp. nov. and <i>M. eirasianus</i> sp. nov.. <i>Acta Parasitologica</i> , 2012, 57, 354-66.	0.4	39
56	Remarks on the seasonal occurrence and identification of young plasmodial stages of <i>Myxobolus</i> spp. Infecting cyprinid fishes in Hungary. <i>Acta Veterinaria Hungarica</i> , 2012, 60, 69-82.	0.2	3
57	Myxozoan infection of the Malaysian mahseer, <i>Tor tambroides</i> , of Tasik Kenyir Reservoir, Malaysia: description of a new species <i>Myxobolus tambroides</i> sp.n.. <i>Parasitology Research</i> , 2012, 111, 1749-1756.	0.6	10
58	Novel circovirus in European catfish (<i>Silurus glanis</i>). <i>Archives of Virology</i> , 2012, 157, 1173-1176.	0.9	41
59	An evaluation of indices of gross pathology associated with the nematode <i>Anguillicoloides crassus</i> in eels. <i>Journal of Fish Diseases</i> , 2011, 34, 31-45.	0.9	21
60	Histological and molecular studies of species of <i>Myxobolus</i> BÄtschli, 1882 (Myxozoa: Myxosporea) in the gills of <i>Abramis</i> , <i>Blicca</i> and <i>Vimba</i> spp. (Cyprinidae), with the redescription of <i>M. macrocapsularis</i> Reuss, 1906 and <i>M. bliccae</i> Donec & Tozzyakova, 1984. <i>Systematic Parasitology</i> , 2011, 79, 109-121.	0.5	17
61	A new actinospore type <i>Unicapsulactinomyxon</i> (Myxozoa), infecting the marine polychaete, <i>Diopatra neapolitana</i> (Polychaeta: Onuphidae) in the Aveiro Estuary (Portugal). <i>Parasitology</i> , 2011, 138, 698-712.	0.7	27
62	Induced oogenesis of the European eel (<i>Anguilla anguilla</i> L.) in freshwater condition. <i>Acta Biologica Hungarica</i> , 2011, 62, 485-488.	0.7	8
63	First detection and analysis of a fish circovirus. <i>Journal of General Virology</i> , 2011, 92, 1817-1821.	1.3	67
64	Differentiation of <i>Myxobolus</i> spp. (Myxozoa: Myxobolidae) infecting roach (<i>Rutilus rutilus</i>) in Hungary. <i>Parasitology Research</i> , 2010, 107, 1137-1150.	0.6	44
65	Some remarks on the occurrence, host-specificity and validity of <i>Myxobolus rotundus</i> NemeÄek, 1911 (Myxozoa: Myxosporea). <i>Systematic Parasitology</i> , 2009, 72, 71-79.	0.5	30
66	<i>Myxobolus erythrophthalmi</i> sp. n. and <i>Myxobolus shaharomae</i> sp. n. (Myxozoa: Myxobolidae) infecting <i>Alburnus alburnus</i> (L.). <i>Journal of Fish Diseases</i> , 2009, 32, 219-231.	0.9	20
67	Morphology, Molecular Data, and Development of <i>Zschokkella mugilis</i> (Myxosporea, Bivalvulida) in a Polychaete Alternate Host, <i>Nereis diversicolor</i> . <i>Journal of Parasitology</i> , 2009, 95, 561-569.	0.3	36
68	Inflammatory response to parasitic helminths in the digestive tract of <i>Anguilla anguilla</i> (L.). <i>Aquaculture</i> , 2009, 296, 1-6.	1.7	17
69	Impact of the Swim-Bladder Parasite on the Health and Performance of European Eels. , 2009, , 201-226.		18
70	Myxozoan infections in fishes of the Tasik Kenyir Water Reservoir, Terengganu, Malaysia. <i>Diseases of Aquatic Organisms</i> , 2009, 83, 37-48.	0.5	33
71	Myxozoan pathogens of Malaysian fishes cultured in ponds and net-cages. <i>Diseases of Aquatic Organisms</i> , 2009, 83, 49-57.	0.5	32
72	Complete life cycle of <i>Myxobolus rotundus</i> (Myxosporea: Myxobolidae), a gill myxozoan of common bream <i>Abramis brama</i> . <i>Diseases of Aquatic Organisms</i> , 2009, 85, 147-155.	0.5	23

#	ARTICLE	IF	CITATIONS
73	Myxobolus species infecting the cartilaginous rays of the gill filaments in cyprinid fishes. Acta Parasitologica, 2008, 53, 330.	0.4	16
74	Infection of the heart of the common bream, <i>Abramis brama</i> (L.), with <i>Myxobolus</i> s.l. <i>dogieli</i> (Myxozoa, Myxobolidae). Journal of Fish Diseases, 2008, 31, 613-620.	0.9	11
75	Myxobolus infections of common carp (<i>Cyprinus carpio</i>) in Syrian fish farms. Acta Veterinaria Hungarica, 2007, 55, 501-509.	0.2	5
76	Swimming stimulates oocyte development in European eel. Aquaculture, 2007, 270, 321-332.	1.7	50
77	Swimming performance of silver eels is severely impaired by the swim-bladder parasite <i>Anguillicola crassus</i> . Journal of Experimental Marine Biology and Ecology, 2007, 352, 244-256.	0.7	167
78	Description of <i>Myxobolus gayerae</i> sp. n. and re-description of <i>M. leuciscini</i> infecting European chub from the Hungarian stretch of the river Danube. Diseases of Aquatic Organisms, 2007, 78, 147-153.	0.5	16
79	First description of myxozoans from Syria: novel records of hexactinomyxon, triactinomyxon and endocapsa actinospore types. Diseases of Aquatic Organisms, 2007, 74, 127-137.	0.5	10
80	Myxozoan pathogens in cultured Malaysian fishes. II. Myxozoan infections of redtail catfish <i>Hemibagrus nemurus</i> in freshwater cage cultures. Diseases of Aquatic Organisms, 2006, 68, 219-226.	0.5	14
81	The role of copepods (<i>Cyclopsspp.</i>) in eliminating the actinospore stages of fish-parasitic myxozoans. Acta Veterinaria Hungarica, 2006, 54, 61-70.	0.2	2
82	Myxozoan pathogens in cultured Malaysian fishes. I. Myxozoan infections of the sutchi catfish <i>Pangasius hypophthalmus</i> in freshwater cage cultures. Diseases of Aquatic Organisms, 2006, 68, 209-218.	0.5	23
83	Comparative morphological and molecular studies on <i>Myxobolus</i> spp. infecting chub from the River Danube, Hungary, and description of <i>M. muellericus</i> sp. n.. Diseases of Aquatic Organisms, 2006, 73, 49-61.	0.5	58
84	Radiodiagnostic method for studying the dynamics of <i>Anguillicola crassus</i> (Nematoda: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 307 Td (D of Aquatic Organisms, 2005, 64, 53-61.	0.5	10
85	Description of a new synactinomyxon type from the River Sousa, Portugal. Diseases of Aquatic Organisms, 2005, 66, 9-14.	0.5	8
86	A survey of coccidian infection of freshwater fishes in South Africa, with the description of <i>Goussia anopli</i> n. sp. (Apicomplexa: Eimeriidae). Systematic Parasitology, 2004, 59, 75-80.	0.5	7
87	Comparative study of X-ray computerised tomography and conventional X-ray methods in diagnosis of swimbladder infection in eels caused by <i>Anguillicola crassus</i> . Diseases of Aquatic Organisms, 2004, 58, 157-164.	0.5	12
88	Molecular phylogeny of the kidney-parasitic <i>Sphaerospora renicola</i> from common carp (<i>Cyprinus</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 2004, 52, 469-478.	0.2	66
89	Occurrence and pathology of <i>Sinergasilus lienii</i> (Copepoda: Ergasilidae), a parasite of the silver carp and bighead, in Hungarian ponds. Acta Veterinaria Hungarica, 2004, 52, 51-60.	0.2	12
90	Intraorganism development of <i>Myxobolus intimus</i> (Myxosporea: Myxobolidae), a gill myxosporean of the roach (<i>Rutilus rutilus</i>). Folia Parasitologica, 2004, 51, 199-207.	0.7	18

#	ARTICLE	IF	CITATIONS
91	Description of a new actinosporean type from South African freshwaters. <i>Diseases of Aquatic Organisms</i> , 2004, 61, 95-102.	0.5	9
92	Intraoligochaete development of <i>Myxobolus intimus</i> (Myxosporea: Myxobolidae), a gill myxosporean of the roach (<i>Rutilus rutilus</i>). <i>Folia Parasitologica</i> , 2004, 51, 199-207.	0.7	5
93	A survey of coccidian infections of freshwater fishes of Peninsular Malaysia, with descriptions of three species of <i>Goussia</i> LabbÃ©, 1896 (Apicomplexa: Eimeriidae). <i>Systematic Parasitology</i> , 2003, 55, 11-18.	0.5	6
94	Are yellow eels from Lake Balaton able to cope with high pressure encountered during migration to the Sargasso sea? The case of energy metabolism. <i>Animal Biology</i> , 2003, 53, 329-338.	0.6	10
95	Reno-, hepato- and splenomegaly of common carp fingerlings (<i>Cyprinus carpio</i> L.) diseased in swimbladder inflammation caused by <i>Sphaerospora renicola</i> Dykova et Lom, 1982. <i>Acta Veterinaria Hungarica</i> , 2003, 51, 321-329.	0.2	4
96	Infection in the fins of the goldfish <i>Carassius auratus</i> caused by <i>Myxobolus diversus</i> (Myxosporea). <i>Folia Parasitologica</i> , 2003, 50, 31-36.	0.7	15
97	Description of two new actinosporean types from a brook of Fuji Mountain, Honshu, and from Chitose River, Hokkaido, Japan. <i>Diseases of Aquatic Organisms</i> , 2003, 53, 127-132.	0.5	13
98	Infection in the fins of the goldfish <i>Carassius auratus</i> caused by <i>Myxobolus diversus</i> (Myxosporea). <i>Folia Parasitologica</i> , 2003, 50, 31-6.	0.7	5
99	Occurrence of actinosporean stages of myxosporeans in an inflow brook of a salmon hatchery in the Mena River System, Hokkaido, Japan. <i>Diseases of Aquatic Organisms</i> , 2002, 49, 153-160.	0.5	14
100	Comparative ultrastructure of the actinosporean stages of <i>Myxobolus bramae</i> and <i>M. pseudodispar</i> (Myxozoa). <i>Parasitology Research</i> , 2002, 88, 198-207.	0.6	13
101	Morphological and molecular biological studies on intramuscular <i>Myxobolus</i> spp. of cyprinid fish. <i>Journal of Fish Diseases</i> , 2002, 25, 643-652.	0.9	162
102	Development of <i>Myxobolus macrocapsularis</i> (Myxosporea: Myxobolidae) in an oligochaete alternate host, <i>Tubifex tubifex</i> . <i>Diseases of Aquatic Organisms</i> , 2002, 48, 117-123.	0.5	25
103	Radiodiagnostic examination of the swimbladder of some fish species. <i>Acta Veterinaria Hungarica</i> , 2001, 49, 87-98.	0.2	6
104	Complete developmental cycle of <i>Myxobolus pseudodispar</i> (Gorbunova) (Myxosporea: Myxobolidae). <i>Journal of Fish Diseases</i> , 2001, 24, 461-468.	0.9	33
105	Development of <i>Myxobolus bramae</i> (Myxosporea: Myxobolidae) in an oligochaete alternate host, <i>Tubifex tubifex</i> . <i>Journal of Fish Diseases</i> , 2000, 23, 19-25.	0.9	34
106	First Report on the Occurrence of an Actinosporean Stage (Myxozoa) in Oligochaetes from Spanish Freshwaters. <i>Acta Veterinaria Hungarica</i> , 2000, 48, 433-441.	0.2	17
107	Experimental identification of the actinosporean stage of <i>Sphaerospora renicola</i> Dykova & Lom 1982 (Myxosporea: Sphaerosporidae) in oligochaete alternate hosts. <i>Journal of Fish Diseases</i> , 1999, 22, 143-153.	0.9	30
108	Relationships among Members of the Genus <i>Myxobolus</i> (Myxozoa: Bilvalvidae) Based on Small Subunit Ribosomal DNA Sequences. <i>Journal of Parasitology</i> , 1999, 85, 68.	0.3	167

#	ARTICLE	IF	CITATIONS
109	MYXOBOLUS INFECTION OF THE GILLS OF COMMON BREAM (<i>ABRAMIS BRAMA L.</i>) IN LAKE BALATON AND IN THE KIS-BALATON RESERVOIR, HUNGARY. <i>Acta Veterinaria Hungarica</i> , 1999, 47, 419-432.	0.2	41
110	Experimental detection of the actinospores of <i>Myxobolus pseudodispar</i> (Myxosporea: Myxobolidae) in oligochaete alternate hosts. <i>Diseases of Aquatic Organisms</i> , 1999, 38, 219-224.	0.5	30
111	Relationships among members of the genus <i>Myxobolus</i> (Myxozoa: Bilvalidae) based on small subunit ribosomal DNA sequences. <i>Journal of Parasitology</i> , 1999, 85, 68-74.	0.3	44
112	Development of <i>Myxobolus portucalensis</i> Saraiva & Molnár, 1990 (Myxosporea: Myxobolidae) in the oligochaete <i>Tubifex tubifex</i> (Müller). <i>Systematic Parasitology</i> , 1998, 41, 95-103.	0.5	33
113	Development of <i>Thelohanellus hovorkai</i> and <i>Thelohanellus nikolskii</i> (Myxosporea: Myxozoa) in Oligochaete Alternate Hosts. <i>Fish Pathology</i> , 1998, 33, 107-114.	0.4	43
114	Radiodiagnostic method for studying swimbladder inflammation caused by <i>Anguillicola crassus</i> (Nematoda: Dracunculoidea). <i>Diseases of Aquatic Organisms</i> , 1998, 34, 155-160.	0.5	32
115	<i>Lucionema balatonense</i> gen. et sp. n., a new nematode of a new family <i>Lucionematidae</i> fam. n. (Dracunculoidea) from the swimbladder of the European pikeperch, <i>Stizostedion lucioperca</i> (Pisces). <i>Folia Parasitologica</i> , 1998, 45, 57-61.	0.7	9
116	Studies on the occurrence of actinosporean stages of fish myxosporeans in a fish farm of Hungary, with the description of triactinomyxon, raabeia, aurantiactinomyxon and neoactinomyxon types. <i>Acta Veterinaria Hungarica</i> , 1998, 46, 259-84.	0.2	32
117	Studies on the occurrence of actinosporean stages of myxosporeans in Lake Balaton, Hungary, with the description of triactinomyxon, raabeia and aurantiactinomyxon types. <i>Acta Veterinaria Hungarica</i> , 1998, 46, 437-50.	0.2	27
118	Occurrence of skrjabillanid nematodes in fishes of Hungary and in the intermediate host, <i>Argulus foliaceus</i> L. <i>Acta Veterinaria Hungarica</i> , 1998, 46, 451-63.	0.2	9
119	An unusual location for <i>Ergasilus sieboldi</i> Nordmann (Copepoda, Ergasilidae) on the operculum and base of pectoral fins of the pikeperch (<i>Stizostedion lucioperca</i> L.). <i>Acta Veterinaria Hungarica</i> , 1997, 45, 165-75.	0.2	5
120	Attempts to analyse <i>Anguillicola crassus</i> infection and the humoral host response in eels (<i>Anguilla</i>)	0.2	8
121	Host reaction in paratenic fish hosts against 3rd stage larvae of <i>Anguillicola crassus</i> . <i>Diseases of Aquatic Organisms</i> , 1996, 26, 173-180.	0.5	14
122	Experimental studies on the infectivity of <i>Anguillicola crassus</i> third-stage larvae (Nematoda) from paratenic hosts. <i>Folia Parasitologica</i> , 1996, 43, 305-11.	0.7	11
123	Dynamics of <i>Anguillicola crassus</i> (Nematoda: Dracunculoidea) larval infection in paratenic host fishes of Lake Balaton, Hungary. <i>Acta Veterinaria Hungarica</i> , 1995, 43, 401-22.	0.2	7
124	Paratenic hosts for the parasitic nematode <i>Anguillicola crassus</i> in Lake Balaton, Hungary. <i>Diseases of Aquatic Organisms</i> , 1994, 18, 11-20.	0.5	32
125	Survey of the paratenic hosts of <i>Anguillicola crassus</i> in Lake Velence, Hungary. <i>Acta Veterinaria Hungarica</i> , 1994, 42, 87-97.	0.2	6
126	Dynamics of <i>Anguillicola crassus</i> (Nematoda: Dracunculoidea) infection in eels of Lake Balaton, Hungary. <i>Folia Parasitologica</i> , 1994, 41, 193-202.	0.7	20

#	ARTICLE	IF	CITATIONS
127	Pathological and histopathological studies of the swimbladder of eels <i>Anguilla anguilla</i> infected by <i>Anguillidiplostomum crassus</i> (Nematoda: Dracunculoidea). <i>Diseases of Aquatic Organisms</i> , 1993, 15, 41-50.	0.5	84
128	<i>Goussia trichogasteri</i> n. sp. (Apicomplexa: Eimeriidae) infecting the aquarium-cultured golden gourami <i>Trichogaster trichopterus trichopterus</i> . <i>Diseases of Aquatic Organisms</i> , 1992, 13, 79-81.	0.5	3
129	An unusual case of disease in pet fish stocks caused by <i>Coleps</i> sp. (Protozoa: Kinetoflagminophorea). <i>Diseases of Aquatic Organisms</i> , 1992, 13, 143-145.	0.5	2
130	Praziquantel (Droncit) is effective against diplostomosis of grass carp <i>Ctenopharyngodon idella</i> and silver carp <i>Hypophthalmichthys molitrix</i> . <i>Diseases of Aquatic Organisms</i> , 1991, 11, 147-150.	0.5	19
131	Efficacy of fumagillin against <i>Myxidium giardi</i> CÃ©pÃ©de, 1906 infection of the European eel (<i>Anguilla</i>) Tj ETQq1 1 0.784314 rgBT /Ov 239-46.	0.2	22
132	Mebendazole is an efficacious drug against pseudodactylogyrosis in the European eel (<i>Anguilla</i>) Tj ETQq0 0 0 rgBT /Ov lock 10 Tf 50 54	0.3	32