
Stefan Schwartz

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1836882/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Isavuconazole treatment for mucormycosis: a single-arm open-label trial and case-control analysis. Lancet Infectious Diseases, The, 2016, 16, 828-837.	9.1	528
2	Adult patients with acute lymphoblastic leukemia and molecular failure display a poor prognosis and are candidates for stem cell transplantation and targeted therapies. Blood, 2012, 120, 1868-1876.	1.4	405
3	Outcome of relapsed adult lymphoblastic leukemia depends on response to salvage chemotherapy, prognostic factors, and performance of stem cell transplantation. Blood, 2012, 120, 2032-2041.	1.4	381
4	Improved outcome in central nervous system aspergillosis, using voriconazole treatment. Blood, 2005, 106, 2641-2645.	1.4	355
5	Alternating versus concurrent schedules of imatinib and chemotherapy as front-line therapy for Philadelphia-positive acute lymphoblastic leukemia (Ph+ALL). Blood, 2006, 108, 1469-1477.	1.4	307
6	Improved outcome of adult Burkitt lymphoma/leukemia with rituximab and chemotherapy: report of a large prospective multicenter trial. Blood, 2014, 124, 3870-3879.	1.4	236
7	Whole-exome sequencing in adult ETP-ALL reveals a high rate of DNMT3A mutations. Blood, 2013, 121, 4749-4752.	1.4	181
8	Successful treatment of cerebral aspergillosis with a novel triazole (voriconazole) in a patient with acute leukaemia. British Journal of Haematology, 1997, 97, 662-665.	2.5	144
9	Effect of Recombinant Zoster Vaccine on Incidence of Herpes Zoster After Autologous Stem Cell Transplantation. JAMA - Journal of the American Medical Association, 2019, 322, 123.	7.4	143
10	Norovirus gastroenteritis causes severe and lethal complications after chemotherapy and hematopoietic stem cell transplantation. Blood, 2011, 117, 5850-5856.	1.4	140
11	Effects of endurance training on the physical performance of patients with hematological malignancies during chemotherapy. Supportive Care in Cancer, 2003, 11, 623-628.	2.2	127
12	Patients' age and BCR-ABL frequency in adult B-precursor ALL: a retrospective analysis from the GMALL study group. Blood, 2008, 112, 918-919.	1.4	125
13	Consensus Guideline for Use of Glucarpidase in Patients with High-Dose Methotrexate Induced Acute Kidney Injury and Delayed Methotrexate Clearance. Oncologist, 2018, 23, 52-61.	3.7	123
14	High Expression of the ETS Transcription Factor ERG Predicts Adverse Outcome in Acute T-Lymphoblastic Leukemia in Adults. Journal of Clinical Oncology, 2006, 24, 4714-4720.	1.6	100
15	Mutational spectrum of adult T-ALL. Oncotarget, 2015, 6, 2754-2766.	1.8	98
16	Advances in the diagnosis and treatment of fungal infections of the CNS. Lancet Neurology, The, 2018, 17, 362-372.	10.2	93
17	Low <i>ERG</i> and <i>BAALC</i> Expression Identifies a New Subgroup of Adult Acute T-Lymphoblastic Leukemia With a Highly Favorable Outcome. Journal of Clinical Oncology, 2007, 25, 3739-3745.	1.6	92
18	Chronic norovirus infection in renal transplant recipients. Nephrology Dialysis Transplantation, 2008, 24, 1051-1053.	0.7	89

#	Article	IF	CITATIONS
19	FLT3 Mutations in Early T-Cell Precursor ALL Characterize a Stem Cell Like Leukemia and Imply the Clinical Use of Tyrosine Kinase Inhibitors. PLoS ONE, 2013, 8, e53190.	2.5	87
20	The MLL recombinome of adult CD10-negative B-cell precursor acute lymphoblastic leukemia: results from the GMALL study group. Blood, 2009, 113, 4011-4015.	1.4	85
21	Prognostic significance of additional chromosome abnormalities in adult patients with Philadelphia chromosome positive acute lymphoblastic leukaemia. British Journal of Haematology, 1996, 95, 678-691.	2.5	81
22	CNS Aspergillosis. CNS Drugs, 2007, 21, 659-676.	5.9	75
23	Clinical features and prognostic implications of TCF3-PBX1 and ETV6-RUNX1 in adult acute lymphoblastic leukemia. Haematologica, 2010, 95, 241-246.	3.5	72
24	Epidemiology of invasive aspergillosis and azole resistance in patients with acute leukaemia: the SEPIA Study. International Journal of Antimicrobial Agents, 2017, 49, 218-223.	2.5	71
25	Glucarpidase (Carboxypeptidase G2) Intervention in Adult and Elderly Cancer Patients with Renal Dysfunction and Delayed Methotrexate Elimination After High-Dose Methotrexate Therapy. Oncologist, 2007, 12, 1299-1308.	3.7	70
26	Prognostic implications of NOTCH1 and FBXW7 mutations in adult acute T-lymphoblastic leukemia. Haematologica, 2009, 94, 1383-1390.	3.5	70
27	Diagnosis of invasive fungal diseases in haematology and oncology: 2018 update of the recommendations of the infectious diseases working party of the German society for hematology and medical oncology (<scp>AGIHO</scp>). Mycoses, 2018, 61, 796-813.	4.0	69
28	Efficacy of Glucarpidase (Carboxypeptidase <scp>G</scp> 2) in Patients with Acute Kidney Injury After Highâ€Đose Methotrexate Therapy. Pharmacotherapy, 2014, 34, 427-439.	2.6	64
29	Acute leukemias of ambiguous lineage in adults: molecular and clinical characterization. Annals of Hematology, 2013, 92, 747-758.	1.8	61
30	Poor efficacy of amphotericin B-based therapy in CNS aspergillosis. Mycoses, 2007, 50, 196-200.	4.0	59
31	NUP214-ABL1 in adult T-ALL: the GMALL study group experience. Blood, 2006, 108, 3556-3559.	1.4	54
32	Antifungal treatment strategies in patients with haematological diseases or cancer: from prophylaxis to empirical, preâ€emptive and targeted therapy. Mycoses, 2012, 55, 2-16.	4.0	54
33	CD10- pre-B acute lymphoblastic leukemia (ALL) is a distinct high-risk subgroup of adult ALL associated with a high frequency of MLL aberrations: results of the German Multicenter Trials for Adult ALL (GMALL). Blood, 2005, 106, 4054-4056.	1.4	53
34	Hydrops lysosomalis generalisatus - an underestimated side effect of hydroxyethyl starch therapy?. European Journal of Haematology, 2006, 77, 83-85.	2.2	52
35	Detection by monoclonal antibodies of the Wilms' tumor (WT1) nuclear protein in patients with acute leukemia. International Journal of Cancer, 1997, 70, 518-523.	5.1	51
36	Retrospective study of prognostic factors in non-Hodgkin lymphoma secondarily involving the central nervous system. Annals of Hematology, 2006, 85, 45-50.	1.8	49

#	Article	IF	CITATIONS
37	Isavuconazole for the treatment of patients with invasive fungal diseases involving the central nervous system. Medical Mycology, 2020, 58, 417-424.	0.7	48
38	PAX5 biallelic genomic alterations define a novel subgroup of B-cell precursor acute lymphoblastic leukemia. Leukemia, 2019, 33, 1895-1909.	7.2	46
39	Insertional Polymorphisms of Endogenous HERV-K113 and HERV-K115 Retroviruses in Breast Cancer Patients and Age-Matched Controls. AIDS Research and Human Retroviruses, 2004, 20, 1223-1229.	1.1	42
40	Treatment of invasive fungal diseases in cancer patients—Revised 2019 Recommendations of the Infectious Diseases Working Party (AGIHO) of the German Society of Hematology and Oncology (DGHO). Mycoses, 2020, 63, 653-682.	4.0	42
41	Significant Improvement Of Outcome In Adolescents and Young adults (AYAs) Aged 15-35 Years With Acute Lymphoblastic Leukemia (ALL) With a Pediatric Derived Adult ALL Protocol; Results Of 1529 AYAs In 2 Consecutive Trials Of The German Multicenter Study Group For Adult ALL (GMALL). Blood, 2013, 122, 839-839.	1.4	41
42	Atypical BCR-ABL mRNA transcripts in adult Acute lymphoblastic leukemia. Haematologica, 2007, 92, 1699-1702.	3.5	39
43	Prognostic implications of mutations and expression of the Wilms tumor 1 (WT1) gene in adult acute T-lymphoblastic leukemia. Haematologica, 2010, 95, 942-949.	3.5	39
44	Long non-coding RNAs defining major subtypes of B cell precursor acute lymphoblastic leukemia. Journal of Hematology and Oncology, 2019, 12, 8.	17.0	38
45	CD56 expression in T-cell acute lymphoblastic leukemia is associated with non-thymic phenotype and resistance to induction therapy but no inferior survival after risk-adapted therapy. Haematologica, 2009, 94, 224-229.	3.5	36
46	Skewed expression of natural-killer (NK)-associated antigens on lymphoproliferations of large granular lymphocytes (LGL). Hematological Oncology, 2006, 24, 78-85.	1.7	35
47	Morphological and cytochemical findings in 150 cases of Tâ€lineage acute lymphoblastic leukaemia in adults. British Journal of Haematology, 1997, 97, 372-382.	2.5	32
48	Recombinant Zoster Vaccine Significantly Reduces the Impact on Quality of Life Caused by Herpes Zoster in Adult Autologous Hematopoietic Stem Cell Transplant Recipients: A Randomized Placebo-Controlled Trial (ZOE-HSCT). Biology of Blood and Marrow Transplantation, 2019, 25, 2474-2481.	2.0	30
49	Possible regulation of Wilms' tumour gene 1 (WT1) expression by the paired box genes PAX2 and PAX8 and by the haematopoietic transcription factor GATA-1 in human acute myeloid leukaemias. British Journal of Haematology, 2003, 123, 235-242.	2.5	28
50	A Comparison of Aspergillus and Mucorales PCR Testing of Different Bronchoalveolar Lavage Fluid Fractions from Patients with Suspected Invasive Pulmonary Fungal Disease. Journal of Clinical Microbiology, 2018, 56, .	3.9	28
51	Recent developments in the management of invasive fungal infections in patients with oncohematological diseases. Therapeutic Advances in Hematology, 2016, 7, 345-359.	2.5	27
52	Lack of Evidence That False-Positive Aspergillus Galactomannan Antigen Test Results Are Due to Treatment with Piperacillin-Tazobactam. Clinical Infectious Diseases, 2004, 39, 1401-1402.	5.8	26
53	Expression of interleukin 15 in primary adult acute lymphoblastic leukemia. Cancer, 2010, 116, 387-392.	4.1	26
54	Loss-of-function but not dominant-negative intragenic <i>IKZF1</i> deletions are associated with an adverse prognosis in adult <i>BCR-ABL</i> -negative acute lymphoblastic leukemia. Haematologica, 2017, 102, 1739-1747.	3.5	24

#	Article	IF	CITATIONS
55	Integrated analysis of relapsed B-cell precursor Acute Lymphoblastic Leukemia identifies subtype-specific cytokine and metabolic signatures. Scientific Reports, 2019, 9, 4188.	3.3	23
56	Wilms' tumor gene 1 (WT1) expression in subtypes of acute lymphoblastic leukemia (ALL) of adults and impact on clinical outcome. Annals of Hematology, 2009, 88, 1199-1205.	1.8	22
57	Erroneous class switching and false VDJ recombination: Molecular dissection of t(8;14)/MYCâ€IGH translocations inÂBurkittâ€type lymphoblastic leukemia/Bâ€cell lymphoma. Molecular Oncology, 2013, 7, 850-858.	4.6	22
58	Germline variants in IKZF1, ARID5B, and CEBPE as risk factors for adult-onset acute lymphoblastic leukemia: an analysis from the GMALL study group. Haematologica, 2014, 99, e23-e25.	3.5	21
59	CD82 (KAI1), a member of the tetraspan family, is expressed on early haemopoietic progenitor cells and up-regulated in distinct human leukaemias. British Journal of Haematology, 1999, 107, 494-504.	2.5	20
60	Low expression of T-cell transcription factor BCL11b predicts inferior survival in adult standard risk T-cell acute lymphoblastic leukemia patients. Journal of Hematology and Oncology, 2014, 7, 51.	17.0	18
61	Common clonal Tâ€cell origin in a patient with Tâ€prolymphocytic leukaemia and associated cutaneous Tâ€cell lymphomas. British Journal of Haematology, 2003, 120, 488-491.	2.5	17
62	Can magnetic resonance imaging be an alternative to computed tomography in immunocompromised patients with suspected fungal infections? Feasibility of a speed optimized examination protocol at 3 Tesla. European Journal of Radiology, 2016, 85, 857-863.	2.6	17
63	Endogenous filamentous fungal endophthalmitis - single-centre survey in patients with acute leukaemia or postallogeneic stem cell transplantation and review of the literature. Mycoses, 2011, 54, e704-e711.	4.0	16
64	Involvement of the <i>MLL</i> gene in adult Tâ€lymphoblastic leukemia. Genes Chromosomes and Cancer, 2012, 51, 1114-1124.	2.8	14
65	Age-dependent diagnostic accuracy of clinical scoring systems and D-dimer levels in the diagnosis of pulmonary embolism with computed tomography pulmonary angiography (CTPA). European Radiology, 2019, 29, 4563-4571.	4.5	14
66	Intramedullary abscess in a patient with disseminated Scedosporium apiospermum infection. British Journal of Haematology, 2003, 120, 724-724.	2.5	12
67	An intron 9 containing splice variant of PAX2. Journal of Translational Medicine, 2009, 7, 36.	4.4	12
68	Comparison of minimal residual disease levels in bone marrow and peripheral blood in adult acute lymphoblastic leukemia. Leukemia, 2020, 34, 1154-1157.	7.2	12
69	First Results of the Risk-Adapted, MRD-Stratified GMALL Trial 08/2013 in 705 Adults with Newly Diagnosed Acute Lymphoblastic Leukemia/Lymphoma (ALL/LBL). Blood, 2021, 138, 362-362.	1.4	12
70	UBTF::ATXN7L3 gene fusion defines novel B cell precursor ALL subtype with CDX2 expression and need for intensified treatment. Leukemia, 2022, 36, 1676-1680.	7.2	12
71	Prospective evaluation of the Septi <scp>FAST</scp> multiplex realâ€time <scp>PCR</scp> assay for surveillance and diagnosis of infections in haematological patients after allogeneic stem cell transplantation compared to routine microbiological assays and an inâ€house realâ€time <scp>PCR</scp> method. Mycoses. 2017. 60. 781-788.	4.0	11
72	Palate Destruction by Aspergillus. New England Journal of Medicine, 1997, 337, 241-241.	27.0	10

#	Article	IF	CITATIONS
73	Carboxypeptidase G2 Rescue in a 79 Year-Old Patient with Cranial Lymphoma after High-Dose Methotrexate Induced Acute Renal Failure. Leukemia and Lymphoma, 1999, 35, 631-635.	1.3	10
74	Molecular analysis of the t(2;8)/ <i>MYC–IGK</i> translocation in highâ€grade lymphoma/leukemia by longâ€distance inverse PCR. Genes Chromosomes and Cancer, 2012, 51, 290-299.	2.8	10
75	MDR-1 Expression and Deletions of Chromosomes 7 and 5(Q) Separately Indicate Adverse Prognosis in AML. Leukemia and Lymphoma, 2001, 40, 613-623.	1.3	9
76	No genetic evidence for involvement of Deltaretroviruses in adult patients with precursor and mature T-cell neoplasms. Retrovirology, 2007, 4, 11.	2.0	8
77	Loss of CD22 expression and expansion of a CD22dim subpopulation in adults with relapsed/refractory B-lymphoblastic leukaemia after treatment with Inotuzumab-Ozogamicin. Annals of Hematology, 2021, 100, 2727-2732.	1.8	8
78	A PCR primer system for detecting oncoretroviruses based on conserved DNA sequence motifs of animal retroviruses and its application to human leukaemias and lymphomas. Journal of General Virology, 2001, 82, 2205-2213.	2.9	7
79	Pulmonary MRI at 3T: Non-enhanced pulmonary magnetic resonance Imaging Characterization Quotients for differentiation of infectious and malignant lesions. European Journal of Radiology, 2017, 89, 33-39.	2.6	6
80	Enhancing the differentiation of pulmonary lymphoma and fungal pneumonia in hematological patients using texture analysis in 3-T MRI. European Radiology, 2021, 31, 695-705.	4.5	6
81	Interim Results of a Multicenter, Single-Arm Study to Assess Blinatumomab in Adult Patients (pts) with Minimal Residual Disease (MRD) of B-Precursor (BCP) Acute Lymphoblastic Leukemia (GMALL-MOLACT1-BLINA). Blood, 2020, 136, 39-40.	1.4	6
82	Haemophagocytosis in bone marrow rhabdomyosarcoma. British Journal of Haematology, 1999, 105, 573-573.	2.5	5
83	Multi-Genomics of Relapsed B-Cell Precursor Acute Lymphoblastic Leukemia Reveals Three Distinct Genetic Clusters Characterized By Different Alterations. Blood, 2016, 128, 453-453.	1.4	4
84	Molecular Subgroups of T Cell Acute Lymphoblastic Leukemia in Adults Treated According to GMALL Protocols. Blood, 2020, 136, 37-38.	1.4	4
85	Aspergillus Sinusitis and Cerebral Aspergillosis. , 0, , 301-317.		3
86	Mutational Spectrum Of Adult T-ALL. Blood, 2013, 122, 828-828.	1.4	2
87	Molecular Subtypes with Distinct Clinical Phenotypes and Actionable Targets in Adult B Cell Precursor ALL Treatment According to GMALL Protocols. Blood, 2020, 136, 11-12.	1.4	2
88	Enigmatic meningitis in a patient with T cell lymphoma. Annals of Hematology, 2016, 95, 147-148.	1.8	1
89	Diagnostic Performance and Reliability of Non-Enhanced Imaging Characterization Quotients for the Differentiation of Infectious andÂMalignant Pulmonary Nodules in Hematological Patients Using 3T MRI. RoFo Fortschritte Auf Dem Gebiet Der Rontgenstrahlen Und Der Bildgebenden Verfahren, 2020, 192. 327-334.	1.3	1
90	High-dose glucocorticoid treatment of near-fatal bocavirus lung infection results in rapid recovery. ERJ Open Research, 2021, 7, 00060-2021.	2.6	1

#	Article	IF	CITATIONS
91	Cerebral Aspergillus Infections and Meningitis. , 2009, , 835-852.		1
92	HOX11L2 Genotyping Identifies Subset of Adult Thymic T-ALL with Inferior Outcome Blood, 2005, 106, 228-228.	1.4	1
93	The Identification of ERG Related Pathways Pinpoints to Mechanisms Implicated in the Inferior Outcome of Acute T-Lymphoblastic Leukemia (T-ALL) with High ERG Expression Blood, 2006, 108, 1828-1828.	1.4	0
94	Mutations in Specific NOTCH1 Domains Convey a Distinct Phenotype in Adult Acute T-Lymphoblastic Leukemia Blood, 2007, 110, 152-152.	1.4	0
95	Low Expression Of BCL11B Predicts Poor Overall Survival In Adult Standard Risk T-ALL. Blood, 2013, 122, 1362-1362.	1.4	0
96	FAT1 Expression and Mutation Status In Adult Acute Lymphoblastic Leukemia. Blood, 2013, 122, 2564-2564.	1.4	0
97	Non-Functional ("haploinsufficient"), but Not Dominant Negative Clonal IKZF1 Deletions Confer an Adverse Prognosis in Adult BCR-ABL-Negative Acute Lymphoblastic Leukemia. Blood, 2015, 126, 2617-2617.	1.4	0
98	Genomic Profiling Reveals Gain of Mutations in Histone Methylation Regulators in Relapsed Adult B Cell Precursor ALL. Blood, 2015, 126, 2625-2625.	1.4	0