

Takayuki Kato

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1839957/publications.pdf>

Version: 2024-02-01

10
papers

180
citations

1478505

6
h-index

1474206

9
g-index

11
all docs

11
docs citations

11
times ranked

318
citing authors

#	ARTICLE	IF	CITATIONS
1	Lubiprostone improves intestinal permeability in humans, a novel therapy for the leaky gut: A prospective randomized pilot study in healthy volunteers. PLoS ONE, 2017, 12, e0175626.	2.5	41
2	The protective effect of <i>Bifidobacterium bifidum</i> G9-1 against mucus degradation by <i>Akkermansia muciniphila</i> following small intestine injury caused by a proton pump inhibitor and aspirin. Gut Microbes, 2020, 11, 1385-1404.	9.8	40
3	Small bowel injury in low-dose aspirin users. Journal of Gastroenterology, 2015, 50, 378-386.	5.1	37
4	Lubiprostone in patients with non-alcoholic fatty liver disease: a randomised, double-blind, placebo-controlled, phase 2a trial. The Lancet Gastroenterology and Hepatology, 2020, 5, 996-1007.	8.1	22
5	Complications of Non-Alcoholic Fatty Liver Disease in Extrahepatic Organs. Diagnostics, 2020, 10, 912.	2.6	15
6	Effectiveness of Naldemedine Compared with Magnesium Oxide in Preventing Opioid-Induced Constipation: A Randomized Controlled Trial. Cancers, 2022, 14, 2112.	3.7	11
7	Distribution of liver stiffness in non-alcoholic fatty liver disease with higher fibrosis index than low cut-off index. Journal of Gastroenterology and Hepatology (Australia), 2019, 34, 1411-1416.	2.8	6
8	Efficacy, safety, and tolerability of lubiprostone for the treatment of non-alcoholic fatty liver disease in adult patients with constipation: The LUBIPRONE, double-blind, randomised, placebo-controlled study design. Contemporary Clinical Trials, 2018, 69, 40-47.	1.8	4
9	Comparing the effectiveness of magnesium oxide and naldemedine in preventing opioid-induced constipation: a proof of concept, single institutional, two arm, open-label, phase II, randomized controlled trial: the MAGNET study. Trials, 2020, 21, 453.	1.6	4
10	Successful resection of a 16-cm half-circumferential lesion at the greater curvature of the stomach using the endoscopic submucosal large-tunnel method. Endoscopy, 0, , .	1.8	0