

Chongtu Yang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/184039/publications.pdf>

Version: 2024-02-01

35
papers

458
citations

840776

11
h-index

794594

19
g-index

35
all docs

35
docs citations

35
times ranked

640
citing authors

#	ARTICLE	IF	CITATIONS
1	COVID-19 patients with hypertension have more severe disease: a multicenter retrospective observational study. <i>Hypertension Research</i> , 2020, 43, 824-831.	2.7	151
2	Sarcopenia in Patients with Cirrhosis after Transjugular Intrahepatic Portosystemic Shunt Placement. <i>Radiology</i> , 2022, 303, 711-719.	7.3	43
3	Myocardial injury and risk factors for mortality in patients with COVID-19 pneumonia. <i>International Journal of Cardiology</i> , 2021, 326, 230-236.	1.7	34
4	Apatinib Plus Camrelizumab With/Without Chemoembolization for Hepatocellular Carcinoma: A Real-World Experience of a Single Center. <i>Frontiers in Oncology</i> , 2021, 11, 835889.	2.8	32
5	Microwave ablation combined with anti-PD-1 therapy enhances systemic antitumor immunity in a multitumor murine model of Hepa1-6. <i>International Journal of Hyperthermia</i> , 2022, 39, 278-286.	2.5	19
6	The combination of balloon-assisted antegrade transvenous obliteration and transjugular intrahepatic portosystemic shunt for the management of cardiopulmonary varices hemorrhage. <i>European Journal of Gastroenterology and Hepatology</i> , 2020, 32, 656-662.	1.6	15
7	Potential Benefits of Underdilation of 8-mm Covered Stent in Transjugular Intrahepatic Portosystemic Shunt Creation. <i>Clinical and Translational Gastroenterology</i> , 2021, 12, e00376.	2.5	14
8	The clinical course and prognostic factors of severe COVID-19 in Wuhan, China. <i>Medicine (United States)</i> , 2020, 99, e200000.	1.0	13
9	Effect of Inhibiting Tumor Angiogenesis After Embolization in the Treatment of HCC with Apatinib-Loaded p(N-Isopropyl-Acrylamide-co-Butyl Methyl Acrylate) Temperature-Sensitive Nanogel. <i>Journal of Hepatocellular Carcinoma</i> , 2020, Volume 7, 447-456.	3.7	13
10	Apatinib-loaded CalliSpheres Beads for embolization in a rabbit VX2 liver tumor: characterization <i>in vitro</i> , pharmacokinetics and tumor response <i>in vivo</i> . <i>Drug Delivery</i> , 2020, 27, 1301-1307.	5.7	12
11	Impact of TIPS on Splenic Volume and Thrombocytopenia. <i>American Journal of Roentgenology</i> , 2021, 216, 698-703.	2.2	12
12	Late combination of transarterial chemoembolization with apatinib and camrelizumab for unresectable hepatocellular carcinoma is superior to early combination. <i>BMC Cancer</i> , 2022, 22, 335.	2.6	12
13	Effect of splenectomy on the outcomes in patients with cirrhosis receiving transjugular intrahepatic portosystemic shunt. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2021, 36, 2893-2902.	2.8	10
14	Development and Validation of Prognostic Models to Estimate the Risk of Overt Hepatic Encephalopathy After TIPS Creation: A Multicenter Study. <i>Clinical and Translational Gastroenterology</i> , 2022, 13, e00461.	2.5	10
15	FIPS Score for Prediction of Survival After TIPS Placement: External Validation and Comparison With Traditional Risk Scores in a Cohort of Chinese Patients With Cirrhosis. <i>American Journal of Roentgenology</i> , 2022, 219, 255-267.	2.2	9
16	Drug-Eluting Beads versus Lipiodol Transarterial Chemoembolization for the Treatment of Hypovascular Hepatocellular Carcinoma: A Single-Center Retrospective Study. <i>Cancer Management and Research</i> , 2020, Volume 12, 5461-5468.	1.9	8
17	Elevated carcinoembryonic antigen in patients with COVID-19 pneumonia. <i>Journal of Cancer Research and Clinical Oncology</i> , 2020, 146, 3385-3388.	2.5	8
18	The combination of Child-Pugh score and quantitative CT-based spleen volume could predict the risk of hepatic encephalopathy after transjugular intrahepatic portosystemic shunt creation. <i>Abdominal Radiology</i> , 2021, 46, 3464-3470.	2.1	7

#	ARTICLE	IF	CITATIONS
19	Two-step complete splenic artery embolization for the management of symptomatic sinistral portal hypertension. <i>Scandinavian Journal of Gastroenterology</i> , 2022, 57, 78-84.	1.5	7
20	Comparison of DEB-TACE and cTACE for the initial treatment of unresectable hepatocellular carcinoma beyond up-to-seven criteria: A single-center propensity score matching analysis. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2022, 46, 101893.	1.5	7
21	Transarterial chemoembolization of unresectable systemic chemotherapy refractory liver metastases: a retrospective single-center analysis. <i>Abdominal Radiology</i> , 2020, 45, 2862-2870.	2.1	5
22	A new choice of stent for transjugular intrahepatic portosystemic shunt creation: Viabahn ePTFE covered stent/bare metal stent combination. <i>Journal of Interventional Medicine</i> , 2021, 4, 32-38.	0.5	3
23	Increased Liquefactive Necrosis Formation After Transarterial Chemoembolization Combined with Molecular Targeted Agents Plus Immune Checkpoint Inhibitors for Hepatocellular Carcinoma. <i>Cancer Management and Research</i> , 2021, Volume 13, 6935-6941.	1.9	3
24	Thoracic Endovascular Aortic Repair for Retrograde Type A Intramural Hematoma With Intimal Disruption in the Descending Aorta. <i>Journal of Endovascular Therapy</i> , 2022, 29, 724-730.	1.5	3
25	Covered vs. uncovered self-expandable metal stents for palliation of malignant afferent loop obstruction: a multicenter study. <i>Scandinavian Journal of Gastroenterology</i> , 2022, 57, 364-370.	1.5	2
26	Endovascular repair of traumatic aortic dissection: a single-center experience. <i>Reviews in Cardiovascular Medicine</i> , 2021, 22, 1029.	1.4	1
27	Liver fibrosis promotes immunity escape but limits the size of liver tumor in a rat orthotopic transplantation model. <i>Scientific Reports</i> , 2021, 11, 22846.	3.3	1
28	Donafenib-Loaded Callispheres Beads Embolization in a VX2 Liver Tumor: Investigating Efficacy, Safety, and Improvement of Tumor Angiogenesis After Embolization. <i>Journal of Hepatocellular Carcinoma</i> , 2021, Volume 8, 1525-1535.	3.7	1
29	Management of spontaneous isolated intramural hematoma of the superior mesenteric artery: a single-center experience. <i>Langenbeck's Archives of Surgery</i> , 2022, , 1.	1.9	1
30	Transjugular intrahepatic portosystemic shunt in patients with autoimmune hepatitis-induced cirrhosis and variceal bleeding. <i>Abdominal Radiology</i> , 2022, 47, 1464-1472.	2.1	1
31	Natural History and Influence on Long-term Outcomes of Isolated Type II Endoleak after Endovascular Aneurysm Repair: A 10-year Experience at a Single Center. <i>Reviews in Cardiovascular Medicine</i> , 2022, 23, 099.	1.4	1
32	Balloon tamponade sequentially combined with TIPS for refractory acute variceal bleeding: efficacy, safety and procedural techniques. <i>Chinese Journal of Academic Radiology</i> , 2021, 4, 88-97.	0.6	0
33	Quantitative analysis based on chest CT classifies common and severe patients with coronavirus disease 2019 pneumonia in Wuhan, China. <i>Chinese Journal of Academic Radiology</i> , 2021, 4, 160-168.	0.6	0
34	Reply to "Factors in Spleen Size After TIPS Placement". <i>American Journal of Roentgenology</i> , 2021, 217, 1013-1013.	2.2	0
35	Letter: does early transjugular intrahepatic portosystemic shunt really have no effect on survival in high-risk patients with oesophageal variceal bleeding?. <i>Alimentary Pharmacology and Therapeutics</i> , 2020, 52, 1270-1271.	3.7	0