

Maria Saarela

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1841285/publications.pdf>

Version: 2024-02-01

238
papers

9,075
citations

57758

44
h-index

42399

92
g-index

244
all docs

244
docs citations

244
times ranked

9453
citing authors

#	ARTICLE	IF	CITATIONS
1	Assessment of the feed additive consisting of <i>Lactococcus lactis</i> DSM 11037 for all animal species for the renewal of its authorisation (Chr. Hansen A/S). EFSA Journal, 2022, 20, e07241.	1.8	1
2	Assessment of the feed additive consisting of <i>Lactococcus lactis</i> NCIMB 30117 for all animal species for the renewal of its authorisation (Chr. Hansen A/S). EFSA Journal, 2022, 20, e07243.	1.8	1
3	Assessment of the feed additive consisting of endo-1,4- α -xylanase produced by <i>Trichoderma reesei</i> CBS 114044 (ECONASE [®] XT) for piglets (weaned), chickens reared for laying, chickens for fattening, turkeys for fattening and turkeys reared for breeding for the renewal of its authorisation (Roal Oy). EFSA Journal, 2021, 19, e06458.	1.8	4
4	Assessment of the feed additive consisting of <i>Enterococcus faecium</i> DSM 7134 (Bonvital [®]) for chickens for fattening for the renewal of its authorisation (Lactosan GmbH & Co. KG). EFSA Journal, 2021, 19, e06451.	1.8	3
5	Safety and efficacy of the feed additive consisting of Vitamin B2/Riboflavin produced by <i>Eremothecium ashbyi</i> CCTCCM 2019833 for all animal species (Hubei Guangji Pharmaceutical Co., Ltd). EFSA Journal, 2021, 19, e06462.	1.8	3
6	Safety and efficacy of the feed additive consisting of <i>Bacillus licheniformis</i> DSM 28710 (Bact [®]) for laying hens, minor poultry species for laying, poultry species for breeding purposes and ornamental birds (HuvePharma N.V.). EFSA Journal, 2021, 19, e06449.	1.8	2
7	Safety and efficacy of a feed additive consisting of serine protease produced by <i>Bacillus licheniformis</i> DSM 19670 (Ronozyme [®] ProAct) for chickens for fattening (DSM Nutritional Products Ltd.). EFSA Journal, 2021, 19, e06448.	1.8	1
8	Safety and efficacy of the additive consisting of muramidase produced by <i>Trichoderma reesei</i> DSM 32338 (Balancius [®] , Φ) for use in weaned piglets (DSM Nutritional products Ltd). EFSA Journal, 2021, 19, e06452.	1.8	0
9	Safety and efficacy of a feed additive consisting on <i>Ligilactobacillus animalis</i> ATCC PTA [®] 6750 (formerly) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50	1.8	0
10	Safety and efficacy of the feed additive consisting of <i>Clostridium butyricum</i> FERM BP [®] 2789 (Miyas [®] Gold [®]) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 breeding, minor avian species (excluding laying birds), piglets (suckling and weaned) and minor porcine species (Miyarisan Pharmaceutical Co. Ltd.). EFSA Journal, 2021, 19, e06450.	1.8	2
11	Safety and efficacy of the feed additive consisting of L-tryptophan produced by <i>Escherichia coli</i> KCCM 80210 for all animal species (Daesang Europe BV). EFSA Journal, 2021, 19, e06425.	1.8	1
12	Safety and efficacy of a feed additive consisting of L-valine produced by <i>Corynebacterium glutamicum</i> CGMCC 7.366 for all animal species (Ningxia Eppen Biotech Co., Ltd.). EFSA Journal, 2021, 19, e06521.	1.8	1
13	Safety and efficacy of a feed additive consisting of <i>Bacillus velezensis</i> PTA [®] 6507, <i>B. velezensis</i> NRRL B [®] 50013 and <i>B. velezensis</i> NRRL B [®] 50104 (Enviva [®] PRO 202 GT) for turkeys for fattening (Danisco Animal) Tj ETQq1 1 0.784314	1.8	0
14	Safety and efficacy of a feed additive consisting of endo-1,4- α -xylanase (ECONASE [®] XT) produced by <i>Trichoderma reesei</i> CBS 140027 as a feed additive for piglets (weaned), pigs for fattening, chickens for fattening, chickens reared for laying, laying hens, turkeys for fattening, turkeys reared for breeding and minor poultry species (Roal Oy). EFSA Journal, 2021, 19, e06536.	1.8	1
15	Safety and efficacy of a feed additive consisting on the bacteriophages PCM F/00069, PCM F/00070, PCM F/00071 and PCM F/00097 infecting <i>Salmonella Gallinarum</i> B/00111 (Bafasal [®]) for all avian species (Proteon Pharmaceuticals S.A.). EFSA Journal, 2021, 19, e06534.	1.8	7
16	Assessment of the feed additive consisting of <i>Lactiplantibacillus plantarum</i> (formerly <i>Lactobacillus</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	1.8	3
17	Assessment of the feed additive consisting of <i>Lactiplantibacillus plantarum</i> (formerly <i>Lactobacillus</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50	1.8	0
18	Assessment of the feed additive consisting of <i>Lactiplantibacillus plantarum</i> (formerly <i>Lactobacillus</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	1.8	0

#	ARTICLE	IF	CITATIONS
19	Safety and efficacy of the feed additive consisting of <i>Bacillus velezensis</i> ACECT 5940 (Ecobio [®]) for turkeys for fattening, turkeys reared for breeding, minor poultry species for fattening and reared for laying and ornamental birds (Evonik Operations GmbH). EFSA Journal, 2021, 19, e06620.	1.8	1
20	Assessment of the feed additive consisting of <i>Pediococcus pentosaceus</i> DSM 12834 for all animal species for the renewal of its authorisation (Lactosan GmbH & Co KG). EFSA Journal, 2021, 19, e06713.	1.8	1
21	Safety and efficacy of a feed additive consisting of <i>Lactiplantibacillus plantarum</i> (formerly) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 627 Td	1.8	3
22	Safety and efficacy of a feed additive consisting of <i>Lactiplantibacillus plantarum</i> (formerly) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 627 Td	1.8	2
23	Assessment of the feed additive consisting of <i>Lentilactobacillus buchneri</i> (formerly <i>Lactobacillus</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 627 Td	1.8	19
24	Safety and efficacy of a feed additive consisting of <i>Lacticaseibacillus rhamnosus</i> (formerly) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 547 Td	1.8	2
25	Assessment of the feed additive consisting of <i>Pediococcus acidilactici</i> DSM 16243 for all animal species for the renewal of its authorisation (Lactosan GmbH & Co.KG). EFSA Journal, 2021, 19, e06697.	1.8	1
26	Safety and efficacy of a feed additive consisting of <i>Pediococcus pentosaceus</i> IMI 507024 for all animal species (ALLTECHNOLOGY (IRELAND) LIMITED [Alltech Ireland]). EFSA Journal, 2021, 19, e06701.	1.8	1
27	Safety and efficacy of a feed additive consisting of <i>Lactiplantibacillus plantarum</i> (formerly) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 627 Td	1.8	3
28	Safety and efficacy of a feed additive consisting of <i>Pediococcus pentosaceus</i> IMI 507025 for all animal species (ALLTECHNOLOGY (IRELAND) LIMITED [Alltech Ireland]). EFSA Journal, 2021, 19, e06702.	1.8	1
29	Effect of silage juice feeding on pig production performance, meat quality and gut microbiome. Livestock Science, 2021, , 104728.	1.6	5
30	Safety and efficacy of a feed additive consisting of <i>Lactiplantibacillus plantarum</i> (formerly) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 307 Td e06898.	1.8	0
31	Assessment of the feed additive consisting of <i>Levilactobacillus brevis</i> (formerly <i>Lactobacillus brevis</i>) DSM 12835 EU for all animal species for the renewal of its authorisation (Lactosan GmbH & Co KG). EFSA Journal, 2021, 19, e06900.	1.8	1
32	Safety and efficacy of a feed additive consisting of <i>Lacticaseibacillus rhamnosus</i> (formerly) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 227 Td (Lactosan GmbH & Co. KG). EFSA Journal, 2021, 19, e06901.	1.8	3
33	Assessment of the feed additive consisting of <i>Lacticaseibacillus paracasei</i> (formerly <i>Lactobacillus</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 627 Td	1.8	0
34	Safety and efficacy of a feed additive consisting of <i>Bacillus subtilis</i> strains CNCM 4606, CNCM 5043 and CNCM 4607 and <i>Lactococcus lactis</i> CNCM 4609 for all animal species (Nolivade). EFSA Journal, 2021, 19, e06907.	1.8	2
35	Safety and efficacy of monosodium L-glutamate monohydrate produced by <i>Corynebacterium glutamicum</i> KCCM 80188 as a feed additive for all animal species. EFSA Journal, 2020, 18, e06085.	1.8	4
36	Safety and efficacy of Sorbiflore [®] ADVANCE (<i>Lactobacillus rhamnosus</i> CNCM 3698 and <i>Lactobacillus</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 627 Td	1.8	3

#	ARTICLE	IF	CITATIONS
37	Safety and efficacy of Correlink [®] , [®] ABS747 Bacillus subtilis (Bacillus velezensis NRRL Bâ€67257) as a feed additive for all growing poultry species. EFSA Journal, 2020, 18, e06278.	1.8	3
38	Safety and efficacy of Bacillus subtilisPB6 (Bacillus velezensisATCC PTAâ€6737) as a feed additive for chickens for fattening, chickens reared for laying, minor poultry species (except for laying purposes), ornamental, sporting and game birds. EFSA Journal, 2020, 18, e06280.	1.8	7
39	Safety and efficacy of Aextra [®] XAP 104 TPT (endoâ€1,4â€xylanase, protease and alphaâ€amylase) as a feed additive for chickens for fattening, laying hens and minor poultry species. EFSA Journal, 2020, 18, e06165.	1.8	1
40	Safety and efficacy of Lactobacillus parafarraginis DSM 32962 as a silage additive for all animal species. EFSA Journal, 2020, 18, e06201.	1.8	12
41	Safety and efficacy of l-tryptophan produced by fermentation with Escherichia coli KCCM 10534 for all animal species. EFSA Journal, 2020, 18, e06071.	1.8	1
42	Assessment of the application for renewal of authorisation of l-histidine monohydrochloride monohydrate produced with Escherichia coli NITE SD 00268 for salmonids and its extension of use to other fin fish. EFSA Journal, 2020, 18, e06072.	1.8	2
43	Safety and efficacy of Sorbiflore [®] ADVANCE (Lactobacillus rhamnosus CNCM lâ€3698 and Lactobacillus) Tj ETQq1 1 0.784314 rgBT	1.8	3
44	Safety and efficacy of l-valine produced by fermentation using Corynebacterium glutamicumCGMCC 7.358 as a feed additive for all animal species. EFSA Journal, 2020, 18, e06286.	1.8	2
45	Safety and efficacy of concentrated liquid l-lysine (base) and l-lysine monohydrochloride produced by fermentation with Corynebacterium casei KCCM 80190 as feed additives for all animal species. EFSA Journal, 2020, 18, e06285.	1.8	6
46	Safety and efficacy of Correlink [®] , [®] ABS1781 Bacillus subtilis (Bacillus velezensisNRRL Bâ€67259) as a feed additive for all growing poultry species. EFSA Journal, 2020, 18, e06279.	1.8	2
47	Safety and Efficacy of l-histidine monohydrochloride monohydrate produced by fermentation using Escherichia coli KCCM 80212 as a feed additive for all animal species. EFSA Journal, 2020, 18, e06287.	1.8	1
48	Safety and efficacy of GalliPro [®] Fit (Bacillus subtilis DSM 32324, Bacillus subtilis DSM 32325 and) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 laying/breeding. EFSA Journal, 2020, 18, e06094.	1.8	4
49	Safety and efficacy of Lactobacillus rhamnosus CNCM lâ€3698 and Lactobacillus farciminis CNCM lâ€3699 as a feed additive for all animal species. EFSA Journal, 2020, 18, e06082.	1.8	5
50	Safety and efficacy of Biacton [®] (Lactobacillus farciminis CNCM lâ€3740) as a feed additive for chickens for fattening, turkeys for fattening and laying hens. EFSA Journal, 2020, 18, e06083.	1.8	2
51	Safety and efficacy of l-valine produced by fermentation using Escherichia coli KCCM 80159 for all animal species. EFSA Journal, 2020, 18, e06074.	1.8	4
52	Safety and efficacy of OptiPhos [®] PLUS for poultry species for fattening, minor poultry species reared for breeding and ornamental birds. EFSA Journal, 2020, 18, e06141.	1.8	3
53	Safety and efficacy of Biacton [®] (Lactobacillus farciminis CNCM lâ€3740) as a feed additive for weaned piglets. EFSA Journal, 2020, 18, e06084.	1.8	0
54	Safety and efficacy of l-lysine monohydrochloride and l-lysine sulfate produced using Corynebacterium glutamicum CGMCC 7.266 for all animal species. EFSA Journal, 2020, 18, e06019.	1.8	8

#	ARTICLE	IF	CITATIONS
55	Safety and efficacy of L-iso-leucine produced by fermentation with <i>Corynebacterium glutamicum</i> KCCM 80189 for all animal species. EFSA Journal, 2020, 18, e06021.	1.8	4
56	Safety and efficacy of L-tryptophan produced by fermentation using <i>Escherichia coli</i> CGMCC 7.267 for all animal species. EFSA Journal, 2020, 18, e06013.	1.8	1
57	Safety and efficacy of L-cystine produced using <i>Pantoea ananatis</i> strain NITE BP02525 for all animal species. EFSA Journal, 2020, 18, e06020.	1.8	0
58	Safety and efficacy of TechnoSpore® (Bacillus coagulans DSM 32016) for piglets, other growing Suidae, chickens for fattening, other poultry for fattening and ornamental birds. EFSA Journal, 2020, 18, e06158.	1.8	1
59	Safety and efficacy of OptiPhos® PLUS (6 phytase) for laying hens, turkeys for breeding, chickens for breeding, minor poultry species for egg production purposes and breeding. EFSA Journal, 2020, 18, e06161.	1.8	1
60	Assessment of the application for renewal of the authorisation of <i>Pediococcus pentosaceus</i> DSM 16244 as a feed additive for all animal species. EFSA Journal, 2020, 18, e06166.	1.8	5
61	Diets naturally rich in polyphenols and/or long-chain n-3 polyunsaturated fatty acids differently affect microbiota composition in high-cardiometabolic-risk individuals. Acta Diabetologica, 2020, 57, 853-860.	2.5	40
62	Safety and efficacy of L-glutamine produced using <i>Corynebacterium glutamicum</i> NITE BP02524 for all animal species. EFSA Journal, 2020, 18, e06075.	1.8	5
63	Safety and efficacy of L-cysteine hydrochloride monohydrate produced by fermentation using <i>Escherichia coli</i> KCCM 80180 and <i>Escherichia coli</i> KCCM 80181 as a flavouring additive for all animal species. EFSA Journal, 2020, 18, e06003.	1.8	1
64	Safety and efficacy of Avizyme® 1505 (endo-1,4-beta-xylanase, subtilisin and alpha-amylase) for all poultry species. EFSA Journal, 2020, 18, e06027.	1.8	0
65	Safety and efficacy of L-lysine monohydrochloride produced by fermentation with <i>Corynebacterium glutamicum</i> DSM 32932 for all animal species. EFSA Journal, 2020, 18, e06078.	1.8	8
66	Assessment of the application for renewal of the authorisation of Calsporin® (Bacillus) Tj ETQq0 0 0 rgBT /Overlock_10 Tf 50_302 Td (v	1.8	4
67	Safety and efficacy of L-lysine monohydrochloride and concentrated liquid L-lysine (base) produced by fermentation with <i>Corynebacterium glutamicum</i> KCTC 12307BP as feed additives for all animal species. EFSA Journal, 2020, 18, e06333.	1.8	5
68	Assessment of the application for renewal of authorisation of AveMix® XG 10 (endo-1,4-beta-xylanase) Tj ETQq0 0 0 rgBT /Overlo	1.8	0
69	Assessment of the application for renewal of the authorisation of Actisaf® Sc 47 (<i>Saccharomyces</i>) Tj ETQq1 1 0.784314 rgBT /Overlo	1.8	1
70	Safety and efficacy of <i>Lactobacillus buchneri</i> DSM 29026 as a silage additive for all animal species. EFSA Journal, 2020, 18, e06159.	1.8	1
71	Safety and efficacy of L-lysine monohydrochloride and concentrated liquid L-lysine (base) produced by fermentation with <i>Corynebacterium glutamicum</i> KCCM 80216 as feed additive for all animal species. EFSA Journal, 2020, 18, e06334.	1.8	1
72	Safety of vitamin B12 (in the form of cyanocobalamin) produced by <i>Ensifer adhaerens</i> CNCM 5541 for all animal species. EFSA Journal, 2020, 18, e06335.	1.8	1

#	ARTICLE	IF	CITATIONS
73	Safety and efficacy of l-threonine produced using Escherichia coli CGMCC 13325 as a feed additive for all animal species. EFSA Journal, 2020, 18, e06332.	1.8	0
74	Assessment of the application for renewal of authorisation of endo-1,4- α -xylanase produced by Aspergillus niger CBS 109.713 and endo-1,4- α -glucanase produced by Aspergillus niger DSM 18404 for poultry species, ornamental birds and weaned piglets, from BASF SE. EFSA Journal, 2020, 18, e06331.	1.8	0
75	Assessment of the application for renewal of authorisation of 6-phytase produced by Trichoderma reesei CBS 122001 as a feed additive for pigs and poultry, from Roal Oy. EFSA Journal, 2020, 18, e06336.	1.8	0
76	Safety and efficacy of l-cysteine monohydrochloride monohydrate produced by fermentation using Escherichia coli KCCM 80109 and Escherichia coli KCCM 80197 for all animal species. EFSA Journal, 2020, 18, e06101.	1.8	1
77	Safety and efficacy of Nutrase P (6-phytase) for chickens for fattening, other poultry for fattening, reared for laying and ornamental birds. EFSA Journal, 2020, 18, e06282.	1.8	1
78	Qualification of tropical fruit-derived Lactobacillus plantarum strains as potential probiotics acting on blood glucose and total cholesterol levels in Wistar rats. Food Research International, 2019, 124, 109-117.	6.2	26
79	Safety and efficacy of l-histidine monohydrochloride monohydrate produced using Corynebacterium glutamicum KCCM 80172 for all animal species. EFSA Journal, 2019, 17, e05783.	1.8	5
80	Safety and efficacy of l-histidine monohydrochloride monohydrate produced by fermentation with Escherichia coli (NITE BP-02526) for all animal species. EFSA Journal, 2019, 17, e05785.	1.8	2
81	Safety and efficacy of Bacillus licheniformis DSM 32457 as a silage additive for all animal species. EFSA Journal, 2019, 17, e05787.	1.8	2
82	Safety and efficacy of l-tryptophan produced by fermentation with Escherichia coli KCCM 80135 for all animal species. EFSA Journal, 2019, 17, e05694.	1.8	5
83	Safety and efficacy of l-tryptophan produced by fermentation with Escherichia coli KCCM 80152 for all animal species. EFSA Journal, 2019, 17, e05695.	1.8	5
84	Safety and efficacy of Hemicellulose (endo-1,4- α -mannanase) as a feed additive for chickens for fattening or reared for laying, turkeys for fattening or reared for breeding and minor poultry species. EFSA Journal, 2019, 17, e05641.	1.8	0
85	Safety and efficacy of APSA PHYTA FEED [®] 20,000 GR/L (6-phytase) as a feed additive for chickens for fattening, chickens reared for laying and minor growing poultry species. EFSA Journal, 2019, 17, e05692.	1.8	6
86	Safety and efficacy of Procion forte [®] (Bacillus subtilis KCCM 10941P and Bacillus coagulans KCCM) Tj ETQq0 0 0 rgBT /Overlock 10 T	1.8	0
87	Safety and efficacy of Lactobacillus reuteri NBF-2 (DSM 32264) as a feed additive for cats. EFSA Journal, 2019, 17, e05526.	1.8	2
88	Assessment of the application for renewal of authorisation of Natugrain [®] Wheat TS and TS L (endo-1,4- β -xylanase) as a feed additive for chickens for fattening, ducks, turkeys for fattening, turkeys reared for breeding, minor avian species (except ducks and laying birds) and ornamental birds. EFSA Journal, 2019, 17, e05652.	1.8	2
89	Safety and efficacy of l-leucine produced by fermentation with Escherichia coli NITE BP-02351 for all animal species. EFSA Journal, 2019, 17, e05689.	1.8	1
90	Safety and efficacy of l-arginine produced by fermentation with Corynebacterium glutamicum KCCM 80182 for all animal species. EFSA Journal, 2019, 17, e05696.	1.8	0

#	ARTICLE	IF	CITATIONS
91	A Small In Vitro Fermentation Model for Screening the Gut Microbiota Effects of Different Fiber Preparations. <i>International Journal of Molecular Sciences</i> , 2019, 20, 1925.	4.1	38
92	Safety and efficacy of L-tryptophan produced by fermentation with <i>Escherichia coli</i> CGMCC 7.248 for all animal species. <i>EFSA Journal</i> , 2019, 17, e05601.	1.8	5
93	Assessment of the application for renewal of authorisation of Bonvital® (<i>Enterococcus faecium</i> DSM) Tj ETQq1 1.0.784314 rgBT /Overlock 10 Tf 50 517 7d	1.8	5
94	Assessment of the application for renewal of the authorisation of Natuphos (α-phytase) as a feed additive for poultry and pigs. <i>EFSA Journal</i> , 2019, 17, e05640.	1.8	1
95	Safety and efficacy of Actisaf® Sc47 (<i>Saccharomyces cerevisiae</i> CNCM 44407) as a feed additive for cattle for fattening, dairy cows, weaned piglets and sows. <i>EFSA Journal</i> , 2019, 17, e05600.	1.8	2
96	Safety and efficacy of L-threonine produced by fermentation with <i>Corynebacterium glutamicum</i> for all animal species. <i>EFSA Journal</i> , 2019, 17, e05603.	1.8	2
97	Safety and efficacy of Probiotic Lactina® (<i>Enterococcus faecium</i> NBIMCC 8270,) Tj ETQq1 1.0.784314 rgBT /Overlock 10 Tf 50 517 7d and weaned rabbits. <i>EFSA Journal</i> , 2019, 17, e05646.	1.8	5
98	Safety and efficacy of Cinergy® Life B3 HiCon (<i>Bacillus amyloliquefaciens</i> NRRL B50508,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 467 7d fattening and minor porcine species. <i>EFSA Journal</i> , 2019, 17, e05647.	1.8	2
99	Safety and efficacy of L-methionine produced by fermentation with <i>Corynebacterium glutamicum</i> KCCM 80184 and <i>Escherichia coli</i> KCCM 80096 for all animal species. <i>EFSA Journal</i> , 2019, 17, e05917.	1.8	4
100	Assessment of the application for renewal of authorisation of ECONASE® XT (endo-1,4-β-D-xylanase) as a feed additive for piglets (weaned), chickens for fattening, chickens reared for laying, turkeys for fattening and turkeys reared for breeding. <i>EFSA Journal</i> , 2019, 17, e05880.	1.8	2
101	Safety of L-threonine produced by fermentation with <i>Escherichia coli</i> CGMCC 11473 as a feed additive for all animal species. <i>EFSA Journal</i> , 2019, 17, e05885.	1.8	1
102	Safety and efficacy of <i>Lactobacillus reuteri</i> NBF41 (DSM 32203) as a feed additive for dogs. <i>EFSA Journal</i> , 2019, 17, e05524.	1.8	2
103	Safety and efficacy of Alterion NE® (<i>Bacillus subtilis</i> DSM 29784) as a feed additive for minor poultry species for fattening and reared for laying. <i>EFSA Journal</i> , 2018, 16, e05204.	1.8	1
104	Safety and efficacy of benzoic acid for pigs and poultry. <i>EFSA Journal</i> , 2018, 16, e05210.	1.8	2
105	The performance of five fruit-derived and freeze-dried potentially probiotic <i>Lactobacillus</i> strains in apple, orange, and grape juices. <i>Journal of the Science of Food and Agriculture</i> , 2018, 98, 5000-5010.	3.5	31
106	Safety and efficacy of <i>Pediococcus pentosaceus</i> DSM 32291 as a silage additive for all animal species. <i>EFSA Journal</i> , 2018, 16, e05202.	1.8	2
107	Antioxidative and antibacterial activities of aqueous ethanol extracts of berries, leaves, and branches of berry plants. <i>Food Research International</i> , 2018, 106, 291-303.	6.2	87
108	Safety and efficacy of sodium saccharin when used as a feed flavour for piglets, pigs for fattening, calves for rearing and calves for fattening. <i>EFSA Journal</i> , 2018, 16, e05208.	1.8	5

#	ARTICLE	IF	CITATIONS
109	Exploiting antagonistic activity of fruit-derived <i>Lactobacillus</i> to control pathogenic bacteria in fresh cheese and chicken meat. <i>Food Research International</i> , 2018, 108, 172-182.	6.2	44
110	Analysis of microbiota in first episode psychosis identifies preliminary associations with symptom severity and treatment response. <i>Schizophrenia Research</i> , 2018, 192, 398-403.	2.0	252
111	In Vitro Characterization of <i>Lactobacillus</i> Strains Isolated from Fruit Processing By-Products as Potential Probiotics. <i>Probiotics and Antimicrobial Proteins</i> , 2018, 10, 704-716.	3.9	63
112	Safety and efficacy of <i>Bacillus subtilis</i> DSM 28343 as a feed additive for piglets. <i>EFSA Journal</i> , 2018, 16, e05221.	1.8	2
113	Safety and efficacy of ponceau 4R for cats, dogs and ornamental fish. <i>EFSA Journal</i> , 2018, 16, e05222.	1.8	3
114	Safety and efficacy of Coxiril® (diclazuril) for pheasants. <i>EFSA Journal</i> , 2018, 16, e05196.	1.8	1
115	Safety and efficacy of EB15 10 (<i>Bacillus subtilis</i> DSM 25841) as a feed additive for weaned piglets and minor porcine species. <i>EFSA Journal</i> , 2018, 16, e05199.	1.8	1
116	Safety and efficacy of ZM16 10 (<i>Bacillus amyloliquefaciens</i> DSM 25840) as a feed additive for weaned piglets and minor porcine species. <i>EFSA Journal</i> , 2018, 16, e05200.	1.8	2
117	Safety and efficacy of natural mixtures of talc (steatite) and chlorite (E 560) as a feed additive for all animal species. <i>EFSA Journal</i> , 2018, 16, e05205.	1.8	0
118	Safety and efficacy of fumonisin esterase from <i>Komagataella phaffii</i> DSM 32159 as a technological feed additive for pigs and poultry. <i>EFSA Journal</i> , 2018, 16, e05269.	1.8	8
119	Safety and efficacy of L-arginine produced by fermentation using <i>Corynebacterium glutamicum</i> KCCM 10741P for all animal species. <i>EFSA Journal</i> , 2018, 16, e05277.	1.8	4
120	Safety and efficacy of Kelforce® (L-glutamic acid, N,N-diacetic acid, tetrasodium salt (GLDA·Na ₄)) as a feed additive for chickens for fattening. <i>EFSA Journal</i> , 2018, 16, e05279.	1.8	1
121	Safety and efficacy of ECONASE® XT (endo-1,4- β -xylanase) as a feed additive for laying hens. <i>EFSA Journal</i> , 2018, 16, e05216.	1.8	2
122	Safety and efficacy of Calsporin® (<i>Bacillus subtilis</i> DSM 15544) as a feed additive for pigs for fattening. <i>EFSA Journal</i> , 2018, 16, e05219.	1.8	4
123	Safety and efficacy of Hemicell® HT (endo-1,4- β -mannanase) as a feed additive for chickens for fattening, chickens reared for laying, turkey for fattening, turkeys reared for breeding, weaned piglets, pigs for fattening and minor poultry and porcine species. <i>EFSA Journal</i> , 2018, 16, e05270.	1.8	3
124	Safety and efficacy of Coxiril® (diclazuril) for chickens reared for laying. <i>EFSA Journal</i> , 2018, 16, e05195.	1.8	2
125	Safety and efficacy of <i>Lactococcus lactis</i> NCIMB 30160 as a feed additive for all animal species. <i>EFSA Journal</i> , 2018, 16, e05218.	1.8	1
126	Safety of natural mixture of dolomite plus magnesite and magnesium-phyllsilicates (Fluidol) for all animal species. <i>EFSA Journal</i> , 2018, 16, e05272.	1.8	1

#	ARTICLE	IF	CITATIONS
127	Scientific Opinion on the safety and efficacy of Aviax 5% (semduramicin sodium) for chickens for fattening. EFSA Journal, 2018, 16, e05341.	1.8	7
128	Safety and efficacy of ECONASE [®] XT (endo- α -1,4- β -xylanase) as a feed additive for pigs for fattening. EFSA Journal, 2018, 16, e05217.	1.8	2
129	Efficacy of Cylactin [®] (Enterococcus faecium NCIMB 10415) as a feed additive for pigs for fattening. EFSA Journal, 2018, 16, e05201.	1.8	1
130	Safety and efficacy of l-threonine produced by fermentation using Escherichia coli CGMCC 7.232 for all animal species. EFSA Journal, 2018, 16, e05458.	1.8	6
131	Safety and efficacy of Zinc-selenomethionine as feed additive for all animal species. EFSA Journal, 2018, 16, e05197.	1.8	5
132	Safety and efficacy of Bacillus subtilis DSM 28343 as a feed additive for calves for rearing. EFSA Journal, 2018, 16, e05220.	1.8	1
133	Safety and efficacy of l-arginine produced by fermentation with Escherichia coli NITE BP 02186 for all animal species. EFSA Journal, 2018, 16, e05276.	1.8	4
134	Safety and efficacy of Lactobacillus hilgardii CNCM I 4785 and Lactobacillus buchneri CNCM I 4323/NCIMB 40788 as a silage additive for all animal species. EFSA Journal, 2018, 16, e05455.	1.8	1
135	Safety and efficacy of cumin tincture (Cuminum cyminum L.) when used as a sensory additive for all animal species. EFSA Journal, 2018, 16, e05273.	1.8	3
136	Safety and efficacy of Coxar [®] (nicarbazin) for turkeys for fattening. EFSA Journal, 2018, 16, e05214.	1.8	1
137	Safety and efficacy of Amylofeed [®] (endo- α -1,3(4)- β -glucanase and endo- α -1,4- β -xylanase and β -amylase), as a feed additive for piglets and minor growing porcine species. EFSA Journal, 2018, 16, e05271.	1.8	1
138	Safety and efficacy of betaine anhydrous for food-producing animal species based on a dossier submitted by AB Vista. EFSA Journal, 2018, 16, e05335.	1.8	4
139	Safety and efficacy of COXAM [®] (amprolium hydrochloride) for chickens for fattening and chickens reared for laying. EFSA Journal, 2018, 16, e05338.	1.8	4
140	Safety and efficacy of vitamin B12 (in the form of cyanocobalamin) produced by Ensifer spp. as a feed additive for all animal species based on a dossier submitted by VITAC EEIG. EFSA Journal, 2018, 16, e05336.	1.8	13
141	Assessment of the application for renewal of authorisation of Actisaf [®] Sc47 (Saccharomyces) Tj ETQq1 1 0.784314 rgBT /Overlock 10 EFSA Journal, 2018, 16, e05339.	1.8	1
142	Assessment of the application for renewal of authorisation of Calsporin [®] (Bacillus subtilis DSM) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	1.8	4
143	Safety and efficacy of 3-phytase FL1000 as a feed additive for chickens reared for laying and minor poultry species. EFSA Journal, 2018, 16, e05203.	1.8	4
144	Guidance on the assessment of the efficacy of feed additives. EFSA Journal, 2018, 16, e05274.	1.8	293

#	ARTICLE	IF	CITATIONS
145	Safety and efficacy of Lactobacillus acidophilus D2/CSL (Lactobacillus acidophilus CECT 4529) as a feed additive for cats and dogs. EFSA Journal, 2018, 16, e05278.	1.8	3
146	Guidance on the characterisation of microorganisms used as feed additives or as production organisms. EFSA Journal, 2018, 16, e05206.	1.8	458
147	Safety and efficacy of butylated hydroxyanisole (BHA) as a feed additive for all animal species. EFSA Journal, 2018, 16, e05215.	1.8	9
148	Safety and efficacy of alpha-amylase from Bacillus amyloliquefaciens DSM 9553, Bacillus amyloliquefaciens NCIM 30251, Aspergillus oryzae CBS 585.94 and Aspergillus oryzae ATCC SD 5374, endo-1,4-beta-glucanase from Trichoderma reesei ATCC PTA 10001, Trichoderma reesei ATCC SD 6331 and Aspergillus niger CBS 120604, endo-1,4-beta-xylanase from Trichoderma koningii MUCL 39203 and Trichoderma citrinoviride CBS 614.94 and endo-1,3(4)-beta-glucanase from Aspergillus tubingensis MUCL 39199 as silage additives for. EFSA Journal, 2018, 16, e05224.	1.8	3
149	Modification of the terms of authorisation of lecithins as a feed additive for all animal species. EFSA Journal, 2018, 16, e05334.	1.8	1
150	Safety and efficacy of Taminizer D (dimethylglycine sodium salt) as a feed additive for chickens for fattening. EFSA Journal, 2018, 16, e05268.	1.8	4
151	Safety of vitamin B2 (80%) as riboflavin produced by Bacillus subtilis KCCM 10445 for all animal species. EFSA Journal, 2018, 16, e05223.	1.8	10
152	Safety and efficacy of vitamin B2 (riboflavin) produced by Ashbya gossypii DSM 23096 for all animal species based on a dossier submitted by BASF SE. EFSA Journal, 2018, 16, e05337.	1.8	8
153	Safety and efficacy of Bacillus subtilis KCCM 10673P and Aspergillus oryzae KCTC 10258BP when used as a technological feed additive for all animal species. EFSA Journal, 2018, 16, e05275.	1.8	2
154	Safety and efficacy of hydroxy analogue of methionine and its calcium salt (ADRY+®) for all animal species. EFSA Journal, 2018, 16, e05198.	1.8	7
155	Safety and efficacy of muramidase from Trichoderma reesei DSM 32338 as a feed additive for chickens for fattening and minor poultry species. EFSA Journal, 2018, 16, e05342.	1.8	5
156	Safety and efficacy of Sacox® microGranulate (salinomycin sodium) for rabbits for fattening. EFSA Journal, 2018, 16, e05209.	1.8	0
157	Assessment of the application for renewal of authorisation of Levucell® SC (Saccharomyces) Tj ETQq1 1 0.784314 g/BT / Overlock 10	1.8	1
158	Safety and efficacy of Hemicell® HT (endo-1,4-alpha-D-mannanase) as a feed additive for chickens for fattening, chickens reared for laying, turkey for fattening, turkeys reared for breeding, weaned piglets, pigs for fattening and minor poultry and porcine species. EFSA Journal, 2017, 15, e04677.	1.8	4
159	Safety and efficacy of Lactobacillus hilgardii CNCM 14785 as a silage additive for all animal species. EFSA Journal, 2017, 15, e04758.	1.8	2
160	Safety of L-tryptophan technically pure, produced by fermentation with Escherichia coli DSM 25084, KCCM 11132P and SARI12091203 for all animal species based on a dossier submitted by FEFANA Asbl. EFSA Journal, 2017, 15, e04712.	1.8	6
161	Safety and efficacy of Lactobacillus Acidophilus D2/CSL (Lactobacillus Acidophilus CECT 4529) as a feed additive for chickens for fattening. EFSA Journal, 2017, 15, e04762.	1.8	3
162	Safety and efficacy of L-threonine produced by fermentation with Escherichia coli CGMCC 11473 for all animal species. EFSA Journal, 2017, 15, e04939.	1.8	4

#	ARTICLE	IF	CITATIONS
163	Characterization of feather-degrading bacterial populations from birds'™ nests – Potential strains for biomass production for animal feed. <i>International Biodeterioration and Biodegradation</i> , 2017, 123, 262-268.	3.9	18
164	Guidance on the identity, characterisation and conditions of use of feed additives. <i>EFSA Journal</i> , 2017, 15, e05023.	1.8	272
165	Guidance on the assessment of the safety of feed additives for the consumer. <i>EFSA Journal</i> , 2017, 15, e05022.	1.8	267
166	Safety of natural mixture of dolomite plus magnesite and magnesium-phyllsilicates (Fluidol) for all animal species. <i>EFSA Journal</i> , 2017, 15, e04711.	1.8	1
167	Guidance on the assessment of the safety of feed additives for the target species. <i>EFSA Journal</i> , 2017, 15, e05021.	1.8	334
168	Safety and efficacy of L-arginine produced by <i>Corynebacterium glutamicum</i> KCCM 80099 for all animal species. <i>EFSA Journal</i> , 2017, 15, e04858.	1.8	3
169	Safety of L-tryptophan technically pure, produced by <i>Escherichia coli</i> CGMCC 3667, for all animal species based on a dossier submitted by GBT Europe GmbH. <i>EFSA Journal</i> , 2017, 15, e04705.	1.8	7
170	Safety and efficacy of Amylofeed® (endo-1,3(4)-D-glucanase and endo-1,4-D-xylanase and L-α-amylase) as a feed additive for piglets and minor porcine species. <i>EFSA Journal</i> , 2017, 15, e04856.	1.8	1
171	Identification of Lactic Acid Bacteria in Fruit Pulp Processing Byproducts and Potential Probiotic Properties of Selected <i>Lactobacillus</i> Strains. <i>Frontiers in Microbiology</i> , 2016, 7, 1371.	3.5	98
172	Changes in intestinal immunity, gut microbiota, and expression of energy metabolism-related genes explain adenoma growth in bilberry and cloudberry-fed Apc Min mice. <i>Nutrition Research</i> , 2016, 36, 1285-1297.	2.9	17
173	Human gut microbiota: does diet matter?. <i>Proceedings of the Nutrition Society</i> , 2015, 74, 23-36.	1.0	112
174	Helsinki alert of biodiversity and health. <i>Annals of Medicine</i> , 2015, 47, 218-225.	3.8	95
175	Altered Fecal Microbiota in Paediatric Inflammatory Bowel Disease. <i>Journal of Crohn's and Colitis</i> , 2015, 9, 1088-1095.	1.3	83
176	A Comparative Pan-Genome Perspective of Niche-Adaptable Cell-Surface Protein Phenotypes in <i>Lactobacillus rhamnosus</i> . <i>PLoS ONE</i> , 2014, 9, e102762.	2.5	43
177	Metabolome and fecal microbiota in monozygotic twin pairs discordant for weight: a Big Mac challenge. <i>FASEB Journal</i> , 2014, 28, 4169-4179.	0.5	30
178	The antimicrobial effects of wood-associated polyphenols on food pathogens and spoilage organisms. <i>International Journal of Food Microbiology</i> , 2013, 164, 99-107.	4.7	73
179	Habitual Dietary Intake Is Associated with Stool Microbiota Composition in Monozygotic Twins. <i>Journal of Nutrition</i> , 2013, 143, 417-423.	2.9	110
180	Survival of potentially probiotic enterococci in dairy matrices and in the human gastrointestinal tract. <i>International Dairy Journal</i> , 2012, 27, 53-57.	3.0	8

#	ARTICLE	IF	CITATIONS
181	The currently used commercial DNA-extraction methods give different results of clostridial and actinobacterial populations derived from human fecal samples. <i>FEMS Microbiology Ecology</i> , 2012, 79, 697-708.	2.7	112
182	Recommendations for the viability assessment of probiotics as concentrated cultures and in food matrices. <i>International Journal of Food Microbiology</i> , 2011, 149, 185-193.	4.7	268
183	Metabolic Regulation in Progression to Autoimmune Diabetes. <i>PLoS Computational Biology</i> , 2011, 7, e1002257.	3.2	74
184	SHORT COMMUNICATION: Some key emerging food safety issues. <i>Quality Assurance and Safety of Crops and Foods</i> , 2010, 2, 141-148.	3.4	1
185	MoniQA (Monitoring and Quality Assurance): an EU-funded Network of Excellence working towards the harmonization of worldwide food quality and safety monitoring and control strategies-status report 2008. <i>Quality Assurance and Safety of Crops and Foods</i> , 2009, 1, 9-22.	3.4	6
186	<i>Salmonella</i> importance and current status of detection and surveillance methods. <i>Quality Assurance and Safety of Crops and Foods</i> , 2009, 1, 142-152.	3.4	31
187	Effect of the fermentation pH on the storage stability of <i>Lactobacillus rhamnosus</i> preparations and suitability of in vitro analyses of cell physiological functions to predict it. <i>Journal of Applied Microbiology</i> , 2009, 106, 1204-1212.	3.1	53
188	Microbial communities in industrial environment. <i>Current Opinion in Microbiology</i> , 2009, 12, 238-243.	5.1	19
189	Diversity and temporal stability of fecal bacterial populations in elderly subjects consuming galacto-oligosaccharide containing probiotic yoghurt. <i>International Dairy Journal</i> , 2008, 18, 386-395.	3.0	23
190	Intra-individual diversity and similarity of salivary and faecal microbiota. <i>Journal of Medical Microbiology</i> , 2008, 57, 1560-1568.	1.8	91
191	Susceptibility of human and probiotic <i>Bifidobacterium</i> spp. to selected antibiotics as determined by the Etest method. <i>International Dairy Journal</i> , 2007, 17, 1123-1131.	3.0	44
192	Weakening of <i>Salmonella</i> with Selected Microbial Metabolites of Berry-Derived Phenolic Compounds and Organic Acids. <i>Journal of Agricultural and Food Chemistry</i> , 2007, 55, 3905-3912.	5.2	76
193	Tetracycline susceptibility of the ingested <i>Lactobacillus acidophilus</i> LaCH-5 and <i>Bifidobacterium animalis</i> subsp. <i>lactis</i> Bb-12 strains during antibiotic/probiotic intervention. <i>International Journal of Antimicrobial Agents</i> , 2007, 29, 271-280.	2.5	40
194	The effect of probiotic fermented milk and inulin on the functions and microecology of the intestine. <i>Journal of Dairy Research</i> , 2007, 74, 367-373.	1.4	25
195	Characterization of aerobic bacterial and fungal microbiota on surfaces of historic Scottish monuments. <i>Systematic and Applied Microbiology</i> , 2007, 30, 494-508.	2.8	67
196	Functional Foods. <i>Nutraceutical Science and Technology</i> , 2007, , 611-624.	0.0	0
197	Prevalence and temporal stability of selected clostridial groups in irritable bowel syndrome in relation to predominant faecal bacteria. <i>Journal of Medical Microbiology</i> , 2006, 55, 625-633.	1.8	146
198	Suitability of the fluorescent techniques for the enumeration of probiotic bacteria in commercial non-dairy drinks and in pharmaceutical products. <i>Food Research International</i> , 2006, 39, 22-32.	6.2	46

#	ARTICLE	IF	CITATIONS
199	Influence of whey-based fruit juice containing <i>Lactobacillus rhamnosus</i> on intestinal well-being and humoral immune response in healthy adults. <i>LWT - Food Science and Technology</i> , 2006, 39, 788-795.	5.2	8
200	Intestinal survival and persistence of probiotic <i>Lactobacillus</i> and <i>Bifidobacterium</i> strains administered in triple-strain yoghurt. <i>International Dairy Journal</i> , 2006, 16, 1174-1180.	3.0	54
201	Influence of processing conditions on <i>Bifidobacterium animalis</i> subsp. <i>lactis</i> functionality with a special focus on acid tolerance and factors affecting it. <i>International Dairy Journal</i> , 2006, 16, 1029-1037.	3.0	330
202	Stability and functionality of freeze-dried probiotic <i>Bifidobacterium</i> cells during storage in juice and milk. <i>International Dairy Journal</i> , 2006, 16, 1477-1482.	3.0	145
203	PCR DGGE and RT-PCR DGGE show diversity and short-term temporal stability in the <i>Clostridium coccoides</i> Eubacterium rectale group in the human intestinal microbiota. <i>FEMS Microbiology Ecology</i> , 2006, 58, 517-528.	2.7	61
204	Desulfovibrionales-related bacteria in a paper mill environment as detected with molecular techniques and culture. <i>Journal of Industrial Microbiology and Biotechnology</i> , 2006, 33, 45-54.	3.0	12
205	Fibres as carriers for <i>Lactobacillus rhamnosus</i> during freeze-drying and storage in apple juice and chocolate-coated breakfast cereals. <i>International Journal of Food Microbiology</i> , 2006, 112, 171-178.	4.7	113
206	Composition and temporal stability of gastrointestinal microbiota in irritable bowel syndrome – a longitudinal study in IBS and control subjects. <i>FEMS Immunology and Medical Microbiology</i> , 2005, 43, 213-222.	2.7	262
207	Analysis of the Fecal Microbiota of Irritable Bowel Syndrome Patients and Healthy Controls with Real-Time PCR. <i>American Journal of Gastroenterology</i> , 2005, 100, 373-382.	0.4	608
208	EU Perspectives on Food, Gastrointestinal Tract Functionality, and Human Health. , 2005, , 309-340.		0
209	The food, GI-tract functionality and human health cluster: PROEUHEALTH and beyond. <i>Microbial Ecology in Health and Disease</i> , 2004, 16, 66-70.	3.5	1
210	Heterotrophic microorganisms in air and biofilm samples from Roman catacombs, with special emphasis on actinobacteria and fungi. <i>International Biodeterioration and Biodegradation</i> , 2004, 54, 27-37.	3.9	111
211	Methodologies for the characterization of microbes in industrial environments: a review. <i>Journal of Industrial Microbiology and Biotechnology</i> , 2003, 30, 327-356.	3.0	100
212	Molecular Approaches for the Detection and Identification of <i>Bifidobacteria</i> and <i>Lactobacilli</i> in the Human Gastrointestinal Tract. <i>Systematic and Applied Microbiology</i> , 2003, 26, 572-584.	2.8	98
213	Probiotic and milk technological properties of <i>Lactobacillus brevis</i> . <i>International Journal of Food Microbiology</i> , 2003, 83, 63-74.	4.7	110
214	The effect of lactose derivatives lactulose, lactitol and lactobionic acid on the functional and technological properties of potentially probiotic <i>Lactobacillus</i> strains. <i>International Dairy Journal</i> , 2003, 13, 291-302.	3.0	95
215	Enumeration and Identification of <i>Lactobacillus paracasei</i> subsp. <i>paracasei</i> F19. <i>Microbial Ecology in Health and Disease</i> , 2002, 14, 7-13.	3.5	15
216	Safety Aspects of <i>Lactobacillus</i> and <i>Bifidobacterium</i> Species Originating from Human Oro-gastrointestinal Tract or from Probiotic Products. <i>Microbial Ecology in Health and Disease</i> , 2002, 14, 234-241.	3.5	23

#	ARTICLE	IF	CITATIONS
217	The Effect of Lactulose on the Survival of <i>Lactobacillus rhamnosus</i> in the Simulator of the Human Intestinal Microbial Ecosystem (SHIME) and in vivo. <i>Microbial Ecology in Health and Disease</i> , 2002, 14, 90-96.	3.5	12
218	PCR-ELISA. <i>Systematic and Applied Microbiology</i> , 2002, 25, 249-258.	2.8	40
219	In vitro fermentation of cereal dietary fibre carbohydrates by probiotic and intestinal bacteria. <i>Journal of the Science of Food and Agriculture</i> , 2002, 82, 781-789.	3.5	286
220	Bifidobacterial Diversity in Human Feces Detected by Genus-Specific PCR and Denaturing Gradient Gel Electrophoresis. <i>Applied and Environmental Microbiology</i> , 2001, 67, 504-513.	3.1	392
221	Polymerase Chain Reaction and Denaturing Gradient Gel Electrophoresis Monitoring of Fecal <i>Bifidobacterium</i> Populations in a Prebiotic and Probiotic Feeding Trial. <i>Systematic and Applied Microbiology</i> , 2001, 24, 227-231.	2.8	94
222	Altered antigenicity is seen in the lipopolysaccharide profile of non-serotypeable <i>Actinobacillus actinomycetemcomitans</i> strains. <i>FEMS Immunology and Medical Microbiology</i> , 2000, 27, 171-177.	2.7	7
223	Probiotic bacteria: safety, functional and technological properties. <i>Journal of Biotechnology</i> , 2000, 84, 197-215.	3.8	871
224	β -Lactamase Production in <i>Prevotella intermedia</i> , <i>Prevotella nigrescens</i> , and <i>Prevotella pallens</i> Genotypes and In Vitro Susceptibilities to Selected Antimicrobial Agents. <i>Antimicrobial Agents and Chemotherapy</i> , 1999, 43, 2383-2388.	3.2	41
225	Comparison of Ribotyping, Randomly Amplified Polymorphic DNA Analysis, and Pulsed-Field Gel Electrophoresis in Typing of <i>Lactobacillus rhamnosus</i> and <i>L. casei</i> Strains. <i>Applied and Environmental Microbiology</i> , 1999, 65, 3908-3914.	3.1	209
226	<i>Actinobacillus actinomycetemcomitans</i> serotype e - biotypes, genetic diversity and distribution in relation to periodontal status. <i>Oral Microbiology and Immunology</i> , 1999, 14, 98-103.	2.8	46
227	Lactic acid bacteria with health claims' interactions and interference with gastrointestinal flora. <i>International Dairy Journal</i> , 1999, 9, 25-35.	3.0	110
228	Persistence of Oral Colonization by the Same <i>Actinobacillus actinomycetemcomitans</i> Strain(s). <i>Journal of Periodontology</i> , 1999, 70, 504-509.	3.4	43
229	apaH Polymorphism in Clinical <i>Actinobacillus actinomycetemcomitans</i> Isolates. <i>Anaerobe</i> , 1998, 4, 139-144.	2.1	9
230	Characterization of Serologically Nontypeable <i>Actinobacillus actinomycetemcomitans</i> Isolates. <i>Journal of Clinical Microbiology</i> , 1998, 36, 2019-2022.	3.9	30
231	Clonal Specificity of <i>Actinobacillus actinomycetemcomitans</i> in Destructive Periodontal Disease.. <i>Clinical Infectious Diseases</i> , 1997, 25, S227-S229.	5.8	42
232	Production of glucosyltransferases by clinical mutans streptococcal isolates as determined by semiquantitative cross-dot assay. <i>Archives of Oral Biology</i> , 1997, 42, 417-422.	1.8	12
233	Typing of mutans streptococci by arbitrarily primed polymerase chain reaction. <i>Archives of Oral Biology</i> , 1996, 41, 821-826.	1.8	59
234	Source of suspected periodontal pathogens re-emerging after periodontal treatment. <i>Journal of Clinical Periodontology</i> , 1996, 23, 601-607.	4.9	68

#	ARTICLE	IF	CITATIONS
235	Comparison of Arbitrarily Primed Polymerase Chain Reaction and Ribotyping for Subtyping <i>Actinobacillus actinomycetemcomitans</i> . <i>Anaerobe</i> , 1995, 1, 97-102.	2.1	22
236	A Variant of the Staphylococcal Chloramphenicol Resistance Plasmid pC194 with Enhanced Ability to Transform <i>Lactococcus lactis</i> subsp. <i>lactis</i> . <i>Plasmid</i> , 1994, 31, 106-110.	1.4	10
237	Isolation frequency and serotype distribution of mutans streptococci and <i>Actinobacillus actinomycetemcomitans</i> , and clinical periodontal status in Finnish and Vietnamese children. <i>European Journal of Oral Sciences</i> , 1994, 102, 113-119.	1.5	17
238	Functional Microbes: Technology for Health Foods. , 0, , 67-84.		0