## Leona BuÅ<sup>^</sup>kovÃ;

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1842680/publications.pdf Version: 2024-02-01



ΓΟΝΑ ΒΙΙΑ΄ΚΟΥΑ:

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Detection and relative quantification of amine oxidase gene (yobN) in Bacillus subtilis: application of real-time quantitative PCR. Journal of Food Science and Technology, 2022, 59, 909-916.                                  | 1.4 | 3         |
| 2  | Impact of long-term storage on the quality of selected sugar-based foods stored at different temperatures. LWT - Food Science and Technology, 2022, 157, 113095.  | 2.5 | 1         |
| 3  | Assessment of biogenic amines profile in ciders from the Central Europe region as affected by storage time. Food Bioscience, 2021, 41, 100957.  | 2.0 | 3         |
| 4  | Quality evaluation of white brined cheese stored in cans as affected by the storage temperature and time. International Dairy Journal, 2021, 121, 105105.   | 1.5 | 3         |
| 5  | The impact of cell-free supernatants of Lactococcus lactis subsp. lactis strains on the tyramine formation of Lactobacillus and Lactiplantibacillus strains isolated from cheese and beer. Food Microbiology, 2021, 99, 103813. | 2.1 | 3         |
| 6  | Reduction of biogenic amine content in Dutch-type cheese as affected by the applied adjunct culture.<br>LWT - Food Science and Technology, 2021, 152, 112397.   | 2.5 | 10        |
| 7  | Occurrence of Biogenic Amines Producers in the Wastewater of the Dairy Industry. Molecules, 2020, 25, 5143.   | 1.7 | 7         |
| 8  | Application of qPCR for multicopper oxidase gene (MCO) in biogenic amines degradation by<br>Lactobacillus casei. Food Microbiology, 2020, 91, 103550.   | 2.1 | 21        |
| 9  | Modelling biogenic amines in fish meat in Central Europe using censored distributions. Chemosphere, 2020, 251, 126390.  | 4.2 | 9         |
| 10 | Biogenic amines occurrence in beers produced in Czech microbreweries. Food Control, 2020, 117, 107335.  | 2.8 | 15        |
| 11 | The Sulfate-Reducing Microbial Communities and Meta-Analysis of Their Occurrence during Diseases of Small–Large Intestine Axis. Journal of Clinical Medicine, 2019, 8, 1656.  | 1.0 | 40        |
| 12 | Hydrogen Sulfide Effects on the Survival of Lactobacilli with Emphasis on the Development of<br>Inflammatory Bowel Diseases. Biomolecules, 2019, 9, 752.  | 1.8 | 35        |
| 13 | The monitoring of biogenic amines in the raw food. Potravinarstvo, 2019, 13, 482-489.   | 0.5 | 0         |
| 14 | Biogenic amine production by nonstarter strains of Lactobacillus curvatus and Lactobacillus<br>paracasei in the model system of Dutch-type cheese. LWT - Food Science and Technology, 2018, 97,<br>730-735.                     | 2.5 | 18        |
| 15 | Contaminating microorganisms in quarkâ€ŧype cheese and their capability of biogenic amine production.<br>International Journal of Dairy Technology, 2018, 71, 1018-1022.  | 1.3 | 6         |
| 16 | Biogenic amines content in the fermented asian food in the Czech Republic. Potravinarstvo, 2018, 12, 292-298.   | 0.5 | 2         |
| 17 | Microflora of processed cheese and the factors affecting it. Critical Reviews in Food Science and Nutrition, 2017, 57, 2392-2403.   | 5.4 | 20        |
| 18 | Effect of lantibiotic gallidermin against biogenic amine-producing faecal staphylococci from ostriches and pheasants. Folia Microbiologica, 2017, 62, 229-235.  | 1.1 | 5         |

Leona BuÅ^κονÃi

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Sensitivity to Enterocins of Biogenic Amine-Producing Faecal Enterococci from Ostriches and Pheasants. Probiotics and Antimicrobial Proteins, 2017, 9, 483-491.   | 1.9 | 6         |
| 20 | Decarboxylaseâ€positive <i>Enterococcus faecium</i> strains isolated from rabbit meat and their sensitivity to enterocins. Food Science and Nutrition, 2017, 5, 31-37.  | 1.5 | 8         |
| 21 | Formulation, Characterization and Properties of Hemp Seed Oil and Its Emulsions. Molecules, 2017, 22, 700.  | 1.7 | 80        |
| 22 | Biogenic amines degradation by microorganisms isolated from cheese. Potravinarstvo, 2017, 11, 302-308.  | 0.5 | 7         |
| 23 | Quantitative Real-time PCR detection of putrescine-producing Gram-negative bacteria. Potravinarstvo, 2017, 11, .  | 0.5 | 2         |
| 24 | Antimicrobial effect of selected lactic acid bacteria against microorganisms with decarboxylase activity. Potravinarstvo, 2017, 11, .   | 0.5 | 2         |
| 25 | Quality changes of long-life foods during three-month storage at different temperatures.<br>Potravinarstvo, 2017, 11, 43-51.  | 0.5 | 7         |
| 26 | Effects of different strains <i>Penicillium nalgiovense</i> in the Nalžovy cheese during ripening.<br>Journal of the Science of Food and Agriculture, 2016, 96, 2547-2554.  | 1.7 | 8         |
| 27 | Microflora of farm and hunted pheasants in relation to biogenic amines production. European<br>Journal of Wildlife Research, 2016, 62, 341-352.   | 0.7 | 5         |
| 28 | Biogenic amines and their producers in Akawi white cheese. International Journal of Dairy<br>Technology, 2016, 69, 386-392.   | 1.3 | 7         |
| 29 | Biogenic amine production by Lactococcus lactis subsp. cremoris strains in the model system of<br>Dutch-type cheese. Food Chemistry, 2016, 194, 68-75.  | 4.2 | 44        |
| 30 | Whole-Cell Protein Profiles of Disintegrated Freshwater Green Algae and Cyanobacterium. Journal of<br>Aquatic Food Product Technology, 2016, 25, 15-23.   | 0.6 | 2         |
| 31 | The effect of long-term storage on the quality of sterilized processed cheese. Journal of Food Science and Technology, 2015, 52, 4985-4993.   | 1.4 | 13        |
| 32 | Effects of temperature, pH and NaCl content on <i>in vitro</i> putrescine and cadaverine production<br>through the growth of <i>Serratia marcescens</i> CCM 303. Journal of Environmental Science and<br>Health - Part B Pesticides, Food Contaminants, and Agricultural Wastes, 2015, 50, 797-808. | 0.7 | 9         |
| 33 | Proteolysis during manufacture and ripening/storing of "olomoucké tvarÅ⁻žky―cheese (pgi). Journal of<br>Microbiology, Biotechnology and Food Sciences, 2015, 4, 130-134.  | 0.4 | 0         |
| 34 | Selected phenotypic features of BR91, a unique spirochaetal strain isolated from the Culex pipiens mosquito. Microbiological Research, 2014, 169, 348-352.  | 2.5 | 0         |
| 35 | Formulation, antibacterial activity, and cytotoxicity of 1â€monoacylglycerol microemulsions. European<br>Journal of Lipid Science and Technology, 2014, 116, 448-457.   | 1.0 | 19        |
| 36 | Selected factors influencing the ability of <i>Bifidobacterium</i> to form biogenic amines.<br>International Journal of Food Science and Technology, 2014, 49, 1302-1307.   | 1.3 | 11        |

Leona BuÅ^kovÃi

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | The influence of fat and monoacylglycerols on growth of spore-forming bacteria in processed cheese. International Journal of Food Microbiology, 2014, 182-183, 37-43.  | 2.1 | 13        |
| 38 | Formation, Degradation, and Detoxification of Putrescine by Foodborne Bacteria: A Review.<br>Comprehensive Reviews in Food Science and Food Safety, 2014, 13, 1012-1030.   | 5.9 | 120       |
| 39 | Antibacterial effects of commercially available phosphates on selected microorganisms. Acta<br>Universitatis Agriculturae Et Silviculturae Mendelianae Brunensis, 2014, 56, 19-24.   | 0.2 | 16        |
| 40 | Biogenic amines in smear and mould-ripened cheeses. Potravinarstvo, 2014, 8, 321-327.  | 0.5 | 8         |
| 41 | Vegetable oil based emulsions in milk. Potravinarstvo, 2014, 8, .  | 0.5 | 1         |
| 42 | Changes in amino acids composition of cows colostrum (during first 72 hours after parturition).<br>Acta Universitatis Agriculturae Et Silviculturae Mendelianae Brunensis, 2014, 55, 81-94.  | 0.2 | 2         |
| 43 | Polyvinyl alcohol biodegradation under denitrifying conditions. International Biodeterioration and Biodegradation, 2013, 84, 21-28.  | 1.9 | 53        |
| 44 | Novel touchdown-PCR method for the detection of putrescine producing Gram-negative bacteria in food products. Food Microbiology, 2013, 34, 268-276.  | 2.1 | 17        |
| 45 | Biogenic amines occurrence in fish meat sampled from restaurants in region ofÂCzech Republic. Food<br>Control, 2013, 31, 49-52.  | 2.8 | 24        |
| 46 | Monitoring of biogenic amines in cheeses manufactured at small-scale farms and in fermented dairy products in the Czech Republic. Food Chemistry, 2013, 141, 548-551.  | 4.2 | 52        |
| 47 | The development of free amino acids and volatile compounds in cheese â€~ <scp>O</scp> loumoucké<br>tvarÅ <sup>-</sup> žky' ( <scp>PGI</scp> ) during ripening. International Journal of Food Science and Technology, 2013,<br>48, 1868-1876. | 1.3 | 4         |
| 48 | Preparation, Characterization and Antibacterial Activity of 1-Monoacylglycerol of Adamantane-1-Carboxylic Acid. Journal of Food Biochemistry, 2013, 37, 544-553.   | 1.2 | 10        |
| 49 | Risk analysis of tyramine concentration in food production. , 2013, , .  |     | 0         |
| 50 | Decarboxylation activity of enterococci isolated from rabbit meat and staphylococci isolated from trout intestines. Veterinary Microbiology, 2012, 159, 438-442.   | 0.8 | 15        |
| 51 | Content of biogenic amines and polyamines in beers from the Czech Republic. Journal of the Institute of Brewing, 2012, 118, 213-216.   | 0.8 | 23        |
| 52 | Antifungal and antibacterial effects of 1-monocaprylin on textile materials. European Journal of Lipid<br>Science and Technology, 2012, 114, 849-856.  | 1.0 | 12        |
| 53 | Effects of NaCl, lactose and availability of oxygen on tyramine production by the Enterococcus durans CCDM 53. European Food Research and Technology, 2012, 234, 973-979.  | 1.6 | 16        |
| 54 | The effect of elevated temperature on ripening of Dutch type cheese. Food Chemistry, 2012, 132, 1846-1854.   | 4.2 | 30        |

Leona BuÅ^kovÃi

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Production of biogenic amines by lactic acid bacteria and bifidobacteria isolated from dairy products and beer. International Journal of Food Science and Technology, 2012, 47, 2086-2091.   | 1.3 | 65        |
| 56 | The effect of three different ripening/storage conditions on the distribution of selected parameters<br>in individual parts of Dutch-type cheese. International Journal of Food Science and Technology, 2011,<br>46, 101-108.                    | 1.3 | 24        |
| 57 | THE EFFECT OF DIFFERENT HEAT STERILIZATION REGIMES ON THE QUALITY OF CANNED PROCESSED CHEESE.<br>Journal of Food Process Engineering, 2011, 34, 1860-1878.   | 1.5 | 15        |
| 58 | The effect of lactose, NaCl and an aero/anaerobic environment on the tyrosine decarboxylase activity of Lactococcus lactis subsp. cremoris and Lactococcus lactis subsp. lactis. International Journal of Food Microbiology, 2011, 147, 112-119. | 2.1 | 29        |
| 59 | Comparison of antibacterial effect of seven 1-monoglycerides on food-borne pathogens or spoilage<br>bacteria. Acta Veterinaria Brno, 2011, 80, 29-39.  | 0.2 | 24        |
| 60 | EFFECT OF SODIUM PHOSPHATES ON SELECTED FOOD GRADE BACTERIA. Potravinarstvo, 2011, 5, .  | 0.5 | 0         |
| 61 | The effect of ripening and storage conditions on the distribution of tyramine, putrescine and cadaverine in Edam-cheese. Food Microbiology, 2010, 27, 880-888.   | 2.1 | 93        |
| 62 | Influence of monoacylglycerols on growth inhibition of micromycetes <b><i>in vitro</i></b> and on bread. European Journal of Lipid Science and Technology, 2010, 112, 173-179.   | 1.0 | 19        |
| 63 | Formation of biogenic amines by Gram-negative bacteria isolated from poultry skin. Food Chemistry, 2010, 121, 203-206.   | 4.2 | 55        |
| 64 | 16S rRNA gene-based identification of cultured bacterial flora from host-seeking Ixodes ricinus,<br>Dermacentor reticulatus and Haemaphysalis concinna ticks, vectors of vertebrate pathogens. Folia<br>Microbiologica, 2009, 54, 419-428.       | 1.1 | 42        |
| 65 | Tyramine production of technological important strains of Lactobacillus, Lactococcus and Streptococcus. European Food Research and Technology, 2009, 229, 533-538.   | 1.6 | 88        |
| 66 | Effect of acid hydrolysis time on amino acid determination in casein and processed cheeses with different fat content. Journal of Food Composition and Analysis, 2009, 22, 224-232.  | 1.9 | 39        |
| 67 | Xanthan and gellan degradation by bacteria of activated sludge. Water Science and Technology, 2009, 60, 965-973.   | 1.2 | 20        |
| 68 | Ribotyping and whole-cell protein analysis of spirochetes isolated from arthropods in the Czech<br>Republic. Annals of Agricultural and Environmental Medicine, 2008, 15, 225-30.  | 0.5 | 1         |