

Zhen-Xia Wang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1843376/publications.pdf>

Version: 2024-02-01

11
papers

137
citations

1478505

6
h-index

1474206

9
g-index

11
all docs

11
docs citations

11
times ranked

236
citing authors

#	ARTICLE	IF	CITATIONS
1	RESEARCH STATUS OF DRY FRICTION BEHAVIOR OF METALLIC MATERIALS: A BRIEF REVIEW. Surface Review and Letters, 2020, 27, 2030003.	1.1	2
2	Surface damage mitigation of titanium and its alloys via thermal oxidation: A brief review. Reviews on Advanced Materials Science, 2019, 58, 132-146.	3.3	27
3	Preparation of Ti-Nb-Ta-Zr alloys for load-bearing biomedical applications. Rare Metals, 2019, 38, 571-576.	7.1	27
4	WO ₃ Mesoporous Nanobelts towards Efficient Photoelectrocatalysts for Water Splitting. ChemElectroChem, 2018, 5, 322-327.	3.4	25
5	FRICTION AND WEAR BEHAVIORS OF Ti6Al4V ALLOY TREATED BY PLASMA Ni ALLOYING. Surface Review and Letters, 2018, 25, 1850096.	1.1	1
6	Surface Texturing-Plasma Nitriding Duplex Treatment for Improving Tribological Performance of AISI 316 Stainless Steel. Materials, 2016, 9, 875.	2.9	30
7	SURFACE Nb-ALLOYING ON 0.4C-13Cr STAINLESS STEEL: MICROSTRUCTURE AND TRIBOLOGICAL BEHAVIOR. Surface Review and Letters, 2016, 23, 1650017.	1.1	4
8	Microstructure and wear behavior of Ti-6Al-4V treated by plasma Zr-alloying and plasma nitriding. Journal Wuhan University of Technology, Materials Science Edition, 2016, 31, 1086-1092.	1.0	12
9	Wear and corrosion properties of Mo surface-modified layer in TiNi alloy prepared by plasma surface alloying. Journal Wuhan University of Technology, Materials Science Edition, 2016, 31, 910-917.	1.0	1
10	THERMAL OXIDATION OF Ti ₆ Al ₄ V ALLOY WITH ENHANCED WEAR AND CORROSION RESISTANCE FOR OIL AND GAS APPLICATION: EFFECT OF TEMPERATURE. Surface Review and Letters, 2015, 22, 1550033.	1.1	8
11	Tribological and impact fatigue behaviors of pure titanium treated by plasma Ni alloying. Journal Wuhan University of Technology, Materials Science Edition, 2012, 27, 427-431.	1.0	0