

# Michael D Fox

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/1844101/michael-d-fox-publications-by-year.pdf>

**Version:** 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

99 papers	29,064 citations	52 h-index	119 g-index
119 ext. papers	35,257 ext. citations	9.6 avg, IF	7.47 L-index

#	Paper	IF	Citations
99	Sex-specific lesion pattern of functional outcomes after stroke.. <i>Brain Communications</i> , <b>2022</b> , 4, fcac020	4.5	0
98	Using brain lesions to inform connectomic DBS <b>2022</b> , 325-337		
97	Combining invasive and noninvasive brain stimulation <b>2022</b> , 505-523		1
96	Lesion Network Mapping Using Resting-State Functional Connectivity MRI. <i>Neuromethods</i> , <b>2022</b> , 181-198	10.4	
95	Using Brain Imaging to Improve Spatial Targeting of Transcranial Magnetic Stimulation for Depression. <i>Biological Psychiatry</i> , <b>2021</b> , 90, 689-700	7.9	33
94	Toward personalized medicine in connectomic deep brain stimulation.. <i>Progress in Neurobiology</i> , <b>2021</b> , 210, 102211	10.9	0
93	Network Localization of Unconscious Visual Perception in Blindsight.. <i>Annals of Neurology</i> , <b>2021</b> , 91, 217	9.4	1
92	Associations Between Stroke Localization and Delirium: A Systematic Review and Meta-Analysis.. <i>Journal of Stroke and Cerebrovascular Diseases</i> , <b>2021</b> , 31, 106270	2.8	2
91	Clinical applications of magnetic resonance imaging based functional and structural connectivity. <i>NeuroImage</i> , <b>2021</b> , 244, 118649	7.9	1
90	Lesion network mapping predicts post-stroke behavioural deficits and improves localization. <i>Brain</i> , <b>2021</b> , 144, e35	11.2	9
89	Identification of Personalized Transcranial Magnetic Stimulation Targets Based on Subgenual Cingulate Connectivity: An Independent Replication. <i>Biological Psychiatry</i> , <b>2021</b> , 90, e55-e56	7.9	3
88	A Neural Circuit for Spirituality and Religiosity Derived From Patients With Brain Lesions. <i>Biological Psychiatry</i> , <b>2021</b> ,	7.9	2
87	Brain stimulation and brain lesions converge on common causal circuits in neuropsychiatric disease. <i>Nature Human Behaviour</i> , <b>2021</b> ,	12.8	12
86	Expedited Interhemispheric InhibitionVA Simple Method to Collect Additional IHI Data in the Same Amount of Time. <i>Brain Topography</i> , <b>2021</b> , 34, 1-5	4.3	1
85	Safety and recommendations for TMS use in healthy subjects and patient populations, with updates on training, ethical and regulatory issues: Expert Guidelines. <i>Clinical Neurophysiology</i> , <b>2021</b> , 132, 269-306	4.3	130
84	Lesions causing hallucinations localize to one common brain network. <i>Molecular Psychiatry</i> , <b>2021</b> , 26, 1299-1309	15.1	28
83	Tuber Locations Associated with Infantile Spasms Map to a Common Brain Network. <i>Annals of Neurology</i> , <b>2021</b> , 89, 726-739	9.4	8

82	Co-activation patterns across multiple tasks reveal robust anti-correlated functional networks. <i>NeuroImage</i> , <b>2021</b> , 227, 117680	7.9	9
81	Reply: Looking beyond indirect lesion network mapping of prosopagnosia: direct measures required. <i>Brain</i> , <b>2021</b> , 144, e76	11.2	0
80	Reply: The influence of sample size and arbitrary statistical thresholds in lesion-network mapping. <i>Brain</i> , <b>2020</b> , 143, e41	11.2	16
79	Reply: A lack of consistent brain grey matter alterations in migraine. <i>Brain</i> , <b>2020</b> , 143, e46	11.2	
78	Individualized perturbation of the human connectome reveals reproducible biomarkers of network dynamics relevant to cognition. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2020</b> , 117, 8115-8125	11.5	46
77	Distinct Symptom-Specific Treatment Targets for Circuit-Based Neuromodulation. <i>American Journal of Psychiatry</i> , <b>2020</b> , 177, 435-446	11.9	69
76	Mapping mania symptoms based on focal brain damage. <i>Journal of Clinical Investigation</i> , <b>2020</b> , 130, 5209-5222	11.2	13
75	Mapping migraine to a common brain network. <i>Brain</i> , <b>2020</b> , 143, 541-553	11.2	27
74	Cortical lesions causing loss of consciousness are anticorrelated with the dorsal brainstem. <i>Human Brain Mapping</i> , <b>2020</b> , 41, 1520-1531	5.9	19
73	Opportunities of connectomic neuromodulation. <i>NeuroImage</i> , <b>2020</b> , 221, 117180	7.9	49
72	Reply: No grey matter alterations in longitudinal data of migraine patients. <i>Brain</i> , <b>2020</b> , 143, e94	11.2	
71	Freezing of gait: understanding the complexity of an enigmatic phenomenon. <i>Brain</i> , <b>2020</b> , 143, 14-30	11.2	44
70	Neural function in DCC mutation carriers with and without mirror movements. <i>Annals of Neurology</i> , <b>2019</b> , 85, 433-442	9.4	5
69	Network localization of cervical dystonia based on causal brain lesions. <i>Brain</i> , <b>2019</b> , 142, 1660-1674	11.2	73
68	Reply: Heterogeneous neuroimaging findings, damage propagation and connectivity: an integrative view. <i>Brain</i> , <b>2019</b> , 142, e18	11.2	2
67	A human memory circuit derived from brain lesions causing amnesia. <i>Nature Communications</i> , <b>2019</b> , 10, 3497	17.4	56
66	A Human Depression Circuit Derived From Focal Brain Lesions. <i>Biological Psychiatry</i> , <b>2019</b> , 86, 749-758	7.9	70
65	Neuroimaging in Parkinson's disease dementia: connecting the dots. <i>Brain Communications</i> , <b>2019</b> , 1, fcz006	11.2	26

64	Mapping holmes tremor circuit using the human brain connectome. <i>Annals of Neurology</i> , <b>2019</b> , 86, 812-820	11.2	26
63	Looking beyond the face area: lesion network mapping of prosopagnosia. <i>Brain</i> , <b>2019</b> , 142, 3975-3990	11.2	36
62	Network localization of heterogeneous neuroimaging findings. <i>Brain</i> , <b>2019</b> , 142, 70-79	11.2	45
61	Rostral anterior cingulate cortex is a structural correlate of repetitive TMS treatment response in depression. <i>Brain Stimulation</i> , <b>2018</b> , 11, 575-581	5.1	34
60	Lesion network localization of criminal behavior. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2018</b> , 115, 601-606	11.5	94
59	Localizing parkinsonism based on focal brain lesions. <i>Brain</i> , <b>2018</b> , 141, 2445-2456	11.2	68
58	Resting-state functional connectivity of subcortical locomotor centers explains variance in walking capacity. <i>Human Brain Mapping</i> , <b>2018</b> , 39, 4831-4843	5.9	12
57	Identifying therapeutic targets from spontaneous beneficial brain lesions. <i>Annals of Neurology</i> , <b>2018</b> , 84, 153-157	9.4	33
56	Prospective Validation That Subgenual Connectivity Predicts Antidepressant Efficacy of Transcranial Magnetic Stimulation Sites. <i>Biological Psychiatry</i> , <b>2018</b> , 84, 28-37	7.9	182
55	Mapping Symptoms to Brain Networks with the Human Connectome. <i>New England Journal of Medicine</i> , <b>2018</b> , 379, 2237-2245	59.2	205
54	Lesion network localization of free will. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2018</b> , 115, 10792-10797	11.5	59
53	Connectivity of sleep- and wake-promoting regions of the human hypothalamus observed during resting wakefulness. <i>Sleep</i> , <b>2018</b> , 41,	1.1	15
52	Tai Chi for Reducing Dual-task Gait Variability, a Potential Mediator of Fall Risk in Parkinson's Disease: A Pilot Randomized Controlled Trial. <i>Global Advances in Health and Medicine</i> , <b>2018</b> , 7, 2164956118775385	1.9	21
51	Probabilistic conversion of neurosurgical DBS electrode coordinates into MNI space. <i>NeuroImage</i> , <b>2017</b> , 150, 395-404	7.9	79
50	Resting-state connectivity biomarkers define neurophysiological subtypes of depression. <i>Nature Medicine</i> , <b>2017</b> , 23, 28-38	50.5	972
49	Finding the imposter: brain connectivity of lesions causing delusional misidentifications. <i>Brain</i> , <b>2017</b> , 140, 497-507	11.2	118
48	Reply: Capgras syndrome: neuroanatomical assessment of brain MRI findings in an adolescent patient. <i>Brain</i> , <b>2017</b> , 140, e44	11.2	10
47	Connectivity Predicts deep brain stimulation outcome in Parkinson disease. <i>Annals of Neurology</i> , <b>2017</b> , 82, 67-78	9.4	314

46	Multifocal tDCS targeting the resting state motor network increases cortical excitability beyond traditional tDCS targeting unilateral motor cortex. <i>NeuroImage</i> , <b>2017</b> , 157, 34-44	7.9	87
45	Lesions causing freezing of gait localize to a cerebellar functional network. <i>Annals of Neurology</i> , <b>2017</b> , 81, 129-141	9.4	92
44	Construction and modeling of a reconfigurable MRI coil for lowering SAR in patients with deep brain stimulation implants. <i>NeuroImage</i> , <b>2017</b> , 147, 577-588	7.9	40
43	Antidepressant Effect of Low-Frequency Right-Sided rTMS in Two Patients with Left Frontal Stroke. <i>Brain Stimulation</i> , <b>2017</b> , 10, 150-151	5.1	6
42	Towards a consensus regarding global signal regression for resting state functional connectivity MRI. <i>NeuroImage</i> , <b>2017</b> , 154, 169-173	7.9	506
41	The impact of Tai Chi and Qigong mind-body exercises on motor and non-motor function and quality of life in Parkinson's disease: A systematic review and meta-analysis. <i>Parkinsonism and Related Disorders</i> , <b>2017</b> , 41, 3-13	3.6	85
40	A human brain network derived from coma-causing brainstem lesions. <i>Neurology</i> , <b>2016</b> , 87, 2427-2434	6.5	118
39	An integrated framework for targeting functional networks via transcranial magnetic stimulation. <i>NeuroImage</i> , <b>2016</b> , 127, 86-96	7.9	60
38	Combining task-evoked and spontaneous activity to improve pre-operative brain mapping with fMRI. <i>NeuroImage</i> , <b>2016</b> , 124, 714-723	7.9	21
37	Reply. <i>Pain</i> , <b>2016</b> , 157, 1175-1176	8	
36	Network localization of hemichorea-hemiballismus. <i>Neurology</i> , <b>2016</b> , 86, 2187-95	6.5	73
35	Multifocal repetitive TMS for motor and mood symptoms of Parkinson disease: A randomized trial. <i>Neurology</i> , <b>2016</b> , 87, 1907-1915	6.5	76
34	Brain Stimulation for Torsion Dystonia. <i>JAMA Neurology</i> , <b>2015</b> , 72, 713-9	17.2	53
33	Network localization of neurological symptoms from focal brain lesions. <i>Brain</i> , <b>2015</b> , 138, 3061-75	11.2	211
32	Parcellating cortical functional networks in individuals. <i>Nature Neuroscience</i> , <b>2015</b> , 18, 1853-60	25.5	278
31	Reliability correction for functional connectivity: Theory and implementation. <i>Human Brain Mapping</i> , <b>2015</b> , 36, 4664-80	5.9	48
30	Transcranial magnetic stimulation of the brain: guidelines for pain treatment research. <i>Pain</i> , <b>2015</b> , 156, 1601-1614	8	95
29	Concordance Between BeamF3 and MRI-neuronavigated Target Sites for Repetitive Transcranial Magnetic Stimulation of the Left Dorsolateral Prefrontal Cortex. <i>Brain Stimulation</i> , <b>2015</b> , 8, 965-73	5.1	103

28	Optimization of multifocal transcranial current stimulation for weighted cortical pattern targeting from realistic modeling of electric fields. <i>NeuroImage</i> , <b>2014</b> , 89, 216-25	7.9	207
27	Resting-state networks link invasive and noninvasive brain stimulation across diverse psychiatric and neurological diseases. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2014</b> , 111, E4367-75	11.5	348
26	Neurobiological basis of head motion in brain imaging. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2014</b> , 111, 6058-62	11.5	221
25	Transcranial Magnetic Stimulation in the Treatment of Neurological Disease. <i>Psychiatric Annals</i> , <b>2014</b> , 44, 299-304	0.5	
24	Individual variability in functional connectivity architecture of the human brain. <i>Neuron</i> , <b>2013</b> , 77, 586-95	13.9	634
23	Identification of reproducible individualized targets for treatment of depression with TMS based on intrinsic connectivity. <i>NeuroImage</i> , <b>2013</b> , 66, 151-60	7.9	178
22	Measuring and manipulating brain connectivity with resting state functional connectivity magnetic resonance imaging (fMRI) and transcranial magnetic stimulation (TMS). <i>NeuroImage</i> , <b>2012</b> , 62, 2232-43	7.9	222
21	Exploration and modulation of brain network interactions with noninvasive brain stimulation in combination with neuroimaging. <i>European Journal of Neuroscience</i> , <b>2012</b> , 35, 805-25	3.5	110
20	Efficacy of transcranial magnetic stimulation targets for depression is related to intrinsic functional connectivity with the subgenual cingulate. <i>Biological Psychiatry</i> , <b>2012</b> , 72, 595-603	7.9	546
19	"Bright tongue sign" in ALS. <i>Neurology</i> , <b>2012</b> , 79, 1520	6.5	6
18	Clinical applications of resting state functional connectivity. <i>Frontiers in Systems Neuroscience</i> , <b>2010</b> , 4, 19	3.5	745
17	Noninvasive functional and structural connectivity mapping of the human thalamocortical system. <i>Cerebral Cortex</i> , <b>2010</b> , 20, 1187-94	5.1	275
16	Preoperative sensorimotor mapping in brain tumor patients using spontaneous fluctuations in neuronal activity imaged with functional magnetic resonance imaging: initial experience. <i>Operative Neurosurgery</i> , <b>2009</b> , 65, 226-36	1.6	116
15	The global signal and observed anticorrelated resting state brain networks. <i>Journal of Neurophysiology</i> , <b>2009</b> , 101, 3270-83	3.2	1439
14	Resting-state spontaneous fluctuations in brain activity: a new paradigm for presurgical planning using fMRI. <i>Academic Radiology</i> , <b>2009</b> , 16, 578-83	4.3	122
13	Intrinsic functional relations between human cerebral cortex and thalamus. <i>Journal of Neurophysiology</i> , <b>2008</b> , 100, 1740-8	3.2	348
12	Spontaneous fluctuations in brain activity observed with functional magnetic resonance imaging. <i>Nature Reviews Neuroscience</i> , <b>2007</b> , 8, 700-11	13.5	4876
11	Intrinsic functional architecture in the anaesthetized monkey brain. <i>Nature</i> , <b>2007</b> , 447, 83-6	50.4	1462

10	Intrinsic fluctuations within cortical systems account for intertrial variability in human behavior. <i>Neuron</i> , <b>2007</b> , 56, 171-84	13.9	625
9	Distinct brain networks for adaptive and stable task control in humans. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2007</b> , 104, 11073-8	11.5	1857
8	A method for using blocked and event-related fMRI data to study "resting state" functional connectivity. <i>NeuroImage</i> , <b>2007</b> , 35, 396-405	7.9	434
7	Coherent spontaneous activity identifies a hippocampal-parietal memory network. <i>Journal of Neurophysiology</i> , <b>2006</b> , 96, 3517-31	3.2	813
6	Spontaneous neuronal activity distinguishes human dorsal and ventral attention systems. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2006</b> , 103, 10046-51	11.5	1515
5	Coherent spontaneous activity accounts for trial-to-trial variability in human evoked brain responses. <i>Nature Neuroscience</i> , <b>2006</b> , 9, 23-5	25.5	529
4	The BOLD onset transient: identification of novel functional differences in schizophrenia. <i>NeuroImage</i> , <b>2005</b> , 25, 771-82	7.9	38
3	Transient BOLD responses at block transitions. <i>NeuroImage</i> , <b>2005</b> , 28, 956-66	7.9	91
2	The human brain is intrinsically organized into dynamic, anticorrelated functional networks. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2005</b> , 102, 9673-8	11.5	6098
1	Arthritis in mice due to infection with <i>Mycoplasma pulmonis</i> . I. Clinical and microbiologic features. <i>Journal of Infectious Diseases</i> , <b>1973</b> , 128, 533-40	7	25