

# Alfonso Ant3n L3pez

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1844465/publications.pdf>

Version: 2024-02-01

9  
papers

256  
citations

1478505

6  
h-index

1588992

8  
g-index

9  
all docs

9  
docs citations

9  
times ranked

453  
citing authors

#	ARTICLE	IF	CITATIONS
1	Diagnostic Accuracy of Spectralis SD OCT Automated Macular Layers Segmentation to Discriminate Normal from Early Glaucomatous Eyes. <i>Ophthalmology</i> , 2017, 124, 1218-1228.	5.2	84
2	Prevalence of Primary Open-Angle Glaucoma in a Spanish Population. <i>Journal of Glaucoma</i> , 2004, 13, 371-376.	1.6	80
3	Diagnostic accuracy of imaging devices in glaucoma: A meta-analysis. <i>Survey of Ophthalmology</i> , 2017, 62, 446-461.	4.0	39
4	Glaucoma Progression Detection: Agreement, Sensitivity, and Specificity of Expert Visual Field Evaluation, Event Analysis, and Trend Analysis. <i>European Journal of Ophthalmology</i> , 2013, 23, 187-195.	1.3	26
5	Cost and detection rate of glaucoma screening with imaging devices in a primary care center. <i>Clinical Ophthalmology</i> , 2017, Volume 11, 337-346.	1.8	14
6	Diagnostic Accuracy and Detection Rate of Glaucoma Screening with Optic Disk Photos, Optical Coherence Tomography Images, and Telemedicine. <i>Journal of Clinical Medicine</i> , 2022, 11, 216.	2.4	7
7	In vitro mitomycin C absorption and delivery with different sponge materials used in filtering surgery. <i>Clinical Ophthalmology</i> , 2016, 10, 665.	1.8	3
8	Interobserver and Intertest Agreement in Telemedicine Glaucoma Screening with Optic Disk Photos and Optical Coherence Tomography. <i>Journal of Clinical Medicine</i> , 2021, 10, 3337.	2.4	3
9	Reply. <i>Ophthalmology</i> , 2018, 125, e21-e22.	5.2	0