Hiroshi Ueda

List of Publications by Citations

Source: https://exaly.com/author-pdf/1844473/hiroshi-ueda-publications-by-citations.pdf

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

206 papers

3,402 citations

31 h-index

45 g-index

221 ext. papers

3,786 ext. citations

4.4 avg, IF

5.26 L-index

#	Paper	IF	Citations
206	Open sandwich ELISA: a novel immunoassay based on the interchain interaction of antibody variable region. <i>Nature Biotechnology</i> , 1996 , 14, 1714-8	44.5	135
205	Overexpression of bcl-2, apoptosis suppressing gene: Prolonged viable culture period of hybridoma and enhanced antibody production. <i>Biotechnology and Bioengineering</i> , 1995 , 48, 118-22	4.9	105
204	Magnetically palladium catalyst stabilized by diaminoglyoxime-functionalized magnetic Fe 3 O 4 nanoparticles as active and reusable catalyst for Suzuki coupling reactions. <i>Journal of Molecular Catalysis A</i> , 2015 , 396, 216-223		104
203	"Quenchbodies": quench-based antibody probes that show antigen-dependent fluorescence. <i>Journal of the American Chemical Society</i> , 2011 , 133, 17386-94	16.4	98
202	Cyclic RGD peptide-labeled upconversion nanophosphors for tumor cell-targeted imaging. <i>Biochemical and Biophysical Research Communications</i> , 2009 , 381, 54-8	3.4	94
201	Noncompetitive detection of low molecular weight peptides by open sandwich immunoassay. <i>Analytical Chemistry</i> , 2007 , 79, 6193-200	7.8	69
200	Demonstration of a homogeneous noncompetitive immunoassay based on bioluminescence resonance energy transfer. <i>Analytical Biochemistry</i> , 2001 , 289, 77-81	3.1	66
199	Open sandwich-based immuno-transistor for label-free and noncompetitive detection of low molecular weight antigen. <i>Analytical Chemistry</i> , 2009 , 81, 7532-7	7.8	55
198	Ultra Q-bodies: quench-based antibody probes that utilize dye-dye interactions with enhanced antigen-dependent fluorescence. <i>Scientific Reports</i> , 2014 , 4, 4640	4.9	53
197	Detection of protein-protein interaction by bioluminescence resonance energy transfer from firefly luciferase to red fluorescent protein. <i>Journal of Bioscience and Bioengineering</i> , 2002 , 94, 362-364	3.3	52
196	Formation of highly toxic soluble amyloid beta oligomers by the molecular chaperone prefoldin. <i>FEBS Journal</i> , 2008 , 275, 5982-93	5.7	51
195	Kinetics and binding sites for interaction of the prefoldin with a group II chaperonin: contiguous non-native substrate and chaperonin binding sites in the archaeal prefoldin. <i>Journal of Biological Chemistry</i> , 2004 , 279, 31788-95	5.4	51
194	Open sandwich enzyme-linked immunosorbent assay for the quantitation of small haptens. <i>Analytical Biochemistry</i> , 2000 , 286, 238-46	3.1	49
193	Engineering of functional chimeric protein G-Vargula luciferase. <i>Analytical Biochemistry</i> , 1997 , 249, 147-	-5321	46
192	Open sandwich ELISA with V(H)-/V(L)-alkaline phosphatase fusion proteins. <i>Journal of Immunological Methods</i> , 1999 , 224, 171-84	2.5	46
191	Creation of a thermostable firefly luciferase with pH-insensitive luminescent color. <i>Photochemistry and Photobiology</i> , 2003 , 77, 333-8	3.6	44
190	Fluorolabeling of antibody variable domains with green fluorescent protein variants: application to an energy transfer-based homogeneous immunoassay. <i>Protein Engineering, Design and Selection</i> , 2000 , 13, 369-76	1.9	44

(2003-2007)

189	Sensitive detection of estrogenic mycotoxin zearalenone by open sandwich immunoassay. <i>Analytical Sciences</i> , 2007 , 23, 65-70	1.7	43	
188	Enzymatic labeling of a single chain variable fragment of an antibody with alkaline phosphatase by microbial transglutaminase. <i>Biotechnology and Bioengineering</i> , 2004 , 86, 399-404	4.9	43	
187	Chaperone-assisted folding of a single-chain antibody in a reconstituted translation system. <i>Biochemical and Biophysical Research Communications</i> , 2004 , 320, 1359-64	3.4	38	
186	Micro OS-ELISA: Rapid noncompetitive detection of a small biomarker peptide by open-sandwich enzyme-linked immunosorbent assay (OS-ELISA) integrated into microfluidic device. <i>Lab on A Chip</i> , 2010 , 10, 92-100	7.2	34	
185	Open-sandwich enzyme immunoassay for one-step noncompetitive detection of corticosteroid 11-deoxycortisol. <i>Analytical Chemistry</i> , 2009 , 81, 8298-304	7.8	34	
184	Site-specific cross-linking of functional proteins by transglutamination. <i>Enzyme and Microbial Technology</i> , 2003 , 33, 492-496	3.8	34	
183	Construction, bacterial expression, and characterization of hapten-specific single-chain Fv and alkaline phosphatase fusion protein. <i>Journal of Biochemistry</i> , 1997 , 122, 322-9	3.1	33	
182	Homogeneous noncompetitive immunoassay based on the energy transfer between fluorolabeled antibody variable domains (open sandwich fluoroimmunoassay). <i>BioTechniques</i> , 1999 , 27, 738-42	2.5	33	
181	From fluorescence polarization to Quenchbody: Recent progress in fluorescent reagentless biosensors based on antibody and other binding proteins. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2014 , 1844, 1951-1959	4	32	
180	Open sandwich immunoassay: a novel immunoassay approach based on the interchain interaction of an antibody variable region. <i>Journal of Bioscience and Bioengineering</i> , 2002 , 94, 614-619	3.3	32	
179	Selection of genetically modified cell population using hapten-specific antibody/receptor chimera. <i>Biochemical and Biophysical Research Communications</i> , 2004 , 315, 132-8	3.4	32	
178	Demonstration of protein-fragment complementation assay using purified firefly luciferase fragments. <i>BMC Biotechnology</i> , 2013 , 13, 31	3.5	31	
177	Luminescent and substrate binding activities of firefly luciferase N-terminal domain. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2003 , 1649, 183-9	4	31	
176	Growth rate suppression of cultured mammalian cells enhances protein productivity. <i>Cytotechnology</i> , 1994 , 15, 57-64	2.2	31	
175	Flashbody: A Next Generation Fluobody with Fluorescence Intensity Enhanced by Antigen Binding. <i>Analytical Chemistry</i> , 2017 , 89, 6719-6725	7.8	30	
174	Direct construction of an open-sandwich enzyme immunoassay for one-step noncompetitive detection of thyroid hormone T4. <i>Analytical Chemistry</i> , 2011 , 83, 1008-14	7.8	30	
173	Antibody Fab display system that can perform open-sandwich ELISA. <i>Analytical Biochemistry</i> , 2009 , 386, 36-44	3.1	30	
172	A general method to select antibody fragments suitable for noncompetitive detection of monovalent antigens. <i>Analytical Chemistry</i> , 2003 , 75, 4057-64	7.8	30	

171	Cell-growth control by monomeric antigen: the cell surface expression of lysozyme-specific Ig V-domains fused to truncated Epo receptor. <i>Journal of Immunological Methods</i> , 2000 , 241, 159-70	2.5	29
170	Rapid detection of the neonicotinoid insecticide imidacloprid using a quenchbody assay. <i>Analytical and Bioanalytical Chemistry</i> , 2018 , 410, 4219-4226	4.4	28
169	Detection of vimentin serine phosphorylation by multicolor Quenchbodies. <i>Biosensors and Bioelectronics</i> , 2013 , 40, 17-23	11.8	28
168	T cell growth control using hapten-specific antibody/interleukin-2 receptor chimera. <i>Cytokine</i> , 2009 , 46, 127-36	4	28
167	A homogeneous noncompetitive immunoassay for the detection of small haptens. <i>Analytical Chemistry</i> , 2002 , 74, 2500-4	7.8	28
166	Green Fluorescent Protein-Based Glucose Indicators Report Glucose Dynamics in Living Cells. <i>Analytical Chemistry</i> , 2019 , 91, 4821-4830	7.8	27
165	Site-Selective Protein Chemical Modification of Exposed Tyrosine Residues Using Tyrosine Click Reaction. <i>Bioconjugate Chemistry</i> , 2020 , 31, 1417-1424	6.3	27
164	The influence of domain structures on the signal transduction of chimeric receptors derived from the erythropoietin receptor. <i>Journal of Biochemistry</i> , 2009 , 145, 575-84	3.1	26
163	Human IgG1 expression in silkworm larval hemolymph using BmNPV bacmids and its N-linked glycan structure. <i>Journal of Biotechnology</i> , 2009 , 139, 108-14	3.7	26
162	The role of interface framework residues in determining antibody V(H)/V(L) interaction strength and antigen-binding affinity. <i>FEBS Journal</i> , 2006 , 273, 2184-94	5.7	26
161	Cloning and characterization of extradiol aromatic ring-cleavage dioxygenases of Pseudomonas aeruginosa JI104. <i>Journal of Bioscience and Bioengineering</i> , 1996 , 82, 217-223		26
160	Array-Based Rational Design of Short Peptide Probe-Derived from an Anti-TNT Monoclonal Antibody. <i>ACS Combinatorial Science</i> , 2017 , 19, 625-632	3.9	25
159	Bypassing antibiotic selection: positive screening of genetically modified cells with an antigen-dependent proliferation switch. <i>Nucleic Acids Research</i> , 2003 , 31, e32	20.1	25
158	A homogeneous and noncompetitive immunoassay based on the enhanced fluorescence resonance energy transfer by leucine zipper interaction. <i>Analytical Chemistry</i> , 2002 , 74, 5786-92	7.8	25
157	Homogeneous Noncompetitive Luminescent Immunodetection of Small Molecules by Ternary Protein Fragment Complementation. <i>Analytical Chemistry</i> , 2018 , 90, 3001-3004	7.8	24
156	Selection and growth regulation of genetically modified cells with hapten-specific antibody/receptor tyrosine kinase chimera. <i>Biotechnology Progress</i> , 2009 , 25, 1138-45	2.8	24
155	Monitoring of the refolding process for immobilized firefly luciferase with a biosensor based on surface plasmon resonance. <i>Journal of Biochemistry</i> , 2001 , 129, 1-4	3.1	24
154	Graphene Field Effect Transistor-Based Immunosensor for Ultrasensitive Noncompetitive Detection of Small Antigens. <i>ACS Sensors</i> , 2020 , 5, 24-28	9.2	24

(2006-2003)

153	An optimized homogeneous noncompetitive immunoassay based on the antigen-driven enzymatic complementation. <i>Journal of Immunological Methods</i> , 2003 , 279, 209-18	2.5	23	
152	Open-sandwich immunoassay for sensitive and broad-range detection of a shellfish toxin gonyautoxin. <i>Analytica Chimica Acta</i> , 2013 , 793, 107-13	6.6	22	
151	Detection of protein-protein interaction by bioluminescence resonance energy transfer from firefly luciferase to red fluorescent protein. <i>Journal of Bioscience and Bioengineering</i> , 2002 , 94, 362-4	3.3	22	
150	Covalent split protein fragment-DNA hybrids generated through N-terminus-specific modification of proteins by oligonucleotides. <i>Organic and Biomolecular Chemistry</i> , 2008 , 6, 2187-94	3.9	21	
149	The role of firefly luciferase C-terminal domain in efficient coupling of adenylation and oxidative steps. <i>FEBS Letters</i> , 2005 , 579, 4389-94	3.8	21	
148	Open-sandwich molecular imprinting: making a recognition matrix with antigen-imprinted antibody fragments. <i>Bioconjugate Chemistry</i> , 2012 , 23, 1463-9	6.3	20	
147	Establishing apoptosis resistant cell lines for improving protein productivity of cell culture. <i>Cytotechnology</i> , 1997 , 23, 55-9	2.2	20	
146	Novel site-specific immobilization of a functional protein using a preferred substrate sequence for transglutaminase 2. <i>Journal of Biotechnology</i> , 2007 , 131, 121-7	3.7	20	
145	Importance of a CDR H3 basal residue in V(H)/V(L) interaction of human antibodies. <i>Journal of Biochemistry</i> , 2002 , 132, 775-82	3.1	20	
144	Insight into the Working Mechanism of Quenchbody: Transition of the Dye around Antibody Variable Region That Fluoresces upon Antigen Binding. <i>Bioconjugate Chemistry</i> , 2016 , 27, 2248-2253	6.3	20	
143	Growth control of genetically modified cells using an antibody/c-Kit chimera. <i>Journal of Bioscience and Bioengineering</i> , 2012 , 113, 641-6	3.3	19	
142	Detection of small molecule diagnostic markers with phage-based open-sandwich immuno-PCR. <i>Journal of Immunological Methods</i> , 2012 , 377, 1-7	2.5	19	
141	Growth promotion of genetically modified hematopoietic progenitors using an antibody/c-Mpl chimera. <i>Cytokine</i> , 2011 , 55, 402-8	4	19	
140	Construction of a fluorescein-responsive chimeric receptor with strict ligand dependency. <i>Biotechnology and Bioengineering</i> , 2008 , 101, 975-84	4.9	19	
139	ELISA-type assays of trace biomarkers using microfluidic methods. <i>Wiley Interdisciplinary Reviews:</i> Nanomedicine and Nanobiotechnology, 2017 , 9, e1457	9.2	18	
138	Antibody affinity maturation in vitro using unconjugated peptide antigen. <i>Protein Engineering, Design and Selection</i> , 2010 , 23, 185-93	1.9	18	
137	Engineering cytokine receptors to control cellular functions. <i>Biochemical Engineering Journal</i> , 2010 , 48, 283-294	4.2	18	
136	Detection of protein tyrosine phosphorylation by open sandwich fluoroimmunoassay. Biotechnology Progress, 2006 , 22, 968-73	2.8	18	

135	Exogenous gene expression and growth regulation of hematopoietic cells via a novel human artificial chromosome. <i>Journal of Human Genetics</i> , 2006 , 51, 147-150	4.3	18
134	Selection of highly productive mammalian cells based on an inducible growth advantage using an antibody/receptor chimera. <i>Journal of Bioscience and Bioengineering</i> , 2002 , 93, 399-404	3.3	18
133	Q-Bodies from Recombinant Single-Chain Fv Fragment with Better Yield and Expanded Palette of Fluorophores. <i>ACS Sensors</i> , 2016 , 1, 88-94	9.2	17
132	Establishment of an apoptosis-resistant and growth-controllable cell line by transfecting with inducible antisense c-Jun gene. <i>Biotechnology and Bioengineering</i> , 1998 , 58, 65-72	4.9	17
131	Construction of chimeric proteins between protein G and fluorescence-enhanced green fluorescent protein, and their application to immunoassays. <i>Journal of Bioscience and Bioengineering</i> , 1998 , 86, 440-	445	16
130	Enhanced fluorescence resonance energy transfer immunoassay with improved sensitivity based on the FabRbased immunoconjugates. <i>Analytical Biochemistry</i> , 2007 , 360, 266-72	3.1	16
129	Enhanced expression of neuronal nitric oxide synthase in islets of exercise-trained rats. <i>Biochemical and Biophysical Research Communications</i> , 2003 , 312, 794-800	3.4	16
128	Cytokines involving gp130 in signal transduction suppressed growth of a mouse hybridoma cell line and enhanced its antibody production. <i>Cytokine</i> , 1996 , 8, 889-94	4	16
127	Replacing factor-dependency with that for lysozyme: affordable culture of IL-6-dependent hybridoma by transfecting artificial cell surface receptor. <i>Biotechnology and Bioengineering</i> , 2001 , 74, 416-23	4.9	15
126	An open sandwich immunoassay for detection of 13(R,S)-hydroxy-9(E),11(E)-octadecadienoic acid. <i>Analyst, The</i> , 2017 , 142, 787-793	5	14
125	Label free Detection of Vitamin B12 Based on Fluorescence Quenching of Graphene Oxide Nanolayer. <i>Fullerenes Nanotubes and Carbon Nanostructures</i> , 2015 , 23, 878-884	1.8	14
124	Open flower fluoroimmunoassay: a general method to make fluorescent protein-based immunosensor probes. <i>Analytical Chemistry</i> , 2015 , 87, 3513-9	7.8	14
123	Strategy for making a superior Quenchbody to proteins: effect of the fluorophore position. <i>Sensors</i> , 2014 , 14, 13285-97	3.8	14
122	Improved growth response of antibody/receptor chimera attained by the engineering of transmembrane domain. <i>Protein Engineering, Design and Selection</i> , 2004 , 17, 715-9	1.9	14
121	Single-Step Detection of the Influenza Virus Hemagglutinin Using Bacterially-Produced Quenchbodies. <i>Sensors</i> , 2018 , 19,	3.8	14
120	Development of a Quenchbody for the Detection and Imaging of the Cancer-Related Tight-Junction-Associated Membrane Protein Claudin. <i>Analytical Chemistry</i> , 2017 , 89, 10783-10789	7.8	13
119	Optimal fusion of antibody binding domains resulted in higher affinity and wider specificity. <i>Journal of Bioscience and Bioengineering</i> , 2015 , 120, 504-9	3.3	13
118	Ultra sensitive firefly luciferase-based protein-protein interaction assay (FlimPIA) attained by hinge region engineering and optimized reaction conditions. <i>Biotechnology Journal</i> , 2016 , 11, 91-9	5.6	13

117	A novel murine antibody and an open sandwich immunoassay for the detection of clenbuterol. <i>Ecotoxicology and Environmental Safety</i> , 2019 , 182, 109473	7	13
116	Activation of target signal transducers utilizing chimeric receptors with signaling-molecule binding motifs. <i>Biotechnology and Bioengineering</i> , 2012 , 109, 1528-37	4.9	13
115	Characterization and fed-batch culture of hybridoma overexpressing apoptosis suppressing gene bcl-2. <i>Cytotechnology</i> , 1997 , 24, 135-41	2.2	13
114	Selective expansion of genetically modified T cells using an antibody/interleukin-2 receptor chimera. <i>Journal of Immunological Methods</i> , 2008 , 337, 16-23	2.5	13
113	Importance of terminal residues on circularly permutated Escherichia coli alkaline phosphatase with high specific activity. <i>Journal of Bioscience and Bioengineering</i> , 2005 , 100, 197-202	3.3	13
112	A growth signal with an artificially induced erythropoietin receptor-gp130 cytoplasmic domain heterodimer. <i>Journal of Biochemistry</i> , 2001 , 130, 305-12	3.1	13
111	Improved secretion of molecular chaperone-assisted human IgG in silkworm, and no alterations in their N-linked glycan structures. <i>Biotechnology Progress</i> , 2010 , 26, 232-8	2.8	12
110	Construction of Quenchbodies to detect and image amyloid © ligomers. <i>Analytical Biochemistry</i> , 2018 , 550, 61-67	3.1	11
109	Improved protein-protein interaction assay FlimPIA by the entrapment of luciferase conformation. <i>Analytical Chemistry</i> , 2014 , 86, 2013-8	7.8	11
108	Construction of dye-stapled Quenchbodies by photochemical crosslinking to antibody nucleotide-binding sites. <i>Chemical Communications</i> , 2017 , 53, 10200-10203	5.8	11
107	Isolation of recombinant phage antibodies targeting the hemagglutinin cleavage site of highly pathogenic avian influenza virus. <i>PLoS ONE</i> , 2013 , 8, e61158	3.7	11
106	Human single-chain antibody expression in the hemolymph and fat body of silkworm larvae and pupae using BmNPV bacmids. <i>Journal of Bioscience and Bioengineering</i> , 2009 , 107, 67-72	3.3	11
105	Recent Advances in Quenchbody, a Fluorescent Immunosensor. Sensors, 2021, 21,	3.8	11
104	Detection and destruction of HER2-positive cancer cells by Ultra Quenchbody-siRNA complex. <i>Biotechnology and Bioengineering</i> , 2020 , 117, 1259-1269	4.9	10
103	Improved detection sensitivity and selectivity attained by open-sandwich selection of an anti-estradiol antibody. <i>Analytical Sciences</i> , 2012 , 28, 861-7	1.7	10
102	Antigen-mediated growth control of hybridoma cells via a human artificial chromosome. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2007 , 1770, 206-12	4	10
101	Stabilization of antibody VH-domains by proteolytic selection. <i>Journal of Molecular Catalysis B: Enzymatic</i> , 2004 , 28, 173-179		10
100	Antigen responsive antibody-receptor kinase chimera. <i>Bio/technology</i> , 1992 , 10, 430-3		10

99	Preparation of Quenchbodies by protein transamination reaction. <i>Journal of Bioscience and Bioengineering</i> , 2016 , 122, 125-30	3.3	10
98	Creation of a Nanobody-Based Fluorescent Immunosensor Mini Q-body for Rapid Signal-On Detection of Small Hapten Methotrexate. <i>ACS Sensors</i> , 2020 , 5, 3457-3464	9.2	9
97	A protein-protein interaction assay based on the functional complementation of mutant firefly luciferases. <i>Analytical Chemistry</i> , 2013 , 85, 7935-40	7.8	9
96	Death signalobody: inducing conditional cell death in response to a specific antigen. <i>Human Gene Therapy Methods</i> , 2013 , 24, 141-50	4.9	9
95	Antigen-mediated migration of murine pro-B Ba/F3 cells via an antibody/receptor chimera. <i>Journal of Biotechnology</i> , 2008 , 133, 154-61	3.7	9
94	Overexpression of bcl-2 improved survival of COS-1 cells and enhanced transient protein production. <i>Journal of Bioscience and Bioengineering</i> , 1996 , 82, 589-591		9
93	N-butylamine functionalized graphene oxide for detection of iron(III) by photoluminescence quenching. <i>Luminescence</i> , 2016 , 31, 229-35	2.5	9
92	An antigen-mediated selection system for mammalian cells that produce glycosylated single-chain Fv. <i>Biochemical and Biophysical Research Communications</i> , 2004 , 324, 1165-72	3.4	8
91	Development of an Open sandwich ELISA for the detection of microcystin-LR. <i>Microchemical Journal</i> , 2020 , 158, 105325	4.8	8
90	One-pot construction of Quenchbodies using antibody-binding proteins. <i>Analytical Methods</i> , 2016 , 8, 7774-7779	3.2	8
89	PM Q-probe: A fluorescent binding protein that converts many antibodies to a fluorescent biosensor. <i>Biosensors and Bioelectronics</i> , 2020 , 165, 112425	11.8	7
88	Development of a fluorescent protein-antibody F¶rster resonance energy transfer probe for the detection and imaging of osteocalcin. <i>Journal of Bioscience and Bioengineering</i> , 2017 , 123, 272-276	3.3	7
87	Expression of antibody variable region-human alkaline phosphatase fusion proteins in mammalian cells. <i>Journal of Immunological Methods</i> , 2010 , 361, 57-63	2.5	7
86	Reinforcing apoptosis-resistance of COS and myeloma cells by transfecting with bcl-2 gene. <i>Cytotechnology</i> , 1997 , 25, 25-33	2.2	7
85	Noncompetitive homogeneous immunodetection of small molecules based on beta-glucuronidase complementation. <i>Analyst, The</i> , 2018 , 143, 2096-2101	5	6
84	Dimerization-based homogeneous fluorosensor proteins for the detection of specific dsDNA. <i>Biosensors and Bioelectronics</i> , 2008 , 23, 1266-71	11.8	6
83	Mimicry of erythropoietin and interleukin-6 signalling by an antibody/cytokine receptor chimera in murine myeloid 32D cells. <i>Journal of Biochemistry</i> , 2007 , 141, 563-71	3.1	6
82	Refolding of firefly luciferase immobilized on agarose beads. <i>Journal of Biochemistry</i> , 2000 , 127, 351-4	3.1	6

(2017-1995)

81	A catechol 2,3-dioxygenase gene as a reporter. <i>Bioscience, Biotechnology and Biochemistry</i> , 1995 , 59, 314-5	2.1	6	
80	Efficient selection of mu m-mutants from mu m-expressing myeloma cells by treatment with ricin A-conjugated anti-mu antibody. <i>Somatic Cell and Molecular Genetics</i> , 1992 , 18, 553-8		6	
79	An enhanced open sandwich immunoassay by molecular evolution for noncompetitive detection of Alternaria mycotoxin tenuazonic acid. <i>Food Chemistry</i> , 2021 , 361, 130103	8.5	6	
78	Intrabody-based FRET probe to visualize endogenous histone acetylation. <i>Scientific Reports</i> , 2019 , 9, 10188	4.9	5	
77	Simultaneous retention of thermostability and specific activity in chimeric human alkaline phosphatases. <i>Molecular Biotechnology</i> , 2014 , 56, 953-61	3	5	
76	A signal-on fluorosensor based on quench-release principle for sensitive detection of antibiotic rapamycin. <i>Biosensors</i> , 2015 , 5, 131-40	5.9	5	
75	Protein-based open sandwich immuno-PCR for sensitive detection of small biomarkers. <i>Analytical Sciences</i> , 2013 , 29, 871-6	1.7	5	
74	Comparison of the efficiencies of different affinity tags in the purification of a recombinant secretory protein expressed in silkworm larval hemolymph. <i>Biotechnology and Bioprocess Engineering</i> , 2009 , 14, 281-287	3.1	5	
73	Production of scFv-displaying BmNPV in silkworm larvae and its efficient purification. <i>Biotechnology and Applied Biochemistry</i> , 2010 , 57, 63-9	2.8	5	
7 ²	Development of a homogeneous competitive immunoassay for phosphorylated protein antigen based on the enhanced fluorescence resonance energy transfer technology. <i>Journal of Bioscience and Bioengineering</i> , 2010 , 109, 15-9	3.3	5	
71	Application of the random amplified polymorphic DNA (RAPD) technique to distinguishing species of the red tide phytoplankton Chattonella (Raphydophyceae). <i>Journal of Bioscience and Bioengineering</i> , 1998 , 85, 343-345		5	
70	A new gibberellin detection system in living cells based on antibody V(H)/V(L) interaction. <i>Biochemical and Biophysical Research Communications</i> , 2008 , 376, 134-8	3.4	5	
69	Growth control of hybridoma cells with an artificially induced EpoR-gp130 heterodimer. <i>Cytotechnology</i> , 2006 , 52, 171-9	2.2	5	
68	Single cell reporter assay using cell surface displayed Vargula luciferase. <i>Journal of Bioscience and Bioengineering</i> , 2001 , 92, 575-579	3.3	5	
67	Enhanced Settling of Mammalian Cells in Tanks with Inclined Plates/Simulation by Fluid Mechanical Model and Experiment <i>Journal of Chemical Engineering of Japan</i> , 1995 , 28, 703-707	0.8	5	
66	Green fluorescent protein-based lactate and pyruvate indicators suitable for biochemical assays and live cell imaging. <i>Scientific Reports</i> , 2020 , 10, 19562	4.9	5	
65	Transmembrane signaling on a protocell: Creation of receptor-enzyme chimeras for immunodetection of specific antibodies and antigens. <i>Scientific Reports</i> , 2019 , 9, 18189	4.9	5	
64	Electrostatic engineering of the interface between heavy and light chains promotes antibody Fab fragment production. <i>Cytotechnology</i> , 2017 , 69, 469-475	2.2	4	

63	Creation of a Ligand-Dependent Enzyme by Fusing Circularly Permuted Antibody Variable Region Domains. <i>Bioconjugate Chemistry</i> , 2016 , 27, 868-73	6.3	4
62	Expression of an antibody-enzyme complex by the L-chain fusion method. <i>Journal of Bioscience and Bioengineering</i> , 2013 , 116, 17-21	3.3	4
61	Micro open-sandwich ELISA to rapidly evaluate thyroid hormone concentration from serum samples. <i>Bioanalysis</i> , 2010 , 2, 1683-7	2.1	4
60	Activation of circularly permutated lactamase tethered to antibody domains by specific small molecules. <i>Bioconjugate Chemistry</i> , 2011 , 22, 633-41	6.3	4
59	Trans-splicing as a novel method to rapidly produce antibody fusion proteins. <i>Biochemical and Biophysical Research Communications</i> , 2009 , 384, 316-21	3.4	4
58	AMEGA: antigen-mediated genetically modified cell amplification. <i>Journal of Immunological Methods</i> , 2004 , 284, 187-94	2.5	4
57	Reversal of antigen-dependent signaling by two mutations in antibody/receptor chimera: implication of inverse agonism in cytokine receptor superfamily. <i>Biochemical Pharmacology</i> , 2004 , 68, 539-48	6	4
56	Homogeneous sandwich immunoassay based on the enzymatic complementation induced by single-chain Fv fragments. <i>Analytical Biochemistry</i> , 2004 , 327, 241-6	3.1	4
55	Enhancement of mutation frequency with nucleotide triphosphate analogs in PCR random mutagenesis. <i>Journal of Bioscience and Bioengineering</i> , 1995 , 79, 303-305		4
54	Mathematical Model of the Firefly Luciferase Complementation Assay Reveals a Non-Linear Relationship between the Detected Luminescence and the Affinity of the Protein Pair Being Analyzed. <i>PLoS ONE</i> , 2016 , 11, e0148256	3.7	4
53	BRET Q-Body: A Ratiometric Quench-based Bioluminescent Immunosensor Made of Luciferase-Dye-Antibody Fusion with Enhanced Response. <i>Analytical Chemistry</i> , 2021 , 93, 7571-7578	7.8	4
52	Development of a fluvoxamine detection system using a Quenchbody, a novel fluorescent biosensor. <i>Drug Testing and Analysis</i> , 2019 , 11, 601-609	3.5	4
51	Creation of stable and strictly regulated enzyme switch for signal-on immunodetection of various small antigens. <i>Journal of Bioscience and Bioengineering</i> , 2019 , 128, 677-682	3.3	3
50	Creation of a Thermostable Firefly Luciferase with pH-insensitive Luminescent Color¶. <i>Photochemistry and Photobiology</i> , 2007 , 77, 333-338	3.6	3
49	Truncation of Vargula luciferase still results in retention of luminescence. <i>Journal of Biochemistry</i> , 1996 , 119, 601-3	3.1	3
48	Antigen-Mediated Genetically Modified Cell Amplification (AMEGA) with Single Vector Transduction. <i>Journal of Chemical Engineering of Japan</i> , 2004 , 37, 1259-1264	0.8	3
47	Rapid construction of fluorescence quenching-based immunosensor Q-bodies using Ehelical coiled-coil peptides. <i>Chemical Communications</i> , 2021 , 57, 8206-8209	5.8	3
46	Evaluation of protein-ligand interactions using the luminescent interaction assay FlimPIA with streptavidin-biotin linkage. <i>Analytical Biochemistry</i> , 2018 , 563, 61-66	3.1	3

45	Preparation of an antigen-responsive fluorogenic immunosensor by tyrosine chemical modification of the antibody complementarity determining region. <i>Chemical Communications</i> , 2021 , 57, 9760-9763	5.8	3
44	Verification of a specific reaction between an airborne antigen and an immobilized antibody at a gas-solid interface. <i>Analytical Sciences</i> , 2009 , 25, 1101-6	1.7	2
43	Biomedical Engineering. Construction of Catechol 2,3-Dioxygenase-Protein G Chimeric Proteins and its Application to Immunoassay <i>Kagaku Kogaku Ronbunshu</i> , 1998 , 24, 169-173	0.4	2
42	Optimization of a Fusion Protein Expression System using Human Cell Lines to Create a Practical Immunoassay Reagent. <i>Kagaku Kogaku Ronbunshu</i> , 2015 , 41, 38-42	0.4	2
41	Selection of Highly Productive Mammalian Cells Based on an Inducible Growth Advantage Using and Antibody/Receptor Chimera <i>Journal of Bioscience and Bioengineering</i> , 2002 , 93, 399-404	3.3	2
40	An Open Sandwich Immunochromatography for Non-competitive Detection of Small Antigens. <i>Analytical Sciences</i> , 2021 , 37, 455-459	1.7	2
39	Development of red genetically encoded biosensor for visualization of intracellular glucose dynamics. <i>Cell Chemical Biology</i> , 2021 ,	8.2	2
38	A Protein-Protein Interaction Assay FlimPIA Based on the Functional Complementation of Mutant Firefly Luciferases. <i>Methods in Molecular Biology</i> , 2016 , 1461, 131-42	1.4	2
37	Protein-Protein Interaction Assays Using Split-NanoLuc 2019 ,		2
36	Open sandwich immunoassay: a novel immunoassay approach based on the interchain interaction of an antibody variable region. <i>Journal of Bioscience and Bioengineering</i> , 2002 , 94, 614-9	3.3	2
35	Ultrasensitive Firefly Luminescent Intermediate-Based Protein-Protein Interaction Assay (FlimPIA) Based on the Functional Complementation of Mutant Firefly Luciferases. <i>Methods in Molecular Biology</i> , 2017 , 1596, 119-130	1.4	1
34	Polymorphic Region-Specific Antibody for Evaluation of Affinity-Associated Profile of Chimeric Antigen Receptor. <i>Molecular Therapy - Oncolytics</i> , 2020 , 17, 293-305	6.4	1
33	Construction of Hybrid Protein Combining Immunoglobulin and Epidermal Growth Factor Receptor and Its Expression on the Myeloma Cell Membrane <i>Kagaku Kogaku Ronbunshu</i> , 1991 , 17, 547-552	0.4	1
32	Evaluation and selection of potent fluorescent immunosensors by combining fluorescent peptide and nanobodies displayed on yeast surface. <i>Scientific Reports</i> , 2021 , 11, 22590	4.9	1
31	Simple Fluorogenic Cellular Assay for Histone Deacetylase Inhibitors Based on Split-Yellow Fluorescent Protein and Intrabodies. <i>ACS Omega</i> , 2021 , 6, 10039-10046	3.9	1
30	Numerical Modeling for Sensitive and Rapid Molecular Detection by Membrane-Based Immunosensors. <i>Analytical Chemistry</i> , 2021 , 93, 7210-7219	7.8	1
29	Improved sensitivity of firefly luminescent intermediate-based protein interaction assay using Ser 440 mutant with lower adenylation activity. <i>Luminescence</i> , 2018 , 33, 125-130	2.5	1
28	Creation of a quick and sensitive fluorescent immunosensor for detecting the mineralocorticoid steroid hormone aldosterone <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2022 , 221, 106118	5.1	1

27	Quench-Release-Based Fluorescent Immunosensor for the Rapid Detection of Tumor Necrosis Factor []ACS Omega, 2021 , 6, 31009-31016	3.9	О
26	Biosensors: Homogeneous Detection 2021 ,		O
25	Creation of Antigen-Dependent Lactamase Fusion Protein Tethered by Circularly Permuted Antibody Variable Domains. <i>Methods in Molecular Biology</i> , 2017 , 1596, 149-165	1.4	
24	Non-Steady State Analysis of Enzyme Kinetics in Real Time Elucidates Substrate Association and Dissociation Rates: Demonstration with Analysis of Firefly Luciferase Mutants. <i>Biochemistry</i> , 2019 , 58, 2695-2702	3.2	
23	Fluorescein-responsive migration of mammalian cells equipped with an antibody/receptor chimera. <i>Journal of Bioscience and Bioengineering</i> , 2009 , 108, S33	3.3	
22	Development of a new phage display system for the screening of antibody fragments suitable for open-sandwich immunoassay. <i>Journal of Bioscience and Bioengineering</i> , 2009 , 108, S102	3.3	
21	????????????????????. Kagaku To Seibutsu, 2008 , 46, 252-258	О	
20	Fluorosensor proteins to detect specific DNA sequences in living bacteria. <i>Nucleic Acids Symposium Series</i> , 2007 , 121-2		
19	Antigen-Mediated Genetically Modified Cell Amplification. ACS Symposium Series, 2002, 140-152	0.4	
18	Method of obtaining mutants defective in immunoglobulin mu transcription factors. <i>Bioscience, Biotechnology and Biochemistry,</i> 1996 , 60, 1837-40	2.1	
17	Temperature Characteristics of Mammalian Cell Perfusion Culture <i>Kagaku Kogaku Ronbunshu</i> , 1996 , 22, 404-407	0.4	
16	Increasing Antibody Production by Suppressing Cell Proliferation with Controllable Expression of Cyclin Inhibitor P21 and P27 1999 , 171-175		
15	Monovalent Antigen Activates Antibody/Cytokine Receptor Chimera and Controls Hematopoietic Cell Growth 2002 , 255-259		
14	Improving the Stability of Protein-Protein Interaction Assay FlimPIA Using a Thermostabilized Firefly Luciferase. <i>Frontiers in Bioengineering and Biotechnology</i> , 2021 , 9, 778120	5.8	
13	Lysozyme-dependent Proliferation Switch: Hematopoietic and Hybridoma Cell Growth Control with the Use of Antibody/GP130 Chimera 2002 , 337-341		
12	Rapid Homogeneous Immunoassay of Peptides Based on Bioluminescence Resonance Energy Transfer from Firefly Luciferase <i>Journal of Bioscience and Bioengineering</i> , 2002 , 93, 537-542	3.3	
11	Cell Proliferation Switch Responsive to Fluorescein Dimer 2003 , 335-339		
10	Selective Expansion of Genetically Modified T Cells Using a Chimeric IL-2 Receptor for Cancer Therapy 2008 , 11-18		

LIST OF PUBLICATIONS

Construction of a Fluorescein-Responsive Chimeric Receptor with Strict Ligand Dependency and Analysis of the Role of Erythropoietin Receptor Domains in Signal Transduction **2008**, 187-193

Promoting Non-Hematopoietic Cell Proliferation by Chimeric Receptors 2008, 87-93

- Chimeric Receptor Made from IgM and EGFR that Induces Phosphorylation Upon Binding with Antigen **1992**, 27-30
- Construction and Expression of Chimeric Protein A Marine Firefly Luciferase in Mammalian Cells **1995**, 521-526
- 5 Temperature Characteristics of Mammalian Cell Perfusion Culture **1997**, 217-222
- Improvement of Transient Protein Production By Cos-1 Cells Stably Overexpressing bcl-2 Gene **1998**, 331-335
- Growth Control of Mammalian Cells via a Human Artificial Chromosome Harboring a Chimeric Receptor **2010**, 253-258
- The Characteristic of Chimeric Receptors Based on Erythropoietin Receptor **2010**, 265-270
- Development of a Single Fluorescent Protein-Based Green Glucose Indicator by Semirational
 Molecular Design and Molecular Evolution. *Methods in Molecular Biology*, **2021**, 2274, 89-100