
Haidar Dafsari

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1844475/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Euro <scp>I</scp> nf: <scp>A</scp> <scp>M</scp> ulticenter <scp>C</scp> omparative <scp>O</scp> bservational <scp>S</scp> tudy of <scp>A</scp> pomorphine and <scp>L</scp> evodopa <scp>I</scp> nfusion in <scp>P</scp> arkinson's <scp>D</scp> isease. Movement Disorders, 2015, 30, 510-516.	3.9	203
2	Directional DBS increases sideâ€effect thresholds—A prospective, doubleâ€blind trial. Movement Disorders, 2017, 32, 1380-1388.	3.9	194
3	Probabilistic sweet spots predict motor outcome for deep brain stimulation in Parkinson disease. Annals of Neurology, 2019, 86, 527-538.	5.3	129
4	EuroInf 2: Subthalamic stimulation, apomorphine, and levodopa infusion in Parkinson's disease. Movement Disorders, 2019, 34, 353-365.	3.9	126
5	DBS of the PSA and the VIM in essential tremor. Neurology, 2018, 91, e543-e550.	1.1	115
6	The effect of deep brain stimulation on the non-motor symptoms of Parkinson's disease: a critical review of the current evidence. Npj Parkinson's Disease, 2017, 3, 16024.	5.3	99
7	Non-motor outcomes depend on location of neurostimulation in Parkinson's disease. Brain, 2019, 142, 3592-3604.	7.6	90
8	Beneficial Effects of Bilateral Subthalamic Stimulation on Non-Motor Symptoms in Parkinson's Disease. Brain Stimulation, 2016, 9, 78-85.	1.6	86
9	Left Prefrontal Connectivity Links Subthalamic Stimulation with Depressive Symptoms. Annals of Neurology, 2020, 87, 962-975.	5.3	76
10	Essential tremor and tremor in Parkinson's disease are associated with distinct â€~tremor clusters' in the ventral thalamus. Experimental Neurology, 2012, 237, 435-443.	4.1	74
11	Quality of life predicts outcome of deep brain stimulation in early Parkinson disease. Neurology, 2019, 92, e1109-e1120.	1.1	73
12	Nonmotor symptoms evolution during 24 months of bilateral subthalamic stimulation in Parkinson's disease. Movement Disorders, 2018, 33, 421-430.	3.9	69
13	Non-motor outcomes of subthalamic stimulation in Parkinson's disease depend on location of active contacts. Brain Stimulation, 2018, 11, 904-912.	1.6	53
14	Directional DBS leads show large deviations from their intended implantation orientation. Parkinsonism and Related Disorders, 2019, 67, 117-121.	2.2	52
15	PSA and VIM DBS efficiency in essential tremor depends on distance to the dentatorubrothalamic tract. NeuroImage: Clinical, 2020, 26, 102235.	2.7	42
16	Quality of life outcome after subthalamic stimulation in Parkinson's disease depends on age. Movement Disorders, 2018, 33, 99-107.	3.9	39
17	Short-term quality of life after subthalamic stimulation depends on non-motor symptoms in Parkinson's disease. Brain Stimulation, 2018, 11, 867-874.	1.6	36
18	Beneficial nonmotor effects of subthalamic and pallidal neurostimulation in Parkinson's disease. Brain Stimulation, 2020, 13, 1697-1705.	1.6	36

HAIDAR DAFSARI

#	Article	IF	CITATIONS
19	A prospective, controlled study of non-motor effects of subthalamic stimulation in Parkinson's disease: results at the 36-month follow-up. Journal of Neurology, Neurosurgery and Psychiatry, 2020, 91, 687-694.	1.9	36
20	Modulation of local field potential power of the subthalamic nucleus during isometric force generation in patients with Parkinson's disease. Neuroscience, 2013, 240, 106-116.	2.3	28
21	Subthalamic Stimulation Improves Quality of Life of Patients Aged 61 Years or Older With Short Duration of Parkinson's Disease. Neuromodulation, 2018, 21, 532-540.	0.8	26
22	Potentials and Limitations of Directional Deep Brain Stimulation: A Simulation Approach. Stereotactic and Functional Neurosurgery, 2021, 99, 65-74.	1.5	24
23	Non-motor predictors of 36-month quality of life after subthalamic stimulation in Parkinson disease. Npj Parkinson's Disease, 2021, 7, 48.	5.3	23
24	Beneficial effects of bilateral subthalamic stimulation on alexithymia in Parkinson's disease. European Journal of Neurology, 2019, 26, 222.	3.3	22
25	Sweetspot Mapping in Deep Brain Stimulation: Strengths and Limitations of Current Approaches. Neuromodulation, 2022, 25, 877-887.	0.8	22
26	Gender gap in deep brain stimulation for Parkinson's disease. Npj Parkinson's Disease, 2022, 8, 47.	5.3	22
27	Subthalamic Stimulation Improves Quality of Sleep in Parkinson Disease: A 36-Month Controlled Study. Journal of Parkinson's Disease, 2021, 11, 323-335.	2.8	21
28	Dopamine substitution alters effective connectivity of cortical prefrontal, premotor, and motor regions during complex bimanual finger movements in Parkinson's disease. Neurolmage, 2019, 190, 118-132.	4.2	20
29	Bipolar Directional Deep Brain Stimulation in Essential and Parkinsonian Tremor. Neuromodulation, 2020, 23, 543-549.	0.8	20
30	Personalised Advanced Therapies in Parkinson's Disease: The Role of Non-Motor Symptoms Profile. Journal of Personalized Medicine, 2021, 11, 773.	2.5	20
31	Beneficial effect of 24-month bilateral subthalamic stimulation on quality of sleep in Parkinson's disease. Journal of Neurology, 2020, 267, 1830-1841.	3.6	17
32	DiODe v2: Unambiguous and Fully-Automated Detection of Directional DBS Lead Orientation. Brain Sciences, 2021, 11, 1450.	2.3	16
33	Clinical Non-Motor Phenotyping of Black and Asian Minority Ethnic Compared to White Individuals with Parkinson's Disease Living in the United Kingdom. Journal of Parkinson's Disease, 2021, 11, 299-307.	2.8	15
34	Selecting the Most Effective DBS Contact in Essential Tremor Patients Based on Individual Tractography. Brain Sciences, 2020, 10, 1015.	2.3	14
35	Predictors of short-term impulsive and compulsive behaviour after subthalamic stimulation in Parkinson disease. Journal of Neurology, Neurosurgery and Psychiatry, 2021, 92, 1313-1318.	1.9	12
36	Thalamic Deep Brain Stimulation in Essential Tremor Plus Is as Effective as in Essential Tremor. Brain Sciences, 2020, 10, 970.	2.3	10

HAIDAR DAFSARI

#	Article	IF	CITATIONS
37	Network Fingerprint of Stimulationâ€Induced Speech Impairment in Essential Tremor. Annals of Neurology, 2021, 89, 315-326.	5.3	9
38	Evaluation of the effect of bilateral subthalamic nucleus deep brain stimulation on fatigue in Parkinson's Disease as measured by the non-motor symptoms scale. British Journal of Neurosurgery, 2021, , 1-4.	0.8	7
39	The New Satisfaction with Life and Treatment Scale (SLTS-7) in Patients with Parkinson's Disease. Journal of Parkinson's Disease, 2022, 12, 453-464.	2.8	6
40	Brain Morphometry Associated With Response to Levodopa and Deep Brain Stimulation in Parkinson Disease. Neuromodulation, 2023, 26, 340-347.	0.8	6
41	Structural Connectivity of Subthalamic Nucleus Stimulation for Improving Freezing of Gait. Journal of Parkinson's Disease, 2022, 12, 1251-1267.	2.8	5
42	Phase-coherence classification: A new wavelet-based method to separate local field potentials into local (in)coherent and volume-conducted components. Journal of Neuroscience Methods, 2017, 291, 198-212.	2.5	3
43	A Randomized, Double-Blinded Crossover Trial of Short Versus Conventional Pulse Width Subthalamic Deep Brain Stimulation in Parkinson's Disease. Journal of Parkinson's Disease, 2022, 12, 1497-1505.	2.8	3
44	Microstructural alterations predict impaired bimanual control in Parkinson's disease. Brain Communications, 0, , .	3.3	3
45	Evaluation of a German version of the Bain and Findley Tremor ADL scale. Parkinsonism and Related Disorders, 2019, 68, 46-48.	2.2	2
46	Assessment of Affective-Behavioral States in Parkinson's Disease Patients: Towards a New Screening Tool. Journal of Parkinson's Disease, 2021, 11, 1417-1430.	2.8	1
47	Author response: DBS of the PSA and the VIM in essential tremor: A randomized, double-blind, crossover trial. Neurology, 2019, 92, 975.2-976.	1.1	0
48	The impact of subthalamic deep brain stimulation on belief revision and social validation. Parkinsonism and Related Disorders, 2021, 89, 84-86.	2.2	0