Dietmar Winkler

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1844726/publications.pdf

Version: 2024-02-01

74 papers

2,101 citations

279798 23 h-index 42 g-index

81 all docs

81 docs citations

81 times ranked 2667 citing authors

#	Article	IF	CITATIONS
1	Bright-Light Therapy in the Treatment of Mood Disorders. Neuropsychobiology, 2011, 64, 152-162.	1.9	205
2	Anger Attacks in Depression – Evidence for a Male Depressive Syndrome. Psychotherapy and Psychosomatics, 2005, 74, 303-307.	8.8	142
3	Agomelatine in the treatment of seasonal affective disorder. Psychopharmacology, 2007, 190, 575-579.	3.1	99
4	White Matter Microstructure in Transsexuals and Controls Investigated by Diffusion Tensor Imaging. Journal of Neuroscience, 2014, 34, 15466-15475.	3.6	93
5	Ketamine-Induced Modulation of the Thalamo-Cortical Network in Healthy Volunteers As a Model for Schizophrenia. International Journal of Neuropsychopharmacology, 2015, 18, pyv040.	2.1	93
6	Enhanced Serotonin Transporter Function during Depression in Seasonal Affective Disorder. Neuropsychopharmacology, 2008, 33, 1503-1513.	5.4	85
7	Administration of ketamine for unipolar and bipolar depression. International Journal of Psychiatry in Clinical Practice, 2017, 21, 2-12.	2.4	84
8	Actigraphy in Patients with Seasonal Affective Disorder and Healthy Control Subjects Treated with Light Therapy. Biological Psychiatry, 2005, 58, 331-336.	1.3	69
9	Structural Connectivity Networks of Transgender People. Cerebral Cortex, 2015, 25, 3527-3534.	2.9	66
10	The Efficacy of Light Therapy in the Treatment of Seasonal Affective Disorder: A Meta-Analysis of Randomized Controlled Trials. Psychotherapy and Psychosomatics, 2020, 89, 17-24.	8.8	65
11	Light therapy for preventing seasonal affective disorder. The Cochrane Library, 2015, , CD011269.	2.8	51
12	Testosterone affects language areas of the adult human brain. Human Brain Mapping, 2016, 37, 1738-1748.	3.6	47
13	Treatment of seasonal affective disorder. Expert Review of Neurotherapeutics, 2006, 6, 1039-1048.	2.8	45
14	Gender differences in the psychopathology of depressed inpatients. European Archives of Psychiatry and Clinical Neuroscience, 2004, 254, 209-14.	3.2	43
15	Mental health problems of second generation children and adolescents with migration background. International Journal of Psychiatry in Clinical Practice, 2017, 21, 142-147.	2.4	42
16	Drug-Induced Liver Injury during Antidepressant Treatment: Results of AMSP, a Drug Surveillance Program. International Journal of Neuropsychopharmacology, 2016, 19, pyv126.	2.1	41
17	Role of family history and 5-HTTLPR polymorphism in female seasonal affective disorder patients with and without premenstrual dysphoric disorder. European Neuropsychopharmacology, 2002, 12, 129-134.	0.7	38
18	Clonazepam in the long-term treatment of patients with unipolar depression, bipolar and schizoaffective disorder. European Neuropsychopharmacology, 2003, 13, 129-134.	0.7	37

#	Article	IF	CITATIONS
19	Ketamine-dependent neuronal activation in healthy volunteers. Brain Structure and Function, 2017, 222, 1533-1542.	2.3	36
20	Gender-specific symptoms of depression and anger attacks. The Journal of Men's Health & Gender: the Official Journal of the International Society for Men's Health & Gender, 2006, 3, 19-24.	0.2	32
21	Bright light therapy in seasonal affective disorder – does it suffice?. European Neuropsychopharmacology, 2004, 14, 347-351.	0.7	29
22	The effect of seasonal changes and climatic factors on suicide attempts of young people. BMC Psychiatry, 2017, 17, 365.	2.6	29
23	Seasonality of Birth in Seasonal Affective Disorder. Journal of Clinical Psychiatry, 2004, 65, 1389-1393.	2,2	29
24	Bipolar and related disorders in DSM-5 and ICD-10. CNS Spectrums, 2016, 21, 318-323.	1.2	25
25	The effect of electroconvulsive therapy on cerebral monoamine oxidase A expression in treatment-resistant depression investigated using positron emission tomography. Brain Stimulation, 2019, 12, 714-723.	1.6	24
26	Effects of hormone replacement therapy on cerebral serotonin-1A receptor binding in postmenopausal women examined with [carbonyl-11C]WAY-100635. Psychoneuroendocrinology, 2014, 45, 1-10.	2.7	23
27	Short-Term Effects of Bright Light Therapy in Adults with Chronic Nonspecific Back Pain: A Randomized Controlled Trial. Pain Medicine, 2014, 15, 2003-2012.	1.9	22
28	Psychiatric emergencies of minors with and without migration background. Neuropsychiatrie, 2017, 31, 1-7.	2.5	22
29	Assessment of Ketamine Binding of the Serotonin Transporter in Humans with Positron Emission Tomography. International Journal of Neuropsychopharmacology, 2018, 21, 145-153.	2.1	22
30	Brain monoamine oxidase A in seasonal affective disorder and treatment with bright light therapy. Translational Psychiatry, 2018, 8, 198.	4.8	22
31	Actigraphy in patients with treatment-resistant depression undergoing electroconvulsive therapy. Journal of Psychiatric Research, 2014, 57, 96-100.	3.1	20
32	Light therapy for preventing seasonal affective disorder. The Cochrane Library, 2019, 2019, CD011269.	2.8	20
33	Relation of progesterone and DHEAS serum levels to 5-HT1A receptor binding potential in pre- and postmenopausal women. Psychoneuroendocrinology, 2014, 46, 52-63.	2.7	19
34	Cardiovascular Adverse Reactions During Antipsychotic Treatment: Results of AMSP, A Drug Surveillance Program Between 1993 and 2013. International Journal of Neuropsychopharmacology, 2020, 23, 67-75.	2.1	19
35	Therapeutic effects of escitalopram and reboxetine in seasonal affective disorder: A pooled analysis. Journal of Psychiatric Research, 2009, 43, 792-797.	3.1	18
36	The impact of migration and culture on suicide attempts of children and adolescents living in Istanbul. International Journal of Psychiatry in Clinical Practice, 2015, 19, 32-39.	2.4	18

#	Article	IF	CITATIONS
37	Actigraphic Measurements in Opioid Detoxification With Methadone or Buprenorphine. Journal of Clinical Psychopharmacology, 2012, 32, 75-82.	1.4	17
38	On the application of light therapy in German-speaking countries. European Archives of Psychiatry and Clinical Neuroscience, 2012, 262, 501-505.	3.2	17
39	Melatonin and agomelatine for preventing seasonal affective disorder. The Cochrane Library, 2015, , CD011271.	2.8	16
40	Pharmacotherapy of Seasonal Affective Disorder. CNS Spectrums, 2005, 10, 664-669.	1.2	15
41	Addressing the limitations of the CATIE study. World Journal of Biological Psychiatry, 2006, 7, 126-127.	2.6	15
42	Translating the immediate effects of S-Ketamine using hippocampal subfield analysis in healthy subjects-results of a randomized controlled trial. Translational Psychiatry, 2021, 11, 200.	4.8	15
43	Has the existence of seasonal affective disorder been disproven?. Journal of Affective Disorders, 2017, 208, 54-55.	4.1	13
44	Association between dynamic resting-state functional connectivity and ketamine plasma levels in visual processing networks. Scientific Reports, 2019, 9, 11484.	3.3	13
45	Maintenance treatment in depression: the role of pharmacological and psychological treatment. Current Opinion in Psychiatry, 2002, 15, 63-68.	6.3	12
46	Anger attacks in seasonal affective disorder. International Journal of Neuropsychopharmacology, 2006, 9, 215.	2.1	12
47	Menstrual disturbances – a rare side-effect of bright-light therapy. International Journal of Neuropsychopharmacology, 2004, 7, 239-240.	2.1	11
48	Validation of a Simplified Definition of Anger Attacks. Psychotherapy and Psychosomatics, 2006, 75, 103-106.	8.8	11
49	Evidence for the Efficacy of Bright Light Therapy for Bipolar Depression. American Journal of Psychiatry, 2018, 175, 905-906.	7.2	11
50	Implementing prevention of seasonal affective disorder from patients' and physicians' perspectives – a qualitative study. BMC Psychiatry, 2018, 18, 372.	2.6	10
51	Triggers for attempted suicide in Istanbul youth, with special reference to their socio-demographic background. International Journal of Psychiatry in Clinical Practice, 2018, 22, 95-100.	2.4	9
52	Alcohol consumption in Austrian physicians. Annals of General Psychiatry, 2019, 18, 22.	2.7	9
53	Seasonality of antidepressant prescriptions and sick leaves. Journal of Psychiatric Research, 2019, 111, 128-133.	3.1	9
54	Serotonergic modulation of effective connectivity in an associative relearning network during task and rest. NeuroImage, 2022, 249, 118887.	4.2	9

#	Article	IF	CITATIONS
55	Escitalopram in a working population: results from an observational study of 2378 outpatients in Austria. Human Psychopharmacology, 2007, 22, 245-251.	1.5	8
56	Season of birth in siblings of patients with seasonal affective disorder. European Archives of Psychiatry and Clinical Neuroscience, 2007, 257, 378-382.	3.2	8
57	Melatonin and agomelatine for preventing seasonal affective disorder. The Cochrane Library, 2019, 2019, CD011271.	2.8	8
58	Serum lipid levels in seasonal affective disorder. European Archives of Psychiatry and Clinical Neuroscience, 2007, 257, 197-202.	3.2	7
59	A comparative study of Turkish-speaking migrants and natives living in Vienna/Austria concerning their life satisfaction $\hat{a} \in ``with a particular focus on satisfaction regarding their health. International Journal of Migration, Health and Social Care, 2015, 11, 206-217.$	0.5	7
60	Use of Light Therapy by Office-Based Physicians. Neuropsychobiology, 2016, 74, 182-187.	1.9	7
61	Rapid antidepressant effect of S-ketamine in schizophrenia. European Neuropsychopharmacology, 2018, 28, 980-982.	0.7	7
62	Usage of Therapeutic Sleep Deprivation: A Survey in Psychiatric Hospitals in Austria, Germany, and Switzerland. Behavioral Sleep Medicine, 2019, 17, 713-720.	2.1	6
63	Psychosis as a possible side-effect of treatment with glatiramer acetate. International Journal of Neuropsychopharmacology, 2005, 8, 487-488.	2.1	5
64	Drug treatment of seasonal affective disorder. , 2009, , 281-296.		5
65	Relationship between Power Spectra of the Awake EEG and Psychomotor Activity Patterns Measured by Short-Term Actigraphy. Neuropsychobiology, 2003, 48, 176-181.	1.9	4
66	Changes over time of the diagnostic and therapeutic characteristics of patients of a psychiatric intensive care unit in Austria. Comprehensive Psychiatry, 2019, 93, 20-26.	3.1	4
67	Second-generation antidepressants for treatment of seasonal affective disorder. The Cochrane Library, 2021, 2021, CD008591.	2.8	4
68	Urological adverse drug reactions of psychotropic medication in psychiatric inpatients – A drug surveillance report from German-speaking countries. Journal of Psychiatric Research, 2021, 144, 412-420.	3.1	4
69	How to prevent and manage hyperammonemic encephalopathies in valproate therapy. Journal of Affective Disorders Reports, 2021, 5, 100186.	1.7	3
70	Case Report: Bupropion Reduces the [1231]FP-CIT Binding to Striatal Dopamine Transporter. Frontiers in Psychiatry, 2021, 12, 631357.	2.6	2
71	The viennese psychiatric intensive care unit - diagnostic distribution. European Psychiatry, 2011, 26, 1763-1763.	0.2	1
72	Oral Ketamine as a Treatment Option in Patients With Treatment Resistant Depression and Comorbid Arterial Hypertension. Journal of Clinical Psychopharmacology, 2020, 40, 418-420.	1.4	1

#	Article	IF	CITATIONS
73	The viennese psychiatric intensive care unit - therapeutic modalities. European Psychiatry, 2011, 26, 1764-1764.	0.2	O
74	JS02-01 - Psychiatric intensive care. European Psychiatry, 2011, 26, 1999-1999.	0.2	0