

# Dingzhong Tang

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/1845156/dingzhong-tang-publications-by-year.pdf>

**Version:** 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

85  
papers

15,054  
citations

41  
h-index

95  
g-index

95  
ext. papers

17,990  
ext. citations

8.2  
avg. IF

6.25  
L-index

#	Paper	IF	Citations
85	BRASSINOSTEROID-SIGNALING KINASE1 modulates MAP KINASE15 phosphorylation to confer powdery mildew resistance in Arabidopsis.. <i>Plant Cell</i> , <b>2022</b> ,	11.6	1
84	Utility of Triti-Map for bulk-segregated mapping of causal genes and regulatory elements in Triticeae. <i>Plant Communications</i> , <b>2022</b> , 100304	9	1
83	A Truncated TIR-NBS Protein TN10 Pairs with Two Clustered TIR-NBS-LRR Immune Receptors and Contributes to Plant Immunity in. <i>International Journal of Molecular Sciences</i> , <b>2021</b> , 22,	6.3	1
82	Transcriptome analysis of rice response to blast fungus identified core genes involved in immunity. <i>Plant, Cell and Environment</i> , <b>2021</b> , 44, 3103-3121	8.4	0
81	The TIR-NBS protein TN13 associates with the CC-NBS-LRR resistance protein RPS5 and contributes to RPS5-triggered immunity in Arabidopsis. <i>Plant Journal</i> , <b>2021</b> , 107, 775-786	6.9	4
80	Arabidopsis E3 ligase KEG associates with and ubiquitinates MKK4 and MKK5 to regulate plant immunity. <i>Journal of Integrative Plant Biology</i> , <b>2021</b> , 63, 327-339	8.3	16
79	The truncated TNL receptor TN2-mediated immune responses require ADR1 function. <i>Plant Journal</i> , <b>2021</b> , 108, 672-689	6.9	1
78	Twinfilin regulates actin assembly and Hexagonal peroxisome 1 (Hex1) localization in the pathogenesis of rice blast fungus Magnaporthe oryzae. <i>Molecular Plant Pathology</i> , <b>2021</b> , 22, 1641-1655	5.7	1
77	The OsSPK1-OsRac1-RAI1 defense signaling pathway is shared by two distantly related NLR proteins in rice blast resistance. <i>Plant Physiology</i> , <b>2021</b> , 187, 2852-2864	6.6	0
76	Transcriptome analysis of different rice cultivars provides novel insights into the rice response to bacterial leaf streak infection. <i>Functional and Integrative Genomics</i> , <b>2020</b> , 20, 681-693	3.8	3
75	Magnaporthe oryzae fimbrin organizes actin networks in the hyphal tip during polar growth and pathogenesis. <i>PLoS Pathogens</i> , <b>2020</b> , 16, e1008437	7.6	26
74	An ankyrin-repeat and WRKY-domain-containing immune receptor confers stripe rust resistance in wheat. <i>Nature Communications</i> , <b>2020</b> , 11, 1353	17.4	24
73	The Arabidopsis exocyst subunits EXO70B1 and EXO70B2 regulate FLS2 homeostasis at the plasma membrane. <i>New Phytologist</i> , <b>2020</b> , 227, 529-544	9.8	17
72	Plant immune signaling: Advancing on two frontiers. <i>Journal of Integrative Plant Biology</i> , <b>2020</b> , 62, 2-24	8.3	72
71	Identification and application of the Pigm-1 gene in rice disease resistance breeding. <i>Plant Biology</i> , <b>2020</b> , 22, 1022-1029	3.7	1
70	The Effector AvrPtoB Associates With and Ubiquitinates Exocyst Subunit EXO70B1. <i>Frontiers in Plant Science</i> , <b>2019</b> , 10, 1027	6.2	17
69	Two Arabidopsis Receptor-like Cytoplasmic Kinases SZE1 and SZE2 Associate with the ZAR1-ZED1 Complex and Are Required for Effector-Triggered Immunity. <i>Molecular Plant</i> , <b>2019</b> , 12, 967-983	14.4	24

68	Mechanism of plant immune activation and signaling: Insight from the first solved plant resistosome structure. <i>Journal of Integrative Plant Biology</i> , <b>2019</b> , 61, 902-907	8.3	3
67	TCP transcription factors interact with ZED1-related kinases as components of the temperature-regulated immunity. <i>Plant, Cell and Environment</i> , <b>2019</b> , 42, 2045-2056	8.4	9
66	RECEPTOR-LIKE KINASE 902 Associates with and Phosphorylates BRASSINOSTEROID-SIGNALING KINASE1 to Regulate Plant Immunity. <i>Molecular Plant</i> , <b>2019</b> , 12, 59-70	14.4	23
65	BRASSINOSTEROID-SIGNALING KINASE1 Phosphorylates MAPKKK5 to Regulate Immunity in Arabidopsis. <i>Plant Physiology</i> , <b>2018</b> , 176, 2991-3002	6.6	62
64	The NB-LRR gene Pm60 confers powdery mildew resistance in wheat. <i>New Phytologist</i> , <b>2018</b> , 218, 298-308	9.8	84
63	The major leaf ferredoxin Fd2 regulates plant innate immunity in Arabidopsis. <i>Molecular Plant Pathology</i> , <b>2018</b> , 19, 1377-1390	5.7	21
62	miR-142-3p Inhibits the Metastasis of Hepatocellular Carcinoma Cells by Regulating HMGB1 Gene Expression. <i>Current Molecular Medicine</i> , <b>2018</b> , 18, 135-141	2.5	17
61	Transcriptional Regulation of the Immune Receptor FLS2 Controls the Ontogeny of Plant Innate Immunity. <i>Plant Cell</i> , <b>2018</b> , 30, 2779-2794	11.6	29
60	Assessment of Posttranslational Modifications of ATG proteins. <i>Methods in Enzymology</i> , <b>2017</b> , 587, 171-188	1.8	3
59	Arabidopsis ZED1-related kinases mediate the temperature-sensitive intersection of immune response and growth homeostasis. <i>New Phytologist</i> , <b>2017</b> , 215, 711-724	9.8	13
58	glycosylphosphatidylinositol-anchored protein LLG1 associates with and modulates FLS2 to regulate innate immunity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2017</b> , 114, 5749-5754	11.5	56
57	Simultaneous modification of three homoeologs of TaEDR1 by genome editing enhances powdery mildew resistance in wheat. <i>Plant Journal</i> , <b>2017</b> , 91, 714-724	6.9	223
56	Plants transfer lipids to sustain colonization by mutualistic mycorrhizal and parasitic fungi. <i>Science</i> , <b>2017</b> , 356, 1172-1175	33.3	325
55	CALCIUM-DEPENDENT PROTEIN KINASE5 Associates with the Truncated NLR Protein TIR-NBS2 to Contribute to Mediated Immunity. <i>Plant Cell</i> , <b>2017</b> , 29, 746-759	11.6	59
54	Receptor Kinases in Plant-Pathogen Interactions: More Than Pattern Recognition. <i>Plant Cell</i> , <b>2017</b> , 29, 618-637	11.6	295
53	Influence of void ratio on phase change of thermal energy storage for heat pipe receiver. <i>Journal of Engineering Thermophysics</i> , <b>2016</b> , 25, 275-287	1.4	1
52	Ferroptosis: process and function. <i>Cell Death and Differentiation</i> , <b>2016</b> , 23, 369-79	12.7	1173
51	Guidelines for the use and interpretation of assays for monitoring autophagy (3rd edition). <i>Autophagy</i> , <b>2016</b> , 12, 1-222	10.2	3838

50	PEPRs spice up plant immunity. <i>EMBO Journal</i> , <b>2016</b> , 35, 4-5	13	5
49	Mutation of the Glucosinolate Biosynthesis Enzyme Cytochrome P450 83A1 Monooxygenase Increases Camalexin Accumulation and Powdery Mildew Resistance. <i>Frontiers in Plant Science</i> , <b>2016</b> , 7, 227	6.2	16
48	Establishment and characterization of new wheat-Thinopyrum ponticum addition and translocation lines with resistance to Ug99 races. <i>Journal of Genetics and Genomics</i> , <b>2016</b> , 43, 573-575	4	5
47	ENHANCED DISEASE RESISTANCE4 associates with CLATHRIN HEAVY CHAIN2 and modulates plant immunity by regulating relocation of EDR1 in Arabidopsis. <i>Plant Cell</i> , <b>2015</b> , 27, 857-73	11.6	44
46	A truncated NLR protein, TIR-NBS2, is required for activated defense responses in the exo70B1 mutant. <i>PLoS Genetics</i> , <b>2015</b> , 11, e1004945	6	91
45	The receptor for advanced glycation end products (RAGE) enhances autophagy and neutrophil extracellular traps in pancreatic cancer. <i>Cancer Gene Therapy</i> , <b>2015</b> , 22, 326-34	5.4	90
44	The E3 ligase OsPUB15 interacts with the receptor-like kinase PID2 and regulates plant cell death and innate immunity. <i>BMC Plant Biology</i> , <b>2015</b> , 15, 49	5.3	56
43	You eat what you are: autophagy inhibition as a therapeutic strategy in leukemia. <i>Leukemia</i> , <b>2015</b> , 29, 517-25	10.7	58
42	Role of AMP-activated protein kinase in cross-talk between apoptosis and autophagy in human colon cancer. <i>Cell Death and Disease</i> , <b>2014</b> , 5, e1504	9.8	39
41	Release and activity of histone in diseases. <i>Cell Death and Disease</i> , <b>2014</b> , 5, e1370	9.8	243
40	RAGE is essential for oncogenic KRAS-mediated hypoxic signaling in pancreatic cancer. <i>Cell Death and Disease</i> , <b>2014</b> , 5, e1480	9.8	42
39	EDR1 physically interacts with MKK4/MKK5 and negatively regulates a MAP kinase cascade to modulate plant innate immunity. <i>PLoS Genetics</i> , <b>2014</b> , 10, e1004389	6	91
38	Relocation of genes generates non-conserved chromosomal segments in <i>Fusarium graminearum</i> that show distinct and co-regulated gene expression patterns. <i>BMC Genomics</i> , <b>2014</b> , 15, 191	4.5	18
37	The HMGB1/RAGE inflammatory pathway promotes pancreatic tumor growth by regulating mitochondrial bioenergetics. <i>Oncogene</i> , <b>2014</b> , 33, 567-77	9.2	157
36	Expression of antimicrobial peptides thanatin(S) in transgenic Arabidopsis enhanced resistance to phytopathogenic fungi and bacteria. <i>Gene</i> , <b>2013</b> , 527, 235-42	3.8	20
35	RNA-Seq analysis reveals new gene models and alternative splicing in the fungal pathogen <i>Fusarium graminearum</i> . <i>BMC Genomics</i> , <b>2013</b> , 14, 21	4.5	64
34	A mutation in a coproporphyrinogen III oxidase gene confers growth inhibition, enhanced powdery mildew resistance and powdery mildew-induced cell death in Arabidopsis. <i>Plant Cell Reports</i> , <b>2013</b> , 32, 687-702	5.1	18
33	Transgenic expression of an insect diapause-specific peptide (DSP) in Arabidopsis resists phytopathogenic fungal attacks. <i>European Journal of Plant Pathology</i> , <b>2013</b> , 137, 93-101	2.1	17

32	Draft genome of the wheat A-genome progenitor <i>Triticum urartu</i> . <i>Nature</i> , <b>2013</b> , 496, 87-90	50.4	589
31	Autophagy contributes to leaf starch degradation. <i>Plant Cell</i> , <b>2013</b> , 25, 1383-99	11.6	157
30	BSK1, a receptor-like cytoplasmic kinase, involved in both BR signaling and innate immunity in Arabidopsis. <i>Plant Signaling and Behavior</i> , <b>2013</b> , 8,	2.5	25
29	Strange attractors: DAMPs and autophagy link tumor cell death and immunity. <i>Cell Death and Disease</i> , <b>2013</b> , 4, e966	9.8	133
28	BR-SIGNALING KINASE1 physically associates with FLAGELLIN SENSING2 and regulates plant innate immunity in Arabidopsis. <i>Plant Cell</i> , <b>2013</b> , 25, 1143-57	11.6	160
27	RPN1a, a 26S proteasome subunit, is required for innate immunity in Arabidopsis. <i>Plant Journal</i> , <b>2012</b> , 71, 1015-28	6.9	38
26	PKR-dependent inflammatory signals. <i>Science Signaling</i> , <b>2012</b> , 5, pe47	8.8	69
25	Guidelines for the use and interpretation of assays for monitoring autophagy. <i>Autophagy</i> , <b>2012</b> , 8, 445-544.2	44.2	2783
24	HPR1, a component of the THO/TREX complex, plays an important role in disease resistance and senescence in Arabidopsis. <i>Plant Journal</i> , <b>2012</b> , 69, 831-43	6.9	40
23	The THO/TREX complex functions in disease resistance in Arabidopsis. <i>Plant Signaling and Behavior</i> , <b>2012</b> , 7, 422-4	2.5	7
22	SR1, a calmodulin-binding transcription factor, modulates plant defense and ethylene-induced senescence by directly regulating NDR1 and EIN3. <i>Plant Physiology</i> , <b>2012</b> , 158, 1847-59	6.6	110
21	Suppression of <i>edr2</i> -mediated powdery mildew resistance, cell death and ethylene-induced senescence by mutations in <i>ALD1</i> in Arabidopsis. <i>Journal of Genetics and Genomics</i> , <b>2011</b> , 38, 137-48	4	30
20	EBR1, a novel Zn(2)Cys(6) transcription factor, affects virulence and apical dominance of the hyphal tip in <i>Fusarium graminearum</i> . <i>Molecular Plant-Microbe Interactions</i> , <b>2011</b> , 24, 1407-18	3.6	29
19	ATG2, an autophagy-related protein, negatively affects powdery mildew resistance and mildew-induced cell death in Arabidopsis. <i>Plant Journal</i> , <b>2011</b> , 68, 74-87	6.9	108
18	Apoptosis promotes early tumorigenesis. <i>Oncogene</i> , <b>2011</b> , 30, 1851-4	9.2	45
17	The Beclin 1 network regulates autophagy and apoptosis. <i>Cell Death and Differentiation</i> , <b>2011</b> , 18, 571-802.7	82.7	1602
16	The autophagy gene, <i>ATG18a</i> , plays a negative role in powdery mildew resistance and mildew-induced cell death in Arabidopsis. <i>Plant Signaling and Behavior</i> , <b>2011</b> , 6, 1408-10	2.5	26
15	HMGB1 release and redox regulates autophagy and apoptosis in cancer cells. <i>Oncogene</i> , <b>2010</b> , 29, 5299-310	310	362

14	Arabidopsis ROOT UVB SENSITIVE2/WEAK AUXIN RESPONSE1 is required for polar auxin transport. <i>Plant Cell</i> , <b>2010</b> , 22, 1749-61	11.6	33
13	An F-box gene, CPR30, functions as a negative regulator of the defense response in Arabidopsis. <i>Plant Journal</i> , <b>2009</b> , 60, 757-70	6.9	84
12	Mutations in LACS2, a long-chain acyl-coenzyme A synthetase, enhance susceptibility to avirulent <i>Pseudomonas syringae</i> but confer resistance to <i>Botrytis cinerea</i> in Arabidopsis. <i>Plant Physiology</i> , <b>2007</b> , 144, 1093-103	6.6	101
11	A mutation in the GTP hydrolysis site of Arabidopsis dynamin-related protein 1E confers enhanced cell death in response to powdery mildew infection. <i>Plant Journal</i> , <b>2006</b> , 47, 75-84	6.9	55
10	Regulation of plant defense responses in Arabidopsis by EDR2, a PH and START domain-containing protein. <i>Plant Journal</i> , <b>2005</b> , 44, 245-57	6.9	79
9	Regulation of plant disease resistance, stress responses, cell death, and ethylene signaling in Arabidopsis by the EDR1 protein kinase. <i>Plant Physiology</i> , <b>2005</b> , 138, 1018-26	6.6	122
8	The <i>Pseudomonas syringae</i> type III effector AvrRpt2 functions downstream or independently of SA to promote virulence on Arabidopsis thaliana. <i>Plant Journal</i> , <b>2004</b> , 37, 494-504	6.9	56
7	Overexpression of a kinase-deficient form of the EDR1 gene enhances powdery mildew resistance and ethylene-induced senescence in Arabidopsis. <i>Plant Journal</i> , <b>2002</b> , 32, 975-83	6.9	62
6	Negative regulation of defense responses in plants by a conserved MAPKK kinase. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2001</b> , 98, 373-378	11.5	337
5	Expressional profiling of genes related to pollination and fertilization in rice. <i>Comptes Rendus De L'Académie Des Sciences Série 3, Sciences De La Vie</i> , <b>2001</b> , 324, 1111-6		5
4	Negative regulation of defense responses in plants by a conserved MAPKK kinase. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2001</b> , 98, 373-8	11.5	224
3	Mapping of QTLs conferring resistance to bacterial leaf streak in rice. <i>Theoretical and Applied Genetics</i> , <b>2000</b> , 101, 286-291	6	53
2	Towards rice genome scanning by map-based AFLP fingerprinting. <i>Molecular Genetics and Genomics</i> , <b>1999</b> , 261, 184-95		8
1	Isolation of candidate disease resistance genes from rice. <i>Science Bulletin</i> , <b>1998</b> , 43, 497-500		1