

Harinder Singh Oberoi

List of Publications by Citations

Source: <https://exaly.com/author-pdf/1845276/harinder-singh-oberoi-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

53
papers

2,177
citations

24
h-index

46
g-index

55
ext. papers

2,423
ext. citations

4.7
avg, IF

4.95
L-index

#	Paper	IF	Citations
53	Total phenolic content and antioxidant capacity of extracts obtained from six important fruit residues. <i>Food Research International</i> , 2011 , 44, 391-396	7	221
52	Production of a cellulolytic enzyme system in mixed-culture solid-state fermentation of soybean hulls supplemented with wheat bran. <i>Process Biochemistry</i> , 2010 , 45, 120-128	4.8	209
51	Value-addition of agricultural wastes for augmented cellulase and xylanase production through solid-state tray fermentation employing mixed-culture of fungi. <i>Industrial Crops and Products</i> , 2011 , 34, 1160-1167	5.9	142
50	Ethanol production from banana peels using statistically optimized simultaneous saccharification and fermentation process. <i>Waste Management</i> , 2011 , 31, 1576-84	8.6	106
49	Therapeutic and nutraceutical potential of bioactive compounds extracted from fruit residues. <i>Critical Reviews in Food Science and Nutrition</i> , 2015 , 55, 319-37	11.5	95
48	Influence of different solvents in extraction of phenolic compounds from vegetable residues and their evaluation as natural sources of antioxidants. <i>Journal of Food Science and Technology</i> , 2014 , 51, 2568-75	3.3	87
47	Ethanol production from orange peels: two-stage hydrolysis and fermentation studies using optimized parameters through experimental design. <i>Journal of Agricultural and Food Chemistry</i> , 2010 , 58, 3422-9	5.7	82
46	Enhanced ethanol production from sugarcane juice by galactose adaptation of a newly isolated thermotolerant strain of <i>Pichia kudriavzevii</i> . <i>Bioresource Technology</i> , 2011 , 102, 5968-75	11	82
45	Enhanced ethanol production via fermentation of rice straw with hydrolysate-adapted <i>Candida tropicalis</i> ATCC 13803. <i>Process Biochemistry</i> , 2010 , 45, 1299-1306	4.8	76
44	Enhanced ethanol production from Kinnow mandarin (<i>Citrus reticulata</i>) waste via a statistically optimized simultaneous saccharification and fermentation process. <i>Bioresource Technology</i> , 2011 , 102, 1593-601	11	75
43	Optimization of fermentation parameters for production of ethanol from kinnow waste and banana peels by simultaneous saccharification and fermentation. <i>Indian Journal of Microbiology</i> , 2007 , 47, 310-6	3.7	75
42	Ethanol production from alkali- and ozone-treated cotton stalks using thermotolerant <i>Pichia kudriavzevii</i> HOP-1. <i>Industrial Crops and Products</i> , 2012 , 37, 219-226	5.9	74
41	Ethanol production from alkali-treated rice straw via simultaneous saccharification and fermentation using newly isolated thermotolerant <i>Pichia kudriavzevii</i> HOP-1. <i>Journal of Industrial Microbiology and Biotechnology</i> , 2012 , 39, 557-66	4.2	71
40	Effect of mustard flour incorporation on nutritional, textural and organoleptic characteristics of biscuits. <i>Journal of Food Engineering</i> , 2007 , 80, 1043-1050	6	69
39	A Review on Fuel Ethanol Production From Lignocellulosic Biomass. <i>International Journal of Green Energy</i> , 2015 , 12, 949-960	3	66
38	Production of Cellulases through Solid State Fermentation Using Kinnow Pulp as a Major Substrate. <i>Food and Bioprocess Technology</i> , 2010 , 3, 528-536	5.1	64
37	Effect of nickel-cobaltite nanoparticles on production and thermostability of cellulases from newly isolated thermotolerant <i>Aspergillus fumigatus</i> NS (class: Eurotiomycetes). <i>Applied Biochemistry and Biotechnology</i> , 2014 , 174, 1092-103	3.2	49

36	Evaluation of glycosyl hydrolases in the secretome of <i>Aspergillus fumigatus</i> and saccharification of alkali-treated rice straw. <i>Applied Biochemistry and Biotechnology</i> , 2011 , 163, 577-91	3.2	46
35	Modeling of the separation of inhibitory components from pretreated rice straw hydrolysate by nanofiltration membranes. <i>Bioresource Technology</i> , 2012 , 114, 419-27	11	45
34	Statistical optimization of hydrolysis process for banana peels using cellulolytic and pectinolytic enzymes. <i>Food and Bioproducts Processing</i> , 2012 , 90, 257-265	4.9	43
33	Enhanced cellulase producing mutants developed from heterokaryotic <i>Aspergillus</i> strain. <i>Bioresource Technology</i> , 2014 , 156, 100-7	11	35
32	Generating Fermentable Sugars from Rice Straw Using Functionally Active Cellulolytic Enzymes from <i>Aspergillus niger</i> HO. <i>Energy & Fuels</i> , 2014 , 28, 5067-5075	4.1	33
31	Ethanol production from Kinnow mandarin (<i>Citrus reticulata</i>) peels via simultaneous saccharification and fermentation using crude enzyme produced by <i>Aspergillus oryzae</i> and the thermotolerant <i>Pichia kudriavzevii</i> strain. <i>Annals of Microbiology</i> , 2012 , 62, 655-666	3.2	31
30	Two-stage statistical medium optimization for augmented cellulase production via solid-state fermentation by newly isolated <i>Aspergillus niger</i> HN-1 and application of crude cellulase consortium in hydrolysis of rice straw. <i>Journal of Agricultural and Food Chemistry</i> , 2013 , 61, 12653-61	5.7	29
29	Production of β -galactosidase by <i>Kluyveromyces marxianus</i> MTCC 1388 using whey and effect of four different methods of enzyme extraction on β -galactosidase activity. <i>Indian Journal of Microbiology</i> , 2008 , 48, 337-41	3.7	24
28	Response surface optimization for enhanced production of cellulases with improved functional characteristics by newly isolated <i>Aspergillus niger</i> HN-2. <i>Antonie Van Leeuwenhoek</i> , 2014 , 105, 119-34	2.1	22
27	Multi-component thermostable cellulolytic enzyme production by <i>Aspergillus niger</i> HN-1 using pea pod waste: Appraisal of hydrolytic potential with lignocellulosic biomass. <i>Process Biochemistry</i> , 2015 , 50, 696-704	4.8	21
26	An acidothermophilic functionally active novel GH12 family endoglucanase from <i>Aspergillus niger</i> HO: purification, characterization and molecular interaction studies. <i>Antonie Van Leeuwenhoek</i> , 2015 , 107, 103-17	2.1	21
25	Fruit and Vegetable Processing Waste 2016 , 23-59		21
24	Proteome-based profiling of hypercellulase-producing strains developed through interspecific protoplast fusion between <i>Aspergillus nidulans</i> and <i>Aspergillus tubingensis</i> . <i>Applied Biochemistry and Biotechnology</i> , 2013 , 169, 393-407	3.2	18
23	Shelf-life extension and quality retention in fresh-cut carrots coated with pectin. <i>Innovative Food Science and Emerging Technologies</i> , 2017 , 42, 91-100	6.8	17
22	Enhanced Oil Recovery by Pre-treatment of Mustard Seeds Using Crude Enzyme Extract Obtained from Mixed-Culture Solid-State Fermentation of Kinnow (<i>Citrus reticulata</i>) Waste and Wheat Bran. <i>Food and Bioprocess Technology</i> , 2012 , 5, 759-767	5.1	15
21	Enhanced β -galactosidase production by supplementing whey with cauliflower waste. <i>International Journal of Food Science and Technology</i> , 2008 , 43, 1499-1504	3.8	14
20	Cellulolytic and xylanolytic enzymes from thermophilic <i>Aspergillus terreus</i> RWY. <i>Journal of Basic Microbiology</i> , 2014 , 54, 1367-77	2.7	12
19	Effects of different drying methods of cauliflower waste on drying time, colour retention and glucoamylase production by <i>Aspergillus niger</i> NCIM 1054. <i>International Journal of Food Science and Technology</i> , 2007 , 42, 228-234	3.8	12

18	Influence of pre-treatments on microbial load of stored dehydrated onion slices. <i>International Journal of Food Science and Technology</i> , 2009 , 44, 1902-1908	3.8	10
17	Cauliflower waste incorporation into cane molasses improves ethanol production using <i>Saccharomyces cerevisiae</i> MTCC 178. <i>Indian Journal of Microbiology</i> , 2007 , 47, 353-7	3.7	9
16	Effect of Addition of Hydrocolloids on the Colloidal Stability of Litchi (<i>Litchi chinensis</i> Sonn.) Juice. <i>Journal of Food Processing and Preservation</i> , 2015 , 39, 183-189	2.1	7
15	Agricultural-Based Protein By-Products: Characterization and Applications 2016 , 21-36		7
14	Waste Biomass: A Prospective Renewable Resource for Development of Bio-Based Economy/Processes 2014 , 3-28		6
13	Ethanol production from sweet sorghum bagasse through process optimization using response surface methodology. <i>3 Biotech</i> , 2017 , 7, 233	2.8	5
12	Improvement in shelf life of minimally processed cilantro leaves through integration of kinetin pretreatment and packaging interventions: Studies on microbial population dynamics, biochemical characteristics and flavour retention. <i>Food Chemistry</i> , 2017 , 221, 844-854	8.5	5
11	Biosurfactant-Aided Bioprocessing: Industrial Applications and Environmental Impact 2017 , 55-88		4
10	Seafood Enzymes and Their Application in Food Processing 2016 , 201-232		4
9	A rapid and reliable method for the specific detection of aflatoxigenic fungi in groundnut and rice samples. <i>Journal of Food Processing and Preservation</i> , 2019 , 43, e14127	2.1	3
8	Prebiotics 2014 , 237-259		3
7	Chemical Composition of Sweet Sorghum Juice and its Comparative Potential of Different Fermentation Processes for Enhanced Ethanol Production. <i>Sugar Tech</i> , 2013 , 15, 305-310	1.9	2
6	β-ARABINOFURANOSIDASE FROM AN EFFICIENT HEMICELLULOLYTIC FUNGUS <i>Penicillium janthinellum</i> CAPABLE OF HYDROLYZING WHEAT AND RYE ARABINOXYLAN TO ARABINOSE. <i>Journal of Microbiology, Biotechnology and Food Sciences</i> , 2017 , 6, 1132-1139	2.3	2
5	Food Flavours from Yeasts: Improved Productivity through Biotechnological Interventions and Process Optimization. <i>Current Biotechnology</i> , 2018 , 7, 199-213	0.6	2
4	Improved Production of Multi-component Cellulolytic Enzymes Using Sweet Sorghum Bagasse and Thermophilic <i>Aspergillus terreus</i> RWY Through Statistical Process Optimization. <i>Waste and Biomass Valorization</i> , 2020 , 11, 3355-3369	3.2	2
3	Basella- an Underutilized Green Leafy Vegetable with a Potential for Functional Food Development. <i>Food Reviews International</i> , 1-18	5.5	2
2	Potential of Agro-residues as Sources of Bioactive Compounds 2014 , 261-295		1
1	Hydrolysis of peanut (<i>Arachis hypogea</i> L) protein concentrate by fungal crude protease extract: effect on structural, functional and in-vitro protein digestibility. <i>Journal of Food Science and Technology</i> , 1	3.3	1

