Attila D Sándor

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1846139/publications.pdf

Version: 2024-02-01

86 papers

1,520 citations

304743 22 h-index 395702 33 g-index

89 all docs 89 docs citations

89 times ranked

1520 citing authors

#	Article	IF	CITATIONS
1	Rickettsiaceae in two reptile-associated tick species, Amblyomma exornatum and Africaniella transversale: First evidence of Occidentia massiliensis in hard ticks (Acari: Ixodidae). Ticks and Tick-borne Diseases, 2022, 13, 101830.	2.7	7
2	Focus on Hyperparasites: Biotic and Abiotic Traits Affecting the Prevalence of Parasitic Microfungi on Bat Ectoparasites. Frontiers in Ecology and Evolution, 2022, 10, .	2.2	2
3	First record of the lesser horseshoe bat, <i>Rhinolophus hipposideros</i> (Borkhausen, 1797), in Libya and potential distribution in North Africa. Mammalia, 2022, .	0.7	2
4	Annotated checklist of the bat flies (Diptera: Nycteribiidae) of Romania. Zootaxa, 2022, 5120, 111-127.	0.5	5
5	Diversity of tick species and associated pathogens on peri-urban wild boars – First report of the zoonotic Babesia cf. crassa from Hungary. Ticks and Tick-borne Diseases, 2022, 13, 101936.	2.7	5
6	Molecular epidemiological study on ticks and tick-borne protozoan parasites (Apicomplexa:) Tj ETQq0 0 0 rgBT /0 (Sciurus vulgaris) in central Europe, Hungary. Parasites and Vectors, 2022, 15, .	Overlock 1 2.5	.0 Tf 50 547 T 9
7	Rickettsia spp. in bats of Romania: high prevalence of Rickettsia monacensis in two insectivorous bat species. Parasites and Vectors, 2021, 14, 107.	2.5	6
8	Urban emergence of Dermanyssus gallinae lineage L1 and Ornithonyssus sylviarum in Hungary: phylogenetic differentiation between the roles of migrating vs transported synanthropic birds. Parasites and Vectors, 2021, 14, 147.	2.5	3
9	High Diversity, Prevalence, and Co-infection Rates of Tick-Borne Pathogens in Ticks and Wildlife Hosts in an Urban Area in Romania. Frontiers in Microbiology, 2021, 12, 645002.	3.5	23
10	The heart microbiome of insectivorous bats from Central and South Eastern Europe. Comparative Immunology, Microbiology and Infectious Diseases, 2021, 75, 101605.	1.6	7
11	Argasid Ticks of Palearctic Bats: Distribution, Host Selection, and Zoonotic Importance. Frontiers in Veterinary Science, 2021, 8, 684737.	2.2	27
12	Five ixodid tick species including two morphotypes of Rhipicephalus turanicus on nestlings of Eurasian eagle owl (Bubo bubo) from south-eastern Bulgaria. Parasites and Vectors, 2021, 14, 334.	2.5	4
13	Morphology of Pholeoixodes species associated with carnivores in the western Palearctic: Pictorial key based on molecularly identified Ixodes (Ph.) canisuga, I. (Ph.) hexagonus and I. (Ph.) kaiseri males, nymphs and larvae. Ticks and Tick-borne Diseases, 2021, 12, 101715.	2.7	6
14	First record of Ixodes simplex found on a human host, with a review of cases of human infestation by bat tick species occurring in Europe. Ticks and Tick-borne Diseases, 2021, 12, 101722.	2.7	9
15	Sand fly fauna of South-Eastern Romania, with the description of Phlebotomus (Transphlebotomus) simonahalepae n. sp. (Diptera: Psychodidae). Parasites and Vectors, 2021, 14, 448.	2.5	3
16	The presence of <i>Ehrlichia canis</i> in <i>Rhipicephalus bursa</i> ticks collected from ungulates in continental Eastern Europe. Journal of Veterinary Research (Poland), 2021, 65, 271-275.	1.0	1
17	First report of the bat fly species Basilia italica in Romania. Biodiversity Data Journal, 2021, 9, e57680.	0.8	1
18	Wide Distribution and Diversity of Malaria-Related Haemosporidian Parasites (Polychromophilus spp.) in Bats and Their Ectoparasites in Eastern Europe. Microorganisms, 2021, 9, 230.	3.6	11

#	Article	IF	Citations
19	Investigation on haplotypes of ixodid ticks and retrospective finding of Borrelia miyamotoi in bank vole (Myodes glareolus) in Switzerland. Ticks and Tick-borne Diseases, 2021, 13, 101865.	2.7	7
20	Impact of abiotic factors, habitat type and urban wildlife on the ecology of hard ticks (Acari: Ixodidae) in urban and peri-urban habitats. Parasites and Vectors, 2020, 13, 476.	2.5	17
21	On the Fly: Tritrophic Associations of Bats, Bat Flies, and Fungi. Journal of Fungi (Basel, Switzerland), 2020, 6, 361.	3.5	10
22	Biotic and abiotic factors influencing the prevalence, intensity and distribution of Eucoleus aerophilus and Crenosoma vulpis in red foxes, Vulpes vulpes from Romania. International Journal for Parasitology: Parasites and Wildlife, 2020, 12, 121-125.	1.5	9
23	First broad-range molecular screening of tick-borne pathogens in Ixodes (Pholeoixodes) kaiseri, with special emphasis on piroplasms. Acta Veterinaria Hungarica, 2020, 68, 30-33.	0.5	4
24	First report of the dog louse fly Hippobosca longipennis in Romania. Medical and Veterinary Entomology, 2019, 33, 530-535.	1.5	16
25	Borrelia spp. in small mammals in Romania. Parasites and Vectors, 2019, 12, 461.	2.5	10
26	Snake predation on bats in Europe: new cases and a regional assessment. Mammalia, 2019, 83, 581-585.	0.7	3
27	Molecular detection of vector-borne bacteria in bat ticks (Acari: Ixodidae, Argasidae) from eight countries of the Old and New Worlds. Parasites and Vectors, 2019, 12, 50.	2.5	91
28	Host Phylogeny, Geographic Overlap, and Roost Sharing Shape Parasite Communities in European Bats. Frontiers in Ecology and Evolution, 2019, 7, .	2.2	34
29	Bats and ticks: host selection and seasonality of bat-specialist ticks in eastern Europe. Parasites and Vectors, 2019, 12, 605.	2.5	35
30	<p class="Body">A new Rickettsia honei-related genotype, two novel soft tick haplotypes and first records of three mite species associated with bats in Pakistan</p> . Systematic and Applied Acarology, 2019, 24, 2106-2118.	0.5	6
31	Analyses of separate and concatenated cox1 and 18S rRNA gene sequences indicate that the bat piroplasm Babesia vesperuginis is phylogenetically close to Cytauxzoon felis and the †prototheilerid†Babesia conradae. Acta Veterinaria Hungarica, 2018, 66, 107-115.	0.5	9
32	New records for Anaplasma phagocytophilum infection in small mammal species. Parasites and Vectors, 2018, 11, 193.	2.5	12
33	Eco-epidemiology of Novel Bartonella Genotypes from Parasitic Flies of Insectivorous Bats. Microbial Ecology, 2018, 76, 1076-1088.	2.8	50
34	Climate change, predictive modelling and grassland specialists: assessing impacts of changing climate on the long-term conservation of Lesser Grey Shrikes (Lanius minor) in Romania. Journal of Ornithology, 2018, 159, 413-424.	1.1	5
35	Rediscovered after half a century: a new record of the grey dwarf hamster, Cricetulus migratorius (Mammalia: Cricetidae), in Romania. Turkish Journal of Zoology, 2018, 42, 495-498.	0.9	4
36	Bartonella DNA in heart tissues of bats in central and eastern Europe and a review of phylogenetic relations of bat-associated bartonellae. Parasites and Vectors, 2018, 11, 489.	2.5	31

#	Article	IF	CITATIONS
37	Illustrated redescription of the male of Ixodes simplex Neumann, 1906. Ticks and Tick-borne Diseases, 2018, 9, 1328-1330.	2.7	5
38	Descriptions of two new species of feather mites (Acarina: Psoroptidia: Pteronyssidae) from Ivory Coast. Systematic Parasitology, 2018, 95, 281-292.	1.1	1
39	Ixodid ticks parasitizing wild carnivores in Romania. Experimental and Applied Acarology, 2017, 71, 139-149.	1.6	17
40	East and west separation of Rhipicephalus sanguineus mitochondrial lineages in the Mediterranean Basin. Parasites and Vectors, 2017, 10, 39.	2.5	42
41	Parasites of parasites of bats: Laboulbeniales (Fungi: Ascomycota) on bat flies (Diptera: Nycteribiidae) in central Europe. Parasites and Vectors, 2017, 10, 96.	2.5	34
42	Underground life is still safest: comments on †Danger underground and in the open †predation on blind mole rats (Rodentia, Spalacinae) revisited†Mammal Review, 2017, 47, 230-235.	4.8	4
43	Urban Breeding Corvids as Disseminators of Ticks and Emerging Tick-Borne Pathogens. Vector-Borne and Zoonotic Diseases, 2017, 17, 152-154.	1.5	14
44	Mitochondrial gene heterogeneity of the bat soft tick Argas vespertilionis (Ixodida: Argasidae) in the Palaearctic. Parasites and Vectors, 2017, 10, 109.	2.5	24
45	Mesocarnivores and macroparasites: altitude and land use predict the ticks occurring on red foxes (Vulpes vulpes). Parasites and Vectors, 2017, 10, 173.	2.5	19
46	Molecular investigations of the bat tick Argas vespertilionis (Ixodida: Argasidae) and Babesia vesperuginis (Apicomplexa: Piroplasmida) reflect "bat connection―between Central Europe and Central Asia. Experimental and Applied Acarology, 2017, 72, 69-77.	1.6	33
47	DNA of free-living bodonids (Euglenozoa: Kinetoplastea) in bat ectoparasites: potential relevance to the evolution of parasitic trypanosomatids. Acta Veterinaria Hungarica, 2017, 65, 531-540.	0.5	13
48	Diversity of Flea (Siphonaptera) Parasites on Red Foxes (Vulpes vulpes) in Romania. Journal of Medical Entomology, 2017, 54, 1243-1250.	1.8	16
49	Filarioid infections in wild carnivores: a multispecies survey in Romania. Parasites and Vectors, 2017, 10, 332.	2.5	42
50	Phylogenetic analyses of bat-associated bugs (Hemiptera: Cimicidae: Cimicinae and Cacodminae) indicate two new species close to Cimex lectularius. Parasites and Vectors, 2017, 10, 439.	2.5	22
51	Contributions to the phylogeny of Ixodes (Pholeoixodes) canisuga, I. (Ph.) kaiseri, I. (Ph.) hexagonus and a simple pictorial key for the identification of their females. Parasites and Vectors, 2017, 10, 545.	2.5	40
52	Babesia vesperuginis, a neglected piroplasmid: new host and geographical records, and phylogenetic relations. Parasites and Vectors, 2017, 10, 598.	2.5	31
53	Glacial allopatry vs. postglacial parapatry and peripatry: the case of hedgehogs. PeerJ, 2017, 5, e3163.	2.0	18
54	Climate change and species distribution: possible scenarios for thermophilic ticks in Romania. Geospatial Health, $2016,11,421.$	0.8	15

#	Article	IF	Citations
55	Spotted fever group rickettsiae in ticks of migratory birds in Romania. Parasites and Vectors, 2016, 9, 294.	2.5	27
56	Phylogenetic analysis of Haemaphysalis erinacei Pavesi, 1884 (Acari: Ixodidae) from China, Turkey, Italy and Romania. Parasites and Vectors, 2016, 9, 643.	2.5	14
57	Anhemialges suteui n. sp. (Astigmata: Analgidae) from Hylia prasina (Cassin) (Passeriformes,) Tj ETQq1 1 0.7843	14 _{.rg} BT/C	Overlock 10 T
58	Molecular detection of Anaplasma platys infection in free-roaming dogs and ticks from Kenya and lvory Coast. Parasites and Vectors, 2016, 9, 157.	2.5	30
59	DNA of Piroplasms of Ruminants and Dogs in Ixodid Bat Ticks. PLoS ONE, 2016, 11, e0167735.	2.5	56
60	Nest-site selection, breeding success, and diet of white-tailed eagles (Haliaeetus albicilla) in the Danube Delta, Romania. Turkish Journal of Zoology, 2015, 39, 300-307.	0.9	14
61	Anaplasma phagocytophilum in questing Ixodes ricinus ticks from Romania. Ticks and Tick-borne Diseases, 2015, 6, 408-413.	2.7	18
62	A New Species of Sucking Louse (Phthiraptera: Anoplura: Linognathidae) from Gýnther's Dikdik (<i>Madoqua guentheri</i>) in Kenya. Journal of Parasitology, 2015, 101, 140-144.	0.7	3
63	Altitudinal and seasonal differences of tick communities in dogs from pastoralist tribes of Northern Kenya. Veterinary Parasitology, 2015, 212, 318-323.	1.8	4
64	Do the Ticks of Birds at an Important Migratory Hotspot Reflect the Seasonal Dynamics of Ixodes ricinus at the Migration Initiation Site? A Case Study in the Danube Delta. PLoS ONE, 2014, 9, e89378.	2.5	34
65	Rhipicephalus rossicus and not R. sanguineus is the dominant tick species of dogs in the wetlands of the Danube Delta, Romania. Veterinary Parasitology, 2014, 204, 430-432.	1.8	14
66	European Mustelids Occupying Pristine Wetlands in the Danube Delta are Infected with <i>Trichinella </i> Likely Derived from Domesticated Swine. Journal of Wildlife Diseases, 2014, 50, 972-975.	0.8	15
67	Seasonal dynamics of Rhipicephalus rossicus attacking domestic dogs from the steppic region of southeastern Romania. Parasites and Vectors, 2014, 7, 97.	2.5	11
68	Ixodid ticks in red foxes (Vulpes vulpes) from Romania. Parasites and Vectors, 2014, 7, .	2.5	6
69	Prevalence of Anaplasma phagocytophilum in ticks collected from migratory birds in Danube Delta, Romania. Parasites and Vectors, 2014, 7, P16.	2.5	4
70	Multidisciplinary analysis of Knemidocoptes jamaicensis parasitising the Common Chaffinch, Fringilla coelebs: proofs for a multispecies complex?. Parasitology Research, 2013, 112, 2373-2380.	1.6	20
71	Geographical distribution and prevalence of Borrelia burgdorferi genospecies in questing Ixodes ricinus from Romania: A countrywide study. Ticks and Tick-borne Diseases, 2013, 4, 403-408.	2.7	22
72	Northern white-breasted hedgehogs Erinaceus roumanicus as hosts for ticks infected with Borrelia burgdorferi sensu lato and Anaplasma phagocytophilum in Romania. Ticks and Tick-borne Diseases, 2013, 4, 214-217.	2.7	21

#	Article	IF	Citations
73	<i>Alaria alata</i> Infection in European Mink. Emerging Infectious Diseases, 2013, 19, 1547-1549.	4.3	14
74	The role of rodents in the ecology of Ixodes ricinus and associated pathogens in Central and Eastern Europe. Frontiers in Cellular and Infection Microbiology, 2013, 3, 56.	3.9	45
75	Taming the beast: rabies control in the cradle of mankind. Geospatial Health, 2013, 7, 409.	0.8	4
76	Synopsis of the hard ticks (Acari: Ixodidae) of Romania with update on host associations and geographical distribution. Experimental and Applied Acarology, 2012, 58, 183-206.	1.6	86
77	Ixodes ricinus is the dominant questing tick in forest habitats in Romania: the results from a countrywide dragging campaign. Experimental and Applied Acarology, 2012, 58, 175-182.	1.6	28
78	First report of Borrelia burgdorferi sensu lato in two threatened carnivores: the Marbled polecat, Vormela peregusna and the European mink, Mustela lutreola (Mammalia: Mustelidae). BMC Veterinary Research, 2012, 8, 137.	1.9	24
79	Tick parasites of rodents in Romania: host preferences, community structure and geographical distribution. Parasites and Vectors, 2012, 5, 266.	2.5	34
80	Zoonotic pathogens associated with Hyalomma aegyptium in endangered tortoises: evidence for host-switching behaviour in ticks?. Parasites and Vectors, 2012, 5, 301.	2.5	49
81	Hard ticks (Ixodidae) in Romania: surveillance, host associations, and possible risks for tick-borne diseases. Parasitology Research, 2012, 110, 2067-2070.	1.6	16
82	The first report of Knemidocoptes intermedius Fain et Macfarlane, 1967 (Acari: Astigmata) in naturally infected European birds. Parasitology Research, 2011, 109, 237-240.	1.6	14
83	A possible case of double brooding of pharaoh eagle owls (<i>Bubo ascalaphus</i> Savigny, 1809) in Egypt. African Journal of Ecology, 2010, 48, 1129-1130.	0.9	1
84	Heading to the city. Diet selection of urban breeding Desert Eagle Owls (Bubo ascalaphus) in Hurghada, Egypt. Journal of Arid Environments, 2010, 74, 1146-1148.	2.4	4
85	Birds in the Diet of Wintering Long-eared Owls (Asio otus) in the Danube Delta, Romania. Journal of Raptor Research, 2008, 42, 292-294.	0.6	9
86	Food of the Desert Eagle Owl, <i>Bubo ascalaphus </i> Savigny, 1809, in Siwa Oasis, Western Desert, Egypt. Zoology in the Middle East, 2008, 44, 107-109.	0.6	3