Fabienne Marcellin

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1846404/publications.pdf

Version: 2024-02-01

		304743	377865
108	1,615	22	34
papers	citations	h-index	g-index
100	100	100	2120
109	109	109	2130
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	Non-adherence to antiretroviral treatment and unplanned treatment interruption among people living with HIV/AIDS in Cameroon: Individual and healthcare supply-related factors. Social Science and Medicine, 2011, 72, 1383-1392.	3.8	100
2	Patient-reported outcomes to enhance person-centred HIV care. Lancet HIV, the, 2020, 7, e59-e68.	4.7	79
3	Health-related quality of life in French people living with HIV in 2003: results from the national ANRS-EN12-VESPA Study. Aids, 2007, 21, S19-S27.	2.2	74
4	Self-Reported Fatigue and Depressive Symptoms as Main Indicators of the Quality of Life (QOL) of Patients Living with HIV and Hepatitis C: Implications for Clinical Management and Future Research. HIV Clinical Trials, 2007, 8, 320-327.	2.0	68
5	Financial barriers to HIV treatment in Yaounde, Cameroon: first results of a national cross-sectional survey. Bulletin of the World Health Organization, 2009, 87, 279-287.	3.3	59
6	Determinants of unplanned antiretroviral treatment interruptions among people living with HIV in Yaoundé, Cameroon (EVAL survey, ANRS 12â€116). Tropical Medicine and International Health, 2008, 13, 1470-1478.	2.3	58
7	Health-related quality of life in HIV-1-infected patients on HAART: a five-years longitudinal analysis accounting for dropout in the APROCO-COPILOTE cohort (ANRS CO-8). Quality of Life Research, 2007, 16, 577-591.	3.1	52
8	Interruption of Antiretroviral Therapy Initiated during Primary HIV-1 Infection: Impact of a Therapeutic Vaccination Strategy Combined with Interleukin (IL)-2 Compared with IL-2 Alone in the ANRS 095 Randomized Study. AIDS Research and Human Retroviruses, 2007, 23, 1105-1113.	1.1	50
9	Predictors of Non-adherence to Methadone Maintenance Treatment in Opioiddependent Individuals: Implications for Clinicians. Current Pharmaceutical Design, 2014, 20, 4097-4105.	1.9	44
10	Absence of association between MDR1 genetic polymorphisms, indinavir pharmacokinetics and response to highly active antiretroviral therapy. Aids, 2005, 19, 2127-2131.	2.2	37
11	Patient-reported outcomes with direct-acting antivirals for the treatment of chronic hepatitis C: current knowledge and outstanding issues. Expert Review of Gastroenterology and Hepatology, 2017, 11, 1-10.	3.0	36
12	Performance of HIV care decentralization from the patient's perspective: health-related quality of life and perceived quality of services in Cameroon. Health Policy and Planning, 2012, 27, 301-315.	2.7	34
13	Buprenorphine sniffing as a response to inadequate care in substituted patients: Results from the Subazur survey in south-eastern France. Addictive Behaviors, 2008, 33, 1625-1629.	3.0	33
14	Predictors of non-prescribed opioid use after one year of methadone treatment: An attributable-risk approach (ANRS-Methaville trial). Drug and Alcohol Dependence, 2014, 135, 1-8.	3.2	32
15	Adherence to Antiretroviral Treatment in HIV-Positive Patients in the Cameroon Context: Promoting the Use of Medication Reminder Methods. Journal of Acquired Immune Deficiency Syndromes (1999), 2011, 57, S40-S43.	2.1	30
16	Health-related quality of life of people living with HIV followed up in hospitals in France: comparing trends and correlates between 2003 and 2011 (ANRS-VESPA and VESPA2 national surveys). AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2014, 26, S29-S40.	1.2	28
17	Prevalence of unsafe sex with one's steady partner either HIV-negative or of unknown HIV status and associated determinants in Cameroon (EVAL ANRS12-116 survey). Sexually Transmitted Infections, 2010, 86, 148-154.	1.9	27
18	Protective effect of coffee consumption on all-cause mortality of French HIV-HCV co-infected patients. Journal of Hepatology, 2017, 67, 1157-1167.	3.7	25

#	Article	IF	CITATIONS
19	Suicide risk in a representative sample of people receiving HIV care: Time to target most-at-risk populations (ANRS VESPA2 French national survey). PLoS ONE, 2017, 12, e0171645.	2.5	25
20	Assessing adherence to antiretroviral therapy in randomized HIV clinical trials: a review of currently used methods. Expert Review of Anti-Infective Therapy, 2013, 11, 239-250.	4.4	24
21	Knowledge of liver fibrosis stage among adults with <scp>NAFLD</scp> / <scp>NASH</scp> improves adherence to lifestyle changes. Liver International, 2022, 42, 984-994.	3.9	24
22	Lower HCV treatment uptake in women who have received opioid agonist therapy before and during the DAA era: The ANRS FANTASIO project. International Journal of Drug Policy, 2019, 72, 61-68.	3.3	23
23	Daily cannabis and reduced risk of steatosis in human immunodeficiency virus and hepatitis C virusâ€coâ€infected patients (<scp>ANRS CO</scp> 13â€ <scp>HEPAVIH</scp>). Journal of Viral Hepatitis, 2018, 25, 171-179.	2.0	23
24	Higher risk of unsafe sex and impaired quality of life among patients not receiving antiretroviral therapy in Cameroon: results from the EVAL survey (ANRS 12–116). Aids, 2010, 24, S17-S25.	2.2	22
25	Cannabis Use and Reduced Risk of Insulin Resistance in HIV-HCV Infected Patients: A Longitudinal Analysis (ANRS CO13 HEPAVIH). Clinical Infectious Diseases, 2015, 61, 40-48.	5.8	21
26	Comparison of risk factors in HIV-infected men who have sex with men, coinfected or not with hepatitis C virus (ANRS VESPA2 French cross-sectional national survey). Sexually Transmitted Infections, 2015, 91, 21-23.	1.9	21
27	Impaired Anger Control as an Underappreciated Side Effect of Treatments for Chronic HCV Infection in HIV-HCV Coinfected Patients. Journal of Clinical Gastroenterology, 2008, 42, 92-96.	2.2	18
28	Delayed first consultation after diagnosis of HIV infection in Cameroon. Aids, 2009, 23, 1015-1019.	2.2	18
29	No significant effect of cannabis use on the count and percentage of circulating CD4 Tâ€cells in HIVâ€HCV coâ€infected patients (ANRS CO13â€HEPAVIH French cohort). Drug and Alcohol Review, 2017, 36, 227-238.	2.1	18
30	Impact of Alcohol and Coffee Intake on the Risk of Advanced Liver Fibrosis: A Longitudinal Analysis in HIV-HCV Coinfected Patients (ANRS CO-13 HEPAVIH Cohort). Nutrients, 2018, 10, 705.	4.1	18
31	Untreated alcohol use disorder in people who inject drugs (PWID) in France: a major barrier to HCV treatment uptake (the ANRSâ€FANTASIO study). Addiction, 2020, 115, 573-582.	3.3	16
32	Adding HCV Treatment to HIV Treatment in HIV-HCV Coinfected Patients: The Impact on the Different Dimensions of Fatigue and Self-Reported Side Effects. Journal of Pain and Symptom Management, 2007, 34, 413-421.	1.2	15
33	Desire for a child among HIV-infected women receiving antiretroviral therapy in Cameroon: results from the national survey EVAL (ANRS 12-116). AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2010, 22, 441-451.	1.2	15
34	High Levels of Alcohol Consumption Increase the Risk of Advanced Hepatic Fibrosis in HIV/Hepatitis C Virus-Coinfected Patients: A Sex-Based Analysis Using Transient Elastography at Enrollment in the HEPAVIH ANRS CO13 Cohort. Clinical Infectious Diseases, 2014, 59, 1190-1192.	5.8	15
35	Psychosocial correlates of inconsistent condom use among HIV-infected patients enrolled in a structured ART interruptions trial in CÃ'te d'Ivoire: results from the TRIVACAN trial (ANRS 1269). Tropical Medicine and International Health, 2010, 15, 706-712.	2.3	14
36	Individual and Structural Factors Associated With HIV Status Disclosure to Main Partner in Cameroon: ANRS 12-116 EVAL Survey, 2006–2007. Journal of Acquired Immune Deficiency Syndromes (1999), 2011, 57, S22-S26.	2.1	13

#	Article	IF	CITATIONS
37	Sexual risk behaviour among people living with HIV according to the biomedical risk of transmission: results from the ANRSâ€VESPA2 survey. Journal of the International AIDS Society, 2016, 19, 20095.	3.0	13
38	Cannabis use is associated with a lower risk of diabetes in chronic hepatitis Câ€infected patients (ANRS) Tj ETQq0	9.8 rgBT /	Oyerlock 1
39	Suicidal risk among patients enrolled in methadone maintenance treatment: HCV status and implications for suicide prevention (ANRS Methaville). Comprehensive Psychiatry, 2015, 62, 123-131.	3.1	12
40	Prevention and care of hepatitis B in the rural region of Fatick in Senegal: a healthcare workers' perspective using a mixed methods approach. BMC Health Services Research, 2019, 19, 627.	2.2	12
41	Burden and impacts of chronic hepatitis B infection in rural Senegal: study protocol of a cross-sectional survey in the area of Niakhar (AmBASS ANRS 12356). BMJ Open, 2019, 9, e030211.	1.9	12
42	HCV-Related Mortality Among HIV/HCV Co-infected Patients: The Importance of Behaviors in the HCV Cure Era (ANRS CO13 HEPAVIH Cohort). AIDS and Behavior, 2020, 24, 1069-1084.	2.7	12
43	Selfâ€reported alcohol abuse in <scp>HIV</scp> â€" <scp>HCV</scp> coâ€infected patients: a better predictor of <scp>HIV</scp> virological rebound than physician's perceptions (<scp>HEPAVIH ARNS CO</scp> 13) Tj ETQq1	3.0 .7843	l 4 .rgBT /O
44	Effect of Lopinavir/Ritonavir Monotherapy on Quality of Life and Self-Reported Symptoms among Antiretroviral-Naive Patients: Results of the MONARK Trial. Antiviral Therapy, 2008, 13, 591-599.	1.0	11
45	A reduced factor structure for the PROQOL–HIV questionnaire provided reliable indicators of health-related quality of life. Journal of Clinical Epidemiology, 2016, 72, 116-125.	5.0	10
46	Significant reductions in alcohol use after hepatitis C treatment: results from the ANRS CO13-HEPAVIH cohort. Addiction, 2017, 112, 1669-1679.	3.3	10
47	Self-Reported Bothersome Symptoms Across Different Socioepidemiological Groups of People Living With HIV Attending French Hospitals: Results From the ANRS-VESPA2 Survey. Journal of Pain and Symptom Management, 2017, 54, 110-119.	1.2	10
48	Efficacy, safety and patientâ€reported outcomes of ledipasvir/sofosbuvir in <scp>NS</scp> 3/4A protease inhibitorâ€experienced individuals with hepatitis C virus genotype 1 and <scp>HIV</scp> coinfection with and without cirrhosis (<scp>ANRS HC</scp> 31 <scp>SOFTRIH</scp> study). HIV Medicine, 2018, 19, 227-237.	2.2	10
49	Social and professional recognition are key determinants of quality of life at work among night-shift healthcare workers in Paris public hospitals (AP-HP ALADDIN COVID-19 survey). PLoS ONE, 2022, 17, e0265724.	2.5	10
50	Do Migrants Overreport Adherence to Highly Active Antiretroviral Therapy?. Journal of Acquired Immune Deficiency Syndromes (1999), 2006, 42, 646-647.	2.1	9
51	Disclosure of HIV Status Beyond Sexual Partners by People Living with HIV in France: A Call for Help? Results from the National Cross-Sectional Survey ANRS-VESPA2. AIDS and Behavior, 2017, 21, 196-206.	2.7	9
52	The impact of coffee consumption on fibrosis and steatosis in HIV-HCV co-infected patients. Journal of Hepatology, 2018, 68, 845-847.	3.7	9
53	Sleep disturbances in HIV-HCV coinfected patients: indications for clinical management in the HCV cure era (ANRS CO13 HEPAVIH cohort). European Journal of Gastroenterology and Hepatology, 2019, 31, 1508-1517.	1.6	9
54	Hepatitis B Vaccination in Senegalese Children: Coverage, Timeliness, and Sociodemographic Determinants of Non-Adherence to Immunisation Schedules (ANRS 12356 AmBASS Survey). Vaccines, 2021, 9, 510.	4.4	9

#	Article	IF	Citations
55	Adherence as a Predictor of Sexual Behaviors in People Living with HIV/AIDS during the First Year of Antiretroviral Therapy in Rural Cameroon: Data from Stratall ANRS 12110/ESTHER Trial. PLoS ONE, 2012, 7, e36118.	2.5	9
56	Depressive Symptoms and Exposure to Efavirenz in West African HIV-Infected Adults. HIV Clinical Trials, 2008, 9, 445-447.	2.0	8
57	Elevated Fatty Liver Index as a Risk Factor for Allâ€Cause Mortality in Human Immunodeficiency Virus–Hepatitis C Virus–Coinfected Patients (ANRS CO13 HEPAVIH Cohort Study). Hepatology, 2020, 71, 1182-1197.	7.3	8
58	HCV Cure and Cannabis Abstinence Facilitate Tobacco Smoking Quit Attempts in HIV-HCV Co-Infected Patients (ANRS CO13 HEPAVIH Cohort Study). AIDS and Behavior, 2021, 25, 4141-4153.	2.7	8
59	Elevated coffee consumption is associated with a lower risk of elevated liver fibrosis biomarkers in patients treated for chronic hepatitis B (ANRS CO22 Hepather cohort). Clinical Nutrition, 2022, 41, 610-619.	5.0	8
60	Susceptibility to Transmitting HIV in Patients Initiating Antiretroviral Therapy in Rural District Hospitals in Cameroon (Stratall ANRS 12110/ESTHER Trial). PLoS ONE, 2013, 8, e62611.	2.5	7
61	Short article: Fatigue in the long term after HCV treatment in HIV–HCV-coinfected patients: functional limitations persist despite viral clearance in patients exposed to peg-interferon/ribavirin-containing regimens (ANRS CO13-HEPAVIH cohort). European Journal of Gastroenterology and Hepatology. 2016. 28. 1003-1007.	1.6	7
62	Patient-reported symptoms during direct-acting antiviral treatment: A real-life study in HIV-HCV coinfected patients (ANRSÂCO13 HEPAVIH). Journal of Hepatology, 2020, 72, 588-591.	3.7	7
63	Coffee Intake and Neurocognitive Performance in HIV/HCV Coinfected Patients (ANRS CO13 HEPAVIH). Nutrients, 2020, 12, 2532.	4.1	7
64	Hepatitis B in Senegal: A Successful Infant Vaccination Program but Urgent Need to Scale Up Screening and Treatment (ANRS 12356 AmBASS survey). Hepatology Communications, 2022, 6, 1005-1015.	4.3	7
65	Choice of therapeutic strategies in the context of HIV infection: key role of patient-reported outcomes. Expert Review of Anti-Infective Therapy, 2012, 10, 403-406.	4.4	6
66	Changes in sexual activity and risk behaviors among PLWHA initiating ART in rural district hospitals in Cameroon – Data from the STRATALL ANRS 12110/ESTHER trial. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2013, 25, 347-355.	1.2	6
67	Life after hepatitis C cure in HIVâ€infected people who inject drugs and men who have sex with men treated with directâ€acting antivirals in France: Health perceptions and experiences from qualitative and quantitative findings (ANRS CO13 HEPAVIH). Journal of Viral Hepatitis, 2020, 27, 1462-1472.	2.0	6
68	Cannabis use and reduced risk of elevated fatty liver index in HIV-HCV co-infected patients: a longitudinal analysis (ANRS CO13 HEPAVIH). Expert Review of Anti-Infective Therapy, 2021, 19, 1147-1156.	4.4	6
69	Effect of Anxiety Symptoms on Adherence to Highly Active Antiretroviral Therapy in HIV-Infected Women. Journal of Clinical Psychiatry, 2009, 70, 1328-1329.	2.2	6
70	Cannabis Use Is Inversely Associated with Overweight and Obesity in Hepatitis B Virus-Infected Patients (ANRS CO22 Hepather Cohort). Cannabis and Cannabinoid Research, 2022, 7, 677-689.	2.9	6
71	Using patient-reported outcomes to improve the management of co-infection with HIV and HCV: the ANRS CO13 HEPAVIH cohort. Expert Review of Gastroenterology and Hepatology, 2014, 8, 351-358.	3.0	5
72	Protective effect of cannabis and coffee consumption on HCV-related mortality in French HIV-HCV co-infected patients (ANRS CO13 HEPAVIH cohort). Journal of Hepatology, 2018, 68, S142-S143.	3.7	5

#	Article	IF	Citations
73	Benefits of cannabis use for metabolic disorders and survival in people living with HIV with or without hepatitis C co-infection. Aids, 2020, 34, 953-954.	2.2	5
74	Late presentation for HCV care: Time to target people with diabetes and/or hazardous alcohol use (ANRS CO22 HEPATHER cohort). Liver International, 2022, 42, 38-49.	3.9	5
75	Changes in sexual activity and risk behaviors among PLWHA initiating ART in rural district hospitals in Cameroon data from the STRATALL ANRS 12110/ESTHER trial. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2013, 25, 347-55.	1.2	5
76	Use of psychoactive substances by night-shift hospital healthcare workers during the first wave of the COVID-19 pandemic: a cross-sectional study based in Parisian public hospitals (ALADDIN). BMJ Open, 2022, 12, e055699.	1.9	5
77	Correlates of poor perceived health among individuals living with HIV and HBV chronic infections: a longitudinal assessment. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2011, 23, 501-507.	1.2	4
78	Spontaneous and post-treatment HCV clearance: relationships with health-related quality of life in HIV infection (ANRS-VESPA2 study). Expert Review of Gastroenterology and Hepatology, 2015, 9, 701-713.	3.0	4
79	Heterosexual practices of women and men living with HIV attending hospital outpatient services (ANRS-VESPA2 survey): a French comparative study with the general population (CSF survey). AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2016, 28, 1345-1354.	1.2	4
80	Health-Related Quality of Life in Chronic HCV-Infected Patients Switching to Pegylated-Interferon-Free Regimens (ANRS CO20 CUPIC Cohort Study and SIRIUS Trial). Patient, 2017, 10, 605-614.	2.7	4
81	France removes hepatitis C treatment prescriber restrictions—But what is the impact of the delay for key populations?. Liver International, 2019, 39, 2418-2419.	3.9	4
82	Sibling status, home birth, tattoos and stitches are risk factors for chronic hepatitis B virus infection in Senegalese children: A crossâ€sectional survey. Journal of Viral Hepatitis, 2021, 28, 1515-1525.	2.0	4
83	Short article: Anger and quality of life in patients co-infected with HIV and hepatitis C virus: a cross-sectional study (ANRS CO13-HEPAVIH). European Journal of Gastroenterology and Hepatology, 2017, 29, 786-791.	1.6	4
84	Stigma and care avoidance in people with unhealthy alcohol use: A call for research and action. Journal of Hepatology, 2022, 77, 1221-1222.	3.7	4
85	From first-generation hepatitis C virus protease inhibitors to direct-acting antivirals. European Journal of Gastroenterology and Hepatology, 2016, 28, 733-734.	1.6	3
86	Effectiveness of directâ€acting antivirals for chronic hepatitis C treatment in migrant and nonâ€migrant populations in France. Liver International, 2021, 41, 2328-2340.	3.9	3
87	Hepatitis Delta virus in migrants: The challenge of elimination (ANRS CO22 HEPATHER cohort). Liver International, 2022, 42, 249-252.	3.9	3
88	Mindfulness as a Protective Factor Against Increased Tobacco and Alcohol Use in Hospital Workers Following the First COVID-19-Related Lockdown: a Study in Southern France. International Journal of Mental Health and Addiction, 2023, 21, 2583-2603.	7.4	3
89	Metabolic Disorders in Patients with Chronic Hepatitis B Virus Infection: Coffee as a Panacea? (ANRS) Tj ETQq1	1 0.784314 5.1	4 rgBT /Overl
90	Severe liver fibrosis in the HCV cure era: Major effects of social vulnerability, diabetes, and unhealthy behaviors. JHEP Reports, 2022, 4, 100481.	4.9	3

#	Article	IF	CITATIONS
91	Decentralization of access to antiretroviral therapy in Cameroon: correlates of HIV physicians' knowledge in HIV care. Antiviral Therapy, 2011, 16, 423-428.	1.0	2
92	Risk Factors for HCV Reinfection or Transmission in HIV-HCV Coinfected MSM (ANRS-VESPA2 French) Tj ETQq0 C	OrgBT/O	verlock 10 T
93	Impaired patientâ€reported outcomes persist in <scp>HIV</scp> â€ <scp>HCV</scp> coâ€infected patients and in cirrhotic patients despite <scp>HCV</scp> clearance. Journal of Viral Hepatitis, 2018, 25, 314-315.	2.0	2
94	Cannabis Use and Plasma Human Immunodeficiency Virus (HIV) RNA Levels in Patients Coinfected With HIV and Hepatitis C Virus Receiving Antiretroviral Therapy: Data From the ANRS CO13 HEPAVIH Cohort. Clinical Infectious Diseases, 2020, 71, 2536-2538.	5.8	2
95	Postâ∈HCV cure selfâ€reported changes in physical activity, eating behaviours, and fatigue in people living with HIV (ANRS CO13 HEPAVIH). Journal of Viral Hepatitis, 2021, 28, 1665-1667.	2.0	2
96	Social vulnerability of patients co-infected with hepatitis B and hepatitis delta viruses: Data from the ANRS CO22 HEPATHER cohort. Journal of Clinical Virology, 2021, 144, 104987.	3.1	2
97	Examining the Relationships between Mindfulness and Tobacco Craving Factors. Substance Use and Misuse, 2022, 57, 656-659.	1.4	2
98	Expanding Research on Cannabis-Based Medicines for Liver Steatosis: A Low-Risk High-Reward Way Out of the Present Deadlock?. Cannabis and Cannabinoid Research, 2023, 8, 5-11.	2.9	2
99	Letter to the Editor: Patientâ€Reported Outcomes for Nonalcoholic Fatty Liver Disease/Nonalcoholic Steatohepatitis: Rationale for Expanded Use. Hepatology, 2019, 70, 443-444.	7.3	1
100	Access to care for people with alcohol use disorder in France: a mixed-method cross-sectional study protocol (ASIA). BMJ Open, 2018, 8, e024669.	1.9	1
101	Wine Consumption and Lower Risk of Advanced Liver Fibrosis: A True Effect or Unmeasured Confounding? A Longitudinal Analysis (ANRS CO13 HEPAVIH Cohort). American Journal of Gastroenterology, 2018, 113, 1729-1732.	0.4	1
102	HCV cure: an appropriate moment to reduce cannabis use in people living with HIV? (ANRS CO13 HEPAVIH) Tj ET	Qq0,00 rs	gBŢ /Overlocl
103	Tobacco use in people living with HIV: The need for complementary descriptive data to see beyond the smoke screen. International Journal of Drug Policy, 2022, 102, 103616.	3.3	1
104	Impact of the <scp>COVID</scp> â€19 crisis on healthcare workers: The need to address quality of working life issues. Respirology, 2022, 27, 469-471.	2.3	1
105	Cannabis use as a factor of lower corpulence in hepatitis C-infected patients: results from the ANRS CO22 Hepather cohort. Journal of Cannabis Research, 2022, 4, .	3.2	1
106	Alcohol Use Patterns and Liver Outcomes: Is There Really a Difference Between Drinking Beer and Drinking Wine?. Clinical Gastroenterology and Hepatology, 2020, 18, 1650-1651.	4.4	0
107	Liver fibrosis and allâ€cause mortality in chronic HCVâ€infected diabetic patients: A paradoxical association? (ANRS CO22 HEPATHER). Liver International, 2021, 41, 1694-1698.	3.9	0
108	Integrating HIV-specific elements in the treatment of tobacco dependence. Clinical Infectious Diseases, 0, , .	5.8	0