

# Tobey J Betthauser

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1847670/publications.pdf>

Version: 2024-02-01

69  
papers

1,117  
citations

430874

18  
h-index

434195

31  
g-index

86  
all docs

86  
docs citations

86  
times ranked

1573  
citing authors

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | PET-BIDS, an extension to the brain imaging data structure for positron emission tomography. <i>Scientific Data</i> , 2022, 9, 65.  | 5.3 | 20        |
| 2  | Divergent Cortical Tau Positron Emission Tomography Patterns Among Patients With Preclinical Alzheimer Disease. <i>JAMA Neurology</i> , 2022, 79, 592.  | 9.0 | 29        |
| 3  | Principal components from untargeted cerebrospinal fluid metabolomics associated with Alzheimer's disease biomarkers. <i>Neurobiology of Aging</i> , 2022, 117, 12-23.  | 3.1 | 7         |
| 4  | Association of Neighborhood-Level Disadvantage With Neurofibrillary Tangles on Neuropathological Tissue Assessment. <i>JAMA Network Open</i> , 2022, 5, e228966.  | 5.9 | 5         |
| 5  | Serial position effects in the Logical Memory Test: Loss of primacy predicts amyloid positivity. <i>Journal of Neuropsychology</i> , 2021, 15, 448-461.   | 1.4 | 16        |
| 6  | An examination of a novel multipanel of CSF biomarkers in the Alzheimer's disease clinical and pathological continuum. <i>Alzheimer's and Dementia</i> , 2021, 17, 431-445.   | 0.8 | 80        |
| 7  | Validity Evidence for the Research Category, "Cognitively Unimpaired Declining," as a Risk Marker for Mild Cognitive Impairment and Alzheimer's Disease. <i>Frontiers in Aging Neuroscience</i> , 2021, 13, 688478.               | 3.4 | 21        |
| 8  | The relationship of glucose-stimulated insulin secretion to cerebral glucose metabolism and cognition in healthy middle-aged and older adults. <i>Neurobiology of Aging</i> , 2021, 105, 174-185.                                 | 3.1 | 1         |
| 9  | Sex differences in off-target binding using tau positron emission tomography. <i>NeuroImage: Clinical</i> , 2021, 31, 102708.   | 2.7 | 21        |
| 10 | In vivo staging of regional amyloid progression in healthy middle-aged to older people at risk of Alzheimer's disease. <i>Alzheimer's Research and Therapy</i> , 2021, 13, 178.   | 6.2 | 6         |
| 11 | Cerebrovascular stiffness and flow dynamics in the presence of amyloid and tau biomarkers. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2021, 13, e12253.                                      | 2.4 | 4         |
| 12 | Relationship of insulin resistance and glucose to tau PET positivity. <i>Alzheimer's and Dementia</i> , 2021, 17, .   | 0.8 | 0         |
| 13 | CSF amyloid, tau, and neurodegeneration biomarkers are associated with longitudinal cognitive decline in preclinical AD. <i>Alzheimer's and Dementia</i> , 2021, 17, .  | 0.8 | 1         |
| 14 | Association of anticholinergic medication and AD biomarkers among cognitively normal late middle-age adults: Results from the Wisconsin Registry for Alzheimer's Prevention (WRAP). <i>Alzheimer's and Dementia</i> , 2021, 17, . | 0.8 | 0         |
| 15 | Amyloid time: Quantifying the onset of abnormal biomarkers and cognitive impairment along the Alzheimer's disease continuum. <i>Alzheimer's and Dementia</i> , 2021, 17, .  | 0.8 | 2         |
| 16 | Lateralized tau deposition and speech, language, and cognition: A descriptive case report. <i>Alzheimer's and Dementia</i> , 2021, 17, .  | 0.8 | 1         |
| 17 | Age of amyloid onset, but not amyloid accumulation rate, differs across APOE4 carriers vs. non-carriers in three cohorts and three methods. <i>Alzheimer's and Dementia</i> , 2021, 17, .   | 0.8 | 0         |
| 18 | Associations in Alzheimer's disease between intracranial vascular metrics from 4D-flow MRI and $\beta$ -amyloid and tau PET. <i>Alzheimer's and Dementia</i> , 2021, 17, .  | 0.8 | 0         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Amyloid status is associated with deficits in connected speech language. <i>Alzheimer's and Dementia</i> , 2021, 17, .   | 0.8 | 0         |
| 20 | Examining differences across sleep profiles in late middle-aged adults: Results from the Wisconsin Registry for Alzheimer's Prevention (WRAP). <i>Alzheimer's and Dementia</i> , 2021, 17, .                                       | 0.8 | 0         |
| 21 | CSF sphingomyelin metabolites in Alzheimer's disease, neurodegeneration, and neuroinflammation. <i>Alzheimer's and Dementia</i> , 2021, 17, .  | 0.8 | 4         |
| 22 | Neurite density and free water concentration are associated with synaptic density in the hippocampus as assessed through NODDI and [11C]UCB-PET. <i>Alzheimer's and Dementia</i> , 2021, 17, .                                     | 0.8 | 0         |
| 23 | Amyloid and tau imaging biomarkers explain cognitive decline from late middle-age. <i>Brain</i> , 2020, 143, 320-335.  | 7.6 | 100       |
| 24 | Proper names from story recall are associated with beta-amyloid in cognitively unimpaired adults at risk for Alzheimer's disease. <i>Cortex</i> , 2020, 131, 137-150.  | 2.4 | 17        |
| 25 | Cohort study of electroencephalography markers of amyloid-tau-neurodegeneration pathology. <i>Brain Communications</i> , 2020, 2, fcaa099.   | 3.3 | 9         |
| 26 | Amyloid and Tau PET Imaging of Alzheimer Disease and Other Neurodegenerative Conditions. <i>Seminars in Ultrasound, CT and MRI</i> , 2020, 41, 572-583.  | 1.5 | 12        |
| 27 | Synaptic vesicle protein SV2A imaging with [11C]UCB as a novel biomarker of neurodegeneration in Alzheimer's disease. <i>Alzheimer's and Dementia</i> , 2020, 16, e037789.   | 0.8 | 1         |
| 28 | In vivo amyloid progression in healthy middle-aged to older people at risk of Alzheimer's disease. <i>Alzheimer's and Dementia</i> , 2020, 16, e040789.  | 0.8 | 0         |
| 29 | MK-6240 imaging features, cognitive associations in preclinical Alzheimer's disease and a case with imaging-postmortem correlates. <i>Alzheimer's and Dementia</i> , 2020, 16, e043217.  | 0.8 | 1         |
| 30 | Associations between an abbreviated CAIDE score and amyloid chronicity. <i>Alzheimer's and Dementia</i> , 2020, 16, e044659.   | 0.8 | 0         |
| 31 | Predicting the time to tau onset in Down syndrome using amyloid chronicity. <i>Alzheimer's and Dementia</i> , 2020, 16, e046060.   | 0.8 | 1         |
| 32 | PET differences between cognitively unimpaired stable and declining subtypes: Multiple approaches show higher amyloid and tau among those with subclinical cognitive decline. <i>Alzheimer's and Dementia</i> , 2020, 16, e046316. | 0.8 | 0         |
| 33 | Association of cerebral white matter disease with cardiovascular risk factors, amyloid accumulation, and cognition. <i>Alzheimer's and Dementia</i> , 2020, 16, e046518.   | 0.8 | 0         |
| 34 | Associations between lifestyle risk, amyloid, tau, and cognition in late midlife. <i>Alzheimer's and Dementia</i> , 2020, 16, e046562.   | 0.8 | 0         |
| 35 | Amyloid accumulation in Down syndrome measured with amyloid load. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2020, 12, e12020.  | 2.4 | 19        |
| 36 | Amyloid duration is associated with preclinical cognitive decline and tau PET. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2020, 12, e12007.   | 2.4 | 43        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Chronicity of amyloid: Methods for estimating amyloid onset and clinical research applications. <i>Alzheimer's and Dementia</i> , 2020, 16, e039782.   | 0.8 | 0         |
| 38 | In Vivo Characterization and Quantification of Neurofibrillary Tau PET Radioligand [ <sup>18</sup> F]-MK-6240 in Humans from Alzheimer Disease Dementia to Young Controls. <i>Journal of Nuclear Medicine</i> , 2019, 60, 93-99.   | 5.0 | 161       |
| 39 | Imaging neurodegeneration in Down syndrome: brain templates for amyloid burden and tissue segmentation. <i>Brain Imaging and Behavior</i> , 2019, 13, 345-353.   | 2.1 | 21        |
| 40 | AD molecular: Imaging tau aggregates with positron emissions tomography. <i>Progress in Molecular Biology and Translational Science</i> , 2019, 165, 107-138.  | 1.7 | 10        |
| 41 | <i>KLOTHO</i> heterozygosity attenuates <i>APOE4</i> -related amyloid burden in preclinical AD. <i>Neurology</i> , 2019, 92, e1878-e1889.  | 1.1 | 40        |
| 42 | Measuring longitudinal cognition: Individual tests versus composites. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2019, 11, 74-84.   | 2.4 | 69        |
| 43 | ICP117: RETROSPECTIVE COGNITIVE DECLINE IS ASSOCIATED WITH NEUROFIBRILLARY TANGLES AND BETA-AMYLOID PLAQUES MEASURED BY [ <sup>18</sup> F]-MK6240 AND [ <sup>11</sup> C]-PIB IN LATE-MIDDLE AGED PERSONS CLINICALLY UNIMPAIRED AT BASELINE. <i>Alzheimer's and Dementia</i> , 2019, 15, P99. | 0.8 | 0         |
| 44 | ICP101: ASSESSMENT OF LONGITUDINAL AMYLOID LOAD CHANGE IN DOWN SYNDROME. <i>Alzheimer's and Dementia</i> , 2019, 15, P10.  | 0.8 | 0         |
| 45 | Hypertension and obesity moderate the relationship between amyloid and cognitive decline in midlife. <i>Alzheimer's and Dementia</i> , 2019, 15, 418-428.  | 0.8 | 38        |
| 46 | Human brain imaging of nicotinic acetylcholine $\alpha 7$ receptors using [ <sup>18</sup> F]-Nifene: Selectivity, functional activity, toxicity, aging effects, gender effects, and extrathalamic pathways. <i>Journal of Comparative Neurology</i> , 2018, 526, 80-95.                      | 1.6 | 26        |
| 47 | O305: VERBAL FLUENCY MEASURES ARE ASSOCIATED WITH ALZHEIMER'S DISEASE BIOMARKERS IN CLINICALLY UNIMPAIRED, LATE MIDDLE-AGED ADULTS FROM THE WISCONSIN REGISTRY FOR ALZHEIMER'S PREVENTION. <i>Alzheimer's and Dementia</i> , 2018, 14, P617.   | 0.8 | 0         |
| 48 | O306: TAU IMAGING WITH [ <sup>18</sup> F]-MK6240 ACROSS THE AD SPECTRUM: ASSOCIATIONS WITH AMYLOID AND COGNITIVE STATUS. <i>Alzheimer's and Dementia</i> , 2018, 14, P1021.  | 0.8 | 0         |
| 49 | P126: PRACTICAL CONSIDERATIONS FOR STATIC PET IMAGING OF [ <sup>18</sup> F]-MK6240. <i>Alzheimer's and Dementia</i> , 2018, 14, P319.  | 0.8 | 0         |
| 50 | ICP18: VERBAL FLUENCY MEASURES ARE ASSOCIATED WITH ALZHEIMER'S DISEASE BIOMARKERS IN CLINICALLY UNIMPAIRED LATE MIDDLE-AGED ADULTS FROM THE WISCONSIN REGISTRY FOR ALZHEIMER'S PREVENTION. <i>Alzheimer's and Dementia</i> , 2018, 14, P23.  | 0.8 | 2         |
| 51 | ICP04: AMYLOID BURDEN AND CORTICAL ATROPHY IN NON-DEMENTED DOWN SYNDROME. <i>Alzheimer's and Dementia</i> , 2018, 14, P16.   | 0.8 | 0         |
| 52 | ICP200: PRACTICAL CONSIDERATIONS FOR STATIC PET IMAGING OF [ <sup>18</sup> F]-MK6240. <i>Alzheimer's and Dementia</i> , 2018, 14, P164.  | 0.8 | 0         |
| 53 | O304: DOES AMYLOID BURDEN PREDICT COGNITIVE DECLINE STATUS IN ADULTS AT RISK FOR ALZHEIMER'S DISEASE?. <i>Alzheimer's and Dementia</i> , 2018, 14, P632.   | 0.8 | 0         |
| 54 | P145: AMYLOID BURDEN AND CORTICAL ATROPHY IN NON-DEMENTED DOWN SYNDROME. <i>Alzheimer's and Dementia</i> , 2018, 14, P484.   | 0.8 | 0         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | F4. Alzheimer's Disease Biomarkers are Associated With Altered White Matter Microstructure. <i>Biological Psychiatry</i> , 2018, 83, S238.  | 1.3 | 0         |
| 56 | The use of Centiloids for applying [ <sup>11</sup> C]PiB classification cutoffs across region-of-interest delineation methods. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2018, 10, 332-339.                 | 2.4 | 22        |
| 57 | [ <sup>18</sup> F]Nifene test-retest reproducibility in first-in-human imaging of $\alpha_7$ nicotinic acetylcholine receptors. <i>Synapse</i> , 2017, 71, e21981.  | 1.2 | 13        |
| 58 | Longitudinal changes in amyloid positron emission tomography and volumetric magnetic resonance imaging in the nondemented Down syndrome population. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2017, 9, 1-9. | 2.4 | 49        |
| 59 | Human biodistribution and dosimetry of [ <sup>18</sup> F]nifene, an $\alpha_7$ nicotinic acetylcholine receptor PET tracer. <i>Nuclear Medicine and Biology</i> , 2017, 55, 7-11.   | 0.6 | 11        |
| 60 | Characterization of the radiosynthesis and purification of [ <sup>18</sup> F]THK-5351, a PET ligand for neurofibrillary tau. <i>Applied Radiation and Isotopes</i> , 2017, 130, 230-237.  | 1.5 | 9         |
| 61 | In Vivo Comparison of Tau Radioligands [ <sup>18</sup> F]-THK-5351 and [ <sup>18</sup> F]-THK-5317. <i>Journal of Nuclear Medicine</i> , 2017, 58, 996-1002.  | 5.0 | 54        |
| 62 | Alzheimer-Like Pattern of Hypometabolism Emerges with Elevated Amyloid Burden in Down Syndrome. <i>Journal of Alzheimer's Disease</i> , 2017, 61, 631-644.  | 2.6 | 23        |
| 63 | [O2-02-06]: ALZHEIMER-LIKE PATHOPHYSIOLOGICAL CHANGES IN THE NON-DEMENTED DOWN SYNDROME POPULATION. <i>Alzheimer's and Dementia</i> , 2017, 13, P554.   | 0.8 | 0         |
| 64 | P1-274: Patterns of In-Vivo Preclinical TAU and Amyloid Burden Using [F-18]THK5351 and [C-11]PIB. , 2016, 12, P521-P522.  |     | 0         |
| 65 | ICP-195: Patterns of in-Vivo Preclinical TAU and Amyloid Burden Using [F-18]THK5351 and [C-11]PIB. <i>Alzheimer's and Dementia</i> , 2016, 12, P141.  | 0.8 | 0         |
| 66 | Cerebrospinal fluid ratios with $A\beta_{42}$ predict preclinical brain amyloid accumulation. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2016, 2, 27-38.   | 2.4 | 44        |
| 67 | The effects of normal aging on amyloid deposition in nondemented adults with Down syndrome as imaged by carbon 11-labeled Pittsburgh compound B. <i>Alzheimer's and Dementia</i> , 2016, 12, 380-390.   | 0.8 | 65        |
| 68 | O5-01-05: Tau and amyloid imaging in presymptomatic and symptomatic Alzheimer's disease with [F-18]THK5117 and [C-11]PiB: A multimodal imaging study. , 2015, 11, P314-P314.  |     | 0         |
| 69 | First-in-Human Evaluation of [ <sup>18</sup> F]-Mefway, a PET Radioligand Specific to Serotonin-1A Receptors. <i>Journal of Nuclear Medicine</i> , 2014, 55, 1973-1979.   | 5.0 | 19        |