

Jung-Hoon Park

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1848009/jung-hoon-park-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

118
papers

901
citations

16
h-index

22
g-index

124
ext. papers

1,114
ext. citations

4.6
avg, IF

3.98
L-index

#	Paper	IF	Citations
118	Occlusive Properties of Transrenal Ureteral Occlusion Self-Expandable Metallic Stents: 3D-Printed Phantom and Ex Vivo Studies. <i>Applied Sciences (Switzerland)</i> , 2022 , 12, 1516	2.6	
117	Sirolimus-eluting cobalt-chrome alloy stent suppresses stent-induced tissue hyperplasia in a porcine Eustachian tube model.. <i>Scientific Reports</i> , 2022 , 12, 3436	4.9	0
116	Interwoven versus Knitted Self-Expandable Metallic Stents: A Comparison Study of Stent-Induced Tissue Hyperplasia in the Rat Esophagus. <i>Applied Sciences (Switzerland)</i> , 2022 , 12, 346	2.6	0
115	Flexible 3D Nanonetworked Silica Film as Polymer-free Drug-eluting Stent Platform to Effectively Suppress Tissue Hyperplasia in Rat Esophagus.. <i>Advanced Healthcare Materials</i> , 2022 , e2200389	10.1	
114	Combination of Metal-Phenolic Network-Based Immunoactive Nanoparticles and Bipolar Irreversible Electroporation for Effective Cancer Immunotherapy.. <i>Small</i> , 2022 , e2200316	11	1
113	Serial histological changes in the cartilaginous eustachian tube in the rat following balloon dilation. <i>PLoS ONE</i> , 2022 , 17, e0268763	3.7	0
112	Localized Photothermal Ablation Therapy of Obstructive Rectal Cancer Using a Nanofunctionalized Stent in a Mouse Model. <i>ACS Biomaterials Science and Engineering</i> , 2021 ,	5.5	1
111	Percutaneous antegrade removal of foreign bodies in the urinary tract: a 20-year, single-center experience. <i>Acta Radiologica</i> , 2021 , 62, 1097-1103	2	
110	Antimigration Effects of the Number of Flaps on a Plastic Stent: Three-Dimensionally Printed Pancreatic Phantom and Ex Vivo Studies. <i>Applied Sciences (Switzerland)</i> , 2021 , 11, 4830	2.6	
109	Photothermal therapy via a gold nanoparticle-coated stent for treating stent-induced granulation tissue formation in the rat esophagus. <i>Scientific Reports</i> , 2021 , 11, 10558	4.9	3
108	Design and Usability Evaluations of a 3D-Printed Implantable Drug Delivery Device for Acute Liver Failure in Preclinical Settings. <i>Advanced Healthcare Materials</i> , 2021 , 10, e2100497	10.1	4
107	Acetazolamide-eluting biodegradable tubular stent prevents pancreaticojejunal anastomotic leakage. <i>Journal of Controlled Release</i> , 2021 , 335, 650-659	11.7	1
106	Early diagnosis is associated with improved clinical outcomes in benign esophageal perforation: an individual patient data meta-analysis. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2021 , 35, 3492-3505	5.2	6
105	Temporary percutaneous radiologic gastrojejunostomy with single gastropexy. <i>Acta Radiologica</i> , 2021 , 62, 329-333	2	
104	Technical Feasibility and Histological Analysis of Balloon-Expandable Metallic Stent Placement in a Porcine Eustachian Tube. <i>Applied Sciences (Switzerland)</i> , 2021 , 11, 1359	2.6	1
103	Newly Developed N-butyl Cyanoacrylate (EG glue) for Arterial Embolization: A Preclinical Study in Rabbit Renal Artery. <i>Macromolecular Research</i> , 2021 , 29, 178-184	1.9	1
102	The Establishment of a Fast and Safe Orthotopic Colon Cancer Model Using a Tissue Adhesive Technique. <i>Cancer Research and Treatment</i> , 2021 , 53, 733-743	5.2	1

101	Morphological Analysis of the Adult Eustachian Tube: A Fresh-Frozen Human Cadaver Study. <i>Otology and Neurotology</i> , 2021 , 42, e1583-e1591	2.6	0
100	Novel platinum bipolar electrode for irreversible electroporation in prostate cancer: preclinical study in the beagle prostate. <i>Scientific Reports</i> , 2021 , 11, 17194	4.9	2
99	Feasibility of a Drug-Releasing Radiofrequency Ablation System in a Porcine Liver Model. <i>Applied Sciences (Switzerland)</i> , 2021 , 11, 8301	2.6	
98	Hepatocellular Carcinoma With Portal Vein Tumor Thrombus Treated With Transarterial Chemoembolization and Sorafenib Iodine Implantation.. <i>Frontiers in Oncology</i> , 2021 , 11, 806907	5.3	3
97	Self-Expandable Retainer for Endoscopic Visualization in the External Auditory Canal: Proof of Concept in Human Cadavers. <i>Applied Sciences (Switzerland)</i> , 2020 , 10, 1877	2.6	1
96	Design of Continuum Robot With Variable Stiffness for Gastrointestinal Stenting Using Conformability Factor. <i>IEEE Transactions on Medical Robotics and Bionics</i> , 2020 , 2, 529-532	3.1	1
95	A Canine Model for Lymphangiography and Thoracic Duct Access. <i>Korean Journal of Radiology</i> , 2020 , 21, 298-305	6.9	1
94	Metallic Stent Mesh Coated with Silver Nanoparticles Suppresses Stent-Induced Tissue Hyperplasia and Biliary Sludge in the Rabbit Extrahepatic Bile Duct. <i>Pharmaceutics</i> , 2020 , 12,	6.4	5
93	Tumor Microenvironment Targeting Nano-Bio Emulsion for Synergistic Combinational X-Ray PDT with Oncolytic Bacteria Therapy. <i>Advanced Healthcare Materials</i> , 2020 , 9, e1901812	10.1	15
92	Local Heat Treatment for Suppressing Gastroduodenal Stent-Induced Tissue Hyperplasia Using Nanofunctionalized Self-Expandable Metallic Stent in Rat Gastric Outlet Model. <i>ACS Biomaterials Science and Engineering</i> , 2020 , 6, 2450-2458	5.5	7
91	A Novel Biodegradable Tubular Stent Prevents Pancreaticojejunal Anastomotic Stricture. <i>Scientific Reports</i> , 2020 , 10, 1518	4.9	5
90	EW-7197, a Transforming Growth Factor-Beta Type I Receptor Kinase Inhibitor, Ameliorates Acquired Lymphedema in a Mouse Tail Model. <i>Lymphatic Research and Biology</i> , 2020 , 18, 433-438	2.3	3
89	A Novel Intra-gastric Satiety-Inducing Device to Inhibit Weight Gain in Juvenile Pigs: a Pilot Study. <i>Obesity Surgery</i> , 2020 , 30, 4643-4651	3.7	2
88	Clinical effectiveness and safety of self-expanding metal stent placement following palliative chemotherapy in patients with advanced esophageal cancer. <i>Abdominal Radiology</i> , 2020 , 45, 563-570	3	4
87	Radiation Inhibits Lymph Drainage in an Acquired Lymphedema Mouse Hindlimb Model. <i>Lymphatic Research and Biology</i> , 2020 , 18, 16-21	2.3	2
86	Fluoroscopic Balloon Dilation Using a Flexible Guide Wire to Treat Obstructive Eustachian Tube Dysfunction. <i>Journal of Vascular and Interventional Radiology</i> , 2019 , 30, 1562-1566	2.4	5
85	Histologic Analysis with the Newly Designed Exoskeleton Seal Stent-Graft in the Porcine Abdominal Aorta. <i>CardioVascular and Interventional Radiology</i> , 2019 , 42, 1331-1342	2.7	1
84	Balloon-Expandable Biodegradable Stents Versus Self-Expandable Metallic Stents: A Comparison Study of Stent-Induced Tissue Hyperplasia in the Rat Urethra. <i>CardioVascular and Interventional Radiology</i> , 2019 , 42, 1343-1351	2.7	10

83	Fluoroscopic self-expandable metallic stent placement for treating post-operative nonanastomotic strictures in the proximal small bowel: a 15-year single institution experience. <i>British Journal of Radiology</i> , 2019 , 92, 20180957	3.4	2
82	Multifunctional nanoparticles for genetic engineering and bioimaging of natural killer (NK) cell therapeutics. <i>Biomaterials</i> , 2019 , 221, 119418	15.6	26
81	Fully covered self-expandable esophageal metallic stents in patients with inoperable malignant disease who survived for more than 6 months after stent placement. <i>British Journal of Radiology</i> , 2019 , 92, 20190321	3.4	2
80	A Novel Full Sense Device to Treat Obesity in a Porcine Model: Preliminary Results. <i>Obesity Surgery</i> , 2019 , 29, 1521-1527	3.7	10
79	Fluoroscopy-Guided Peroral Placement of a Self-Expandable Metallic Stent for Malignant Jejunal Obstruction in a Non-surgically Altered Stomach. <i>CardioVascular and Interventional Radiology</i> , 2019 , 42, 145-149	2.7	1
78	Development and Evaluation of a New Volume Measuring System in Mouse Tail Lymphedema Model. <i>Lymphatic Research and Biology</i> , 2019 , 17, 402-412	2.3	0
77	Fluoroscopic subtraction Eustachian tubography: initial feasibility test in a cadaver model. <i>European Radiology</i> , 2018 , 28, 3685-3691	8	2
76	Stenting for Advanced Esophageal Carcinoma. <i>Digestive Disease Interventions</i> , 2018 , 02, 018-024	0.2	2
75	Fluoroscopic Gastroduodenal Stent Placement in 55 Patients with Endoscopic Stent Placement Failure. <i>CardioVascular and Interventional Radiology</i> , 2018 , 41, 1233-1240	2.7	6
74	Radiation-induced esophageal strictures treated with fluoroscopic balloon dilation: clinical outcomes and factors influencing recurrence in 62 patients. <i>Acta Radiologica</i> , 2018 , 59, 313-321	2	10
73	Fluoroscopy-guided balloon dilation in patients with Eustachian tube dysfunction. <i>European Radiology</i> , 2018 , 28, 910-919	8	9
72	Self-Expandable Metal Stent Use to Palliate Malignant Esophagorespiratory Fistulas in 88 Patients. <i>Journal of Vascular and Interventional Radiology</i> , 2018 , 29, 320-327	2.4	7
71	Nanofunctionalized Stent-Mediated Local Heat Treatment for the Suppression of Stent-Induced Tissue Hyperplasia. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 29357-29366	9.5	16
70	Transnasal Placement of a Balloon-Expandable Metallic Stent: Human Cadaver Study of the Eustachian Tube. <i>Journal of Vascular and Interventional Radiology</i> , 2018 , 29, 1187-1193	2.4	4
69	Oesophageal stenting: Status quo and future challenges. <i>British Journal of Radiology</i> , 2018 , 91, 20170935	3.4	7
68	EW-7197 eluting nano-fiber covered self-expandable metallic stent to prevent granulation tissue formation in a canine urethral model. <i>PLoS ONE</i> , 2018 , 13, e0192430	3.7	13
67	Acute Biliary Obstruction After Gastroduodenal Covered Self-Expanding Metallic Stent Placement in Patients with Previous Biliary Stent Placement for Periampullary Cancer: Frequency and Protective Factors. <i>CardioVascular and Interventional Radiology</i> , 2018 , 41, 603-609	2.7	2
66	Sirolimus-eluting Biodegradable Poly-L-Lactic Acid Stent to Suppress Granulation Tissue Formation in the Rat Urethra. <i>Radiology</i> , 2018 , 286, 140-148	20.5	13

65	InVivo Fluorescence Microendoscopic Monitoring of Stent-Induced Fibroblast Cell Proliferation in an Esophageal Mouse Model. <i>Journal of Vascular and Interventional Radiology</i> , 2018 , 29, 1756-1763	2.4	4
64	EW-7197, an oral transforming growth factor β type I receptor kinase inhibitor, for preventing peritoneal adhesion formation in a rat model. <i>Surgery</i> , 2018 , 164, 1100-1108	3.6	10
63	Fluoroscopic balloon diameter measurement at different pressures during Eustachian balloon dilation. <i>Clinical Otolaryngology</i> , 2018 , 43, 1573-1577	1.8	3
62	Stent Placement in Surgically Altered Stomach. <i>Digestive Disease Interventions</i> , 2018 , 02, 033-039	0.2	
61	Incidence and management of oesophageal ruptures following fluoroscopic balloon dilatation in children with benign strictures. <i>European Radiology</i> , 2017 , 27, 105-112	8	6
60	EW-7197, an activin-like kinase 5 inhibitor, suppresses granulation tissue after stent placement in rat esophagus. <i>Gastrointestinal Endoscopy</i> , 2017 , 86, 219-228	5.2	21
59	Influence of Contrast Agent Dilution on Ballon Deflation Time and Visibility During Tracheal Balloon Dilation: A 3D Printed Phantom Study. <i>CardioVascular and Interventional Radiology</i> , 2017 , 40, 285-290	2.7	2
58	Fluoroscopic-guided stent placement in failed tentative endoscopic approaches to malignant gastroduodenal obstructions. <i>Acta Radiologica</i> , 2017 , 58, 959-963	2	3
57	Evaluation of a New Esophageal Stent for the Treatment of Malignant and Benign Esophageal Strictures. <i>CardioVascular and Interventional Radiology</i> , 2017 , 40, 1576-1585	2.7	6
56	Fluoroscopic Balloon Dilation for Treating Postoperative Nonanastomotic Strictures in the Proximal Small Bowel: A 15-Year Single-Institution Experience. <i>Journal of Vascular and Interventional Radiology</i> , 2017 , 28, 1141-1146	2.4	3
55	Significance of Stent Abutment in Gastroduodenal Stent Placement for Gastric Outlet Obstructions. <i>Journal of Vascular and Interventional Radiology</i> , 2017 , 28, 1147-1153	2.4	4
54	Fluoroscopic removal of retrievable self-expandable metal stents in patients with malignant oesophageal strictures: Experience with a non-endoscopic removal system. <i>European Radiology</i> , 2017 , 27, 1257-1266	8	1
53	Self-Expandable Metallic Stent Placement for the Palliation of Esophageal Cancer. <i>Journal of Korean Medical Science</i> , 2017 , 32, 1062-1071	4.7	19
52	3D-printed phantom study for investigating stent abutment during gastroduodenal stent placement for gastric outlet obstruction. <i>3D Printing in Medicine</i> , 2017 , 3, 10	5	4
51	Respiratory support with venovenous extracorporeal membrane oxygenation during stent placement for the palliation of critical airway obstruction: case series analysis. <i>Journal of Thoracic Disease</i> , 2017 , 9, 2599-2607	2.6	10
50	Recurrent Benign Urethral Strictures Treated with Covered Retrievable Self-Expandable Metallic Stents: Long-Term Outcomes over an 18-Year Period. <i>Journal of Vascular and Interventional Radiology</i> , 2017 , 28, 1584-1591	2.4	3
49	Overlapping self-expandable metallic stent for palliation of a long (>10 cm) malignant gastroduodenal obstruction. <i>Acta Radiologica</i> , 2017 , 58, 565-572	2	0
48	Partially-covered stent placement versus surgical gastrojejunostomy for the palliation of malignant gastroduodenal obstruction secondary to pancreatic cancer. <i>Abdominal Radiology</i> , 2016 , 41, 2233-2240	3	10

47	Gastroduodenal stent placement versus surgical gastrojejunostomy for the palliation of gastric outlet obstructions in patients with unresectable gastric cancer: a propensity score-matched analysis. <i>European Radiology</i> , 2016 , 26, 2436-45	8	18
46	Development of gastroduodenal self-expandable metallic stents: 30 years of trial and error. <i>Gastrointestinal Intervention</i> , 2016 , 5, 91-97		1
45	Over-the-wire versus through-the-scope stents for the palliation of malignant gastric outlet obstruction: A retrospective comparison study. <i>European Radiology</i> , 2016 , 26, 4249-4258	8	12
44	Removal of Retrievable Self-Expandable Metallic Tracheobronchial Stents: An 18-Year Experience in a Single Center. <i>CardioVascular and Interventional Radiology</i> , 2016 , 39, 1611-1619	2.7	13
43	Preliminary Results of Temporary Placement of Retrievable Expandable Metallic Stents during Preoperative Neoadjuvant Chemoradiotherapy in Patients with Resectable Esophageal Cancer. <i>Journal of Vascular and Interventional Radiology</i> , 2015 , 26, 883-8	2.4	7
42	Effectiveness of a silicone device for foot MRI in order to obtain homogeneous fat suppression images. <i>Acta Radiologica</i> , 2015 , 56, 471-6	2	1
41	Preliminary Results of Percutaneous Radiologic Gastrostomy in a Pediatric Population: A Modified Chiba-Needle Puncture Technique With Single Gastropexy. <i>American Journal of Roentgenology</i> , 2015 , 205, W133-7	5.4	7
40	Fluoroscopically guided large balloon dilatation for treating congenital esophageal stenosis in children. <i>Japanese Journal of Radiology</i> , 2015 , 33, 418-23	2.9	11
39	Tuberculous Tracheobronchial Strictures Treated with Balloon Dilatation: A Single-Center Experience in 113 Patients during a 17-year Period. <i>Radiology</i> , 2015 , 277, 286-93	20.5	11
38	Migration of retrievable expandable metallic stents inserted for malignant esophageal strictures: incidence, management, and prognostic factors in 332 patients. <i>American Journal of Roentgenology</i> , 2015 , 204, 1109-14	5.4	10
37	Full-thickness esophageal perforation after fluoroscopic balloon dilation: incidence and management in 820 adult patients. <i>American Journal of Roentgenology</i> , 2015 , 204, 1115-9	5.4	9
36	Metallic stent placement in patients with recurrent malignant obstruction in the surgically altered stomach. <i>Annals of Surgical Oncology</i> , 2014 , 21, 2036-43	3.1	9
35	Bleeding after expandable nitinol stent placement in patients with esophageal and upper gastrointestinal obstruction: incidence, management, and predictors. <i>Acta Radiologica</i> , 2014 , 55, 1069-75		7
34	Bioreducible polymer-delivered siRNA targeting MMP-9: suppression of granulation tissue formation after bare metallic stent placement in a rat urethral model. <i>Radiology</i> , 2014 , 271, 87-95	20.5	8
33	Management of benign tracheal strictures caused by tracheostomy. <i>CardioVascular and Interventional Radiology</i> , 2014 , 37, 743-9	2.7	9
32	Fluoroscopically guided balloon dilation for benign bronchial stricture occurring after radiotherapy in patients with lung cancer. <i>CardioVascular and Interventional Radiology</i> , 2014 , 37, 750-5	2.7	2
31	Treatment of esophagopleural fistulas using covered retrievable expandable metallic stents. <i>Journal of Vascular and Interventional Radiology</i> , 2014 , 25, 623-9	2.4	12
30	Polydioxanone biodegradable stent placement in a canine urethral model: analysis of inflammatory reaction and biodegradation. <i>Journal of Vascular and Interventional Radiology</i> , 2014 , 25, 1257-1264.e1	2.4	10

29	Percutaneous radiologic gastrostomy using the one-anchor technique in patients after partial gastrectomy. <i>Korean Journal of Radiology</i> , 2014 , 15, 488-93	6.9	6
28	Evaluation of the anti-migration effect of barbed prostatic stents: in vitro study in urethra-mimicking bovine pericardium phantoms. <i>CardioVascular and Interventional Radiology</i> , 2013 , 36, 229-36	2.7	2
27	Temporary stent placement with concurrent chemoradiation therapy in patients with unresectable oesophageal carcinoma: is there an optimal time for stent removal?. <i>European Radiology</i> , 2013 , 23, 1940-5	8.8	14
26	Placement of retrievable self-expandable metallic stents with barbs into patients with obstructive prostate cancer. <i>European Radiology</i> , 2013 , 23, 780-5	8	4
25	How to design the optimal self-expandable oesophageal metallic stents: 22 years of experience in 645 patients with malignant strictures. <i>European Radiology</i> , 2013 , 23, 786-96	8	20
24	Fluoroscopically guided balloon dilation or temporary stent placement for patients with gastric conduit strictures after esophagectomy with esophagogastrostomy. <i>American Journal of Roentgenology</i> , 2013 , 201, 202-7	5.4	5
23	Additional gastroduodenal stent placement: retrospective evaluation of 68 consecutive patients with malignant gastroduodenal obstruction. <i>Acta Radiologica</i> , 2013 , 54, 944-8	2	10
22	Usefulness of a guiding sheath for fluoroscopic stent placement in patients with malignant gastroduodenal obstruction. <i>Acta Radiologica</i> , 2013 , 54, 267-71	2	15
21	Abdominal wall defect with large duodenal disruption treated by a free tissue flap with a help of temporary expandable metallic stent. <i>[Chapchi] Journal Taehan Oekwa Hakhoe</i> , 2013 , 85, 240-3		
20	Safe and effective treatment of colorectal anastomotic stricture using a well-defined balloon dilation protocol. <i>Journal of Vascular and Interventional Radiology</i> , 2012 , 23, 675-80	2.4	19
19	Polytetrafluoroethylene-covered retrievable expandable nitinol stents for malignant esophageal obstructions: factors influencing the outcome of 270 patients. <i>American Journal of Roentgenology</i> , 2012 , 199, 1380-6	5.4	23
18	Hepatocellular carcinoma complicated by gastroduodenal obstruction: palliative treatment with metallic stent placement. <i>CardioVascular and Interventional Radiology</i> , 2012 , 35, 1129-35	2.7	5
17	Dual-design expandable colorectal stent for a malignant colorectal obstruction: preliminary prospective study using new 20-mm diameter stents. <i>Korean Journal of Radiology</i> , 2012 , 13, 66-72	6.9	7
16	Afferent loop syndrome: treatment by means of the placement of dual stents. <i>American Journal of Roentgenology</i> , 2012 , 199, W761-6	5.4	23
15	Benign anastomotic strictures after esophagectomy: long-term effectiveness of balloon dilation and factors affecting recurrence in 155 patients. <i>American Journal of Roentgenology</i> , 2012 , 198, 1208-13	5.4	41
14	A novel method of punctured Miller-Abbott tube placement using a guidewire under fluoroscopic guidance. <i>American Journal of Roentgenology</i> , 2012 , 198, W274-8	5.4	1
13	Retrospective comparison of internally and externally covered retrievable stent placement for patients with benign urethral strictures caused by traumatic injury. <i>American Journal of Roentgenology</i> , 2012 , 198, W55-61	5.4	14
12	Placement of a covered expandable metallic stent to treat nonanastomotic malignant jejunal obstructions after total gastrectomy with esophagojejunostomy. <i>American Journal of Roentgenology</i> , 2012 , 198, 1203-7	5.4	4

11	Evaluation of the incidence of esophageal complications associated with balloon dilation and their management in patients with malignant esophageal strictures. <i>American Journal of Roentgenology</i> , 2012 , 198, 213-8	5.4	13
10	Metallic stent placement in the palliative treatment of malignant colonic obstructions: primary colonic versus extracolonic malignancies. <i>Journal of Vascular and Interventional Radiology</i> , 2011 , 22, 1727-32	2.4	22
9	Temporary placement of covered retrievable expandable nitinol stents with barbs in high-risk surgical patients with benign prostatic hyperplasia: work in progress. <i>Journal of Vascular and Interventional Radiology</i> , 2011 , 22, 1420-6	2.4	8
8	Food impaction after expandable metal stent placement: experience in 1,360 patients with esophageal and upper gastrointestinal tract obstruction. <i>Journal of Vascular and Interventional Radiology</i> , 2011 , 22, 1293-9	2.4	13
7	Tumor overgrowth after expandable metallic stent placement: experience in 583 patients with malignant gastroduodenal obstruction. <i>American Journal of Roentgenology</i> , 2011 , 196, W831-6	5.4	22
6	Fluoroscopically guided balloon dilation of benign esophageal strictures: incidence of esophageal rupture and its management in 589 patients. <i>American Journal of Roentgenology</i> , 2011 , 197, 1481-6	5.4	17
5	Fluoroscopically guided balloon dilation for pharyngoesophageal stricture after radiation therapy in patients with head and neck cancer. <i>American Journal of Roentgenology</i> , 2010 , 194, 1131-6	5.4	22
4	IN-1233, an ALK-5 inhibitor: prevention of granulation tissue formation after bare metallic stent placement in a rat urethral model. <i>Radiology</i> , 2010 , 255, 75-82	20.5	26
3	Evaluation of formation of granulation tissue caused by metallic stent placement in a rat urethral model. <i>Journal of Vascular and Interventional Radiology</i> , 2010 , 21, 1884-90	2.4	7
2	Dual-design expandable colorectal stent for malignant colorectal obstruction: comparison of flared ends and bent ends. <i>American Journal of Roentgenology</i> , 2009 , 193, 248-54	5.4	33
1	Use of a retrievable metallic stent internally coated with silicone to treat airway obstruction. <i>Journal of Vascular and Interventional Radiology</i> , 2008 , 19, 1208-14	2.4	19