

# Yasuhide Miyoshi

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1848558/publications.pdf>

Version: 2024-02-01

81  
papers

1,011  
citations

471061

17  
h-index

525886

27  
g-index

92  
all docs

92  
docs citations

92  
times ranked

1392  
citing authors

#	ARTICLE	IF	CITATIONS
1	Androgen deprivation therapy prevents bladder cancer recurrence. <i>Oncotarget</i> , 2014, 5, 12665-12674.	0.8	101
2	Neutrophil-to-lymphocyte ratio predicts prostatic carcinoma in men undergoing needle biopsy. <i>Oncotarget</i> , 2015, 6, 32169-32176.	0.8	53
3	Neutrophil-to-lymphocyte ratio is a prognostic marker in bladder cancer patients after radical cystectomy. <i>BMC Cancer</i> , 2016, 16, 185.	1.1	46
4	Expression of androgen receptor in non-muscle-invasive bladder cancer predicts the preventive effect of androgen deprivation therapy on tumor recurrence. <i>Oncotarget</i> , 2016, 7, 14153-14160.	0.8	43
5	A low psoas muscle volume correlates with a longer hospitalization after radical cystectomy. <i>BMC Urology</i> , 2017, 17, 87.	0.6	40
6	Nomogram for overall survival of Japanese patients with bone-metastatic prostate cancer. <i>BMC Cancer</i> , 2015, 15, 338.	1.1	35
7	Pretreatment neutrophil-to-lymphocyte ratio predicts the prognosis in patients with metastatic prostate cancer. <i>BMC Cancer</i> , 2016, 16, 111.	1.1	35
8	Prognostic value of a computer-aided diagnosis system involving bone scans among men treated with docetaxel for metastatic castration-resistant prostate cancer. <i>BMC Cancer</i> , 2016, 16, 109.	1.1	29
9	Neutrophil-to-Lymphocyte Ratio Predicts Prognosis in Castration-Resistant Prostate Cancer Patients Who Received Cabazitaxel Chemotherapy. <i>BioMed Research International</i> , 2017, 2017, 1-5.	0.9	27
10	Risk Factors for Metastatic Castration-Resistant Prostate Cancer (CRPC) Predict Long-Term Treatment with Docetaxel. <i>PLoS ONE</i> , 2012, 7, e48186.	1.1	27
11	A Low Psoas Muscle Index before Treatment Can Predict a Poorer Prognosis in Advanced Bladder Cancer Patients Who Receive Gemcitabine and Nedaplatin Therapy. <i>BioMed Research International</i> , 2017, 2017, 1-4.	0.9	25
12	Pretreatment Neutrophil to Lymphocyte Ratio (NLR) Predicts Prognosis for Castration Resistant Prostate Cancer Patients Underwent Enzalutamide. <i>BioMed Research International</i> , 2019, 2019, 1-5.	0.9	25
13	Prognostic value of the bone scan index using a computer-aided diagnosis system for bone scans in hormone-naïve prostate cancer patients with bone metastases. <i>BMC Cancer</i> , 2016, 16, 128.	1.1	24
14	Phase I trial of TAK-985 in hormone treatment-naïve Japanese patients with nonmetastatic prostate cancer. <i>Cancer Medicine</i> , 2019, 8, 5891-5902.	1.3	22
15	Increased neutrophil-to-lymphocyte ratio is associated with disease-specific mortality in patients with penile cancer. <i>BMC Cancer</i> , 2016, 16, 396.	1.1	20
16	Paraganglioma in the bladder: a case report. <i>Journal of Medical Case Reports</i> , 2017, 11, 306.	0.4	19
17	Androgen receptor mRNA expression is a predictor for recurrence-free survival in non-muscle invasive bladder cancer. <i>BMC Cancer</i> , 2019, 19, 331.	1.1	19
18	High testosterone levels in prostate tissue obtained by needle biopsy correlate with poor-prognosis factors in prostate cancer patients. <i>BMC Cancer</i> , 2014, 14, 717.	1.1	17

#	ARTICLE	IF	CITATIONS
19	Cabozantinib in advanced renal cell carcinoma: A phase III, open-label, single-arm study of Japanese patients. <i>International Journal of Urology</i> , 2020, 27, 952-959.	0.5	17
20	Onco-testicular sperm extraction (onco-TESE) for bilateral testicular tumors: two case reports. <i>Journal of Medical Case Reports</i> , 2017, 11, 139.	0.4	16
21	Outcomes of treatment for localized prostate cancer in a single institution: comparison of radical prostatectomy and radiation therapy by propensity score matching analysis. <i>World Journal of Urology</i> , 2020, 38, 2477-2484.	1.2	16
22	Lack of an Association between Neutrophil-to-Lymphocyte Ratio and PSA Failure of Prostate Cancer Patients Who Underwent Radical Prostatectomy. <i>BioMed Research International</i> , 2016, 2016, 1-6.	0.9	15
23	Gastrointestinal cancer and bilateral hydronephrosis resulted in a high risk of ureteral stent failure. <i>BMC Urology</i> , 2018, 18, 35.	0.6	15
24	Efficacy of Immediate Switching from Bicalutamide to Flutamide as Second-Line Combined Androgen Blockade. <i>BioMed Research International</i> , 2016, 2016, 1-7.	0.9	14
25	The neutrophil-to-lymphocyte ratio (NLR) predicts adrenocortical carcinoma and is correlated with the prognosis. <i>BMC Urology</i> , 2017, 17, 49.	0.6	14
26	Prognostic Value of the LATITUDE and CHAARTED Risk Criteria for Predicting the Survival of Men with Bone Metastatic Hormone-Naïve Prostate Cancer Treated with Combined Androgen Blockade Therapy: Real-World Data from a Japanese Multi-Institutional Study. <i>BioMed Research International</i> , 2020, 2020, 1-7.	0.9	14
27	Dynamic changes of bone metastasis predict bone-predominant status to benefit from radium-223 dichloride for patients with castration-resistant prostate cancer. <i>Cancer Medicine</i> , 2020, 9, 8579-8588.	1.3	14
28	Predictors of poor response to secondary alternative antiandrogen therapy with flutamide in metastatic castration-resistant prostate cancer. <i>Japanese Journal of Clinical Oncology</i> , 2016, 46, 1042-1046.	0.6	13
29	Prognostic Value of Automated Bone Scan Index in Men With Metastatic Castration-resistant Prostate Cancer Treated With Enzalutamide or Abiraterone Acetate. <i>Clinical Genitourinary Cancer</i> , 2017, 15, 472-478.	0.9	13
30	Baseline neutrophil-to-lymphocyte ratio predicts the prognosis of castration-resistant prostate cancer treated with abiraterone acetate. <i>Molecular and Clinical Oncology</i> , 2018, 8, 587-591.	0.4	12
31	Prognostic value of an automated bone scan index for men with metastatic castration-resistant prostate cancer treated with cabazitaxel. <i>BMC Cancer</i> , 2018, 18, 501.	1.1	12
32	A high neutrophil-to-lymphocyte ratio is a poor prognostic factor for castration-resistant prostate cancer patients who undergo abiraterone acetate or enzalutamide treatment. <i>BMC Cancer</i> , 2020, 20, 919.	1.1	12
33	Pretreatment Neutrophil-to-Lymphocyte Ratio Can Predict the Prognosis in Bladder Cancer Patients Who Receive Gemcitabine and Nedaplatin Therapy. <i>BioMed Research International</i> , 2016, 2016, 1-5.	0.9	11
34	Skene duct adenocarcinoma in a patient with an elevated serum prostate-specific antigen level: a case report. <i>Journal of Medical Case Reports</i> , 2018, 12, 32.	0.4	11
35	Correlation between Automated Bone Scan Index Change after Cabazitaxel and Survival among Men with Castration-Resistant Prostate Cancer. <i>Urologia Internationalis</i> , 2019, 103, 279-284.	0.6	11
36	Does screening for prostate cancer improve cancer-specific mortality in Asian men? Real-world data in Yokosuka City 15 years after introducing PSA-based population screening. <i>Prostate</i> , 2020, 80, 824-830.	1.2	11

#	ARTICLE	IF	CITATIONS
37	Treatment of androgen-independent, hormone-refractory prostate cancer with docetaxel in Japanese patients. <i>International Journal of Clinical Oncology</i> , 2005, 10, 182-186.	1.0	10
38	Foreign body in the bladder: A case report. <i>International Journal of Surgery Case Reports</i> , 2017, 32, 22-24.	0.2	10
39	Successful onco-testicular sperm extraction from a testicular cancer patient with a single testis and azoospermia. <i>Clinical and Experimental Reproductive Medicine</i> , 2018, 45, 44-47.	0.5	9
40	Low serum dehydroepiandrosterone examined by liquid chromatography-tandem mass spectrometry correlates with poor prognosis in hormone-naïve prostate cancer. <i>Prostate</i> , 2016, 76, 376-382.	1.2	8
41	Longer Control of Nivolumab in Metastatic Renal Cell Carcinoma Patients with End-Stage Kidney Disease on Dialysis. <i>Case Reports in Oncology</i> , 2019, 12, 608-612.	0.3	8
42	A novel prediction model for the completion of six cycles of radium-223 treatment and survival in patients with metastatic castration-resistant prostate cancer. <i>World Journal of Urology</i> , 2021, 39, 3323-3328.	1.2	7
43	Invasive urothelial carcinoma, lymphoma-like/plasmacytoid variant, successfully treated by radical cystectomy with adjuvant chemotherapy: a case report. <i>Journal of Medical Case Reports</i> , 2016, 10, 48.	0.4	6
44	RANK/RANKL expression in prostate cancer. <i>International Journal of Surgery Case Reports</i> , 2017, 30, 106-107.	0.2	6
45	Prediction of Time to Castration-Resistant Prostate Cancer Using Bone Scan Index in Men with Metastatic Hormone-Sensitive Prostate Cancer. <i>Urologia Internationalis</i> , 2017, 99, 400-405.	0.6	5
46	Low-molecular-weight protein tyrosine phosphatase expression as a prognostic factor for men with metastatic hormone-naïve prostate cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017, 35, 607.e9-607.e14.	0.8	5
47	Port site recurrence after laparoscopic radical nephrectomy: a case report. <i>Journal of Medical Case Reports</i> , 2017, 11, 151.	0.4	5
48	Prognostic value of automated bone scan index for predicting overall survival among bone metastatic castration resistant prostate cancer patients treated with radium-223. <i>BJUI Compass</i> , 2021, 2, 24-30.	0.7	5
49	A retrospective study on the possible systematic inflammatory response markers to predict the prognosis of patients with bladder cancer undergoing radical cystectomy. <i>Molecular and Clinical Oncology</i> , 2020, 13, 1-1.	0.4	5
50	The Achievement of Long-Term CRPC Control in a Patient with Enzalutamide-Induced Nausea and Fatigue after Overcoming the Adverse Events with a Temporary Drug Holiday. <i>Case Reports in Oncology</i> , 2019, 12, 568-572.	0.3	4
51	Preference for enzalutamide capsules versus tablet pills in patients with prostate cancer. <i>International Journal of Urology</i> , 2019, 26, 1161-1162.	0.5	4
52	The Pretherapeutic Neutrophil-to-Lymphocyte Ratio for Docetaxel-Based Chemotherapy Is Useful for Predicting the Prognosis of Japanese Patients with Castration-Resistant Prostate Cancer. <i>BioMed Research International</i> , 2019, 2019, 1-5.	0.9	4
53	Prognosis and safety of radium-223 with concurrent abiraterone acetate or enzalutamide use for metastatic castration-resistant prostate cancer: Real-world data of Japanese patients. <i>BJUI Compass</i> , 2021, 2, 31-38.	0.7	4
54	A lower psoas muscle index predicts a poorer prognosis in metastatic hormone-naïve prostate cancer. <i>BJUI Compass</i> , 2021, 2, 39-45.	0.7	4

#	ARTICLE	IF	CITATIONS
55	Epidermal Cyst in the Scrotum Successfully Treated while Preserving the Testis: A Case Report. Case Reports in Oncology, 2016, 9, 235-240.	0.3	3
56	Inflammatory Myofibroblastic Tumor in the Bladder: A Case Report. Case Reports in Oncology, 2017, 9, 554-558.	0.3	3
57	Ductal Adenocarcinoma of the Prostate: A Case Report. Case Reports in Oncology, 2017, 9, 802-805.	0.3	3
58	Inserting a Metallic Ureteral Stent Using an Antegrade Approach Freed a Patient from Nephrostomy Created due to Hydronephrosis Caused by Bladder Cancer. Case Reports in Oncology, 2019, 12, 560-563.	0.3	3
59	Changing the Timing of Enzalutamide Intake from Morning to before Sleep at Night Overcame Enzalutamide-Induced Dysgeusia. Case Reports in Oncology, 2019, 12, 589-594.	0.3	3
60	Management of urethral stricture: High-pressure balloon dilation versus optical internal urethrotomy. LUTS: Lower Urinary Tract Symptoms, 2019, 11, O34-O37.	0.6	3
61	A novel prognostic model for Japanese patients with newly diagnosed bone-metastatic hormone-naïve prostate cancer. BJUI Compass, 2021, 2, 105-114.	0.7	3
62	Value of bone scan index for predicting overall survival among patients treated with radium-223 for bone metastatic castration-resistant prostate cancer.. Journal of Clinical Oncology, 2018, 36, 216-216.	0.8	3
63	Comparison of the Loss of Renal Function after Cold Ischemia Open Partial Nephrectomy, Warm Ischemia Laparoscopic Partial Nephrectomy and Laparoscopic Partial Nephrectomy Using Microwave Coagulation. Current Urology, 2013, 6, 118-123.	0.4	2
64	Retroperitoneal Schwannoma in the Renal Hilum: A Case Report. Case Reports in Oncology, 2015, 8, 394-398.	0.3	2
65	Xanthogranulomatous Pyelonephritis with Incomplete Double Ureter. Case Reports in Medicine, 2017, 2017, 1-3.	0.3	2
66	Ureter metastatic castration-resistant prostate cancer: a case report. Journal of Medical Case Reports, 2017, 11, 215.	0.4	2
67	An infertile patient with Y chromosome b1/b3 deletion presenting with congenital bilateral absence of the vas deferens with normal spermatogenesis. Clinical and Experimental Reproductive Medicine, 2018, 45, 48-51.	0.5	2
68	A Case of Switching from GnRH Agonist to Antagonist for Castration Resistant Prostate Cancer Control. Case Reports in Oncology, 2020, 12, 688-692.	0.3	2
69	The neutrophil-to-lymphocyte ratio at the prostate-specific antigen nadir predicts the time to castration-resistant prostate cancer. Asian Journal of Urology, 2021, 8, 332-334.	0.5	2
70	The Effects of Different Doses and Patterns of Docetaxel Chemotherapy in Japanese Patients with Castration-Resistant Prostate Cancer. Current Urology, 2017, 10, 166-168.	0.4	1
71	Fluorescent Light-Guided Cystoscopy with 5-ALA Aids in Accurate Surgical Margin Detection for TURBO: A Case Report. Case Reports in Oncology, 2018, 11, 164-167.	0.3	1
72	Successful Resection of Cisplatin-Resistant Renal Pelvic Cancer after the Administration of Pembrolizumab as Second-Line Therapy. Case Reports in Oncology, 2019, 12, 548-553.	0.3	1

#	ARTICLE	IF	CITATIONS
73	Prediction of Time to Castration-Resistant Prostate Cancer Using Low-Molecular-Weight Protein Tyrosine Phosphatase Expression for Men with Metastatic Hormone-Na <sup>+</sup> Prostate Cancer. <i>Urologia Internationalis</i> , 2019, 102, 37-42.	0.6	1
74	Clinical outcome of surgical management for symptomatic metastatic spinal cord compression from prostate cancer. <i>BMC Urology</i> , 2020, 20, 143.	0.6	1
75	Ureteroscopy-Assisted Biopsy for a Retroperitoneal Tumor: A Case Report. <i>Case Reports in Oncology</i> , 2015, 8, 279-284.	0.3	0
76	Long-Term Control of Metastatic Renal Cell Carcinoma Using Pazopanib. <i>Case Reports in Oncology</i> , 2019, 12, 543-547.	0.3	0
77	Re: Current treatment strategies for advanced prostate cancer. <i>International Journal of Urology</i> , 2020, 27, 571-571.	0.5	0
78	Effectiveness and Feasibility of Up-Front Docetaxel Chemotherapy for Japanese Metastatic Hormone-Na <sup>+</sup> Prostate Cancer. <i>SN Comprehensive Clinical Medicine</i> , 2021, 3, 1715-1716.	0.3	0
79	Evaluation of ability of low-molecular-weight protein tyrosine phosphatase expression to predict primary hormone therapy efficacy among men with metastatic hormone-na <sup>+</sup> prostate cancer.. <i>Journal of Clinical Oncology</i> , 2018, 36, 316-316.	0.8	0
80	Evaluation of ability of OR51T1 expression to predict primary hormone therapy efficacy among men with hormone-na <sup>+</sup> metastatic prostate cancer.. <i>Journal of Clinical Oncology</i> , 2018, 36, 317-317.	0.8	0
81	Who is a bone-predominant patient to maximize clinical benefits of radium-223 dichloride?. <i>Journal of Clinical Oncology</i> , 2020, 38, 47-47.	0.8	0