

Antonio Ostrensky

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1848951/antonio-ostrensky-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

80
papers

1,007
citations

18
h-index

28
g-index

92
ext. papers

1,158
ext. citations

2.3
avg, IF

4.22
L-index

#	Paper	IF	Citations
80	Wanted not, wasted not: Searching for non-target taxa in environmental DNA metabarcoding by-catch. <i>Environmental Advances</i> , 2022 , 7, 100169	3.5	0
79	High prevalence of CsRV2 in cultured <i>Callinectes danae</i> : potential impacts on soft-shell crab production in Brazil.. <i>Journal of Invertebrate Pathology</i> , 2022 , 107739	2.6	1
78	Response of <i>Oreochromis niloticus</i> (Teleostei: Cichlidae) exposed to a guanitoxin-producing cyanobacterial strain using multiple biomarkers.. <i>Science of the Total Environment</i> , 2022 , 155471	10.2	
77	Contamination gradient affects differently carbonic anhydrase activity of mollusks depending on their feeding habits. <i>Ecotoxicology</i> , 2021 , 1	2.9	1
76	Monitoring fish communities through environmental DNA metabarcoding in the fish pass system of the second largest hydropower plant in the world. <i>Scientific Reports</i> , 2021 , 11, 23167	4.9	2
75	Shell form and enzymatic alterations in <i>Lottia subrugosa</i> (Gastropoda, Lotiidae) transplanted to a contaminated site. <i>Marine Pollution Bulletin</i> , 2021 , 164, 112075	6.7	3
74	Evaluation of different induced molting methods in <i>Callinectes ornatus</i> (Crustacea, Decapoda, Portunidae) as a tool for the commercial production of soft-shell crabs. <i>Anais Da Academia Brasileira De Ciencias</i> , 2021 , 93, e20190580	1.4	2
73	Metagenomic analysis of the bacterial microbiota associated with cultured oysters (<i>Crassostrea</i> sp.) in estuarine environments. <i>Anais Da Academia Brasileira De Ciencias</i> , 2020 , 92, e20180432	1.4	2
72	Effects of climate-induced water temperature changes on the life history of brachyuran crabs. <i>Reviews in Aquaculture</i> , 2020 , 12, 1211-1216	8.9	26
71	Infrastructure, management and energy efficiency in a hypothetical semi-intensive shrimp model farm in Brazil: a systematic review and meta-analysis. <i>Reviews in Aquaculture</i> , 2020 , 12, 1072-1089	8.9	2
70	Challenges and potentialities of the integrated production regime implementation in the Brazilian marine shrimp farming: a systematic review. <i>Aquaculture International</i> , 2019 , 27, 539-553	2.6	1
69	Acute exposure to the water-soluble fraction of gasoline (WSF) affects oxygen consumption, nitrogenous-waste and Mg excretion, and activates anaerobic metabolism in the goldfish <i>Carassius auratus</i> . <i>Comparative Biochemistry and Physiology Part - C: Toxicology and Pharmacology</i> , 2019 , 226, 108590	3.2	0
68	The influence of paleoclimate on the distribution of genetic variability and demography of fishes in a large and highly fragmented neotropical river. <i>Hydrobiologia</i> , 2018 , 805, 97-112	2.4	2
67	Systems and techniques used in the culture of soft-shell swimming crabs. <i>Reviews in Aquaculture</i> , 2018 , 10, 913-923	8.9	13
66	Metagenomic evaluation of the effects of storage conditions on the bacterial microbiota of oysters <i>Crassostrea gasar</i> (Adanson, 1757). <i>Journal of Applied Microbiology</i> , 2018 , 125, 1435-1443	4.7	3
65	Ontogenetic development of tetra <i>Astyanax lacustris</i> (Characiformes: Characidae). <i>Neotropical Ichthyology</i> , 2018 , 16,	1.3	6
64	Effects of iodized salt on the histopathology of the gills and liver in <i>Rhamdia quelen</i> and <i>Metynnis maculatus</i> . <i>Aquaculture Research</i> , 2017 , 48, 2198-2208	1.9	3

63	Global status of production and commercialization of soft-shell crabs. <i>Aquaculture International</i> , 2017 , 25, 2213-2226	2.6	25
62	Is Marine Dispersion of the Lethargic Crab Disease Possible? Assessing the Tolerance of <i>Exophtala cancerae</i> to a Broad Combination of Salinities, Temperatures, and Exposure Times. <i>Mycopathologia</i> , 2017 , 182, 997-1004	2.9	5
61	Is There Detectable Long-term Depletion of Genetic Variation in Freshwater Fish Species Affected by an Oil Spill?. <i>Water, Air, and Soil Pollution</i> , 2017 , 228, 1	2.6	2
60	Carrying capacity and potential environmental impact of fish farming in the cascade reservoirs of the Paranapanema River, Brazil. <i>Aquaculture Research</i> , 2017 , 48, 3433-3449	1.9	4
59	Development of a real-time PCR assay for the detection of the golden mussel (<i>Limnoperna fortunei</i> , Mytilidae) in environmental samples. <i>Anais Da Academia Brasileira De Ciencias</i> , 2017 , 89, 1041-1045	1.4	8
58	Use of side-scan sonar for estimations of <i>Crassostrea brasiliana</i> (Lamarck, 1819) stocks in subtidal banks on the south coast of Brazil. <i>Brazilian Journal of Oceanography</i> , 2016 , 64, 49-56	1.8	1
57	Use of MS-222 (tricaine methanesulfonate) and propofol (2,6-diisopropylphenol) as anaesthetics for the tetra <i>Astyanax altiparanae</i> (Teleostei, Characidae). <i>Aquaculture Research</i> , 2016 , 47, 3477-3488	1.9	9
56	Gonad morphology and reproductive cycle of the mangrove oyster <i>Crassostrea brasiliana</i> (Lamarck, 1819) in the baía de Guaratuba, Paraná, Brazil. <i>Acta Zoologica</i> , 2015 , 96, 99-107	0.8	11
55	Nutrient load estimation in the waste of Nile tilapia <i>Oreochromis niloticus</i> (L.) reared in cages in tropical climate conditions. <i>Aquaculture Research</i> , 2015 , 46, 1309-1322	1.9	35
54	Implementation of aquaculture parks in Federal Government waters in Brazil. <i>Reviews in Aquaculture</i> , 2015 , 7, 1-12	8.9	91
53	Evaluation of commercial feeds intended for the Brazilian production of Nile tilapia (<i>Oreochromis niloticus</i> L.): nutritional and environmental implications. <i>Aquaculture Nutrition</i> , 2015 , 21, 311-320	3.2	18
52	IMPROVING PRODUCTION OF SOFT-SHELLED SWIMMING CRABS: MACROSCOPIC SIGNS OF MOLTING AS A TOOL FOR SELECTION AND MANAGEMENT OF <i>Callinectes danae</i> AND <i>Callinectes exasperatus</i> (PORTUNIDAE, DECAPODA, CRUSTACEA). <i>Archives of Veterinary Science</i> , 2015 , 20,	0.7	5
51	Ecological analysis of the ichthyofaunal community ten years after a diesel oil spill at Serra do Mar, Paraná State, Brazil. <i>Global Ecology and Conservation</i> , 2015 , 4, 311-320	2.8	4
50	Environmental characterization and impacts of fish farming in the cascade reservoirs of the Paranapanema River, Brazil. <i>Aquaculture Environment Interactions</i> , 2015 , 6, 255-272	2.9	21
49	Reproductive behavior, embryonic and early larval development of the red head goby, <i>Elacatinus puncticulatus</i> . <i>Animal Reproduction Science</i> , 2014 , 145, 69-74	2.1	8
48	Cultivo de larvas de <i>Ucides cordatus</i> (LINNAEU, 1763) sob diferentes intensidades luminosas. <i>Arquivo Brasileiro De Medicina Veterinaria E Zootecnia</i> , 2014 , 66, 1464-1470	0.3	3
47	Assessing the genetic diversity and gene flow of populations of the crab <i>Ucides cordatus</i> (Decapoda: Ocypodidae) on the Brazilian Coast using microsatellite markers. <i>Journal of Crustacean Biology</i> , 2014 , 34, 70-75	0.8	2
46	Effects of shrimp cage farming on sediment nutrients in a subtropical estuary. <i>Brazilian Journal of Aquatic Science and Technology</i> , 2014 , 17, 5	0	5

45	Brazilian environmental legislation as tool to conserve marine ornamental fish. <i>Marine Policy</i> , 2013 , 42, 280-285	3.5	8
44	Morphology of the female reproductive system and reproductive cycle of the mangrove land crab <i>Ucides cordatus</i> (L.) in the Baía de Antonina, Paraná, Brazil. <i>Acta Zoologica</i> , 2013 , 94, 86-93	0.8	10
43	Black yeast biota in the mangrove, in search of the origin of the lethargic crab disease (LCD). <i>Mycopathologia</i> , 2013 , 175, 421-30	2.9	15
42	Influence of environmental variables on the growth and reproductive cycle of <i>Crassostrea</i> (Mollusca, Bivalvia) in Guaratuba Bay, Brazil. <i>Invertebrate Reproduction and Development</i> , 2013 , 57, 208-218	0.7	7
41	Morphometric comparison between hatchery-reared and wild-caught megalopae of the mangrove crab. <i>Pesquisa Agropecuaria Brasileira</i> , 2013 , 48, 1159-1162	1.8	
40	Black yeast-like fungi associated with Lethargic Crab Disease (LCD) in the mangrove-land crab, <i>Ucides cordatus</i> (Ocypodidae). <i>Veterinary Microbiology</i> , 2012 , 158, 109-22	3.3	56
39	Viability of the etiologic agent of the Lethargic Crab Disease, <i>Exophiala cancerae</i> , during cooking of the mangrove-land crab: Does this traditional dish represent a risk to humans?. <i>Food Control</i> , 2012 , 25, 591-593	6.2	2
38	Testing hypotheses for morphological differences among populations of <i>Miconia sellowiana</i> (Melastomataceae) in southern Brazil. <i>Acta Scientiarum - Biological Sciences</i> , 2012 , 34,	0.3	2
37	Different pathways in the larval development of the crab <i>Ucides cordatus</i> (Decapoda, Ocypodidae) and their relation with high mortality rates by the end of massive larvicultures. <i>Pesquisa Veterinaria Brasileira</i> , 2012 , 32, 284-288	0.4	8
36	Genetic evidence for multiple paternity in the mangrove land crab <i>Ucides cordatus</i> (Decapoda: Ocypodidae). <i>Marine Biology Research</i> , 2011 , 7, 520-524	1	14
35	Postglacial north-south expansion of populations of <i>Rhizophora mangle</i> (Rhizophoraceae) along the Brazilian coast revealed by microsatellite analysis. <i>American Journal of Botany</i> , 2011 , 98, 1031-9	2.7	58
34	A molecular method to detect and identify the native species of southwestern Atlantic <i>Crassostrea</i> (Mollusca: Ostreidae). <i>Zoologia</i> , 2011 , 28, 420-426	2	2
33	Intraspecific interactions in the mangrove crab <i>Ucides cordatus</i> (Decapoda: Ocypodidae) during the metamorphosis and post-metamorphosis periods under laboratory conditions. <i>Zoologia</i> , 2011 , 28, 1-7	2	2
32	Phenotypical traits and gonadal development in mangrove land crab, <i>Ucides cordatus</i> (Decapoda: Ocypodidae). <i>Acta Zoologica</i> , 2011 , 92, 393-397	0.8	3
31	Fulfilling Koch's postulates confirms the mycotic origin of Lethargic Crab Disease. <i>Antonie Van Leeuwenhoek</i> , 2011 , 99, 601-8	2.1	18
30	Specific primers for the detection of the black-yeast fungus associated with lethargic crab disease (LCD). <i>Diseases of Aquatic Organisms</i> , 2011 , 94, 73-5	1.7	8
29	Influência do cultivo de camarões marinhos em tanque-rede sobre a qualidade da água e a estrutura da comunidade zooplânctônica na Baía de Guaratuba, Paraná. <i>Revista Brasileira De Zootecnia</i> , 2010 , 39, 2315-2322	1.2	0
28	Restocking <i>Ucides cordatus</i> (Decapoda: Ocypodidae): interespecific associations as a limiting factor to the survival of released recruits. <i>Brazilian Journal of Oceanography</i> , 2010 , 58, 207-212	1.8	2

27	Prospec do molusco invasor <i>Limnoperna fortunei</i> (Dunker, 1857) nos principais corpos hricos do estado do ParanBrasil. <i>Papeis Avulsos De Zoologia</i> , 2010 , 50, 553-559	0.3	8
26	Survival of <i>Ucides cordatus</i> (Decapoda: Ocypodidae) megalopae during transport under different conditions of density and duration. <i>Zoologia</i> , 2010 , 27, 845-847	2	0
25	A Varia da Taxa de Sobrevivcia e do Tempo de Desenvolvimento das Larvas de <i>Ucides cordatus</i> (Linnaeus, 1763) Cultivadas sob Diferentes Temperaturas. <i>Boletim Tcnico Cientfico Do CEPNOR</i> , 2010 , 10, 67-78	0	
24	Fish predation on brachyuran larvae and juveniles in the Pinheiros river, Guaratuba Bay, ParanBrazil. <i>Zoologia</i> , 2009 , 26, 231-240	2	5
23	The effect of temperature and body size on filtration rates of <i>Limnoperna fortunei</i> (Bivalvia, Mytilidae) under laboratory conditions. <i>Brazilian Archives of Biology and Technology</i> , 2009 , 52, 135-144	1.8	21
22	Modelling the lethargic crab disease. <i>Journal of Biological Dynamics</i> , 2009 , 3, 620-34	2.4	5
21	Molecular data reveal a diverse <i>Astyanax</i> species complex in the upper Igua River. <i>Journal of Fish Biology</i> , 2009 , 75, 2357-62	1.9	7
20	Lack of genetic differentiation in the fat snook <i>Centropomus parallelus</i> (Teleostei: Centropomidae) along the Brazilian coast. <i>Journal of Fish Biology</i> , 2008 , 73, 2075-2082	1.9	6
19	Larval cannibalism rates in the mangrove crab <i>Ucides cordatus</i> (Decapoda: Ocypodidae) under laboratory conditions. <i>Aquaculture Research</i> , 2008 , 39, 263-267	1.9	6
18	Phylogeography of the blue land crab, <i>Cardisoma guanhumi</i> (Decapoda: Gecarcinidae) along the Brazilian coast. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2008 , 88, 1417-1423	1.1	17
17	The organization of the mitochondrial control region in 2 Brachyuran Crustaceans: <i>Ucides cordatus</i> (Ocypodidae) and <i>Cardisoma guanhumi</i> (Gecarcinidae). <i>Journal of Heredity</i> , 2008 , 99, 432-7	2.4	15
16	ESTADO DA ARTE DAS PESQUISAS COM O CARANGUEJO-U <i>Ucides cordatus</i> . <i>Archives of Veterinary Science</i> , 2008 , 13,	0.7	9
15	Duration of the pre-settlement period of the mangrove crab <i>Ucides cordatus</i> (Decapoda: Ocypodidae) under laboratory conditions. <i>Brazilian Archives of Biology and Technology</i> , 2008 , 51, 957-962	1.8	5
14	Seasonal variation in larval density of <i>Limnoperna fortunei</i> (Bivalvia, Mytilidae) in the Igua and Paranrivers, in the region of Foz do Igua, ParanSouthern Brazil. <i>Brazilian Archives of Biology and Technology</i> , 2008 , 51, 607-612	1.8	14
13	Population genetics and evolutionary demography of <i>Ucides cordatus</i> (Decapoda: Ocypodidae). <i>Marine Ecology</i> , 2007 , 28, 460-469	1.4	16
12	Morphology and histology of the male reproductive system of the mangrove land crab <i>Ucides cordatus</i> (L.) (Crustacea, Brachyura, Ocypodidae). <i>Acta Zoologica</i> , 2007 , 89, 157-161	0.8	37
11	Genetic structure of populations of the mangrove crab <i>Ucides cordatus</i> (Decapoda: Ocypodidae) at local and regional scales. <i>Hydrobiologia</i> , 2007 , 583, 69-76	2.4	24
10	Testing a molecular protocol to monitor the presence of golden mussel larvae (<i>Limnoperna fortunei</i>) in plankton samples. <i>Journal of Plankton Research</i> , 2007 , 29, 1015-1019	2.2	17

9	Histopathology of the mangrove land crab <i>Ucides cordatus</i> (Ocypodidae) affected by lethargic crab disease. <i>Diseases of Aquatic Organisms</i> , 2007 , 78, 73-81	1.7	36
8	A simple PCR-RFLP method for the discrimination of native and introduced oyster species (<i>Crassostrea brasiliana</i> , <i>C. rhizophorae</i> and <i>C. gigas</i> ; Bivalvia: Ostreidae) cultured in Southern Brazil. <i>Aquaculture Research</i> , 2006 , 37, 1598-1600	1.9	24
7	The effect of exposure to seismic prospecting on coral reef fishes. <i>Brazilian Journal of Oceanography</i> , 2006 , 54, 235-239	1.8	16
6	Evaluating the impact of seismic prospecting on artisanal shrimp fisheries. <i>Continental Shelf Research</i> , 2005 , 25, 1720-1727	2.4	31
5	Lethargic crab disease: multidisciplinary evidence supports a mycotic etiology. <i>Memorias Do Instituto Oswaldo Cruz</i> , 2005 , 100, 161-7	2.6	53
4	Histopathology as an Approach to Evaluate the Effect of an Oil Spill on Fishes of the Arroio Saldanha and Rio Iguaçu (Brazil). <i>International Oil Spill Conference Proceedings</i> , 2003 , 2003, 955-961		4
3	Effect of The Oil Spill from the Presidente Getúlio Vargas Refinery, Brazil, in July of 2000, on the Populations of Fishes of the Rivers Saldanha, Barigü and Iguaçu. <i>International Oil Spill Conference Proceedings</i> , 2003 , 2003, 971-976		1
2	Occurrence of an alternative pathway in the larval development of the crab <i>Chasmagnathus granulata</i> Dana, 1851 under laboratory conditions. <i>Hydrobiologia</i> , 1995 , 306, 33-40	2.4	20
1	Acute toxicity of ammonia to various life stages of the São Paulo shrimp, <i>Penaeus paulensis</i> Pérez-Farfante, 1967. <i>Aquaculture</i> , 1995 , 132, 339-347	4.4	68