

Soo Jung Kim

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1849248/publications.pdf>

Version: 2024-02-01

121
papers

1,227
citations

471509

17
h-index

501196

28
g-index

123
all docs

123
docs citations

123
times ranked

2363
citing authors

#	ARTICLE	IF	CITATIONS
1	Predictive Factors of Event-Free Survival at 24 Months in Patients with Peripheral T-Cell Lymphoma: A Retrospective Study. <i>Cancer Research and Treatment</i> , 2022, 54, 613-620.	3.0	2
2	Ig Gene Clonality Analysis Using Next-Generation Sequencing for Improved Minimal Residual Disease Detection with Significant Prognostic Value in Multiple Myeloma Patients. <i>Journal of Molecular Diagnostics</i> , 2022, 24, 48-56.	2.8	9
3	Brain functional connectivity during and after imagery of gaming and alternative leisure activities in patients with internet gaming disorder. <i>Neuroscience Letters</i> , 2022, 772, 136451.	2.1	1
4	Cytogenetic testing by fluorescence in situ hybridization is improved by plasma cell sorting in multiple myeloma. <i>Scientific Reports</i> , 2022, 12, 8287.	3.3	2
5	A neural mechanism of the relationship between impulsivity and emotion dysregulation in patients with Internet gaming disorder. <i>Addiction Biology</i> , 2021, 26, e12916.	2.6	24
6	Managing Game-Related Conflict With Parents of Young Adults With Internet Gaming Disorder: Development and Feasibility Study of a Virtual Reality App. <i>JMIR Serious Games</i> , 2021, 9, e22494.	3.1	7
7	Rapid Symptom Improvement in Major Depressive Disorder Using Accelerated Repetitive Transcranial Magnetic Stimulation. <i>Clinical Psychopharmacology and Neuroscience</i> , 2021, 19, 73-83.	2.0	8
8	Safety, pharmacokinetics, and pharmacodynamics of a next-generation subcutaneously administered coagulation factor IX variant, dalcinonacog alfa, in previously treated hemophilia B patients. <i>Journal of Thrombosis and Haemostasis</i> , 2021, 19, 967-975.	3.8	6
9	Different roles of surveillance positron emission tomography according to the histologic subtype of non-Hodgkin's lymphoma. <i>Korean Journal of Internal Medicine</i> , 2021, 36, S245-S252.	1.7	0
10	Differences in resting-state functional connectivity according to the level of impulsiveness in patients with internet gaming disorder. <i>Journal of Behavioral Addictions</i> , 2021, 10, 88-98.	3.7	5
11	Clinical characteristics and prognostic factors of acquired haemophilia A in Korea. <i>Haemophilia</i> , 2021, 27, e609-e616.	2.1	2
12	Risk factors for neutropenic fever in non-Hodgkin's lymphoma patients with primary granulocyte colony-stimulating factor prophylaxis. <i>Korean Journal of Internal Medicine</i> , 2021, 36, 1181-1189.	1.7	1
13	The 2020 revision of the guidelines for the management of myeloproliferative neoplasms. <i>Korean Journal of Internal Medicine</i> , 2021, 36, 45-62.	1.7	13
14	Molecular Diagnosis of Craniosynostosis Using Targeted Next-Generation Sequencing. <i>Neurosurgery</i> , 2020, 87, 294-302.	1.1	20
15	Immunosuppressive role of CD11b ⁺ CD33 ⁺ HLA-DR ⁺ myeloid-derived suppressor cells-like blast subpopulation in acute myeloid leukemia. <i>Cancer Medicine</i> , 2020, 9, 7007-7017.	2.8	12
16	Upfront autologous hematopoietic stem cell transplantation for high-risk patients with double-expressor diffuse large B cell lymphoma. <i>Annals of Hematology</i> , 2020, 99, 2149-2157.	1.8	4
17	MERGE: A Multinational, Multicenter Observational Registry for Myeloproliferative Neoplasms in Asia, including Middle East, Turkey, and Algeria. <i>Cancer Medicine</i> , 2020, 9, 4512-4526.	2.8	39
18	Serum albumin and C-reactive protein as significant predictors of non-relapse mortality in lower gastrointestinal graft-versus-host disease. <i>Annals of Hematology</i> , 2020, 99, 1111-1119.	1.8	3

#	ARTICLE	IF	CITATIONS
19	Current State and Strategy for Establishing a Digitally Innovative Hospital: Memorial Review Article for Opening of Yongin Severance Hospital. <i>Yonsei Medical Journal</i> , 2020, 61, 647.	2.2	7
20	Clinical Outcomes of Decitabine Treatment for Patients With Lower-Risk Myelodysplastic Syndrome on the Basis of the International Prognostic Scoring System. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2019, 19, 656-664.	0.4	5
21	Induction of apoptosis and differentiation by Na/H exchanger 1 modulation in acute myeloid leukemia cells. <i>Biochemical and Biophysical Research Communications</i> , 2019, 519, 887-893.	2.1	8
22	Early Cytomegalovirus Reactivation and Expansion of CD56brightCD16dim/â~DNAM1+ Natural Killer Cells Are Associated with Antileukemia Effect after Haploidentical Stem Cell Transplantation in Acute Leukemia. <i>Biology of Blood and Marrow Transplantation</i> , 2019, 25, 2070-2078.	2.0	16
23	Molecular diagnosis of hereditary spherocytosis by multi-gene target sequencing in Korea: matching with osmotic fragility test and presence of spherocyte. <i>Orphanet Journal of Rare Diseases</i> , 2019, 14, 114.	2.7	24
24	Targeted next generation sequencing can serve as an alternative to conventional tests in myeloid neoplasms. <i>PLoS ONE</i> , 2019, 14, e0212228.	2.5	11
25	Inflexible eye fixation pattern in schizophrenia affecting decision-making on daily life. <i>Psychiatry Research</i> , 2019, 274, 414-420.	3.3	1
26	Endoscopic Transaxillary Versus Inframammary Approaches for Breast Augmentation Using Shaped Implants: A Matched Caseâ€“Control Study. <i>Aesthetic Plastic Surgery</i> , 2019, 43, 563-568.	0.9	13
27	Pralatrexate in patients with recurrent or refractory peripheral T-cell lymphomas: a multicenter retrospective analysis. <i>Scientific Reports</i> , 2019, 9, 20302.	3.3	12
28	YAP and TAZ in Fibroblastic Reticular Cells Support Hematopoiesis and Retention of Lymphocytes in Lymph Nodes. <i>Blood</i> , 2019, 134, 3595-3595.	1.4	2
29	Phase I study of CKD-581, a pan-histone deacetylase inhibitor, in patients with lymphoma or multiple myeloma refractory to standard therapy. <i>Investigational New Drugs</i> , 2018, 36, 877-885.	2.6	5
30	Usefulness of Cross-Linked Human Acellular Dermal Matrix as an Implant for Dorsal Augmentation in Rhinoplasty. <i>Aesthetic Plastic Surgery</i> , 2018, 42, 288-294.	0.9	18
31	HBsAg-Negative, Anti-HBcâ€“Negative Patients Still Have a Risk of Hepatitis B Virusâ€“Related Hepatitis after Autologous Stem Cell Transplantation for Multiple Myeloma or Malignant Lymphoma. <i>Cancer Research and Treatment</i> , 2018, 50, 1121-1129.	3.0	4
32	The Derived Neutrophil-to-Lymphocyte Ratio Is an Independent Prognostic Factor in Transplantation Ineligible Patients with Multiple Myeloma. <i>Acta Haematologica</i> , 2018, 140, 146-156.	1.4	13
33	F222. CONCRETE THINKING PATTERN IN DAILY DECISION-MAKING PROCESS OF PATIENTS WITH SCHIZOPHRENIA: THROUGH EYE-TRACKING. <i>Schizophrenia Bulletin</i> , 2018, 44, S308-S308.	4.3	0
34	Myeloproliferative Neoplasms in Asia, Including Middle East, Turkey, and Algeria: Epidemiological Indices and Treatment Practice Patterns from the Multinational, Multicenter, Observational MERGE Registry. <i>Blood</i> , 2018, 132, 5461-5461.	1.4	1
35	Epithelial-mesenchymal transition in keloid tissue. <i>Archives of Plastic Surgery</i> , 2018, 45, 600-601.	0.9	2
36	Implications of infiltrating immune cells within bone marrow of patients with diffuse large B-cell lymphoma. <i>Human Pathology</i> , 2017, 64, 222-231.	2.0	11

#	ARTICLE	IF	CITATIONS
37	The prognostic role of CD68 and FoxP3 expression in patients with primary central nervous system lymphoma. <i>Annals of Hematology</i> , 2017, 96, 1163-1173.	1.8	12
38	Clinical outcomes in patients with diffuse large B cell lymphoma with a partial response to first-line R-CHOP chemotherapy: prognostic value of secondary International Prognostic Index scores and Deauville scores. <i>Annals of Hematology</i> , 2017, 96, 1873-1881.	1.8	3
39	Long-Term Follow-Up of Patients after Autologous Bone Marrow Cell Infusion for Decompensated Liver Cirrhosis. <i>Cell Transplantation</i> , 2017, 26, 1059-1066.	2.5	15
40	Prognostic significance of interventricular septal thickness in patients with AL amyloidosis. <i>Leukemia Research</i> , 2017, 60, 36-43.	0.8	3
41	Clinical impact of early recovery of peripheral blood absolute lymphocyte count after frontline autologous stem cell transplantation for diffuse large B cell lymphoma. <i>Hematological Oncology</i> , 2017, 35, 465-471.	1.7	5
42	Association of the long non-coding RNA MALAT1 with the polycomb repressive complex pathway in T and NK cell lymphoma. <i>Oncotarget</i> , 2017, 8, 31305-31317.	1.8	45
43	Clinical characteristics and treatment outcomes of isolated myeloid sarcoma without bone marrow involvement: a single-institution experience. <i>Blood Research</i> , 2017, 52, 184.	1.3	18
44	Primary Pulmonary Extranodal Natural Killer/T-cell Lymphoma, Nasal Type Presenting as Diffuse Ground Glass Opacities: a Case Report. <i>Journal of Korean Medical Science</i> , 2017, 32, 1727.	2.5	7
45	Decitabine as a First-Line Treatment for Older Adults Newly Diagnosed with Acute Myeloid Leukemia. <i>Yonsei Medical Journal</i> , 2017, 58, 35.	2.2	15
46	Selection of Implants in Unilateral Prosthetic Breast Reconstruction and Contralateral Augmentation. <i>Archives of Plastic Surgery</i> , 2017, 44, 413-419.	0.9	2
47	A prospective, open-label, multicenter, observational study to evaluate the efficacy and safety of bortezomib-melphalan-prednisone as initial treatment for autologous stem cell transplantation-ineligible patients with multiple myeloma. <i>Oncotarget</i> , 2017, 8, 37605-37618.	1.8	6
48	Programmed cell death 1 expression is associated with inferior survival in patients with primary central nervous system lymphoma. <i>Oncotarget</i> , 2017, 8, 87317-87328.	1.8	30
49	Pretreatment Epstein-Barr virus DNA in whole blood is a prognostic marker in peripheral T-cell lymphoma. <i>Oncotarget</i> , 2017, 8, 92312-92323.	1.8	11
50	Factors associated with pulmonary toxicity after myeloablative conditioning using fractionated total body irradiation. <i>Radiation Oncology Journal</i> , 2017, 35, 257-267.	1.5	6
51	Pretreatment Lymphopenia, Poor Performance Status, and Early Courses of Therapy Are Risk Factors for Severe Bacterial Infection in Patients with Multiple Myeloma during Treatment with Bortezomib-based Regimens. <i>Journal of Korean Medical Science</i> , 2016, 31, 510.	2.5	11
52	Tacrolimus-induced, Transplant-associated Thrombotic Microangiopathies after Lung Transplantation. <i>The Journal of the Korean Society for Transplantation</i> , 2016, 30, 94.	0.2	0
53	The role of upfront autologous stem cell transplantation in high-risk younger patients with primary central nervous system lymphoma. <i>British Journal of Haematology</i> , 2016, 174, 444-453.	2.5	10
54	The different roles of molecular classification according to upfront autologous stem cell transplantation in advanced-stage diffuse large B cell lymphoma patients with elevated serum lactate dehydrogenase. <i>Annals of Hematology</i> , 2016, 95, 1491-1501.	1.8	9

#	ARTICLE	IF	CITATIONS
55	A new prognostic model using absolute lymphocyte count in patients with primary central nervous system lymphoma. <i>European Journal of Cancer</i> , 2016, 57, 127-135.	2.8	28
56	Selection of a mobilization regimen for multiple myeloma based on the response to induction therapy: granulocyte-colony stimulating factor (G-CSF) alone versus high-dose cyclophosphamide plus G-CSF. <i>Leukemia and Lymphoma</i> , 2016, 57, 1389-1397.	1.3	6
57	High pre-transplant serum ferritin and busulfan-thiotepa conditioning regimen as risk factors for hepatic sinusoidal obstructive syndrome after autologous stem cell transplantation in patients with malignant lymphoma. <i>Leukemia and Lymphoma</i> , 2016, 57, 51-57.	1.3	15
58	Upregulated Neuro-oncological Ventral Antigen 1 (NOVA1) Expression Is Specific to Mature and Immature T- and NK-Cell Lymphomas. <i>Journal of Pathology and Translational Medicine</i> , 2016, 50, 104-112.	1.1	15
59	A patient with Cushing disease lateralizing a pituitary adenoma by inferior petrosal sinus sampling using desmopressin: a case report. <i>Annals of Pediatric Endocrinology and Metabolism</i> , 2016, 21, 43.	2.3	3
60	Male patients presenting with rapidly progressive puberty associated with malignant tumors. <i>Annals of Pediatric Endocrinology and Metabolism</i> , 2016, 21, 51.	2.3	1
61	The Role of MYC and BCL-2 Double Expression the in DLBCL Patients with Advanced Stage and Elevated LDH Who Received Upfront ASCT after R-CHOP. <i>Blood</i> , 2016, 128, 4219-4219.	1.4	0
62	Clinical Outcomes in Patients with Diffuse Large B Cell Lymphoma with Partial Responses to First-Line R-CHOP Chemotherapy: Prognostic Value of Secondary IPI Scores and FDG-PET. <i>Blood</i> , 2016, 128, 4205-4205.	1.4	0
63	Guidelines for the management of myeloproliferative neoplasms. <i>Korean Journal of Internal Medicine</i> , 2015, 30, 771-788.	1.7	22
64	Early CMV replication and subsequent chronic GVHD have a significant anti-leukemic effect after allogeneic HSCT in acute myeloid leukemia. <i>Annals of Hematology</i> , 2015, 94, 275-282.	1.8	45
65	A prospective, multicenter, observational study of long-term decitabine treatment in patients with myelodysplastic syndrome. <i>Oncotarget</i> , 2015, 6, 44985-44994.	1.8	17
66	Hypotonic hyponatremia by primary polydipsia caused brain death in a 10-year-old boy. <i>Annals of Pediatric Endocrinology and Metabolism</i> , 2015, 20, 166.	2.3	4
67	Risk Factors for Postoperative Cardiopulmonary Instability Following Ligation of Patent Ductus Arteriosus in Very Low Birth Weight Infants. <i>Neonatal Medicine</i> , 2015, 22, 198.	0.2	0
68	Immune profiling in elderly cancer patients for predicting immune senescence.. <i>Journal of Clinical Oncology</i> , 2015, 33, e22117-e22117.	1.6	0
69	The Modified Glasgow Prognostic Scores as a Predictor in Diffuse Large B Cell Lymphoma Treated with R-CHOP Regimen. <i>Yonsei Medical Journal</i> , 2014, 55, 1568.	2.2	21
70	Serum microRNA-21 as a Potential Biomarker for Response to Hypomethylating Agents in Myelodysplastic Syndromes. <i>PLoS ONE</i> , 2014, 9, e86933.	2.5	26
71	Success Rate and Risk Factors for Failure of Empirical Antifungal Therapy with Itraconazole in Patients with Hematological Malignancies: A Multicenter, Prospective, Open-Label, Observational Study in Korea. <i>Journal of Korean Medical Science</i> , 2014, 29, 61.	2.5	4
72	Hemophagocytic lymphohistiocytosis in adults. <i>Korean Journal of Anesthesiology</i> , 2014, 67, S115.	2.5	1

#	ARTICLE	IF	CITATIONS
73	Early response to high-dose methotrexate, vincristine, and procarbazine chemotherapy-adapted strategy for primary CNS lymphoma: no consolidation therapy for patients achieving early complete response. <i>Annals of Hematology</i> , 2014, 93, 211-219.	1.8	10
74	Incidence and risk factors for carbapenem- and multidrug-resistant <i>Acinetobacter baumannii</i> bacteremia in hematopoietic stem cell transplantation recipients. <i>Scandinavian Journal of Infectious Diseases</i> , 2014, 46, 81-88.	1.5	33
75	Monoclonal and polyclonal gammopathy measured by serum free light chain and immunofixation subdivide the clinical outcomes of diffuse large B-cell lymphoma according to molecular classification. <i>Annals of Hematology</i> , 2014, 93, 1867-1877.	1.8	16
76	Role of induction and consolidation chemotherapy in elderly acute myeloid leukemia patients. <i>International Journal of Hematology</i> , 2014, 100, 141-151.	1.6	5
77	Multicenter study evaluating the impact of hypomethylating agents as bridging therapy to hematopoietic stem cell transplantation in myelodysplastic syndromes. <i>International Journal of Hematology</i> , 2014, 99, 635-643.	1.6	16
78	High-Dose Etoposide Plus Granulocyte Colony-Stimulating Factor as an Effective Chemomobilization Regimen for Autologous Stem Cell Transplantation in Patients with Non-Hodgkin Lymphoma Previously Treated with CHOP-based Chemotherapy: A Study from the Consortium for Improving Survival of Lymphoma. <i>Biology of Blood and Marrow Transplantation</i> , 2014, 20, 73-79.	2.0	17
79	Clinical Limitations of Surveillance Fluorine 18 Fluorodeoxyglucose Positron Emission Tomography-Computed Tomography According to Histologic Subtypes in Patients with Malignant Lymphoma Who Achieved Complete Remission. <i>Blood</i> , 2014, 124, 1736-1736.	1.4	0
80	The New Prognostic Model Using Whole Blood Epstein-Barr Virus-DNA Positivity and Low Absolute Lymphocyte Count in Patients with Primary Central Nerve System Lymphoma. <i>Blood</i> , 2014, 124, 3014-3014.	1.4	0
81	Salvage Chemotherapy Followed By Autologous Peripheral Stem Cell Transplantation for Relapsed Acute Promyelocytic Leukemia; A Single Center Experience. <i>Blood</i> , 2014, 124, 4000-4000.	1.4	0
82	Post-Autotransplant Hepatitis B Virus (HBV) Reactivation in Lymphoma and Multiple Myeloma Patients with Hepatitis B Surface Antigen-Positive or Resolved HBV Infection. <i>Blood</i> , 2014, 124, 1196-1196.	1.4	0
83	Delta-Neutrophil Index Is a Useful Indicator for Initiation of Peripheral Blood Stem Cell Collection in Chemo-Mobilized Patients. <i>Blood</i> , 2014, 124, 2457-2457.	1.4	1
84	Upfront Autologous Stem Cell Transplantation Overcome the poor Prognosis of Non-Germinal Center Subtype of diffuse Large B-Cell Lymphoma in Patients with Advanced Stage and Elevated Serum Lactate Dehydrogenase. <i>Blood</i> , 2014, 124, 3998-3998.	1.4	0
85	Prognostic Factors in Adult Patients with Acute Promyelocytic Leukemia Receiving ATRA-Based Treatment. <i>Blood</i> , 2014, 124, 5274-5274.	1.4	0
86	Karyotypic change between diagnosis and relapse as a predictor of salvage therapy outcome in AML patients. <i>Blood Research</i> , 2013, 48, 24.	1.3	10
87	Efficacy Of Ruxolitinib In Korean Myelofibrosis Patients and Cases Complicated TB Lymphadenitis During The Treatment. <i>Blood</i> , 2013, 122, 1596-1596.	1.4	11
88	Low Psoas Muscle/BMI Ratio Is a Bad Prognostic Index Of Non-Relapse Survival After Allogeneic Stem Cell Transplantation. <i>Blood</i> , 2013, 122, 3326-3326.	1.4	1
89	Risk Factors For The Development Of Severe Bacterial Infection In Patients With Multiple Myeloma During Chemotherapy With Bortezomib Containing Regimens. <i>Blood</i> , 2013, 122, 5370-5370.	1.4	1
90	The Role Of Modified Glasgow Prognostic Score As Predictor In Diffuse Large B Cell Lymphoma Treated With The R-CHOP Regimen. <i>Blood</i> , 2013, 122, 4307-4307.	1.4	0

#	ARTICLE	IF	CITATIONS
91	Prognostic Role Of Monoclonal and Polyclonal Gammopathy Measured By Serum Free Light Chain and Immunofixation In Diffuse Large B-Cell Lymphoma. <i>Blood</i> , 2013, 122, 5112-5112.	1.4	0
92	Risk Factors for Progression from Cytomegalovirus Viremia to Cytomegalovirus Disease after Allogeneic Hematopoietic Stem Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2012, 18, 881-886.	2.0	28
93	Radiotherapy for solitary plasmacytoma of bone and soft tissue. <i>Annals of Hematology</i> , 2012, 91, 1785-1793.	1.8	62
94	Aurora A kinase expression is increased in leukemia stem cells, and a selective Aurora A kinase inhibitor enhances Ara-C-induced apoptosis in acute myeloid leukemia stem cells. <i>The Korean Journal of Hematology</i> , 2012, 47, 178.	0.7	14
95	Myeloperoxidase Expression in Acute Myeloid Leukemia Helps Identifying Patients to Benefit from Transplant. <i>Yonsei Medical Journal</i> , 2012, 53, 530.	2.2	19
96	Pretransplant Parathyroid Hormone Level Has No Correlation with Platelet Recovery After Stem Cell. <i>Blood</i> , 2012, 120, 4495-4495.	1.4	0
97	High Dose Etoposide Plus G-CSF As an Effective Mobilization Regimen in Patients with NHL Previously Treated with R-CHOP or CHOP Chemotherapy. Retrospective Multicenter Study. <i>Blood</i> , 2012, 120, 1917-1917.	1.4	0
98	Multicenter Study Evaluating the Impact of Hypomethylating Agents As Bridging Therapy to Hematopoietic Stem Cell Transplantation in Myelodysplastic Syndromes. <i>Blood</i> , 2012, 120, 3806-3806.	1.4	0
99	High Serum Level of APRIL Is Related to Increased Risk of Acute Gvhd. <i>Blood</i> , 2012, 120, 4161-4161.	1.4	0
100	Early Response to Methotrexate, Vincristine and Procarbazine Chemotherapy-Adapted Strategy for Primary CNS Lymphoma: Omitted Radiotherapy for Patients Achieving Complete Response in Interim Analysis.. <i>Blood</i> , 2012, 120, 2719-2719.	1.4	4
101	Clinical significance of B cell-activating factor (BAFF) and a proliferation-inducing ligand (APRIL) in acute graft-versus-host disease after allogeneic hematopoietic stem cell transplantation. <i>The Korean Journal of Hematology</i> , 2011, 46, 175.	0.7	7
102	Lymphopenia is an important prognostic factor in peripheral T-cell lymphoma (NOS) treated with anthracycline-containing chemotherapy. <i>Journal of Hematology and Oncology</i> , 2011, 4, 34.	17.0	37
103	First-Line Dasatinib Plus Conventional Chemotherapy in Adults with Newly Diagnosed Philadelphia Chromosome-Positive Acute Lymphoblastic Leukemia (Ph+ ALL): Interim Analysis of the Korean Prospective Phase II Study. <i>Blood</i> , 2011, 118, 1516-1516.	1.4	7
104	Circulating Exosomal MicroRNA-21 As a Potential Biomarker That May Predict Response to Azacitidine Treatment in Myelodysplastic Syndromes,. <i>Blood</i> , 2011, 118, 3804-3804.	1.4	0
105	Autologous Bone Marrow Infusion Activates the Progenitor Cell Compartment in Patients with Advanced Liver Cirrhosis. <i>Cell Transplantation</i> , 2010, 19, 1237-1246.	2.5	84
106	Molecular characterization of alternative SET-NUP214 fusion transcripts in a case of acute undifferentiated leukemia. <i>Cancer Genetics and Cytogenetics</i> , 2010, 201, 73-80.	1.0	24
107	Prognostic significance of trisomy 6 in an adult acute myeloid leukemia with t(8;21). <i>Cancer Genetics and Cytogenetics</i> , 2010, 202, 141-143.	1.0	3
108	Primary renal aspergillosis and renal stones in both kidneys associated with hematopoietic stem cell transplant. <i>The Korean Journal of Hematology</i> , 2010, 45, 275.	0.7	3

#	ARTICLE	IF	CITATIONS
109	Myeloperoxidase Expression as a Potential Determinant of Parthenolide-Induced Apoptosis in Leukemia Bulk and Leukemia Stem Cells. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2010, 335, 389-400.	2.5	34
110	Aurora-A kinase inhibition enhances the cytosine arabinoside-induced cell death in leukemia cells through apoptosis and mitotic catastrophe. <i>Cancer Letters</i> , 2010, 297, 171-181.	7.2	15
111	A Successful Treatment of Relapsed Primary CNS Lymphoma Patient with Intraventricular Rituximab Followed by High-Dose Chemotherapy with Autologous Stem Cell Rescue. <i>Yonsei Medical Journal</i> , 2009, 50, 280.	2.2	13
112	Three-way Philadelphia variant t(9;22;14)(q34;q11.2;p11) in chronic myeloid leukemia. <i>Cancer Genetics and Cytogenetics</i> , 2009, 191, 55-56.	1.0	1
113	Association between acute promyelocytic leukemia and ring chromosome 6. <i>Cancer Genetics and Cytogenetics</i> , 2009, 192, 48-50.	1.0	3
114	Significance of Notch Expression in Acute Myeloid Leukemia. <i>The Korean Journal of Hematology</i> , 2008, 43, 9.	0.7	0
115	A Case Report of Posttransplant Lymphoproliferative Disorders Successfully Treated with R-CHOP in Korea. <i>The Korean Journal of Hematology</i> , 2008, 43, 106.	0.7	1
116	Aurora Kinase Inhibition Enhances the Chemotherapy-Induced Myeloid Leukemia Cell Death through Different Mechanism According to the Chemotherapeutic Agents. <i>Blood</i> , 2008, 112, 2644-2644.	1.4	0
117	Level of Myeloperoxidase Expression as a Crucial Determinant of Sensitivity of Myeloid Leukemia Cells to Parthenolide-Induced Apoptosis. <i>Blood</i> , 2008, 112, 2945-2945.	1.4	0
118	Therapeutic Comparison of Chemotherapy and Surgery for Early Stage Diffuse Large B-cell Gastric Lymphoma. <i>Yonsei Medical Journal</i> , 2007, 48, 942.	2.2	6
119	A Pilot Study of Alemtuzumab Plus Combination Chemotherapy for Newly Diagnosed Patients with Peripheral T-Cell Lymphomas.. <i>Blood</i> , 2006, 108, 4717-4717.	1.4	2
120	AA line. <i>International Journal of Dermatology</i> , 1998, 37, 190-193.	1.0	2
121	Behçet's Disease as a Part of the Symptom Complex of SLE?. <i>Journal of Dermatology</i> , 1996, 23, 196-199.	1.2	10