# J Thomas Cunningham

#### List of Publications by Citations

 $\textbf{Source:} \ https://exaly.com/author-pdf/1849532/j-thomas-cunning ham-publications-by-citations.pdf$ 

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

129 papers 2,653 citations

30 h-index

45 g-index

143 ext. papers

2,895 ext. citations

3.3 avg, IF

4.93 L-index

#	Paper	IF	Citations
129	Integrative role of the lamina terminalis in the regulation of cardiovascular and body fluid homeostasis. <i>Clinical and Experimental Pharmacology and Physiology</i> , <b>1996</b> , 23, 183-91	3	136
128	Induction of c-Fos and DeltaFosB immunoreactivity in rat brain by Vagal nerve stimulation. <i>Neuropsychopharmacology</i> , <b>2008</b> , 33, 1884-95	8.7	110
127	Recent insights into the interactions between the baroreflex and the kidneys in hypertension. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, <b>2005</b> , 288, R828-36	3.2	88
126	High salt intake increases blood pressure via BDNF-mediated downregulation of KCC2 and impaired baroreflex inhibition of vasopressin neurons. <i>Neuron</i> , <b>2015</b> , 85, 549-60	13.9	87
125	Water deprivation increases Fos immunoreactivity in PVN autonomic neurons with projections to the spinal cord and rostral ventrolateral medulla. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , <b>2004</b> , 287, R1172-83	3.2	87
124	Chronic intermittent hypoxia induces oxidative stress and inflammation in brain regions associated with early-stage neurodegeneration. <i>Physiological Reports</i> , <b>2017</b> , 5, e13258	2.6	81
123	Chronic intermittent hypoxia increases blood pressure and expression of FosB/DeltaFosB in central autonomic regions. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , <b>2011</b> , 301, R131-9	3.2	72
122	Sustained activation of the central baroreceptor pathway in angiotensin hypertension. <i>Hypertension</i> , <b>2002</b> , 39, 550-6	8.5	69
121	Chronic intermittent hypoxia sensitizes acute hypothalamic-pituitary-adrenal stress reactivity and Fos induction in the rat locus coeruleus in response to subsequent immobilization stress.  Neuroscience, 2008, 154, 1639-47	3.9	62
120	Mechanosensitive currents in putative aortic baroreceptor neurons in vitro. <i>Journal of Neurophysiology</i> , <b>1995</b> , 73, 2094-8	3.2	58
119	Area postrema and sympathetic nervous system effects of vasopressin and angiotensin II. <i>Clinical and Experimental Pharmacology and Physiology</i> , <b>2000</b> , 27, 432-6	3	54
118	Expression and distribution of TRPV2 in rat brain. Experimental Neurology, 2012, 237, 223-37	5.7	52
117	Dissociation of experimentally induced drinking behavior by ibotenate injection into the median preoptic nucleus. <i>Brain Research</i> , <b>1991</b> , 554, 153-8	3.7	52
116	Differential effects of water and saline intake on water deprivation-induced c-Fos staining in the rat. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , <b>2006</b> , 290, R125	12-61	51
115	The effects of ibotenate lesions of the median preoptic nucleus on experimentally-induced and circadian drinking behavior in rats. <i>Brain Research</i> , <b>1992</b> , 580, 325-30	3.7	48
114	Chronic intermittent hypoxia increases sympathetic control of blood pressure: role of neuronal activity in the hypothalamic paraventricular nucleus. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , <b>2013</b> , 305, H1772-80	5.2	47
113	Effects of water deprivation and rehydration on c-Fos and FosB staining in the rat supraoptic nucleus and lamina terminalis region. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , <b>2005</b> , 288, R311-21	3.2	46

## (2001-2008)

112	Chronic sustained and intermittent hypoxia reduce function of ATP-sensitive potassium channels in nucleus of the solitary tract. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , <b>2008</b> , 295, R1555-62	3.2	42
111	Neural Control of Blood Pressure in Chronic Intermittent Hypoxia. <i>Current Hypertension Reports</i> , <b>2016</b> , 18, 19	4.7	39
110	Altered central TRPV4 expression and lipid raft association related to inappropriate vasopressin secretion in cirrhotic rats. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , <b>2009</b> , 296, R454-66	3.2	39
109	Sustained activation of the central baroreceptor pathway in obesity hypertension. <i>Hypertension</i> , <b>2003</b> , 42, 96-102	8.5	39
108	Intra-carotid hyperosmotic stimulation increases Fos staining in forebrain organum vasculosum laminae terminalis neurones that project to the hypothalamic paraventricular nucleus. <i>Journal of Physiology</i> , <b>2008</b> , 586, 5231-45	3.9	38
107	Decreased norepinephrine in the ventral lamina terminalis region is associated with angiotensin II drinking response deficits following local 6-hydroxydopamine injections. <i>Brain Research</i> , <b>1989</b> , 480, 65-7	· <b>3</b> ·7	38
106	Central losartan attenuates increases in arterial pressure and expression of FosB/HosB along the autonomic axis associated with chronic intermittent hypoxia. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , <b>2013</b> , 305, R1051-8	3.2	36
105	Angiotensin II type 1a receptors in subfornical organ contribute towards chronic intermittent hypoxia-associated sustained increase in mean arterial pressure. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , <b>2015</b> , 308, H435-46	5.2	34
104	Chronic sustained hypoxia enhances both evoked EPSCs and norepinephrine inhibition of glutamatergic afferent inputs in the nucleus of the solitary tract. <i>Journal of Neuroscience</i> , <b>2009</b> , 29, 3093	3 <sup>6</sup> -102	33
103	An Essential role for DeltaFosB in the median preoptic nucleus in the sustained hypertensive effects of chronic intermittent hypoxia. <i>Hypertension</i> , <b>2012</b> , 60, 179-87	8.5	33
102	Mechanical stimulation of neurites generates an inward current in putative aortic baroreceptor neurons in vitro. <i>Brain Research</i> , <b>1997</b> , 757, 149-54	3.7	32
101	Nuclear factor <b>B</b> mediates suppression of canonical transient receptor potential 6 expression by reactive oxygen species and protein kinase C in kidney cells. <i>Journal of Biological Chemistry</i> , <b>2013</b> , 288, 12852-65	5.4	31
100	Role of the locus ceruleus in baroreceptor regulation of supraoptic vasopressin neurons in the rat. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, <b>2000</b> , 279, R306-19	3.2	30
99	Lateral hypothalamic lesions alter baroreceptor-evoked inhibition of rat supraoptic vasopressin neurones. <i>Journal of Physiology</i> , <b>1993</b> , 470, 751-66	3.9	30
98	The effects of central norepinephrine infusions on drinking behavior induced by angiotensin after 6-hydroxydopamine injections into the anteroventral region of the third ventricle (AV3V). <i>Brain Research</i> , <b>1991</b> , 558, 112-6	3.7	29
97	Brain-derived neurotrophic factor-tyrosine kinase B pathway mediates NMDA receptor NR2B subunit phosphorylation in the supraoptic nuclei following progressive dehydration. <i>Journal of Neuroendocrinology</i> , <b>2011</b> , 23, 894-905	3.8	28
96	Cardiovascular regulation of supraoptic neurons in the rat: synaptic inputs and cellular signals. <i>Progress in Biophysics and Molecular Biology</i> , <b>2004</b> , 84, 183-96	4.7	28
95	Cardiovascular regulation of vasopressin neurons in the supraoptic nucleus. <i>Experimental Neurology</i> , <b>2001</b> , 171, 219-26	5.7	28

94	FosB expression in the central nervous system following isotonic volume expansion in unanesthetized rats. <i>Experimental Neurology</i> , <b>2004</b> , 187, 190-8	5.7	27
93	Ibotenate lesions of the diagonal band of broca attenuate baroreceptor sensitivity of rat supraoptic vasopressin neurons. <i>Journal of Neuroendocrinology</i> , <b>1992</b> , 4, 303-9	3.8	27
92	Proposed role of the paraventricular nucleus in cardiovascular deconditioning. <i>Acta Physiologica Scandinavica</i> , <b>2003</b> , 177, 27-35		24
91	Mechanosensitive ion channels in putative aortic baroreceptor neurons. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , <b>1998</b> , 275, H1497-501	5.2	24
90	Fos expression following isotonic volume expansion of the unanesthetized male rat. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , <b>1998</b> , 274, R1345-52	3.2	24
89	Role of the anteroventral third ventricle (AV3V) region of the rat brain in the pressor response to gamma 2-melanocyte-stimulating hormone (gamma 2-MSH). <i>Brain Research</i> , <b>1988</b> , 444, 177-80	3.7	24
88	Neurogenic mechanisms underlying the rapid onset of sympathetic responses to intermittent hypoxia. <i>Journal of Applied Physiology</i> , <b>2015</b> , 119, 1441-8	3.7	23
87	Circadian rhythms in food intake and activity in domestic cats <i>Behavioral Neuroscience</i> , <b>1985</b> , 99, 1162	-121.75	23
86	Knockdown of tyrosine hydroxylase in the nucleus of the solitary tract reduces elevated blood pressure during chronic intermittent hypoxia. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , <b>2013</b> , 305, R1031-9	3.2	22
85	Fos immunoreactivity in the diagonal band and the perinuclear zone of the supraoptic nucleus after hypertension and hypervolaemia in unanaesthetized rats. <i>Journal of Neuroendocrinology</i> , <b>2002</b> , 14, 219	-278	22
84	Mechanisms of baroreceptor activation. Clinical and Experimental Hypertension, 1995, 17, 1-13	2.2	22
83	Cardiovascular regulation of supraoptic vasopressin neurons. <i>Progress in Brain Research</i> , <b>2002</b> , 139, 257	'- <b>Z</b> 3)	22
82	Region-specific changes in transient receptor potential vanilloid channel expression in the vasopressin magnocellular system in hepatic cirrhosis-induced hyponatraemia. <i>Journal of Neuroendocrinology</i> , <b>2012</b> , 24, 642-52	3.8	21
81	Effects of right atrial distension on the activity of magnocellular neurons in the supraoptic nucleus. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , <b>2000</b> , 278, R1605-1	5 <sup>3.2</sup>	20
80	Fos expression in brain stem nuclei of pregnant rats after hydralazine-induced hypotension.  American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 1999, 277, R532-40	3.2	20
79	Electrophysiology of central pathways controlling release of neurohypophysial hormones. Focus on the lamina terminalis and diagonal band inputs to the supraoptic nucleus. <i>Annals of the New York Academy of Sciences</i> , <b>1993</b> , 689, 122-32	6.5	20
78	Neuropeptide Y-immunoreactive cells in the caudal medulla project to the median preoptic nucleus. <i>Neuroscience Letters</i> , <b>1989</b> , 105, 19-26	3.3	20
77	Synaptic and neurotransmitter regulation of activity in mammalian hypothalamic magnocellular neurosecretory cells. <i>Progress in Brain Research</i> , <b>1992</b> , 92, 277-88	2.9	19

76	Intrapericardial procaine affects volume expansion-induced fos immunoreactivity in unanesthetized rats. <i>Experimental Neurology</i> , <b>2002</b> , 174, 181-92	5.7	18
75	Norepinephrine injections in diagonal band of Broca selectively reduced the activity of vasopressin supraoptic neurons in the rat. <i>Brain Research</i> , <b>1993</b> , 610, 152-5	3.7	18
74	Differential regulation of TRPC4 in the vasopressin magnocellular system by water deprivation and hepatic cirrhosis in the rat. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , <b>2014</b> , 306, R304-14	3.2	17
73	Angiotensin II induces membrane trafficking of natively expressed transient receptor potential vanilloid type 4 channels in hypothalamic 4B cells. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , <b>2014</b> , 307, R945-55	3.2	16
72	Increased nitric oxide synthase activity and expression in the hypothalamus of hindlimb unloaded rats. <i>Brain Research</i> , <b>2006</b> , 1115, 65-74	3.7	16
71	Differential effects of water deprivation and rehydration on Fos and FosB/DeltaFosB staining in the rat brainstem. <i>Experimental Neurology</i> , <b>2007</b> , 203, 445-56	5.7	16
70	GABA(A) alpha1 and alpha2 receptor subunit expression in rostral ventrolateral medulla in nonpregnant and pregnant rats. <i>Brain Research</i> , <b>2003</b> , 975, 196-206	3.7	16
69	A two-peak circadian system in body temperature and activity in the domestic cat, Felis catus L <i>Journal of Thermal Biology</i> , <b>1987</b> , 12, 27-37	2.9	16
68	Fos-like immunoreactivity in the medulla after acute and chronic angiotensin II infusion. <i>Journal of Pharmacology and Experimental Therapeutics</i> , <b>1998</b> , 284, 1165-73	4.7	16
67	Lesion of the perinuclear zone attenuates cardiac sensitivity of vasopressinergic supraoptic neurons. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , <b>2001</b> , 280, R630-8	3.2	15
66	Rat supraoptic neurons are resistant to glutamate neurotoxicity. NeuroReport, 1992, 3, 87-90	1.7	15
65	Rats exhibit aldosterone-dependent sodium appetite during 24 h hindlimb unloading. <i>Journal of Physiology</i> , <b>2004</b> , 557, 661-70	3.9	14
64	Regulation of plasma vasopressin and renin activity in conscious hindlimb-unloaded rats. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , <b>2006</b> , 291, R46-52	3.2	12
63	The effects of osmotic stimulation and water availability on c-Fos and FosB staining in the supraoptic and paraventricular nuclei of the hypothalamus. <i>Experimental Neurology</i> , <b>2005</b> , 194, 191-202	5.7	12
62	Angiotensin converting enzyme 1 in the median preoptic nucleus contributes to chronic intermittent hypoxia hypertension. <i>Physiological Reports</i> , <b>2017</b> , 5, e13277	2.6	10
61	BosB in the supraoptic nucleus contributes to hyponatremia in rats with cirrhosis. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , <b>2012</b> , 303, R177-85	3.2	10
60	Caspase lesions of PVN-projecting MnPO neurons block the sustained component of CIH-induced hypertension in adult male rats. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , <b>2020</b> , 318, H34-H48	5.2	10
59	ANG II receptor subtype 1a gene knockdown in the subfornical organ prevents increased drinking behavior in bile duct-ligated rats. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , <b>2014</b> , 307, R597-607	3.2	9

58	Dehydration followed by sham rehydration contributes to reduced neuronal activation in vasopressinergic supraoptic neurons after water deprivation. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , <b>2010</b> , 299, R1232-40	3.2	9
57	Lesions of the diagonal band of broca enhance drinking in the rat. <i>Journal of Neuroendocrinology</i> , <b>2003</b> , 15, 907-15	3.8	9
56	Baroreceptor sensitivity of rat supraoptic vasopressin neurons involves noncholinergic neurons in the DBB. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , <b>2000</b> , 279, R1934-43	3.2	9
55	Perinuclear zone and diagonal band lesions enhance angiotensin responses of rat supraoptic neurons. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , <b>1994</b> , 267, R916-22	3.2	9
54	Impaired sodium-evoked paraventricular nucleus neuronal activation and blood pressure regulation in conscious Sprague-Dawley rats lacking central GIZ proteins. <i>Acta Physiologica</i> , <b>2016</b> , 216, 314-29	5.6	9
53	AT influences GABAA-mediated inhibition through regulation of KCC2 expression. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , <b>2018</b> , 315, R972-R982	3.2	9
52	Effects of salt-loading on supraoptic vasopressin neurones assessed by ClopHensorN chloride imaging. <i>Journal of Neuroendocrinology</i> , <b>2019</b> , 31, e12752	3.8	8
51	Role of the afferent renal nerves in sodium homeostasis and blood pressure regulation in rats. <i>Experimental Physiology</i> , <b>2019</b> , 104, 1306-1323	2.4	8
50	Angiotensin type 1a receptors in the median preoptic nucleus support intermittent hypoxia-induced hypertension. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , <b>2019</b> , 316, R651-R665	3.2	8
49	Angiotensin hypertension. Clinical and Experimental Pharmacology and Physiology, 1998, 25, S16-20	3	8
48	High salt loading increases brain derived neurotrophic factor in supraoptic vasopressin neurones. Journal of Neuroendocrinology, <b>2018</b> , 30, e12639	3.8	7
47	Intracerebroventricular losartan infusion modulates angiotensin II type 1 receptor expression in the subfornical organ and drinking behaviour in bile-duct-ligated rats. <i>Experimental Physiology</i> , <b>2013</b> , 98, 922-33	2.4	7
46	Identification of active central nervous system sites in renal wrap hypertensive rats. <i>Hypertension</i> , <b>2007</b> , 49, 653-8	8.5	7
45	Catecholamine depletion of the diagonal band reduces baroreflex inhibition of supraoptic neurons. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , <b>1992</b> , 263, R363-7	3.2	7
44	Estrogen receptor involvement in vascular cognitive impairment and vascular dementia pathogenesis and treatment. <i>GeroScience</i> , <b>2021</b> , 43, 159-166	8.9	7
43	Role of angiotensin-converting enzyme 1 within the median preoptic nucleus following chronic intermittent hypoxia. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , <b>2017</b> , 312, R245-R252	3.2	6
42	Hypothalamic Paraventricular Nucleus GŪ(Guanine Nucleotide-Binding Protein Alpha Inhibiting Activity Polypeptide 2) Protein-Mediated Neural Control of the Kidney and the Salt Sensitivity of Blood Pressure. <i>Hypertension</i> , <b>2020</b> , 75, 1002-1011	8.5	6
41	Fetal Noradrenergic Cell Suspensions Transplanted into Amine-depleted Nuclei of Adult Rats. <i>Annals of the New York Academy of Sciences</i> , <b>1987</b> , 495, 757-759	6.5	6

## (2018-2019)

40	Selectively Inhibiting the Median Preoptic Nucleus Attenuates Angiotensin II and Hyperosmotic-Induced Drinking Behavior and Vasopressin Release in Adult Male Rats. <i>ENeuro</i> , <b>2019</b> , 6,	3.9	6
39	Sniffer cells for the detection of neural Angiotensin II in vitro. Scientific Reports, 2019, 9, 8820	4.9	5
38	Selective up-regulation of JunD transcript and protein expression in vasopressinergic supraoptic nucleus neurones in water-deprived rats. <i>Journal of Neuroendocrinology</i> , <b>2012</b> , 24, 1542-52	3.8	5
37	Role of superior laryngeal nerve and Fos staining following dehydration and rehydration in the rat. <i>Physiology and Behavior</i> , <b>2011</b> , 104, 1053-8	3.5	5
36	Identification of central nervous system sites involved in the water diuresis response elicited by central microinjection of nociceptin/ Orphanin FQ in conscious rats via c-Fos and inducible cAMP early repressor immunocytochemistry. <i>Journal of Neuroendocrinology</i> , <b>2007</b> , 19, 531-42	3.8	5
35	Sounds from an animal colony entrain a circadian rhythm in the cat, Felis catus L <i>Journal of Interdisciplinary Cycle Research</i> , <b>1990</b> , 21, 51-64		5
34	Neurodegenerative Disease: Roles for Sex, Hormones, and Oxidative Stress. <i>Endocrinology</i> , <b>2021</b> , 162,	4.8	5
33	Transcription factor <b>B</b> osB acts within the nucleus of the solitary tract to increase mean arterial pressure during exposures to intermittent hypoxia. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , <b>2018</b> , 314, H270-H277	5.2	3
32	Brain-Derived Neurotrophic Factor and Supraoptic Vasopressin Neurons in Hyponatremia. <i>Neuroendocrinology</i> , <b>2020</b> , 110, 630-641	5.6	2
31	Sex Differences in the Regulation of Vasopressin and Oxytocin Secretion in Bile Duct-Ligated Rats. <i>Neuroendocrinology</i> , <b>2021</b> , 111, 237-248	5.6	1
30	Chapter 20 Cardiovascular regulation of supraoptic vasopressin neurons. <i>Progress in Brain Research</i> , <b>2002</b> , 139, 256-273	2.9	1
29	Effect of Water Deprivation on KCC2 Expression in Hypothalamic Vasopressin Neurons in Rat. <i>FASEB Journal</i> , <b>2013</b> , 27, 694.3	0.9	1
28	G DREADD activation of CaMKIIa MnPO neurons stimulates nitric oxide activity. <i>Journal of Neurophysiology</i> , <b>2020</b> , 124, 591-609	3.2	1
27	Role of angiotensin II in chronic intermittent hypoxia-induced hypertension and cognitive decline. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , <b>2021</b> , 320, R519-R5	52§ <sup>.2</sup>	1
26	Cardiovascular Metrics Associated With Prevention of Aging-Related Parkinsonian Signs Following Exercise Intervention in Sedentary Older Rats <i>Frontiers in Aging Neuroscience</i> , <b>2021</b> , 13, 775355	5.3	О
25	Intracerebroventricular (ICV) microinjection of a selective kappa opioid agonist increases inducible cAMP element repressor (ICER) expression in the supraoptic nucleus of conscious rats <i>FASEB Journal</i> , <b>2006</b> , 20, A332	0.9	
24	Acute dehydration increases tyrosine kinase B receptor (TrkB) phosphorylation in the supraoptic nucleus (SON) of the rat. <i>FASEB Journal</i> , <b>2008</b> , 22, 1161.3	0.9	
23	Virally Mediated ClopHensorN Chloride Imaging in the Supraoptic Vasopressin Neurons. <i>FASEB Journal</i> , <b>2018</b> , 32, 844.1	0.9	

22	AT1aR Dependent GABAa Inhibition in the MnPO Following Chronic Intermittent Hypoxia. <i>FASEB Journal</i> , <b>2018</b> , 32, 732.2	0.9
21	DREADD-Induced Inhibition of the MnPO Affects Drinking Behavior and Neuroendocrine Function in Adult Male Rats. <i>FASEB Journal</i> , <b>2018</b> , 32, 598.1	0.9
20	High Salt Loading increases Brain Derived Neurotrophic Factor in Supraoptic Vasopressin Neurons. <i>FASEB Journal</i> , <b>2018</b> , 32, 597.5	0.9
19	Contribution of K+/CllCotransporters in AT1aR-Dependent GABAa Inhibition in the MnPO following Chronic Intermittent Hypoxia. <i>FASEB Journal</i> , <b>2019</b> , 33, 744.1	0.9
18	Sniffer Cells Detect Angiotensin II Release in the Median Preoptic Nucleus In Vitro. <i>FASEB Journal</i> , <b>2019</b> , 33, 850.12	0.9
17	Intracellular Chloride Regulation of Supraoptic Vasopressin Neurons during Salt Loading. <i>FASEB Journal</i> , <b>2019</b> , 33, 745.2	0.9
16	Sex Difference and Hormones in the Regulation of Vasopressin Secretion during Dilutional Hyponatremia. <i>FASEB Journal</i> , <b>2019</b> , 33, 758.4	0.9
15	Caspase Lesions of PVN-Projecting MnPO Neurons Blocks the Sustained Component of CIH-Induced Hypertension in Adult Male Rats. <i>FASEB Journal</i> , <b>2019</b> , 33, 745.1	0.9
14	TrkB pathway may mediate NR1 phosphorylation in the supraoptic nuclei following dehydration in the rat. <i>FASEB Journal</i> , <b>2009</b> , 23, 1015.7	0.9
13	Sham rehydration contributes to reduced Fos staining in the supraoptic nucleus (SON) after water deprivation <i>FASEB Journal</i> , <b>2009</b> , 23, 1015.6	0.9
12	Effects of Bile Duct Ligation (BDL) and Enalapril on Angiotensin receptors in the Subfornical Organ (SFO) in Rats. <i>FASEB Journal</i> , <b>2009</b> , 23, 967.1	0.9
11	Sham rehydration contributes to increased Fos staining in the hindbrain after water deprivation in the rat. <i>FASEB Journal</i> , <b>2010</b> , 24, 1025.16	0.9
10	Brain-derived neutrotrophic factor (BDNF) binding is required for its receptor TrkB activation in the supraoptic nuclei (SON) following dehydration in the rat. <i>FASEB Journal</i> , <b>2010</b> , 24, 1025.15	0.9
9	Transient receptor potential vanilloid 4 channel (TRPV4) tyrosine phosphorylation and membrane expression are affected by angiotensin II treatment. <i>FASEB Journal</i> , <b>2011</b> , 25, 1080.3	0.9
8	Anatomical distribution of TRPV2 in the rat brain. FASEB Journal, 2011, 25, 1080.2	0.9
7	Changes in TRPV2 expression in paraventricular nucleus of bile duct ligated cirrhotic rats. <i>FASEB Journal</i> , <b>2011</b> , 25, 1080.1	0.9
6	Angiotensin AT1 receptor subtypes AT1A and AT1B mRNAs are expressed in tyrosine hydroxylase immunoreactive (TH-ir) neurons in the rat caudal nucleus of the solitary tract (NTS). <i>FASEB Journal</i> , <b>2011</b> , 25, lb608	0.9
5	TRPC4 expression in Supraoptic (SON) and Paraventricular (PVN) Magnocellular Neurosecretory Cells. <i>FASEB Journal</i> , <b>2012</b> , 26, 1103.23	0.9

#### LIST OF PUBLICATIONS

4	Regulation of TRPV2 in Magnocellular Neurons of the Supraoptic Nucleus in Rat. <i>FASEB Journal</i> , <b>2012</b> , 26, 1103.22	0.9
3	Colocalization of angiotensin converting enzyme 1 and FosB in the median preoptic nucleus (MnPO) following intermittent hypoxia. <i>FASEB Journal</i> , <b>2012</b> , 26, 899.8	0.9
2	Effect of Angiotensin on TRPV4 expression and TRPV4 agonist induced calcium transients in Hypothalamic cell line 4B. <i>FASEB Journal</i> , <b>2013</b> , 27, 694.5	0.9
1	AT1a-dependent GABA inhibition in the MnPO following chronic intermittent hypoxia. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , <b>2021</b> , 321, R469-R481	3.2