

Bryce Vissel

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1849954/bryce-vissel-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

82
papers

5,083
citations

42
h-index

71
g-index

84
ext. papers

5,738
ext. citations

7.3
avg, IF

5.7
L-index

#	Paper	IF	Citations
82	Outcome-selective reinstatement is predominantly context-independent, and associated with c-Fos activation in the posterior dorsomedial striatum. <i>Neurobiology of Learning and Memory</i> , 2021 , 187, 107556	3.1	0
81	Parafascicular Thalamic and Orbitofrontal Cortical Inputs to Striatum Represent States for Goal-Directed Action Selection. <i>Frontiers in Behavioral Neuroscience</i> , 2021 , 15, 655029	3.5	1
80	Engram Size Varies with Learning and Reflects Memory Content and Precision. <i>Journal of Neuroscience</i> , 2021 , 41, 4120-4130	6.6	0
79	Brain health is independently impaired by E-vaping and high-fat diet. <i>Brain, Behavior, and Immunity</i> , 2021 , 92, 57-66	16.6	6
78	Extinction and discrimination in a Bayesian model of context fear conditioning (BaconX). <i>Hippocampus</i> , 2021 , 31, 790-814	3.5	5
77	Maladaptive Properties of Context-Impoverished Memories. <i>Current Biology</i> , 2020 , 30, 2300-2311.e6	6.3	12
76	A new mouse line with reduced GluA2 Q/R site RNA editing exhibits loss of dendritic spines, hippocampal CA1-neuron loss, learning and memory impairments and NMDA receptor-independent seizure vulnerability. <i>Molecular Brain</i> , 2020 , 13, 27	4.5	23
75	Targeting the cannabinoid receptor CB2 in a mouse model of l-dopa induced dyskinesia. <i>Neurobiology of Disease</i> , 2020 , 134, 104646	7.5	10
74	Medial Orbitofrontal Cortex Regulates Instrumental Conditioned Punishment, but not Pavlovian Conditioned Fear. <i>Cerebral Cortex Communications</i> , 2020 , 1, tgaa039	1.9	2
73	The kainate receptor antagonist UBP310 but not single deletion of GluK1, GluK2, or GluK3 subunits, inhibits MPTP-induced degeneration in the mouse midbrain. <i>Experimental Neurology</i> , 2020 , 323, 113062	5.7	5
72	Time dependent degeneration of the nigrostriatal tract in mice with 6-OHDA lesioned medial forebrain bundle and the effect of activin A on L-Dopa induced dyskinesia. <i>BMC Neuroscience</i> , 2019 , 20, 5	3.2	13
71	A Neuroethics Framework for the Australian Brain Initiative. <i>Neuron</i> , 2019 , 101, 365-369	13.9	5
70	Novel Activity Detection Algorithm to Characterize Spontaneous Stepping During Multimodal Spinal Neuromodulation After Mid-Thoracic Spinal Cord Injury in Rats. <i>Frontiers in Systems Neuroscience</i> , 2019 , 13, 82	3.5	2
69	Epidural Spinal Cord Stimulation Improves Motor Function in Rats With Chemically Induced Parkinsonism. <i>Neurorehabilitation and Neural Repair</i> , 2019 , 33, 1029-1039	4.7	6
68	High dietary fat and sucrose results in an extensive and time-dependent deterioration in health of multiple physiological systems in mice. <i>Journal of Biological Chemistry</i> , 2018 , 293, 5731-5745	5.4	42
67	L-Carnitine and extendin-4 improve outcomes following moderate brain contusion injury. <i>Scientific Reports</i> , 2018 , 8, 11201	4.9	6
66	The Inflammatory Nature of Post-surgical Delirium Predicts Benefit of Agents With Anti-TNF Effects, Such as Dexmedetomidine. <i>Frontiers in Neuroscience</i> , 2018 , 12, 257	5.1	8

65	Adar3 Is Involved in Learning and Memory in Mice. <i>Frontiers in Neuroscience</i> , 2018 , 12, 243	5.1	33
64	Therapeutic implications of how TNF links apolipoprotein E, phosphorylated tau, β synuclein, amyloid- β and insulin resistance in neurodegenerative diseases. <i>British Journal of Pharmacology</i> , 2018 , 175, 3859-3875	8.6	19
63	Questions concerning the role of amyloid- β in the definition, aetiology and diagnosis of Alzheimer's disease. <i>Acta Neuropathologica</i> , 2018 , 136, 663-689	14.3	101
62	The meteorology of cytokine storms, and the clinical usefulness of this knowledge. <i>Seminars in Immunopathology</i> , 2017 , 39, 505-516	12	43
61	Dissociation between complete hippocampal context memory formation and context fear acquisition. <i>Learning and Memory</i> , 2017 , 24, 153-157	2.8	4
60	New hope for devastating neurodegenerative disease. <i>Brain</i> , 2017 , 140, 1177-1179	11.2	6
59	Maternal Cigarette Smoke Exposure Worsens Neurological Outcomes in Adolescent Offspring with Hypoxic-Ischemic Injury. <i>Frontiers in Molecular Neuroscience</i> , 2017 , 10, 306	6.1	16
58	Activin A Inhibits MPTP and LPS-Induced Increases in Inflammatory Cell Populations and Loss of Dopamine Neurons in the Mouse Midbrain In Vivo. <i>PLoS ONE</i> , 2017 , 12, e0167211	3.7	10
57	Australian Brain Alliance. <i>Neuron</i> , 2016 , 92, 597-600	13.9	11
56	A Comparative Study of Variables Influencing Ischemic Injury in the Longa and Koizumi Methods of Intraluminal Filament Middle Cerebral Artery Occlusion in Mice. <i>PLoS ONE</i> , 2016 , 11, e0148503	3.7	54
55	Excess cerebral TNF causing glutamate excitotoxicity rationalizes treatment of neurodegenerative diseases and neurogenic pain by anti-TNF agents. <i>Journal of Neuroinflammation</i> , 2016 , 13, 236	10.1	64
54	Amyloid β one of three danger-associated molecules that are secondary inducers of the proinflammatory cytokines that mediate Alzheimer's disease. <i>British Journal of Pharmacology</i> , 2015 , 172, 3714-27	8.6	59
53	A Neurologist's Guide to TNF Biology and to the Principles behind the Therapeutic Removal of Excess TNF in Disease. <i>Neural Plasticity</i> , 2015 , 2015, 358263	3.3	16
52	Activin A protects midbrain neurons in the 6-hydroxydopamine mouse model of Parkinson's disease. <i>PLoS ONE</i> , 2015 , 10, e0124325	3.7	11
51	Inflammation-sleep interface in brain disease: TNF, insulin, orexin. <i>Journal of Neuroinflammation</i> , 2014 , 11, 51	10.1	52
50	Advances in non-dopaminergic treatments for Parkinson's disease. <i>Frontiers in Neuroscience</i> , 2014 , 8, 113	5.1	62
49	Inconsistencies and controversies surrounding the amyloid hypothesis of Alzheimer's disease. <i>Acta Neuropathologica Communications</i> , 2014 , 2, 135	7.3	175
48	Inconsistencies and controversies surrounding the Amyloid Hypothesis of Alzheimer's disease. <i>Acta Neuropathologica Communications</i> , 2014 , 2, 135	7.3	152

47	Microglia: a new frontier for synaptic plasticity, learning and memory, and neurodegenerative disease research. <i>Neurobiology of Learning and Memory</i> , 2013 , 105, 40-53	3.1	151
46	Treatment implications of the altered cytokine-insulin axis in neurodegenerative disease. <i>Biochemical Pharmacology</i> , 2013 , 86, 862-71	6	19
45	Prefrontal microcircuit underlies contextual learning after hippocampal loss. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013 , 110, 9938-43	11.5	111
44	Neuroinflammation and neuronal loss precede A β plaque deposition in the hAPP-J20 mouse model of Alzheimer's disease. <i>PLoS ONE</i> , 2013 , 8, e59586	3.7	182
43	The essential role of AMPA receptor GluR2 subunit RNA editing in the normal and diseased brain. <i>Frontiers in Molecular Neuroscience</i> , 2012 , 5, 34	6.1	106
42	Tumor necrosis factor-induced cerebral insulin resistance in Alzheimer's disease links numerous treatment rationales. <i>Pharmacological Reviews</i> , 2012 , 64, 1004-26	22.5	54
41	Selective knockdown of NMDA receptors in primary afferent neurons decreases pain during phase 2 of the formalin test. <i>Neuroscience</i> , 2011 , 172, 474-82	3.9	35
40	TNF and leptin tell essentially the same story in Alzheimer's disease. <i>Journal of Alzheimer's Disease</i> , 2011 , 26, 201-5	4.3	40
39	A study of clustered data and approaches to its analysis. <i>Journal of Neuroscience</i> , 2010 , 30, 10601-8	6.6	137
38	The roles of TNF in brain dysfunction and disease. <i>Pharmacology & Therapeutics</i> , 2010 , 128, 519-48	13.9	153
37	A role for calcium-permeable AMPA receptors in synaptic plasticity and learning. <i>PLoS ONE</i> , 2010 , 5, e12818	3.7	78
36	Functional heterogeneity at dopamine release sites. <i>Journal of Neuroscience</i> , 2009 , 29, 14670-80	6.6	26
35	Activin A is essential for neurogenesis following neurodegeneration. <i>Stem Cells</i> , 2009 , 27, 1330-46	5.8	59
34	Alzheimer's disease selective vulnerability and modeling in transgenic mice. <i>Journal of Alzheimer's Disease</i> , 2009 , 18, 243-51	4.3	28
33	Enhanced LTP of primary afferent neurotransmission in AMPA receptor GluR2-deficient mice. <i>Pain</i> , 2008 , 136, 158-67	8	37
32	The role of neurogenesis in neurodegenerative diseases and its implications for therapeutic development. <i>CNS and Neurological Disorders - Drug Targets</i> , 2008 , 7, 187-210	2.6	70
31	Long-term potentiation in the hippocampal CA1 region does not require insertion and activation of GluR2-lacking AMPA receptors. <i>Journal of Neurophysiology</i> , 2007 , 98, 2488-92	3.2	75
30	Concordant epigenetic silencing of transforming growth factor-beta signaling pathway genes occurs early in breast carcinogenesis. <i>Cancer Research</i> , 2007 , 67, 11517-27	10.1	72

29	Production of conditional point mutant knockin mice. <i>Genesis</i> , 2006 , 44, 345-53	1.9	23
28	Probing N-methyl-D-aspartate receptor desensitization with the substituted-cysteine accessibility method. <i>Molecular Pharmacology</i> , 2006 , 69, 1296-303	4.3	18
27	The effect of three inhaled anesthetics in mice harboring mutations in the GluR6 (kainate) receptor gene. <i>Anesthesia and Analgesia</i> , 2005 , 101, 143-8, table of contents	3.9	12
26	Pathobiology of dynorphins in trauma and disease. <i>Frontiers in Bioscience - Landmark</i> , 2005 , 10, 216-35	2.8	73
25	Loss of GLUR2 alpha-amino-3-hydroxy-5-methyl-4-isoxazolepropionic acid receptor subunit differentially affects remaining synaptic glutamate receptors in cerebellum and cochlear nuclei. <i>European Journal of Neuroscience</i> , 2004 , 19, 2017-29	3.5	18
24	Inhaled anesthetics and immobility: mechanisms, mysteries, and minimum alveolar anesthetic concentration. <i>Anesthesia and Analgesia</i> , 2003 , 97, 718-740	3.9	213
23	Aberrant formation of glutamate receptor complexes in hippocampal neurons of mice lacking the GluR2 AMPA receptor subunit. <i>Journal of Neuroscience</i> , 2003 , 23, 9367-73	6.6	119
22	Purkinje cell synapses target physiologically unique brainstem neurons. <i>Journal of Neuroscience</i> , 2003 , 23, 6392-8	6.6	75
21	A conditional deletion of the NR1 subunit of the NMDA receptor in adult spinal cord dorsal horn reduces NMDA currents and injury-induced pain. <i>Journal of Neuroscience</i> , 2003 , 23, 5031-40	6.6	154
20	Adeno-associated virus effectively mediates conditional gene modification in the brain. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002 , 99, 2320-5	11.5	158
19	Intracellular domains of NR2 alter calcium-dependent inactivation of N-methyl-D-aspartate receptors. <i>Molecular Pharmacology</i> , 2002 , 61, 595-605	4.3	34
18	Functional expression of distinct NMDA channel subunits tagged with green fluorescent protein in hippocampal neurons in culture. <i>Neuropharmacology</i> , 2002 , 42, 306-18	5.5	74
17	Calcineurin acts via the C-terminus of NR2A to modulate desensitization of NMDA receptors. <i>Neuropharmacology</i> , 2002 , 42, 593-602	5.5	92
16	A use-dependent tyrosine dephosphorylation of NMDA receptors is independent of ion flux. <i>Nature Neuroscience</i> , 2001 , 4, 587-96	25.5	219
15	The role of RNA editing of kainate receptors in synaptic plasticity and seizures. <i>Neuron</i> , 2001 , 29, 217-27	13.9	113
14	Interactions of calmodulin and alpha-actinin with the NR1 subunit modulate Ca ²⁺ -dependent inactivation of NMDA receptors. <i>Journal of Neuroscience</i> , 1999 , 19, 1165-78	6.6	248
13	N-terminal domains in the NR2 subunit control desensitization of NMDA receptors. <i>Neuron</i> , 1998 , 20, 317-27	13.9	146
12	A chromosome 13-specific human satellite I DNA subfamily with minor presence on chromosome 21: further studies on Robertsonian translocations. <i>Genomics</i> , 1993 , 16, 104-12	4.3	35

11	Long-range analyses of the centromeric regions of human chromosomes 13, 14 and 21: identification of a narrow domain containing two key centromeric DNA elements. <i>Human Molecular Genetics</i> , 1993 , 2, 1639-49	5.6	81
10	A satellite III sequence shared by human chromosomes 13, 14, and 21 that is contiguous with alpha satellite DNA. <i>Cytogenetic and Genome Research</i> , 1992 , 61, 81-6	1.9	38
9	Evolutionary relationships of multiple alpha satellite subfamilies in the centromeres of human chromosomes 13, 14, and 21. <i>Journal of Molecular Evolution</i> , 1992 , 35, 137-46	3.1	14
8	Four distinct alpha satellite subfamilies shared by human chromosomes 13, 14 and 21. <i>Nucleic Acids Research</i> , 1991 , 19, 271-7	20.1	43
7	A survey of the genomic distribution of alpha satellite DNA on all the human chromosomes, and derivation of a new consensus sequence. <i>Nucleic Acids Research</i> , 1991 , 19, 1179-82	20.1	224
6	Identification of two distinct subfamilies of alpha satellite DNA that are highly specific for human chromosome 15. <i>Genomics</i> , 1990 , 7, 143-51	4.3	77
5	Mouse major (gamma) satellite DNA is highly conserved and organized into extremely long tandem arrays: implications for recombination between nonhomologous chromosomes. <i>Genomics</i> , 1989 , 5, 407-14	4.3	105
4	Evolution of alpha-satellite DNA on human acrocentric chromosomes. <i>Genomics</i> , 1989 , 5, 332-44	4.3	55
3	Homologous alpha satellite sequences on human acrocentric chromosomes with selectivity for chromosomes 13, 14 and 21: implications for recombination between nonhomologues and Robertsonian translocations. <i>Nucleic Acids Research</i> , 1988 , 16, 1273-84	20.1	85
2	Altered activity of restriction endonuclease Mn1-I cleavage of mouse satellite DNA. <i>Nucleic Acids Research</i> , 1988 , 16, 4731	20.1	5
1	Human alpha satellite DNA--consensus sequence and conserved regions. <i>Nucleic Acids Research</i> , 1987 , 15, 6751-2	20.1	60