Angelo Andriulli

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/1850867/angelo-andriulli-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

67 14,305 105 337 h-index g-index citations papers 16,044 361 5.75 5.4 avg, IF L-index ext. citations ext. papers

#	Paper	IF	Citations
337	A New Intraepithelial IT-Lymphocyte Marker for Celiac Disease Classification in Formalin-Fixed Paraffin-Embedded (FFPE) Duodenal Biopsies. <i>Digestive Diseases and Sciences</i> , 2021 , 66, 3352-3358	4	3
336	Safety and efficacy of switching from infliximab biosimilar CT-P13 to infliximab biosimilar SB2 in patients with inflammatory bowel disease. <i>European Journal of Gastroenterology and Hepatology</i> , 2021 , 32, 201-207	2.2	1
335	Identification of Recessively Inherited Genetic Variants Potentially Linked to Pancreatic Cancer Risk <i>Frontiers in Oncology</i> , 2021 , 11, 771312	5.3	1
334	Accuracy and inter-observer agreement of the nice and kudo classifications of superficial colonic lesions: a comparative study. <i>International Journal of Colorectal Disease</i> , 2021 , 36, 1561-1568	3	2
333	Impact of the COVID-19 outbreak and the serum prevalence of SARS-CoV-2 antibodies in patients with inflammatory bowel disease treated with biologic drugs. <i>Digestive and Liver Disease</i> , 2021 , 53, 277-	282	12
332	X Chromosome Contribution to the Genetic Architecture of Primary Biliary Cholangitis. <i>Gastroenterology</i> , 2021 , 160, 2483-2495.e26	13.3	9
331	Performance of the model for end-stage liver disease score for mortality prediction and the potential role of etiology. <i>Journal of Hepatology</i> , 2021 , 75, 1355-1366	13.4	2
330	Associations between pancreatic expression quantitative traits and risk of pancreatic ductal adenocarcinoma. <i>Carcinogenesis</i> , 2021 , 42, 1037-1045	4.6	2
329	Distinguishing features between patients with acute diverticulitis and diverticular bleeding: Results from the REMAD registry. <i>Digestive and Liver Disease</i> , 2021 , 53, 202-209	3.3	3
328	Interobserver agreement of the Paris and simplified classifications of superficial colonic lesions: a Western study. <i>Endoscopy International Open</i> , 2021 , 9, E388-E394	3	2
327	Genome-wide scan of long noncoding RNA single nucleotide polymorphisms and pancreatic cancer susceptibility. <i>International Journal of Cancer</i> , 2021 , 148, 2779-2788	7.5	7
326	Transabdominal ultrasound-guided pancreatic biopsy: a neglected but safe, effective and inexpensive procedure that needs to be re-juvinalized. <i>Journal of Ultrasound</i> , 2021 , 24, 175-182	3.4	
325	Germline Alterations in Patients With IBD-associated Colorectal Cancer. <i>Inflammatory Bowel Diseases</i> , 2021 ,	4.5	1
324	An international genome-wide meta-analysis of primary biliary cholangitis: Novel risk loci and candidate drugs. <i>Journal of Hepatology</i> , 2021 , 75, 572-581	13.4	8
323	Inverted colonic diverticulum (ICD): report of two cases and literature review of a not that unusual endoscopic challenge. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2021 , 45, 101711	2.4	
322	Circulating levels of cytokines, chemokines and growth factors in patients with achalasia. <i>Biomedical Reports</i> , 2021 , 15, 92	1.8	
321	Clinical Significance of Circulating miR-1273g-3p and miR-122-5p in Pancreatic Cancer. <i>Frontiers in Oncology</i> , 2020 , 10, 44	5.3	12

(2018-2020)

32		Genome-wide association study identifies an early onset pancreatic cancer risk locus. <i>International Journal of Cancer</i> , 2020 , 147, 2065-2074	7.5	10
31		Endoscopic stenting for colorectal cancer obstruction as a bridge-to-surgery strategy. <i>European Journal of Clinical Investigation</i> , 2020 , 50, e13252	4.6	1
31		Real-Life Effectiveness and Safety of Golimumab and Its Predictors of Response in Patients with Ulcerative Colitis. <i>Digestive Diseases and Sciences</i> , 2020 , 65, 1767-1776	4	5
31		microRNA-mRNA network model in patients with achalasia. <i>Neurogastroenterology and Motility</i> , 2020 , 32, e13764	4	2
31	16	Landmarks for dual biological therapy in inflammatory bowel disease: lesson from two case reports of vedolizumab in combination with ustekinumab. <i>European Journal of Gastroenterology and Hepatology</i> , 2020 , 32, 1579-1582	2.2	4
31	15	Early-Onset Diabetes as Risk Factor for Pancreatic Cancer: miRNA Expression Profiling in Plasma Uncovers a Role for miR-20b-5p, miR-29a, and miR-18a-5p in Diabetes of Recent Diagnosis. <i>Frontiers in Oncology</i> , 2020 , 10, 1567	5.3	4
31		The PROSIT Cohort of Infliximab Biosimilar in IBD: A Prolonged Follow-up on the Effectiveness and Safety Across Italy. <i>Inflammatory Bowel Diseases</i> , 2019 , 25, 568-579	4.5	35
31		The burden of HBV infection in HCV patients in Italy and the risk of reactivation under DAA therapy. Digestive and Liver Disease, 2019 , 51, 434-437	3.3	9
31		Genetic determinants of telomere length and risk of pancreatic cancer: A PANDoRA study. International Journal of Cancer, 2019 , 144, 1275-1283	7.5	22
31		Influence of gemcitabine chemotherapy on the microbiota of pancreatic cancer xenografted mice. <i>Cancer Chemotherapy and Pharmacology</i> , 2018 , 81, 773-782	3.5	46
31		Declining prevalence and increasing awareness of HCV infection in Italy: A population-based survey in five metropolitan areas. <i>European Journal of Internal Medicine</i> , 2018 , 53, 79-84	3.9	52
30	09	Characteristics of patients with hepatitis C virus-related chronic liver diseases just before the era of oral direct-acting antiviral therapy in Italy. <i>European Journal of Gastroenterology and Hepatology</i> , 2018 , 30, 676-681	2.2	5
30		Exploring the microbiota to better understand gastrointestinal cancers physiology. <i>Clinical Chemistry and Laboratory Medicine</i> , 2018 , 56, 1400-1412	5.9	20
30		Glycosylation of Immunoglobulin G Associates With Clinical Features of Inflammatory Bowel Diseases. <i>Gastroenterology</i> , 2018 , 154, 1320-1333.e10	13.3	82
30		Common genetic variants associated with pancreatic adenocarcinoma may also modify risk of pancreatic neuroendocrine neoplasms. <i>Carcinogenesis</i> , 2018 , 39, 360-367	4.6	12
30		Optimization of direct anti-viral agent treatment schedule: Focus on HCV genotype 3. <i>United European Gastroenterology Journal</i> , 2018 , 6, 225-237	5.3	3
30		Do pancreatic cancer and chronic pancreatitis share the same genetic risk factors? A PANcreatic Disease ReseArch (PANDoRA) consortium investigation. <i>International Journal of Cancer</i> , 2018 , 142, 290-	2 ⁷ 9 8	12
30		Pharmacomicrobiomics: exploiting the drug-microbiota interactions in anticancer therapies. Microbiome, 2018, 6, 92	16.6	119

302	Forecasting Hepatitis C liver disease burden on real-life data. Does the hidden iceberg matter to reach the elimination goals?. <i>Liver International</i> , 2018 , 38, 2190-2198	7.9	23
301	Hepatitis C Virus Clearance in Older Adults. <i>Journal of the American Geriatrics Society</i> , 2018 , 66, 85-91	5.6	4
300	Screening and treatment of portal vein thrombosis in cirrhosis. <i>Digestive and Liver Disease</i> , 2017 , 49, 228-229	3.3	3
299	Letter: HBsAg kinetics-guided interferon therapy for chronic hepatitis D - authors' reply. <i>Alimentary Pharmacology and Therapeutics</i> , 2017 , 45, 481-482	6.1	
298	HCV clearance after direct-acting antivirals in patients with cirrhosis by stages of liver impairment: The ITAL-C network study. <i>Digestive and Liver Disease</i> , 2017 , 49, 1022-1028	3.3	13
297	The PROSIT-BIO Cohort: A Prospective Observational Study of Patients with Inflammatory Bowel Disease Treated with Infliximab Biosimilar. <i>Inflammatory Bowel Diseases</i> , 2017 , 23, 233-243	4.5	96
296	Cancer sniffer dogs: how can we translate this peculiarity in laboratory medicine? Results of a pilot study on gastrointestinal cancers. <i>Clinical Chemistry and Laboratory Medicine</i> , 2017 , 56, 138-146	5.9	6
295	Influence of universal HBV vaccination on chronic HBV infection in Italy: Results of a cross-sectional multicenter study. <i>Journal of Medical Virology</i> , 2017 , 89, 2138-2143	19.7	9
294	Severe reduction of blood lysosomal acid lipase activity in cryptogenic cirrhosis: A nationwide multicentre cohort study. <i>Atherosclerosis</i> , 2017 , 262, 179-184	3.1	14
293	Bleeding after invasive procedures is rare and unpredicted by platelet counts in cirrhotic patients with thrombocytopenia. <i>European Journal of Internal Medicine</i> , 2017 , 38, 79-82	3.9	69
292	Characteristics of liver cirrhosis in Italy: Evidence for a decreasing role of HCV aetiology. <i>European Journal of Internal Medicine</i> , 2017 , 38, 68-72	3.9	16
291	The impact of infection by multidrug-resistant agents in patients with cirrhosis. A multicenter prospective study. <i>Liver International</i> , 2017 , 37, 71-79	7.9	37
290	Addendum: Palmieri, O. et al. Functional Implications of MicroRNAs in Crohn Disease Revealed by Integrating MicroRNA and Messenger RNA Expression Profiling. Int. J. Mol. Sci. 2017, 18, 1580. <i>International Journal of Molecular Sciences</i> , 2017 , 18, 2113	6.3	78
289	Functional Implications of MicroRNAs in Crohn's Disease Revealed by Integrating MicroRNA and Messenger RNA Expression Profiling. <i>International Journal of Molecular Sciences</i> , 2017 , 18,	6.3	14
288	Crohn's Disease Localization Displays Different Predisposing Genetic Variants. <i>PLoS ONE</i> , 2017 , 12, e010	5 8,821	10
287	Sex difference in the interaction of alcohol intake, hepatitis B virus, and hepatitis C virus on the risk of cirrhosis. <i>PLoS ONE</i> , 2017 , 12, e0185710	3.7	5
286	MicroRNA co-expression networks exhibit increased complexity in pancreatic ductal compared to Vater's papilla adenocarcinoma. <i>Oncotarget</i> , 2017 , 8, 105320-105339	3.3	4
285	Etiological factors of chronic hepatitis in Italy: a 2014 national survey. <i>European Journal of Gastroenterology and Hepatology</i> , 2017 , 29, 994-997	2.2	3

(2014-2016)

284	Hepatitis viruses exploitation of host DNA methyltransferases functions. <i>Clinical and Experimental Medicine</i> , 2016 , 16, 265-72	4.9	5	
283	HBsAg kinetics in chronic hepatitis D during interferon therapy: on-treatment prediction of response. <i>Alimentary Pharmacology and Therapeutics</i> , 2016 , 44, 620-8	6.1	26	
282	Hemostatic balance in patients with liver cirrhosis: Report of a consensus conference. <i>Digestive and Liver Disease</i> , 2016 , 48, 455-467	3.3	41	
281	Functional single nucleotide polymorphisms within the cyclin-dependent kinase inhibitor 2A/2B region affect pancreatic cancer risk. <i>Oncotarget</i> , 2016 , 7, 57011-57020	3.3	27	
280	Metabolomic profile in pancreatic cancer patients: a consensus-based approach to identify highly discriminating metabolites. <i>Oncotarget</i> , 2016 , 7, 5815-29	3.3	56	
279	Development of a metabolites risk score for one-year mortality risk prediction in pancreatic adenocarcinoma patients. <i>Oncotarget</i> , 2016 , 7, 8968-78	3.3	16	
278	Boceprevir or telaprevir in hepatitis C virus chronic infection: The Italian real life experience. <i>World Journal of Hepatology</i> , 2016 , 8, 949-56	3.4	5	
277	Support Vector Machine Based on microRNA Expression Profiles to Predict Histological Origin of Ampullary Carcinoma: Case Report of a Patient Affected From Adenocarcinoma of the Papilla of Vater With Lynch Syndrome. <i>Pancreas</i> , 2016 , 45, 626-9	2.6	1	
276	Gene expression of muscular and neuronal pathways is cooperatively dysregulated in patients with idiopathic achalasia. <i>Scientific Reports</i> , 2016 , 6, 31549	4.9	19	
275	Inflammatory Bowel Disease Meets Systems Biology: A Multi-Omics Challenge and Frontier. <i>OMICS A Journal of Integrative Biology</i> , 2016 , 20, 692-698	3.8	13	
274	Transperineal ultrasonography: First level exam in IBD patients with perianal disease. <i>Digestive and Liver Disease</i> , 2016 , 48, 874-9	3.3	7	
273	Letter: cytomegalovirus colitis in a patient treated with ipilimumab for metastatic melanoma. <i>Alimentary Pharmacology and Therapeutics</i> , 2016 , 43, 174-5	6.1	1	
272	Systematic analysis of circadian genes using genome-wide cDNA microarrays in the inflammatory bowel disease transcriptome. <i>Chronobiology International</i> , 2015 , 32, 903-16	3.6	31	
271	SIRT1 and circadian gene expression in pancreatic ductal adenocarcinoma: Effect of starvation. <i>Chronobiology International</i> , 2015 , 32, 497-512	3.6	17	
270	Prophylaxe der Post-ERCP-Pankreatitis: Update der Leitlinie der Europßchen Gesellschaft fl Gastrointestinale Endoskopie (ESGE) Duni 2014. <i>Endoskopie Heute</i> , 2015 , 27, 227-245			
269	HCV genotype 1 subtypes (1a and 1b): similarities and differences in clinical features and therapeutic outcome. <i>Hepatology International</i> , 2015 , 9, 52-7	8.8	7	
268	Genome-wide Pathway Analysis Using Gene Expression Data of Colonic Mucosa in Patients with Inflammatory Bowel Disease. <i>Inflammatory Bowel Diseases</i> , 2015 , 21, 1260-8	4.5	14	
267	Impact of genetic polymorphisms on the pathogenesis of idiopathic achalasia: Association with IL33 gene variant. <i>Human Immunology</i> , 2014 , 75, 364-9	2.3	8	

266	An a priori prediction model of response to peginterferon plus ribavirin dual therapy in naMe patients with genotype 1 chronic hepatitis C. <i>Digestive and Liver Disease</i> , 2014 , 46, 818-25	3.3	8
265	Influence of preoperative biliary drainage on surgical outcome after pancreaticoduodenectomy: single centre experience. <i>Langenbeckls Archives of Surgery</i> , 2014 , 399, 649-57	3.4	19
264	Peroxisome proliferator-activated receptor Emediated induction of microRNA-145 opposes tumor phenotype in colorectal cancer. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2014 , 1843, 122	5 ⁴ 38	22
263	Reply to "triple or dual therapy for HCV-1 naive patients? Optimizing selection tools". <i>Journal of Hepatology</i> , 2014 , 61, 179-80	13.4	
262	Overall acceptability and efficacy of commonly used bowel preparations for colonoscopy in Italian clinical practice. A multicentre prospective study. <i>Digestive and Liver Disease</i> , 2014 , 46, 795-802	3.3	9
261	SIRT1-metabolite binding histone macroH2A1.1 protects hepatocytes against lipid accumulation. <i>Aging</i> , 2014 , 6, 35-47	5.6	43
260	Variation in genes encoding for interferon B and A in the prediction of HCV-1 treatment-induced viral clearance. <i>Liver International</i> , 2014 , 34, 1369-77	7.9	7
259	Prophylaxis of post-ERCP pancreatitis: European Society of Gastrointestinal Endoscopy (ESGE) Guideline - updated June 2014. <i>Endoscopy</i> , 2014 , 46, 799-815	3.4	374
258	Modeling interactions between Human Equilibrative Nucleoside Transporter-1 and other factors involved in the response to gemcitabine treatment to predict clinical outcomes in pancreatic ductal adenocarcinoma patients. <i>Journal of Translational Medicine</i> , 2014 , 12, 248	8.5	9
257	Feasibility of pegylated interferon and ribavirin in hepatitis C-related cirrhosis with neutropenia or thrombocytopenia. <i>Digestive and Liver Disease</i> , 2014 , 46, 621-4	3.3	1
256	Identification of na№e HCV-1 patients with chronic hepatitis who may benefit from dual therapy with peg-interferon and ribavirin. <i>Journal of Hepatology</i> , 2014 , 60, 16-21	13.4	23
255	Loss of connectivity in cancer co-expression networks. <i>PLoS ONE</i> , 2014 , 9, e87075	3.7	48
254	Hepatitis C virus, mitochondria and auto/mitophagy: exploiting a host defense mechanism. <i>World Journal of Gastroenterology</i> , 2014 , 20, 2624-33	5.6	14
253	Genetic susceptibility to pancreatic cancer and its functional characterisation: the PANcreatic Disease ReseArch (PANDoRA) consortium. <i>Digestive and Liver Disease</i> , 2013 , 45, 95-9	3.3	34
252	Estimates of HCV-1 patients attaining RVR following dual therapy with peg-interferon and ribavirin. Digestive Diseases and Sciences, 2013 , 58, 1371-82	4	6
251	Advance in molecular diagnostic tools for hepatitis B virus detection. <i>Clinical Chemistry and Laboratory Medicine</i> , 2013 , 51, 1707-17	5.9	2
250	Hepatitis delta virus induces specific DNA methylation processes in Huh-7 liver cancer cells. <i>FEBS Letters</i> , 2013 , 587, 1424-8	3.8	21
249	Affinity analysis of differentially expressed genes in hepatocytes expressing HCV core genotype 1b or 3a. <i>BioSystems</i> , 2013 , 114, 64-8	1.9	2

(2012-2013)

248	Genetic variants of membrane metallopeptidase genes in inflammatory bowel diseases. <i>Digestive and Liver Disease</i> , 2013 , 45, 1003-10	3.3	2
247	Interplay between SOX9, Etatenin and PPARDactivation in colorectal cancer. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2013 , 1833, 1853-65	4.9	33
246	Cancer risk associated with STK11/LKB1 germline mutations in Peutz-Jeghers syndrome patients: results of an Italian multicenter study. <i>Digestive and Liver Disease</i> , 2013 , 45, 606-11	3.3	79
245	Associations between genetic polymorphisms in IL-33, IL1R1 and risk for inflammatory bowel disease. <i>PLoS ONE</i> , 2013 , 8, e62144	3.7	68
244	Long-term outcome of hepatitis B virus-related Chronic Hepatitis under protracted nucleos(t)ide analogues. <i>Journal of Viral Hepatitis</i> , 2013 , 20, 502-9	3.4	13
243	Adherence to American Association for the Study of Liver Diseases guidelines for the management of hepatocellular carcinoma: results of an Italian field practice multicenter study. <i>Future Oncology</i> , 2013 , 9, 283-94	3.6	45
242	Erythrocytes-mediated delivery of dexamethasone 21-phosphate in steroid-dependent ulcerative colitis: a randomized, double-blind Sham-controlled study. <i>Inflammatory Bowel Diseases</i> , 2013 , 19, 1872	9-4 -5	18
241	Exocrine pancreatic insufficiency in adults: a shared position statement of the Italian Association for the Study of the Pancreas. <i>World Journal of Gastroenterology</i> , 2013 , 19, 7930-46	5.6	74
240	Mutual antagonism between circadian protein period 2 and hepatitis C virus replication in hepatocytes. <i>PLoS ONE</i> , 2013 , 8, e60527	3.7	31
239	Exploitation of host clock gene machinery by hepatitis viruses B and C. World Journal of Gastroenterology, 2013 , 19, 8902-9	5.6	9
238	Neoadjuvant/preoperative gemcitabine for patients with localized pancreatic cancer: a meta-analysis of prospective studies. <i>Annals of Surgical Oncology</i> , 2012 , 19, 1644-62	3.1	143
237	ARNTL2 and SERPINE1: potential biomarkers for tumor aggressiveness in colorectal cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 2012 , 138, 501-11	4.9	80
237		4·9 6.1	8o 47
	of Cancer Research and Clinical Oncology, 2012, 138, 501-11 Randomised clinical trial: low-volume bowel preparation for colonoscopy - a comparison between		
236	of Cancer Research and Clinical Oncology, 2012, 138, 501-11 Randomised clinical trial: low-volume bowel preparation for colonoscopy - a comparison between two different PEG-based formulations. Alimentary Pharmacology and Therapeutics, 2012, 36, 717-24 Association study of a polymorphism in clock gene PERIOD3 and risk of inflammatory bowel	6.1	47
236	of Cancer Research and Clinical Oncology, 2012, 138, 501-11 Randomised clinical trial: low-volume bowel preparation for colonoscopy - a comparison between two different PEG-based formulations. Alimentary Pharmacology and Therapeutics, 2012, 36, 717-24 Association study of a polymorphism in clock gene PERIOD3 and risk of inflammatory bowel disease. Chronobiology International, 2012, 29, 994-1003 The expression of leucine-rich repeat gene family members in colorectal cancer. Experimental	6.1 3.6	47
236 235 234	Randomised clinical trial: low-volume bowel preparation for colonoscopy - a comparison between two different PEG-based formulations. <i>Alimentary Pharmacology and Therapeutics</i> , 2012 , 36, 717-24 Association study of a polymorphism in clock gene PERIOD3 and risk of inflammatory bowel disease. <i>Chronobiology International</i> , 2012 , 29, 994-1003 The expression of leucine-rich repeat gene family members in colorectal cancer. <i>Experimental Biology and Medicine</i> , 2012 , 237, 1123-8 Molecular pathways undergoing dramatic transcriptomic changes during tumor development in the	6.1 3.6 3.7	47 30 16
236235234233	Randomised clinical trial: low-volume bowel preparation for colonoscopy - a comparison between two different PEG-based formulations. <i>Alimentary Pharmacology and Therapeutics</i> , 2012 , 36, 717-24 Association study of a polymorphism in clock gene PERIOD3 and risk of inflammatory bowel disease. <i>Chronobiology International</i> , 2012 , 29, 994-1003 The expression of leucine-rich repeat gene family members in colorectal cancer. <i>Experimental Biology and Medicine</i> , 2012 , 237, 1123-8 Molecular pathways undergoing dramatic transcriptomic changes during tumor development in the human colon. <i>BMC Cancer</i> , 2012 , 12, 608 Eltrombopag before procedures in patients with cirrhosis and thrombocytopenia. <i>New England</i>	6.13.63.74.8	47 30 16

230	Neuroimmune interactions in patients with inflammatory bowel diseases: disease activity and clinical behavior based on Substance P serum levels. <i>Journal of Crohnls and Colitis</i> , 2012 , 6, 563-70	1.5	19
229	A unifying working hypothesis for juvenile polyposis syndrome and MfiErier's disease: specific localization or concomitant occurrence of a separate entity?. <i>Digestive and Liver Disease</i> , 2012 , 44, 952	-6 ^{3.3}	7
228	Mirna expression profiles identify drivers in colorectal and pancreatic cancers. <i>PLoS ONE</i> , 2012 , 7, e330	5 63 .7	116
227	DNA methyltransferases 1 and 3b expression in Huh-7 cells expressing HCV core protein of different genotypes. <i>Digestive Diseases and Sciences</i> , 2012 , 57, 1598-603	4	47
226	SIRT1 and the clock gene machinery in colorectal cancer. Cancer Investigation, 2012, 30, 98-105	2.1	13
225	Correlations among PPARIDNMT1, and DNMT3B Expression Levels and Pancreatic Cancer. <i>PPAR Research</i> , 2012 , 2012, 461784	4.3	12
224	Changes in miR-143 and miR-21 expression and clinicopathological correlations in pancreatic cancers. <i>Pancreas</i> , 2012 , 41, 1280-4	2.6	34
223	Time-Qualified Patterns of Variation of PPAR DNMT1, and DNMT3B Expression in Pancreatic Cancer Cell Lines. <i>PPAR Research</i> , 2012 , 2012, 890875	4.3	6
222	Long-term outcome after antiviral therapy of patients with hepatitis C virus infection and decompensated cirrhosis. <i>Clinical Gastroenterology and Hepatology</i> , 2011 , 9, 249-53	6.9	31
221	Unawareness of HBV infection among inpatients in a Southern Italian hospital. <i>Journal of Viral Hepatitis</i> , 2011 , 18, e206-11	3.4	6
220	Identification and surveillance of 19 Lynch syndrome families in southern Italy: report of six novel germline mutations and a common founder mutation. <i>Familial Cancer</i> , 2011 , 10, 285-95	3	11
219	A modified fast-track program for pancreatic surgery: a prospective single-center experience. Langenbeckls Archives of Surgery, 2011 , 396, 345-51	3.4	64
218	IL23R, ATG16L1, IRGM, OCTN1, and OCTN2 mRNA expression in inflamed and noninflamed mucosa of IBD patients. <i>Inflammatory Bowel Diseases</i> , 2011 , 17, 1832-3	4.5	5
217	Dissecting the mucosal expression of human leucine-rich repeat family genes in inflammatory bowel disease patients. <i>Inflammatory Bowel Diseases</i> , 2011 , 17, 1834-5	4.5	1
216	Clock gene expression levels and relationship with clinical and pathological features in colorectal cancer patients. <i>Chronobiology International</i> , 2011 , 28, 841-51	3.6	98
215	Fundoplication after heller myotomy: a retrospective comparison between nissen and dor. <i>Eurasian Journal of Medicine</i> , 2011 , 43, 133-40	1.3	10
214	Investigation of multiple susceptibility loci for inflammatory bowel disease in an Italian cohort of patients. <i>PLoS ONE</i> , 2011 , 6, e22688	3.7	45
213	Ribavirin dosage in patients with HCV genotypes 2 and 3 who completed short therapy with peg-interferon alpha-2b and ribavirin. <i>Alimentary Pharmacology and Therapeutics</i> , 2010 , 31, 1346-53	6.1	12

(2010-2010)

212	Genome-wide association identifies multiple ulcerative colitis susceptibility loci. <i>Nature Genetics</i> , 2010 , 42, 332-7	36.3	491
211	Genome-wide meta-analyses identify three loci associated with primary biliary cirrhosis. <i>Nature Genetics</i> , 2010 , 42, 658-60	36.3	337
210	How evidence-based are current guidelines for managing patients with peptic ulcer bleeding?. World Journal of Gastrointestinal Surgery, 2010 , 2, 9-13	2.4	1
209	Hepatitis C virus core protein genotype 3a increases SOCS-7 expression through PPAR-{gamma} in Huh-7 cells. <i>Journal of General Virology</i> , 2010 , 91, 1678-86	4.9	54
208	The -A2518G polymorphism of monocyte chemoattractant protein-1 is associated with Crohn's disease. <i>American Journal of Gastroenterology</i> , 2010 , 105, 1586-94	0.7	21
207	Tailoring the length of antiviral treatment for hepatitis C. <i>Gut</i> , 2010 , 59, 1-5	19.2	25
206	European Society of Gastrointestinal Endoscopy (ESGE) Guideline: prophylaxis of post-ERCP pancreatitis. <i>Endoscopy</i> , 2010 , 42, 503-15	3.4	214
205	1170 IL28B C/C POLYMORPHISM IS PREDICTIVE OF SPONTANEOUS HCV RNA CLEARANCE IN PATIENTS WITH THALASSEMIA MAJOR. <i>Journal of Hepatology</i> , 2010 , 52, S452	13.4	3
204	Practice guidelines for the treatment of hepatitis C: recommendations from an AISF/SIMIT/SIMAST Expert Opinion Meeting. <i>Digestive and Liver Disease</i> , 2010 , 42, 81-91	3.3	52
203	The specialty of gastroenterology: between a past of excellence and a somewhat uncertain future. <i>Digestive and Liver Disease</i> , 2010 , 42, 606-7	3.3	1
202	The intelligent, painless, "germ-free" colonoscopy: A Columbus' egg for increasing population adherence to colorectal cancer screening?. <i>Digestive and Liver Disease</i> , 2010 , 42, 839-43	3.3	5
201	Effect of the BioEnterics intragastric balloon on weight, insulin resistance, and liver steatosis in obese patients. <i>Gastrointestinal Endoscopy</i> , 2010 , 71, 927-33	5.2	71
200	Individualized treatment with combination of Peg-interferon alpha 2b and ribavirin in patients infected with HCV genotype 3. <i>Journal of Hepatology</i> , 2010 , 53, 1000-5	13.4	26
199	Outcome of chronic delta hepatitis in Italy: a long-term cohort study. <i>Journal of Hepatology</i> , 2010 , 53, 834-40	13.4	89
198	Italian consensus guidelines for chronic pancreatitis. <i>Digestive and Liver Disease</i> , 2010 , 42 Suppl 6, S381	-4906	100
197	Smoking as a cofactor for causation of chronic pancreatitis: a meta-analysis. <i>Pancreas</i> , 2010 , 39, 1205-10	02.6	90
196	Optimal dosage of ribavirin. <i>Hepatology</i> , 2010 , 52, 1174	11.2	
195	Variants at the 3p21 locus influence susceptibility and phenotype both in adults and early-onset patients with inflammatory bowel disease. <i>Inflammatory Bowel Diseases</i> , 2010 , 16, 1108-17	4.5	14

194	Polymorphism of the IRGM gene might predispose to fistulizing behavior in Crohn's disease. <i>American Journal of Gastroenterology</i> , 2009 , 104, 110-6	0.7	67
193	Response to Lin. American Journal of Gastroenterology, 2009 , 104, 1595-1596	0.7	1
192	TNF-alpha polymorphisms in primary biliary cirrhosis: a northern and southern Italian experience. <i>Annals of the New York Academy of Sciences</i> , 2009 , 1173, 557-63	6.5	11
191	Antiviral therapy in compensated and decompensated cirrhotic patients with chronic HCV infection. <i>Expert Opinion on Pharmacotherapy</i> , 2009 , 10, 1929-38	4	11
190	Determinants of relapse after a short (12 weeks) course of antiviral therapy and re-treatment efficacy of a prolonged course in patients with chronic hepatitis C virus genotype 2 or 3 infection. <i>Hepatology</i> , 2009 , 49, 358-63	11.2	52
189	Promoter methylation correlates with reduced NDRG2 expression in advanced colon tumour. <i>BMC Medical Genomics</i> , 2009 , 2, 11	3.7	31
188	Sustained virological responses following standard anti-viral therapy in decompensated HCV-infected cirrhotic patients. <i>Alimentary Pharmacology and Therapeutics</i> , 2009 , 30, 146-53	6.1	27
187	Early discontinuation of ribavirin in HCV-2 and HCV-3 patients responding to Peg-interferon alpha-2a and ribavirin. <i>Journal of Viral Hepatitis</i> , 2009 , 16, 28-35	3.4	5
186	Retreatment with pegylated interferon plus ribavirin of chronic hepatitis C non-responders to interferon plus ribavirin: a meta-analysis. <i>Journal of Hepatology</i> , 2009 , 51, 675-81	13.4	20
185	Radiofrequency thermal ablation vs. percutaneous ethanol injection for small hepatocellular carcinoma in cirrhosis: meta-analysis of randomized controlled trials. <i>American Journal of Gastroenterology</i> , 2009 , 104, 514-24	0.7	199
185 184	carcinoma in cirrhosis: meta-analysis of randomized controlled trials. American Journal of	0.7	199
	carcinoma in cirrhosis: meta-analysis of randomized controlled trials. <i>American Journal of Gastroenterology</i> , 2009 , 104, 514-24	<u> </u>	
184	carcinoma in cirrhosis: meta-analysis of randomized controlled trials. <i>American Journal of Gastroenterology</i> , 2009 , 104, 514-24 Treatment of steroid-naive ulcerative colitis. <i>Expert Opinion on Pharmacotherapy</i> , 2009 , 10, 1449-60 Fatal systemic venous air embolism during endoscopic retrograde cholangiopancreatography.	4	5
184	carcinoma in cirrhosis: meta-analysis of randomized controlled trials. <i>American Journal of Gastroenterology</i> , 2009 , 104, 514-24 Treatment of steroid-naive ulcerative colitis. <i>Expert Opinion on Pharmacotherapy</i> , 2009 , 10, 1449-60 Fatal systemic venous air embolism during endoscopic retrograde cholangiopancreatography. <i>Advances in Anatomic Pathology</i> , 2009 , 16, 255-62 New biologics in the management of Crohn's disease: focus on certolizumab pegol. <i>Clinical and</i>	5.1	5 49
184 183 182	carcinoma in cirrhosis: meta-analysis of randomized controlled trials. <i>American Journal of Gastroenterology</i> , 2009 , 104, 514-24 Treatment of steroid-naive ulcerative colitis. <i>Expert Opinion on Pharmacotherapy</i> , 2009 , 10, 1449-60 Fatal systemic venous air embolism during endoscopic retrograde cholangiopancreatography. <i>Advances in Anatomic Pathology</i> , 2009 , 16, 255-62 New biologics in the management of Crohn's disease: focus on certolizumab pegol. <i>Clinical and Experimental Gastroenterology</i> , 2009 , 2, 61-8 Enteropathic spondyloarthropathy: a common genetic background with inflammatory bowel	5.1 3.1	5 49 2
184 183 182	carcinoma in cirrhosis: meta-analysis of randomized controlled trials. <i>American Journal of Gastroenterology</i> , 2009 , 104, 514-24 Treatment of steroid-naive ulcerative colitis. <i>Expert Opinion on Pharmacotherapy</i> , 2009 , 10, 1449-60 Fatal systemic venous air embolism during endoscopic retrograde cholangiopancreatography. <i>Advances in Anatomic Pathology</i> , 2009 , 16, 255-62 New biologics in the management of Crohn's disease: focus on certolizumab pegol. <i>Clinical and Experimental Gastroenterology</i> , 2009 , 2, 61-8 Enteropathic spondyloarthropathy: a common genetic background with inflammatory bowel disease?. <i>World Journal of Gastroenterology</i> , 2009 , 15, 2456-62 Meta-analysis: the outcome of anti-viral therapy in HCV genotype 2 and genotype 3 infected	4 5.1 3.1 5.6 6.1	5 49 2 17
184 183 182 181	carcinoma in cirrhosis: meta-analysis of randomized controlled trials. <i>American Journal of Gastroenterology</i> , 2009 , 104, 514-24 Treatment of steroid-naive ulcerative colitis. <i>Expert Opinion on Pharmacotherapy</i> , 2009 , 10, 1449-60 Fatal systemic venous air embolism during endoscopic retrograde cholangiopancreatography. <i>Advances in Anatomic Pathology</i> , 2009 , 16, 255-62 New biologics in the management of Crohn's disease: focus on certolizumab pegol. <i>Clinical and Experimental Gastroenterology</i> , 2009 , 2, 61-8 Enteropathic spondyloarthropathy: a common genetic background with inflammatory bowel disease?. <i>World Journal of Gastroenterology</i> , 2009 , 15, 2456-62 Meta-analysis: the outcome of anti-viral therapy in HCV genotype 2 and genotype 3 infected patients with chronic hepatitis. <i>Alimentary Pharmacology and Therapeutics</i> , 2008 , 28, 397-404 High- versus low-dose proton pump inhibitors after endoscopic hemostasis in patients with peptic	4 5.1 3.1 5.6 6.1	5 49 2 17 92

(2007-2008)

176	colitis, refractory to mesalamine: a randomized, controlled study. <i>American Journal of Gastroenterology</i> , 2008 , 103, 2509-16	0.7	59
175	Response to Garcia-Cano. American Journal of Gastroenterology, 2008 , 103, 489-490	0.7	1
174	Clinical trial on the efficacy of a new symbiotic formulation, Flortec, in patients with irritable bowel syndrome: a multicenter, randomized study. <i>Journal of Clinical Gastroenterology</i> , 2008 , 42 Suppl 3 Pt 2, S218-23	3	57
173	Individualized treatment duration for hepatitis C genotype 1 patients: A randomized controlled trial. <i>Hepatology</i> , 2008 , 47, 43-50	11.2	196
172	The association of MYO9B gene in Italian patients with inflammatory bowel diseases. <i>Alimentary Pharmacology and Therapeutics</i> , 2008 , 27, 241-8	6.1	27
171	Are HCV genotypes 2 and 3 the same or different?. Current Hepatitis Reports, 2008, 7, 88-92		1
170	Reply:. <i>Hepatology</i> , 2008 , 48, 1020-1021	11.2	1
169	Human leukocyte antigen polymorphisms in Italian primary biliary cirrhosis: a multicenter study of 664 patients and 1992 healthy controls. <i>Hepatology</i> , 2008 , 48, 1906-12	11.2	98
168	Antiviral therapy in hepatitis C virus cirrhotic patients in compensated and decompensated condition. <i>World Journal of Gastroenterology</i> , 2008 , 14, 6467-72	5.6	21
167	Genetic susceptibility to nonsteroidal anti-inflammatory drug-related gastroduodenal bleeding: role of cytochrome P450 2C9 polymorphisms. <i>Gastroenterology</i> , 2007 , 133, 465-71	13.3	134
166	Sequential treatment with lamivudine and alpha-interferon in anti-HBe-positive chronic hepatitis B patients: a pilot study. <i>Digestive and Liver Disease</i> , 2007 , 39, 857-63	3.3	7
165	Prophylactic administration of somatostatin or gabexate does not prevent pancreatitis after ERCP: an updated meta-analysis. <i>Gastrointestinal Endoscopy</i> , 2007 , 65, 624-32	5.2	111
164	High dose of octreotide as a prophylaxis of post-ERCP pancreatitis. <i>Gastrointestinal Endoscopy</i> , 2007 , 66, 421; author reply 421-2	5.2	1
163	Bolus Versus Continuous High-Dose Omeprazole Infusion Combined with Endoscopic Hemostasis in Peptic Ulcer Bleeding. A Randomized, Multicenter, Italian Study. <i>Gastrointestinal Endoscopy</i> , 2007 , 65, AB120	5.2	3
162	Comparison of four proton pump inhibitors for the short-term treatment of esophagitis in elderly patients. <i>World Journal of Gastroenterology</i> , 2007 , 13, 4467-72	5.6	13
161	Evaluating the role of the genetic variations of PTPN22, NFKB1, and FcGRIIIA genes in inflammatory bowel disease: a meta-analysis. <i>Inflammatory Bowel Diseases</i> , 2007 , 13, 1212-9	4.5	32
160	Sequential evaluation of thiopurine methyltransferase, inosine triphosphate pyrophosphatase, and HPRT1 genes polymorphisms to explain thiopurines' toxicity and efficacy. <i>Alimentary Pharmacology and Therapeutics</i> , 2007 , 26, 737-45	6.1	34
159	Efficacy Versus effectiveness of octreotide in the prophylaxis of post-ERCP pancreatitis. <i>American Journal of Gastroenterology</i> , 2007 , 102, 1539	0.7	1

158	Usefulness of the comprehensive geriatric assessment in older patients with upper gastrointestinal bleeding: a two-year follow-up study. <i>Digestive Diseases</i> , 2007 , 25, 124-8	3.2	31
157	Peginterferon alfa-2a and ribavirin for 16 or 24 weeks in HCV. <i>New England Journal of Medicine</i> , 2007 , 357, 1660; author reply 1661-2	59.2	1
156	Dissecting genetic predisposition to inflammatory bowel disease: current progress and prospective application. <i>Expert Review of Clinical Immunology</i> , 2007 , 3, 287-98	5.1	4
155	Aberrant DNA methylation in non-neoplastic gastric mucosa of H. Pylori infected patients and effect of eradication. <i>American Journal of Gastroenterology</i> , 2007 , 102, 1361-71	0.7	151
154	Pancreatic duct stents in the prophylaxis of pancreatic damage after endoscopic retrograde cholangiopancreatography: a systematic analysis of benefits and associated risks. <i>Digestion</i> , 2007 , 75, 156-63	3.6	67
153	Artificial neural networks can classify uninvestigated patients with dyspepsia. <i>European Journal of Gastroenterology and Hepatology</i> , 2007 , 19, 1055-8	2.2	5
152	Incidence rates of post-ERCP complications: a systematic survey of prospective studies. <i>American Journal of Gastroenterology</i> , 2007 , 102, 1781-8	0.7	741
151	Peginterferon alfa-2b and ribavirin in patients with hepatitis C virus and decompensated cirrhosis: a controlled study. <i>Journal of Hepatology</i> , 2007 , 46, 206-12	13.4	168
150	Continuous infusion versus bolus administration of steroids in severe attacks of ulcerative colitis: a randomized, double-blind trial. <i>American Journal of Gastroenterology</i> , 2007 , 102, 601-8	0.7	77
149	Pegylated interferon alpha-2b as monotherapy or in combination with ribavirin in chronic hepatitis delta. <i>Hepatology</i> , 2006 , 44, 713-20	11.2	182
148	Retroperitoneal neurilemoma diagnosed by endosonographically guided fine needle aspiration. Journal of Clinical Ultrasound, 2006 , 34, 241-3	1	8
147	Contribution of IBD5 locus to clinical features of IBD patients. <i>American Journal of Gastroenterology</i> , 2006 , 101, 318-25	0.7	24
146	Multiple intrahepatic vascular shunts causing hyperammoniaemic encephalopathy in a patient without liver cirrhosis. <i>Digestive and Liver Disease</i> , 2006 , 38, 347-51	3.3	2
145	Detection of abnormal lesions recorded by capsule endoscopy. A prospective study comparing endoscopist's and nurse's accuracy. <i>Digestive and Liver Disease</i> , 2006 , 38, 599-602	3.3	36
144	Short-term treatment duration for HCV-2 and HCV-3 infected patients. <i>Digestive and Liver Disease</i> , 2006 , 38, 741-8	3.3	22
143	Clinical features of reflux esophagitis in older people: a study of 840 consecutive patients. <i>Journal of the American Geriatrics Society</i> , 2006 , 54, 1537-42	5.6	90
142	Variants of OCTN1-2 cation transporter genes are associated with both Crohn's disease and ulcerative colitis. <i>Alimentary Pharmacology and Therapeutics</i> , 2006 , 23, 497-506	6.1	47
141	Survival of patients with early hepatocellular carcinoma treated by percutaneous alcohol injection. <i>Alimentary Pharmacology and Therapeutics</i> , 2006 , 23, 1329-35	6.1	1

(2005-2006)

140	HLA and enteric antineuronal antibodies in patients with achalasia. <i>Neurogastroenterology and Motility</i> , 2006 , 18, 520-5	4	29
139	Multidrug resistance 1 gene in inflammatory bowel disease: a meta-analysis. <i>World Journal of Gastroenterology</i> , 2006 , 12, 3636-44	5.6	106
138	Lack of association between UGT1A7, UGT1A9, ARP, SPINK1 and CFTR gene polymorphisms and pancreatic cancer in Italian patients. <i>World Journal of Gastroenterology</i> , 2006 , 12, 6343-8	5.6	34
137	Non invasive evaluation of liver fibrosis in paediatric patients with nonalcoholic steatohepatitis. <i>World Journal of Gastroenterology</i> , 2006 , 12, 7821-5	5.6	38
136	Proton-pump inhibitors and outcome of endoscopic hemostasis in bleeding peptic ulcers: a series of meta-analyses. <i>American Journal of Gastroenterology</i> , 2005 , 100, 207-19	0.7	83
135	Erythrocytes-mediated delivery of dexamethasone in steroid-dependent IBD patients-a pilot uncontrolled study. <i>American Journal of Gastroenterology</i> , 2005 , 100, 1370-5	0.7	66
134	Experts' opinions on the role of liver biopsy in HCV infection: a Delphi survey by the Italian Association of Hospital Gastroenterologists (A.I.G.O.). <i>Journal of Hepatology</i> , 2005 , 43, 381-7	13.4	26
133	Cytokine gene polymorphisms in gastric cancer patients from two Italian areas at high and low cancer prevalence. <i>Cytokine</i> , 2005 , 30, 293-302	4	54
132	Idiopathic achalasia is not allelic to alacrima achalasia adrenal insufficiency syndrome at the ALADIN locus. <i>Digestive and Liver Disease</i> , 2005 , 37, 312-5	3.3	18
131	Causes of portal venous thrombosis in cirrhotic patients: the role of genetic and acquired factors. <i>European Journal of Gastroenterology and Hepatology</i> , 2005 , 17, 745-51	2.2	67
130	Tumor necrosis factor gene polymorphisms and clearance or progression of hepatitis B virus infection. <i>Liver International</i> , 2005 , 25, 1175-81	7.9	43
129	A randomized controlled trial of pegylated interferon alpha-2a (40 KD) or interferon alpha-2a plus ribavirin and amantadine vs interferon alpha-2a and ribavirin in treatment-nalle patients with chronic hepatitis C. <i>Journal of Viral Hepatitis</i> , 2005 , 12, 292-9	3.4	41
128	Lamivudine therapy in chronic delta hepatitis: a multicentre randomized-controlled pilot study. <i>Alimentary Pharmacology and Therapeutics</i> , 2005 , 22, 227-32	6.1	88
127	Ultrasonographic and biochemical parameters in the non-invasive evaluation of liver fibrosis in hepatitis C virus chronic hepatitis. <i>Alimentary Pharmacology and Therapeutics</i> , 2005 , 22, 769-74	6.1	32
126	Multidrug resistance 1 gene polymorphisms are not associated with inflammatory bowel disease and response to therapy in Italian patients. <i>Alimentary Pharmacology and Therapeutics</i> , 2005 , 22, 1129-	38 ^{6.1}	57
125	An optimized experimental protocol based on neuro-evolutionary algorithms application to the classification of dyspeptic patients and to the prediction of the effectiveness of their treatment. <i>Artificial Intelligence in Medicine</i> , 2005 , 34, 279-305	7.4	36
124	HLA-DRB1 alleles may influence disease phenotype in patients with inflammatory bowel disease: a critical reappraisal with review of the literature. <i>Diseases of the Colon and Rectum</i> , 2005 , 48, 57-64; discussion 64-5	3.1	22
123	Comparison of a monoclonal antigen stool test (Hp StAR) with the 13C-urea breath test in monitoring Helicobacter pylori eradication therapy. <i>World Journal of Gastroenterology</i> , 2005 , 11, 5878-	81 ^{5.6}	11

122	Peginterferon alfa-2b and ribavirin for 12 vs. 24 weeks in HCV genotype 2 or 3. <i>New England Journal of Medicine</i> , 2005 , 352, 2609-17	59.2	534
121	Reply to Dr. Barkun's Letter. <i>American Journal of Gastroenterology</i> , 2005 , 100, 2133-2134	0.7	2
120	Variants of CARD15 are associated with an aggressive clinical course of Crohn's diseasean IG-IBD study. <i>American Journal of Gastroenterology</i> , 2005 , 100, 84-92	0.7	98
119	External validation of biochemical indices for noninvasive evaluation of liver fibrosis in HCV chronic hepatitis. <i>American Journal of Gastroenterology</i> , 2005 , 100, 868-73	0.7	29
118	Managing patients with nonvariceal upper gastrointestinal bleeding. <i>Annals of Internal Medicine</i> , 2004 , 141, 78-9; author reply 80-1	8	2
117	Ultrasound guided fine needle biopsy of early hepatocellular carcinoma complicating liver cirrhosis: a multicentre study. <i>Gut</i> , 2004 , 53, 1356-62	19.2	100
116	Viral clearance in HCV viraemic patients with normal alanine aminotransferase after combination therapy: a controlled, open-labelled study. <i>Alimentary Pharmacology and Therapeutics</i> , 2004 , 19, 331-7	6.1	9
115	Proton-pump inhibitors reduce the risk of uncomplicated peptic ulcer in elderly either acute or chronic users of aspirin/non-steroidal anti-inflammatory drugs. <i>Alimentary Pharmacology and Therapeutics</i> , 2004 , 20, 1091-7	6.1	57
114	Anti-Saccharomyces cerevisiae mannan antibodies in inflammatory bowel disease: comparison of different assays and correlation with clinical features. <i>Alimentary Pharmacology and Therapeutics</i> , 2004 , 20, 1143-52	6.1	14
113	Treatment of patients with HCV infection with or without liver biopsy. <i>Journal of Viral Hepatitis</i> , 2004 , 11, 536-42	3.4	16
112	Survival of cirrhotic patients with early hepatocellular carcinoma treated by percutaneous ethanol injection or liver transplantation. <i>Liver Transplantation</i> , 2004 , 10, 1355-63	4.5	13
111	Prophylaxis of ERCP-related pancreatitis: a randomized, controlled trial of somatostatin and gabexate mesylate. <i>Clinical Gastroenterology and Hepatology</i> , 2004 , 2, 713-8	6.9	87
110	Frequency of NOD2/CARD15 variants in both sporadic and familial cases of Crohn's disease across Italy. An Italian Group for Inflammatory Bowel Disease Study. <i>Digestive and Liver Disease</i> , 2004 , 36, 121-	43.3	29
109	IL-10 haplotypes as possible predictors of spontaneous clearance of HCV infection. <i>Cytokine</i> , 2004 , 25, 103-9	4	83
108	Combination therapy with amantadine and interferon in nawe patients with chronic hepatitis C: meta-analysis of individual patient data from six clinical trials. <i>Journal of Hepatology</i> , 2004 , 40, 478-83	13.4	35
107	Somatostatin (SS) and Gabexate (GM) Are Ineffective in Preventing Post-ERCP Complications. <i>Gastrointestinal Endoscopy</i> , 2004 , 59, P106	5.2	2
106	Randomized controlled trial of botulinum toxin versus laparoscopic heller myotomy for esophageal achalasia. <i>Annals of Surgery</i> , 2004 , 239, 364-70	7.8	183
105	Coarse nodular US pattern in hepatic cirrhosis: risk for hepatocellular carcinoma. <i>Radiology</i> , 2003 , 226, 691-7	20.5	37

1	104	CARD15 genotyping in inflammatory bowel disease patients by multiplex pyrosequencing. <i>Clinical Chemistry</i> , 2003 , 49, 1675-9	5.5	29	
1	103	Randomized study of different 'second-line' therapies for Helicobacter pylori infection after failure of the standard 'Maastricht triple therapy'. <i>Alimentary Pharmacology and Therapeutics</i> , 2003 , 18, 815-20	6.1	51	
1		Re-treatment of patients with anti-HBe-positive chronic hepatitis B who relapsed after an initial course of lamivudine. <i>Alimentary Pharmacology and Therapeutics</i> , 2003 , 18, 933-40	6.1	4	
1	01	On the role of CFTR, PSSR1 and PST1/SPINK1 in idiopathic chronic pancreatitis. <i>European Journal of Human Genetics</i> , 2003 , 11, 107; author reply 108	5.3	5	
1	200	Mutation analysis of the cystic fibrosis transmembrane conductance regulator (CFTR) gene, the cationic trypsinogen (PRSS1) gene, and the serine protease inhibitor, Kazal type 1 (SPINK1) gene in patients with alcoholic chronic pancreatitis. <i>European Journal of Human Genetics</i> , 2003 , 11, 687-92	5.3	44	
9	9	First do no harm: power, oppression, and violence of liver biopsy. <i>Gastroenterology</i> , 2003 , 125, 272-3; author reply 273-4	13.3	5	
9)8	Dyspepsia and Helicobacter pylori infection: a prospective multicentre observational study. Digestive and Liver Disease, 2003 , 35, 157-64	3.3	13	
9	97	Contribution of artificial neural networks to the classification and treatment of patients with uninvestigated dyspepsia. <i>Digestive and Liver Disease</i> , 2003 , 35, 222-31	3.3	22	
9	96	Genetics of inflammatory bowel disease: the beginning of the end or the end of the beginning?. <i>Digestive and Liver Disease</i> , 2003 , 35, 442-9	3.3	17	
9	95	HCV chronic infection and CCR5-delta32/delta32. <i>Gastroenterology</i> , 2003 , 124, 868-9; author reply 869-	7 0 3.3	25	
9	94	The risk of upper gastrointestinal bleeding in elderly users of aspirin and other non-steroidal anti-inflammatory drugs: the role of gastroprotective drugs. <i>Aging Clinical and Experimental Research</i> , 2003 , 15, 494-9	4.8	45	
9	93	Linkage of ulcerative colitis to the pericentromeric region of chromosome 16 in Italian inflammatory bowel disease families is independent of the presence of common CARD15 mutations. <i>Journal of Medical Genetics</i> , 2003 , 40, 837-41	5.8	5	
9)2	Appropriateness of urea breath test: a prospective observational study based on Maastricht 2000 guidelines. <i>Alimentary Pharmacology and Therapeutics</i> , 2002 , 16, 1443-7	6.1	12	
9)1	Amoxicillin/tetracycline combinations are inadequate as alternative therapies for Helicobacter pylori infection. <i>Helicobacter</i> , 2002 , 7, 99-104	4.9	26	
9)0	Diagnosis of liver nodules observed in chronic liver disease patients during ultrasound screening for early detection of hepatocellular carcinoma. <i>American Journal of Gastroenterology</i> , 2002 , 97, 397-40	5 ^{0.7}	64	
8	39	Retreatment with interferon plus ribavirin of chronic hepatitis C non-responders to interferon monotherapy: a meta-analysis of individual patient data. <i>Gut</i> , 2002 , 51, 864-9	19.2	19	
8	38	Association of Crohn's disease and ulcerative colitis with haplotypes of the MLH1 gene in Italian inflammatory bowel disease patients. <i>Journal of Medical Genetics</i> , 2002 , 39, 332-4	5.8	7	
8	37	Treatment of chronic hepatitis D with thymus-derived polypeptide thymic humoral factor-gamma 2: a pilot study. <i>Digestive and Liver Disease</i> , 2002 , 34, 285-9	3.3	13	

86	Gabexate or somatostatin administration before ERCP in patients at high risk for post-ERCP pancreatitis: A multicenter, placebo-controlled, randomized clinical trial. <i>Gastrointestinal Endoscopy</i> , 2002 , 56, 488-495	5.2	107
85	Lamivudine/interferon combination therapy in anti-HBe positive chronic hepatitis B patients: a controlled pilot study. <i>Journal of Hepatology</i> , 2002 , 36, 799-804	13.4	84
84	High doses of interferon in combination with ribavirin are more effective than the standard regimen in patients with HCV genotype 1 chronic hepatitis. <i>Journal of Hepatology</i> , 2002 , 37, 109-16	13.4	19
83	Lamivudine retreatment of pts who have relapsed after a previous course of lamivudine with or without interferon. <i>Journal of Hepatology</i> , 2002 , 36, 121-122	13.4	9
82	Gabexate or somatostatin administration before ERCP in patients at high risk for post-ERCP pancreatitis: a multicenter, placebo-controlled, randomized clinical trial. <i>Gastrointestinal Endoscopy</i> , 2002 , 56, 488-95	5.2	125
81	Ranitidine bismuth citrate-based triple therapies after failure of the standard 'Maastricht triple therapy': a promising alternative to the quadruple therapy?. <i>Alimentary Pharmacology and Therapeutics</i> , 2001 , 15, 1017-22	6.1	19
80	Predictors of failure of Helicobacter pylori eradication with the standard 'Maastricht triple therapy'. <i>Alimentary Pharmacology and Therapeutics</i> , 2001 , 15, 1023-9	6.1	81
79	Octreotide 24-h prophylaxis in patients at high risk for post-ERCP pancreatitis: results of a multicenter, randomized, controlled trial. <i>Alimentary Pharmacology and Therapeutics</i> , 2001 , 15, 965-72	6.1	42
78	Mutational screening of the cationic trypsinogen gene in a large cohort of subjects with idiopathic chronic pancreatitis. <i>Clinical Genetics</i> , 2001 , 59, 189-93	4	48
77	Clearance of hepatitis B surface antigen in chronic carriers of hepatitis delta antibodies. <i>Liver</i> , 2001 , 21, 254-9		24
76	Usefulness of a liver biopsy in the evaluation of patients with elevated ALT values and serological markers of hepatitis viral infection: an AIGO study. <i>Digestive Diseases and Sciences</i> , 2001 , 46, 1409-15	4	17
75	A randomized trial of amantadine and interferon versus interferon alone as initial treatment for chronic hepatitis C. <i>Hepatology</i> , 2001 , 33, 989-93	11.2	38
74	Randomized study of two "rescue" therapies for Helicobacter pylori-infected patients after failure of standard triple therapies. <i>American Journal of Gastroenterology</i> , 2001 , 96, 58-62	0.7	131
73	Hemangioma-like lesions in chronic liver disease: diagnostic evaluation in patients. <i>Radiology</i> , 2001 , 220, 337-42	20.5	56
72	Randomized study of two Eescue herapies for helicobacter pylori-infected patients after failure of standard triple therapies. <i>American Journal of Gastroenterology</i> , 2001 , 96, 58-62	0.7	5
71	Clinical features in familial cases of Crohn's disease and ulcerative colitis in Italy: a GISC study. <i>American Journal of Gastroenterology</i> , 2001 , 96, 2939-2945	0.7	1
70	Efficacy of 5 MU of interferon in combination with ribavirin for nate patients with chronic hepatitis C virus: a randomized controlled trial. <i>Journal of Hepatology</i> , 2001 , 34, 441-6	13.4	25
69	Familial expression of anti-Saccharomyces cerevisiae Mannan antibodies in Crohn's disease and ulcerative colitis: a GISC study. <i>American Journal of Gastroenterology</i> , 2001 , 96, 2407-12	0.7	65

68	Cerebellar metastasis as a unique presenting feature of gastric cancer. <i>Journal of Clinical Gastroenterology</i> , 2001 , 33, 80-1	3	5
67	13C-octanoic acid breath test for gastric emptying measurement. <i>European Journal of Gastroenterology and Hepatology</i> , 2000 , 12, 85-91	2.2	71
66	Rifabutin-based 'rescue therapy' for Helicobacter pylori infected patients after failure of standard regimens. <i>Alimentary Pharmacology and Therapeutics</i> , 2000 , 14, 311-6	6.1	104
65	Combined segregation and linkage analysis of inflammatory bowel disease in the IBD1 region using severity to characterise Crohn's disease and ulcerative colitis. On behalf of the GISC. <i>European Journal of Human Genetics</i> , 2000 , 8, 846-52	5.3	16
64	Antineutrophil cytoplasmic antibodies in inflammatory bowel disease: clinical role and review of the literature. <i>Diseases of the Colon and Rectum</i> , 2000 , 43, 999-1007	3.1	21
63	Absence of benefit of eradicating Helicobacter pylori in patients with nonulcer dyspepsia. <i>New England Journal of Medicine</i> , 2000 , 342, 589; author reply 590	59.2	11
62	A multicentre randomised study of intrasphincteric botulinum toxin in patients with oesophageal achalasia. GISMAD Achalasia Study Group. <i>Gut</i> , 2000 , 46, 597-600	19.2	158
61	Pharmacologic treatment can prevent pancreatic injury after ERCP: a meta-analysis. <i>Gastrointestinal Endoscopy</i> , 2000 , 51, 1-7	5.2	175
60	Antibody response to Helicobacter pylori CagA and heat-shock proteins in determining the risk of gastric cancer development. <i>Digestive and Liver Disease</i> , 2000 , 32, 378-83	3.3	16
59	Anticardiolipin antibodies in patients with liver disease. <i>American Journal of Gastroenterology</i> , 1999 , 94, 2983-7	0.7	68
58	Comparison of two different formulations of botulinum toxin A for the treatment of oesophageal achalasia. The Gismad Achalasia Study Group. <i>Alimentary Pharmacology and Therapeutics</i> , 1999 , 13, 134	7-50	43
57	Genetic analysis in Italian families with inflammatory bowel disease supports linkage to the IBD1 locusa GISC study. <i>European Journal of Human Genetics</i> , 1999 , 7, 567-73	5.3	73
56	Fatal ulcerative panenteritis following colectomy in a patient with ulcerative colitis. <i>Digestive Diseases and Sciences</i> , 1999 , 44, 1189-95	4	29
55	Lack of hepatitis C virus replication intermediate RNA in diseased skin tissue of chronic hepatitis C patients. <i>Journal of Medical Virology</i> , 1999 , 59, 277-80	19.7	19
54	Intrafamilial transmission of hepatitis delta virus: molecular evidence. <i>Journal of Hepatology</i> , 1999 , 30, 564-9	13.4	48
53	HLA class II favors clearance of HCV infection and progression of the chronic liver damage. <i>Journal of Hepatology</i> , 1999 , 30, 984-9	13.4	100
52	The A16V signal peptide cleavage site mutation in the cationic trypsinogen gene and chronic pancreatitis. <i>Gastroenterology</i> , 1999 , 117, 1508-9	13.3	32
51	Changing pattern of chronic hepatitis D in Southern Europe. <i>Gastroenterology</i> , 1999 , 117, 161-6	13.3	97

50	Gross pathologic types of hepatocellular carcinoma in Italy. <i>Oncology</i> , 1999 , 56, 189-92	3.6	26
49	Gastrointestinal motor dysfunction, symptoms, and neuropathy in noninsulin-dependent (type 2) diabetes mellitus. <i>Journal of Clinical Gastroenterology</i> , 1999 , 29, 171-7	3	89
48	Polymorphism of motilin gene in patients with Crohn's disease. <i>Digestive Diseases and Sciences</i> , 1998 , 43, 715-9	4	7
47	Intrasphincteric injection of botulinum toxin is effective in long-term treatment of esophageal achalasia. <i>Muscle and Nerve</i> , 1998 , 21, 1540-2	3.4	57
46	Meta-analysis of somatostatin, octreotide and gabexate mesilate in the therapy of acute pancreatitis. <i>Alimentary Pharmacology and Therapeutics</i> , 1998 , 12, 237-45	6.1	74
45	13C-Octanoic acid breath test: valueless test for gastric emptying?. <i>Gastroenterology</i> , 1998 , 114, 857-9	13.3	19
44	Characteristics of hepatocellular carcinoma in Italy. <i>Journal of Hepatology</i> , 1998 , 29, 944-52	13.4	134
43	Pancreatic exocrine function tests. <i>Scandinavian Journal of Gastroenterology</i> , 1998 , 33, 1118-20	2.4	4
42	Patterns of symptoms in functional dyspepsia: role of Helicobacter pylori infection and delayed gastric emptying. <i>American Journal of Gastroenterology</i> , 1998 , 93, 2082-8	0.7	92
41	Treatment of antibiotic-resistant Helicobacter pylori. New England Journal of Medicine, 1998, 339, 53	59.2	48
40	The 13C-urea breath test as a predictor of intragastric bacterial load and severity of Helicobacter pylori gastritis. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 1998 , 58, 19-27	2	79
39	HCV and diabetes mellitus: evidence for a negative association. <i>American Journal of Gastroenterology</i> , 1998 , 93, 2363-7	0.7	90
38	13C octanoic acid breath test. <i>Gut</i> , 1998 , 43 Suppl 3, S28-30	19.2	19
37	Helicobacter pylori infection may undergo spontaneous eradication in children: a 2-year follow-up study. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 1998 , 27, 181-3	2.8	46
36	Intraduodenal lipase activity in celiac disease assessed by means of 13C mixed-triglyceride breath test. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 1998 , 27, 407-10	2.8	23
35	Gastrointestinal motility disorders in patients with inactive Crohn's disease. <i>Scandinavian Journal of Gastroenterology</i> , 1997 , 32, 1107-17	2.4	112
34	Helicobacter pylori infection and growth delay in older children. <i>Archives of Disease in Childhood</i> , 1997 , 77, 46-9	2.2	98
33	Prolonged treatment (2 years) with different doses (3 versus 6 MU) of interferon alpha-2b for chronic hepatitis type C. Results of a multicenter randomized trial. <i>Journal of Hepatology</i> , 1997 , 27, 56-0	5 2 3.4	41

32	HCV genotypes in patients with liver disease of different stages and severity. <i>Journal of Hepatology</i> , 1997 , 26, 1173-8	13.4	42
31	Cisapride and erythromycin prokinetic effects in gastroparesis due to type 1 (insulin-dependent) diabetes mellitus. <i>Alimentary Pharmacology and Therapeutics</i> , 1997 , 11, 599-603	6.1	33
30	The predominance of hepatitis delta virus genotype I among chronically infected Italian patients. <i>Hepatology</i> , 1997 , 25, 728-34	11.2	93
29	Free-hand technique with ordinary antisepsis in abdominal US-guided fine-needle punctures: three-year experience. <i>Radiology</i> , 1996 , 199, 721-3	20.5	27
28	Linkage analysis identifies gene carriers among members of families with hereditary nonpolyposis colorectal cancer. <i>Gastroenterology</i> , 1996 , 110, 1404-9	13.3	14
27	Perendoscopic injection of botulinum toxin is effective in achalasia after failure of myotomy or pneumatic dilation. <i>Gastrointestinal Endoscopy</i> , 1996 , 44, 461-5	5.2	41
26	Subgroups of Patients with Crohn® Disease Have Different Clinical Outcomes. <i>Inflammatory Bowel Diseases</i> , 1996 , 2, 1-5	4.5	6
25	Risk of pancreatic cancer associated with cholelithiasis, cholecystectomy, or gastrectomy. <i>Digestive Diseases and Sciences</i> , 1996 , 41, 1065-8	4	20
24	Subgroups of patients with Crohn's disease have different clinical outcomes. <i>Inflammatory Bowel Diseases</i> , 1996 , 2, 1-5	4.5	7
23	Hepatic hydrothorax. Diagnosis and management. <i>Clinical Nuclear Medicine</i> , 1996 , 21, 56-60	1.7	19
22	Minute and small early gastric cancers in a Western population: a clinicopathologic study. <i>Gastrointestinal Endoscopy</i> , 1995 , 41, 475-80	5.2	12
21	Gastric emptying of solids in patients with nonobstructive Crohn's disease is sometimes delayed. Journal of Clinical Gastroenterology, 1995 , 21, 279-82	3	37
20	Aminopyrine breath test. <i>Digestive Diseases and Sciences</i> , 1994 , 39, 2445-7	4	4
19	Cruveilhier-Baumgarten syndrome: an efficient spontaneous portosystemic collateral preventing oesophageal varices bleeding. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 1994 , 9, 236-41	4	8
18	Fine-needle liver biopsy in patients with severely impaired coagulation. <i>Liver</i> , 1993 , 13, 270-3		42
17	Benign duodenocolic fistula: an unusual case of gastrointestinal bleeding. <i>Gastrointestinal Endoscopy</i> , 1993 , 39, 827-30	5.2	Ο
16	Does a single granuloma warrant a diagnosis of idiopathic granulomatous gastritis?. <i>Journal of Clinical Gastroenterology</i> , 1993 , 16, 261-3	3	8
15	Hydrothorax complicating cirrhosis in the absence of ascites. <i>Journal of Clinical Gastroenterology</i> , 1993 , 17, 271-2	3	14

14	Focal ultrasound lesions in cirrhotic liver diagnosed as regenerative nodules by biopsy. A morphometric analysis. <i>Journal of Clinical Gastroenterology</i> , 1993 , 17, 67-72	3	6
13	Hypoechoic lesions in the 'bright liver': a reliable indicator of fatty change. A prospective study. Journal of Gastroenterology and Hepatology (Australia), 1992, 7, 469-72	4	30
12	Survival of Patients with Early Gastric Cancer Operated on for Cure 1990 , 19-25		1
11	Canrenone and androgen receptor-active materials in plasma of cirrhotic patients during long-term K-canrenoate or spironolactone therapy. <i>Digestion</i> , 1989 , 44, 155-62	3.6	6
10	Prospective evaluation of the diagnostic efficacy of CA 19-9 assay as a marker for gastrointestinal cancers. <i>Digestion</i> , 1986 , 33, 26-33	3.6	36
9	Serum trypsinogen. <i>Digestive Diseases and Sciences</i> , 1984 , 29, 479	4	1
8	Monthly fluctuations of active duodenal ulcers. <i>Digestive Diseases and Sciences</i> , 1984 , 29, 983-7	4	13
7	Pulmonary involvement in chronic pancreatitis. <i>Digestive Diseases and Sciences</i> , 1984 , 29, 896-901	4	6
6	Candida overgrowth in gastric juice of peptic ulcer subjects on short- and long-term treatment with H2-receptor antagonists. <i>Digestion</i> , 1983 , 28, 158-63	3.6	22
5		3.6	22
	H2-receptor antagonists. <i>Digestion</i> , 1983 , 28, 158-63 Diagnostic accuracy of serum cationic trypsinogen estimation for pancreatic diseases. <i>Digestive</i>		
5	H2-receptor antagonists. <i>Digestion</i> , 1983 , 28, 158-63 Diagnostic accuracy of serum cationic trypsinogen estimation for pancreatic diseases. <i>Digestive Diseases and Sciences</i> , 1982 , 27, 1089-94 Circulating trypsin-like immunoreactivity in chronic pancreatitis. <i>Digestive Diseases and Sciences</i> ,	4	26
5 4	H2-receptor antagonists. <i>Digestion</i> , 1983 , 28, 158-63 Diagnostic accuracy of serum cationic trypsinogen estimation for pancreatic diseases. <i>Digestive Diseases and Sciences</i> , 1982 , 27, 1089-94 Circulating trypsin-like immunoreactivity in chronic pancreatitis. <i>Digestive Diseases and Sciences</i> , 1981 , 26, 532-7	4	26 48